



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

October 21, 2008

Mr. Donald Scott Miller
Del Zotto Products of Florida, Incorporated
4575 West Highway, Suite 40
Ocala, Florida 34482

Dear Mr. Miller:


This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on September 19, 2008. We have assigned ARMS No. 0830154-003 to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty (30) days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after five (5) years. Therefore, a new registration form must be received no later than five (5) years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,



Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Ms. Caroline Shine, Central District

**CONCRETE BATCHING PLANT
AIR GENERAL PERMIT REGISTRATION FORM**

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
 Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
 Continue operating the facility after a change of ownership.
 Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

0830154-003

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

- All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):
0830154-001-AG
 No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Del Zotto Products of Florida, Inc.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)

N/A

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)

Street Address: 4575 West Highway #40

City: Ocala

County: Marion

Zip Code: 34482

Facility Start-Up Date (Estimated start-up date of proposed **new** facility.) (N/A for existing facility)

January 2000

Type of Facility

Check one:

Stationary Facility

Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

Pave Roads

Pave Parking Areas

Pave Yards

Maintain Roads/Parking/Yards

Use Water Application

Use Dust Suppressant

Remove Particulate Matter

Reduce Stock Pile Height

Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

Spray Bar

Chute

Enclosure

Partial enclosure

Description of Reasonable Precautions

Below, or as an attachment to this form, provide details of all types of reasonable precautions to be used to prevent unconfined emissions at the facility.

Entrance road is paved and kept clean. Areas not paved are watered to prevent dust. Rock pile is kept wet. Cement is stored in silo, described in details on page ten.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

At this time we have three cement silos in use. Each silo contains about 1 1/2 tankers of cement. Each silo has a dust bag house that is located on top of the silos. Each bag house contains 18 dust bags manufactured by Belgrade Steel Tank Co. of Belgrade, Minnesota. The bags are PE 37 100% polyester 9oz. They are cleaned by electric vibrator shakers. The cement cleaned from the bags falls back into the silo. Never in contact with the open air. The silo fill rate is about 60 minutes per silo. Each year we have a Visual Emmisions test performed on all existing silos. At this we are building a fourth silo, expecting to be in service in January 2009.


Batch Plant Silo #1 350 Barrell Existing

Batch Plant Silo #2 350 Barrell Existing

Batch Plant Silo #3 350 Barrell Existing

Batch Plant Silo #4 350 Barrell Under Construction maybe in use by 1-1-09.

ACE
**AIR CONSULTING
& ENGINEERING, INC.**



2106 N.W. 67th Place • Suite 4 • Gainesville, Florida • 32653
(352) 335-1889 FAX (352) 335-1891

August 14, 2008

Ms Danielle Henry
Florida Department of
Environmental Protection
3804 Coconut Palm Drive
Tampa, Florida 33619-8318

Dear Mr. Fernandez:

On August 1, 2008 Air Consulting and Engineering, Inc. (ACE) conducted visible emission testing on the Baghouse exhausts of Cement Storage Silo Number 1, 2 and 3 at Del Zotto Products of Florida, Inc. (Del Zotto) in Ocala, Florida.

Testing was conducted using FDEP Method 9 to demonstrate compliance with permit conditions (0830154-001AG).

Emission from the three silo baghouse exhausts averaged 0.0% opacity for the highest six-minute period of the tests. During the test on Silo Number 1, a tanker truck off loaded 26.62 tons of cement in 60 minutes (26.62TPH) at a pump pressure of 10 psi. Silo Number 2 received 26.69 tons of cement in 37 minutes (43.3 TPH) at a pumping pressure of 10 psi. Silo Number 3 received 26.63 tons of cement in 60 minutes (26.63 TPH) at a pumping pressure of 10 psi.

Mr. Jeffery Smith of Del Zotto coordinated testing.

Enclosed are our VE data sheets, observer's certification and the tanker weigh tickets.

Please contact me if further information is required.

Respectfully,

AIR CONSULTING AND ENGINEERING, INC.

A handwritten signature in cursive script that reads "Dagmar Fick".

Dagmar Fick
Staff Engineer

cc: Jeffery Smith – Del Zotto Products of Florida, Inc.

ACE File: 518 08 01



VISIBLE EMISSION OBSERVATION FORM

START TIME		END TIME							
1055		1204							
OBSERVATION DATE				TIME ZONE		PAGE		OF	
8-1-08				EDST		1		1	
SEC	0	15	30	45	SEC	0	15	30	45
MIN					MIN				
1	0	0	0	0	31	0	0	0	0
2	0	0	0	0	32	0	0	0	0
3	0	0	0	0	33	0	0	0	0
4	0	0	0	0	34	0	0	0	0
5	0	0	0	0 ¹¹⁰	35	0	0	0	0 ³⁰
6	0	0	0	0	36	0	0	0	0
7	0	0	0	0	37	0	0	0	0
8	0	0	0	0	38	0	0	0	0
9	0	0	0	0	39	0	0	0	0
10	0	0	0	0	40	0	0	0	0
11	0	0	0	0	41	0	0	0	0
12	0	0	0	0	42	0	0	0	0
13	0	0	0	0	43	0	0	0	0
14	0	0	0	0	44	0	0	0	0
15	0	0	0	0 ¹⁰	45	0	0	0	0 ⁴⁰
16	0	0	0	0	46	0	0	0	0
17	0	0	0	0	47	0	0	0	0
18	0	0	0	0	48	0	0	0	0
19	0	0	0	0	49	0	0	0	0
20	0	0	0	0	50	0	0	0	0
21	0	0	0	0	51	0	0	0	0
22	0	0	0	0	52	0	0	0	0
23	0	0	0	0	53	0	0	0	0
24	0	0	0	0	54	0	0	0	0
25	0	0	0	0 ²⁰	55	0	0	0	0
26	0	0	0	0	56	0	0	0	0
27	0	0	0	0	57	0	0	0	0
28	0	0	0	0	58	0	0	0	0
29	0	0	0	0	59	0	0	0	0
30	0	0	0	0	60	0	0	0	0

COMPANY NAME Del Zotto Products
 SOURCE Silo #1
 ADDRESS W Silver Springs Blvd (40)
 CITY Ocala STATE FL ZIP _____
 PHONE ³⁵² 351-3834 SOURCE ID NO. 0830154001

PROCESS Silo Loading OPERATING MODE _____
 CONTROL EQUIPMENT Baghouse OPERATING MODE NORMAL

DESCRIBE EMISSION POINT Most Eastern of three yellow silos

HEIGHT OF EMISSION POINT _____ HEIGHT RELATIVE TO OBSERVER
 START ~40' END SAME START ~37' END SAME

DISTANCE TO EMISSION POINT _____ DIRECTION TO EM. PT. (DEGREES)
 START ~300' END SAME START ~255° END SAME

VERTICAL ANGLE TO OBS. PT. _____ DIRECTION TO OBS. PT. (DEGREES)
 START ~12° END SAME START ~255° END SAME

DISTANCE AND DIRECTION TO OBS. PT. FROM EM. PT.
 START Both same END SAME

DESCRIBE EMISSIONS
 START NONE END SAME

EMISSION COLOR _____ WATER DROPLET PLUME: (NONE)
 START NONE END _____ ATTACHED _____ DETACHED _____


DESCRIBE PLUME BACKGROUND
 START Clouds END SAME

BACKGROUND COLOR _____ SKY CONDITIONS
 START GRAY END SAME START Overcast END SAME

WIND SPEED _____ WIND DIRECTION
 START 3-5 END SAME START SSW END SAME

AMBIENT TEMPERATURE _____ WET BULB TEMP. _____ %RH _____
 START 76 END 77 76 100

SOURCE LAYOUT SKETCH



OBSERVER'S NAME (PRINT) CHARLES RESHARD
 OBSERVER'S SIGNATURE Charles Reshard DATE 8-1-08
 ORGANIZATION AIR CONSULTING + ENG.
 CERTIFIED BY Eastern Technical Assoc. DATE 2-08
 COMMENTS MAX Grundahl - DEP
pumping Pressure - 10 PSI



VISIBLE EMISSION OBSERVATION FORM

START TIME: 1055	END TIME: 1132
OBSERVATION DATE: 8-1-08	TIME ZONE: EDT
PAGE 1 OF 1	

COMPANY NAME Del Zotto Products

SOURCE Silo #2

ADDRESS W Silver Springs Blvd (40)

CITY Ocala STATE FL ZIP _____

PHONE 352 351-3834 SOURCE ID NO. 0830154001

PROCESS Silo Loading OPERATING MODE _____

CONTROL EQUIPMENT Baghouse OPERATING MODE NORMAL

DESCRIBE EMISSION POINT MOST Western of three Yellow silos

HEIGHT OF EMISSION POINT START ~40' END SAME HEIGHT RELATIVE TO OBSERVER START ~37' END SAME

DISTANCE TO EMISSION POINT START ~330' END SAME DIRECTION TO EM. PT. (DEGREES) START ~257° END SAME

VERTICAL ANGLE TO OBS. PT. START ~10° END SAME DIRECTION TO OBS. PT. (DEGREES) START ~257° END SAME

DISTANCE AND DIRECTION TO OBS. PT. FROM EM. PT. START Both SAME END SAME

DESCRIBE EMISSIONS START NONE END SAME

EMISSION COLOR START NONE END SAME WATER DROPLET PLUME (NONE)

DESCRIBE PLUME BACKGROUND START Clouds END SAME


BACKGROUND COLOR START GRAY END SAME SKY CONDITIONS START overcast END SAME

WIND SPEED START 3-5 END SAME WIND DIRECTION START SSW END SAME

AMBIENT TEMPERATURE START 76 END 77 WET BULB TEMP. 76 %RH 100

MIN	SEC	0	15	30	45	MIN	SEC	0	15	30	45
1	0	0	0	0	0	31	0	0	0	0	0
2	0	0	0	0	0	32	0	0	0	0	0
3	0	0	0	0	0	33	0	0	0	0	0
4	0	0	0	0	0	34	0	0	0	0	0
5	0	0	0	0	1160	35	0	0	0	0	0
6	0	0	0	0	0	36	0	0	0	0	0
7	0	0	0	0	0	37	0	0	0	0	0
8	0	0	0	0	0	38					
9	0	0	0	0	0	39					
10	0	0	0	0	0	40					
11	0	0	0	0	0	41					
12	0	0	0	0	0	42					
13	0	0	0	0	0	43					
14	0	0	0	0	0	44					
15	0	0	0	0	0	45					
16	0	0	0	0	0	46					
17	0	0	0	0	0	47					
18	0	0	0	0	0	48					
19	0	0	0	0	0	49					
20	0	0	0	0	0	50					
21	0	0	0	0	0	51					
22	0	0	0	0	0	52					
23	0	0	0	0	0	53					
24	0	0	0	0	0	54					
25	0	0	0	0	0	55					
26	0	0	0	0	0	56					
27	0	0	0	0	0	57					
28	0	0	0	0	0	58					
29	0	0	0	0	0	59					
30	0	0	0	0	0	60					

SOURCE LAYOUT SKETCH



OBSERVER'S NAME (PRINT) CHARLES RESHARD

OBSERVER'S SIGNATURE Charles Reshard DATE 8-1-08

ORGANIZATION AIR CONSULTING + ENG.

CERTIFIED BY Eastern Technical Assoc. DATE 2-08


COMMENTS pumping pressure - 10 psi



VISIBLE EMISSION OBSERVATION FORM

START TIME		END TIME							
0927		1035							
OBSERVATION DATE				TIME ZONE		PAGE 1 OF 1			
8-1-08				EDST					
SEC	0	15	30	45	SEC	0	15	30	45
MIN					MIN				
1	0	0	0	0	31	0	0	0	0
2	0	0	0	0	32	0	0	0	0
3	0	0	0	0	33	0	0	0	0
4	0	0	0	0	34	0	0	0	0
5	0	0	0	0	35	0	0	0	0
6	0	0	0	0	36	0	0	0	0
7	0	0	0	0	37	0	0	0	0
8	0	0	0	0	38	0	0	0	0
9	0	0	0	0	39	0	0	0	0
10	0	0	0	0	40	0	0	0	0
11	0	0	0	0	41	0	0	0	0
12	0	0	0	0	42	0	0	0	0
13	0	0	0	0	43	0	0	0	0
14	0	0	0	0	44	0	0	0	0
15	0	0	0	0	45	0	0	0	0
16	0	0	0	0	46	0	0	0	0
17	0	0	0	0	47	0	0	0	0
18	0	0	0	0	48	0	0	0	0
19	0	0	0	0	49	0	0	0	0
20	0	0	0	0	50	0	0	0	0
21	0	0	0	0	51	0	0	0	0
22	0	0	0	0	52	0	0	0	0
23	0	0	0	0	53	0	0	0	0
24	0	0	0	0	54	0	0	0	0
25	0	0	0	0	55	0	0	0	0
26	0	0	0	0	56	0	0	0	0
27	0	0	0	0	57	0	0	0	0
28	0	0	0	0	58	0	0	0	0
29	0	0	0	0	59	0	0	0	0
30	0	0	0	0	60	0	0	0	0

COMPANY NAME Del Zotto Products
 SOURCE Silo # 3
 ADDRESS W Silver Springs Blvd (40)
 CITY Ocala STATE FL ZIP _____
 PHONE 352-351-3834 SOURCE ID NO. 0830154001
 PROCESS Silo loading OPERATING MODE _____
 CONTROL EQUIPMENT Baghouse OPERATING MODE NORMAL
 DESCRIBE EMISSION POINT Most northern of three yellow silos
 HEIGHT OF EMISSION POINT START ~40' END SAME HEIGHT RELATIVE TO OBSERVER START ~37' END SAME
 DISTANCE TO EMISSION POINT START ~400' END SAME DIRECTION TO EM. PT. (DEGREES) START ~286° END SAME
 VERTICAL ANGLE TO OBS. PT. START ~8° END SAME DIRECTION TO OBS. PT. (DEGREES) START ~286° END SAME
 DISTANCE AND DIRECTION TO OBS. PT. FROM EM. PT. START Both SAME END SAME
 DESCRIBE EMISSIONS START NONE END SAME
 EMISSION COLOR START NONE END _____ WATER DROPLET PLUME (NONE) ATTACHED DETACHED
 DESCRIBE PLUME BACKGROUND START Clouds END SAME
 BACKGROUND COLOR START GRAY END SAME SKY CONDITIONS START Overcast END SAME
 WIND SPEED START CALM END 3-5 WIND DIRECTION START SS END SSW
 AMBIENT TEMPERATURE START 75 END 76 WET BULB TEMP. 75 %RH 100



OBSERVER'S NAME (PRINT) CHARLES RESHARD
 OBSERVER'S SIGNATURE Charles Reshard DATE 8-1-08
 ORGANIZATION AIR CONSULTING + ENG.
 CERTIFIED BY Eastern Technical Assoc. DATE 2-08
 COMMENTS Jeff Smith - Contact
pumping pressure - 10 psi

VISIBLE EMISSIONS EVALUATOR

This is to certify that

CHARLES RESHARD

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue.

2/13/2008 360199
DATE OF SCHOOL CERT NUMBER
TAMPA, FL RES840294
SCHOOL LOCATION STUDENT ID NUMBER

EASTERN TECHNICAL ASSOCIATES

CHARLES RESHARD

RES840294 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL 2/13/2008 360199
SCHOOL LOCATION DATE OF SCHOOL CERT NUMBER
TMPF06 8/14/2008
LAST LECTURE CERTIFICATION EXP DATE BEARER

Customer Support

Debbie or Sheila

919-878-3188

www.eta-is-opacity.com

2

THIS SHIPPING ORDER must be legibly filled in, in ink, in indelible pencil, or in Carbon, and retained by the agent.

WARNING! Portland cement, Cements, Slag and lime are injurious to eyes and cause serious irritation. Avoid eye contact or prolonged contact with skin. Wash thoroughly after handling. In case of eye contact flush with plenty of water for at least fifteen minutes. Consult a physician immediately. Keep out of reach of children.

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading



Suwannee American Cement Company • 5117 U.S. Hwy. 27, Branford, Florida, USA

The property described below, in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery of said destination, if on its route, otherwise to delivery to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all of any of said property over all or any portion or said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

This shipment is correctly described: Subject to verification by the EASTERN OR SOUTHERN WEIGHING & INSPECTION BUREAU according to agreement. Suwannee American Cement Shipper. This is the property of the shipper, and no reconsignment or diversion is to be made unless authorized by consignee.

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight. NOTE: Where the rate is dependent on value, the shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically by the shipper to be not.

Subject to Section 7 of conditions of applicable bill of lading, if the shipment is to be delivered to the consignee without recourse on the consignee, the consignee shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Suwannee American Cement

Per [Signature] (SIGNATURE OF CONSIGNOR)

If charges are to be prepaid, write or stamp here: "To be Prepaid." TO BE PREPAID

Received \$ [Blank] to apply in prepayment of the charges on the property described herein.

Per [Blank] Agent or Cashier

(The signature here acknowledges only the amount prepaid)

CONSIGNEE TO/DESTINATION	SHIPPING PLANT AND DATE	CARRIER ROUTE
5904225 5024121 A TRUCKLINE-DELZOTTO PROD. 4607 4405 WEST HWY 40 OCALA FL 34482	FOB41 08/01/2008 08/01/2008 7:21 07:28	4865293

Charges advanced: \$

WEIGHT	
GROSS	39.520 Lbs.
TARE	12.830 Lbs.
NET	26.690 Lbs.

COMMENTS / SPECIAL INSTRUCTIONS
A-LINE SEAL #45378

WEIGHED BY: [Signature] DATE: [Blank]
CHECKED BY/FOREMAN: [Signature] TIME: [Blank]

CUSTOMER ORDER NO.	DELIVERY DATE & TIME	BILL OF LADING NO.	SEALS	CAR INITIALS/TRUCK NO.	FROM SILO
	08/01/2008 07:28	8005979196		151/357	2

PRODUCT CODE	QUANTITY WEIGHT	NO. PKGS	COMMODITY	RATE	FREIGHT
--------------	-----------------	----------	-----------	------	---------

4254081 53,380.00 26.69 Type I/II Portland Bulk AASHTO

[Signature] Edward Bunnell

[Signature] S/D

[Signature] RK

THIS PRODUCT MEETS ASTM C 150 AND AASHTO M85 SPECIFICATIONS MAY CONTAIN UP TO 5% LIMESTONE ADDITION

Suwannee American Cement Shipper	CUSTOMER REMARKS
	RECEIVED AT DESTINATION - CUSTOMER / AGENT SIGNATURE DATE
Per [Signature]	ARRIVAL TIME
	DEPARTURE TIME
	Agent
	Per

FORM NO. FL-152890

2

THIS SHIPPING ORDER

must be legibly filled in, in ink, in indelible Pencil, or in Carbon, and retained by the agent.

WARNING! Portland cement, Cement Slag and lime are injurious to eyes and cause irritation. Avoid eye contact or prolonged contact with skin. Wash thoroughly after handling. In case of eye contact flush with plenty of water for at least fifteen minutes. Consult a physician immediately. Keep out of reach of children.

RECEIVED: subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading



Suwannee American Cement Company • 5117 U.S. Hwy. 27, Branford, Florida, USA

The property described below, in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery of said destination, if on its route, otherwise to delivery to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion or said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff, if this is a motor carrier shipment.

Shipper hereby certifies he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

This shipment is correctly described. Subject to verification by the EASTERN OR SOUTHERN WEIGHING & INSPECTION BUREAU according to agreement.

Suwannee American Cement Shipper

This is the property of the shipper, and no reconsignment or Diversion is to be made unless authorized by consignor.

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight. NOTE: Where the rate is dependent on value, the shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically by the shipper to be not.

Subject to Section 7 of conditions of applicable bill of lading, if the shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Suwannee American Cement

Per [Signature] (SIGNATURE OF CONSIGNOR)

If charges are to be prepaid, write or stamp here "To be Prepaid." TO BE PREPAID

Received \$ [Blank] to apply in prepayment of the charges on the property described hereon:

Per [Blank] Agent or Cashier

(The signature here acknowledges only the amount prepaid)

CONSIGNEE TO/DESTINATION SHIPPING POINT AND DATE CARRIER ROUTE
5904225 5024121 FOB41 08/01/2008
A TRUCKLINE-DELZOTTO PROD. 4607
4405 WEST HWY 40
OCALA FL
34482 08/01/2008 559 06:03
4869236

Charges advanced: \$

WEIGHT table with columns: GROSS (39.570 Lbs.), TARE (12.940 Lbs.), NET (26.630 Lbs.)

COMMENTS / SPECIAL INSTRUCTIONS

A-LINE SEAL 46259

WEIGHED BY DATE C SCALESUW4

CHECKED BY FOREMAN TIME

Table with columns: CUSTOMER ORDER NO., DELIVERY DATE & TIME (08/01/2008 06:03), BILL OF LADING NO. (3005969756), SEALS, CAR INITIALS/TRUCK NO. (150/356), FROM SILO (4)

Table with columns: PRODUCT CODE, QUANTITY WEIGHT, NO. PKGS., COMMODITY, RATE, FREIGHT

4254081 53,260.00 26.63 Type I/II Portland Bulk AASHTO

Handwritten signature/initials

THIS PRODUCT MEETS ASTM C 150 AND AASHTO M85 SPECIFICATIONS, MAY CONTAIN UP TO 5% LIMESTONE ADDITION

Handwritten signature: JOE BENAVIDES

Suwannee American Cement Shipper

CUSTOMER REMARKS

RECEIVED AT DESTINATION - CUSTOMER / AGENT SIGNATURE DATE

ARRIVAL TIME

Agent

DEPARTURE TIME

Per

FORM NO.

FL-152878

2

THIS SHIPPING ORDER

must be legibly filled in, in ink, in indelible pencil, or in carbon, and retained by the agent.

Portland cement, Campplus Slag and lime are injurious to eyes and cause skin irritation. Avoid eye contact or prolonged contact with skin. Wash thoroughly after handling. In case of eye contact flush with plenty of water for at least fifteen minutes. Consult a physician immediately. Keep out of reach of children.

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading



Suwannee American Cement Company • 5117 U.S. Hwy. 27, Branford, Florida, USA

the property described below, in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery of said destination, if on its route, otherwise to delivery to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all of any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) Uniform Freight Classification in effect on the date hereof; if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

This shipment is correctly described. Subject to verification by the EASTERN OR SOUTHERN WEIGHING & INSPECTION BUREAU according to agreement.

Suwannee American Cement Shipper

This is the property of the shipper, and no reconsignment or diversion is to be made unless authorized by consignee.

"If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight. NOTE: Where the rate is dependent on value, the shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically by the shipper to be not.

Subject to Section 7 of conditions of applicable bill of lading, if the shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Suwannee American Cement

Per (SIGNATURE OF CONSIGNOR)

If charges are to be prepaid, write or stamp here. "To be Prepaid," TO BE PREPAID

Received \$ to apply in prepayment of the charges on the property described hereon.

Per Agent or Cashier

(The signature here acknowledges only the amount prepaid)

exceeding Per

CONSIGNED TO/DESTINATION

SHIPPING PLANT AND DATE

CARRIER ROUTE

5904225 5024121 A TRUCKLINE-DELZOTTO PROD. 4607

FOB41 08/01/2008

4405 WEST HWY 40 Ocala FL 34482

08/01/2008 8:43 08:50

4865375

Charges advanced: \$

Table with columns: WEIGHT, GROSS, TARE, NET. Values: 39.510, 12.890, 26.620. Units: Lbs.

COMMENTS / SPECIAL INSTRUCTIONS

A-LINE SEAL #45383

WEIGHED BY DATE

CSCALESUW5

CHECKED BY/FOREMAN TIME

CUSTOMER ORDER NO.

DELIVERY DATE & TIME

BILL OF LADING NO.

SEALS

CAR INITIALS/TRUCK NO.

FROM SILO

08/01/2008 08:50 8005979308

131/337

2

PRODUCT QUANTITY NO. COMMODITY RATE FREIGHT

4254081 53,240.00 26.62 Type I/II Portland Bulk AASHTO

THIS PRODUCT MEETS ASTM C 150 AND AASHTO M85 SPECIFICATIONS MAY CONTAIN UP TO 5% LIMESTONE ADDITION

Patrick Hollingshead Patrick Hollingshead

Suwannee American Cement Shipper

CUSTOMER REMARKS

RECEIVED AT DESTINATION - CUSTOMER AGENT SIGNATURE

DATE

8-1-08

Per (Signature)

ARRIVAL TIME

Agent


DEPARTURE TIME

Per





Del Zotto Products
1575 W. Highway 40
Ocala, FL 34482



FDEP

Receipts

PO Box 3070

Tallahassee FL 32315-3070

Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Cashlisting by Deposit #: 291158 thru 291158
Printed: 9/19/2008 4:35:21 PM - Page 9

Cashlisting: **71044** Cashlist Area: **3755** Description: **DIV OF AIR RESOURCES MGMT.**
 Deposit No: **291158** Date Deposited: **09/19/2008** Contact: **E. WALKER**

Object	Transmittal	Dep DDN	Receipt Number	Pre-Numbered Receipt	Name	Check Number	Payment Amount	Reference Account	Payment Number	Remittance Number	Fund	Grant	
002272	50581	485864	637544		POWERSCREEN OF FLA INC	052009	\$100.00		900687	796579	PFTF		
	50581	485865	637545		DEL ZOTTO PRODUCTS OF FLA INC	27900	\$100.00	<i>0830154-003 10/10/2008-CCB</i>	900689	796580	PFTF		
Object Code 002272 Subtotal:							\$200.00						
Cashlisting 71044 Total:							\$200.00						