

DEC 22 2011

HUMAN CREMATORIES AIR GENERAL PERMIT REGISTRATION INFORMATION

DIVISION OF AIR
RESOURCE MANAGEMENT

Facility Identification Number - If known (seven digit number) 0830155-007-AG: For re-registration of this permit, expiring 01/18/2012, for one (1) human crematory unit. Registration Type Check one: **INITIAL REGISTRATION - Notification of intent to:** Construct and operate a proposed new facility. Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit). If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. (See "Surrender of Existing Air Operation Permit(s)" below.) Operates an existing facility not currently permitted or using an air general permit. **RE-REGISTRATION** (for facilities currently using an air general permit) - Notification of intent to: Continue operating the facility after expiration of the current term of air general permit use. Continue operating the facility after a change of ownership. Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C. Any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C. Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): N/A **General Facility Information** Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.) Florida Cremation Society Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility complete registration must be submitted for each.) Florida Cremation Society Facility Location (Physical location of the facility, not necessarily the mailing address.) Street Address: 708 SW 2nd Ave. Zip Code: 34471 — 0917 City: Ocala County: Marion Note: Please correct address in "ARMS" & "ACES". Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility.) N/A

V830155 Facility Contact				
Name and Position Title (Plant m Print Name and Title: Kevin K. I			• •	
Facility Contact Telephone Numb Telephone: (352) 694-3838 E-mail: kevin@floridacremat	Fax: (352) 694-38	79		
Facility Contact Mailing Address Organization/Firm: Florida Cret Mailing Address: 708 SW 2nd A City: Ocala County: N Note: Please correct address	Ave. larion Zip Code			
Other Contact/Representative (Name and Position Title Print Name and Title: Mr. Lynn				
Other Contact/Representative Telephone: (813) 752-5014 Cell phone: (813) 957-8804 E-mail: Irobinson@sesfla.con		Fax: (813) 752-247	5	
Other Contact/Representative Mai Organization/Firm: Southern Er Street Address: 1204 North Who City: Plant City	vironmental Sciences	county: FL	Zip Code: 33563	
<u> </u>	ek only one) perated by a federal, state ted by the federal govern			
Facility owned or opera Facility owned or opera Facility owned or opera	ted by the state. ted by the county.		201 FINA	ENVI
			2011 DEC 20 FINANCE & , REVE	ENVIRONMENT

0830155

Emission Unit Details

MANUFACTURER	MODEL NUMBER	SERIAL NUMBER	RATED CAPACITY
Industrial Equipment & Engineering Co.	IEE 43 – Power-Pak II	0880806	100 lb/hr

Design Calculations	
If this is an initial registration for a proposed new human crematory unit, provide design calculations to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees F.	
☐ Design calculations attached.	
Registration is not for proposed new human crematory unit(s).	

Facility Fuel & Controls

The facility has one human crematory incinerator listed above. The crematory is designed to burn human remains at the average incineration rate of 100 pounds per hour. The incinerator consists of primary and secondary (afterburner) chambers, each fired on natural gas or propane (LPG) with a maximum total design heat input rate of 1.5 MMBtu/hr.

Emissions are controlled by the afterburner, which maintains a minimum secondary chamber combustion zone temperature of 1600 Deg F prior to and during combustion of material in the primary chamber. The secondary chamber is designed to ensure one-second residence time at a gas temperature of 1800 Deg F, and is equipped with a continuous temperature monitor and recorder, and a stack opacity monitoring system.

FINANCE & ACCOUNT Human Information Inform

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □(813) 752-5014, Fax (813) 752-2475

December 12, 2011

Mr. Kevin Roberts Florida Cremation Society 708 SW 2nd Avenue Ocala, Florida 34471

Re: Air General Permit Re-Registration for One (1) Human Crematory

Permit No. 0830155-007-AG, Expires 01/18/2012

Dear Mr. Roberts:

Under the revised FDEP rule, the form does not need to be signed.

Please send one (1) unbound copy of the enclosed 3-page Re-Registration Information document via FedEx (or similar) with delivery tracking/confirmation to FDEP-Tallahassee at the address below, <u>along with a fee check in the amount of \$100.00 payable to "Florida DEP"</u>.

The Overnight Delivery (e.g. FedEx) address is:

Department of Environmental Protection Receipts 3800 Commonwealth Blvd. Mail Station 77 Tallahassee, FL 32399

Phone: (850) 717-9000

This Re-Registration <u>must be received by FDEP no later than 12/19/2011</u> (30 days prior to the <u>01/18/2012</u> expiration date) in order to be timely for renewal. The renewed registration for this one (1) human crematory unit will become effective 30 days after the document and the \$100 check are received by FDEP-Tallahassee and will be effective for five years unless you have material changes.

The two (2) bound copies are for your use and contain excerpts of the FDEP rules which constitute your permit conditions - and must be retained onsite. We recommend you keep one bound copy with the crematory unit operator and one bound copy for your files.

Please call me if you have any questions.

Sincerely,

SOUTHERN ENVIRONMENTAL SCIENCES, INC.

Lynn Robinson, P.E. Permitting Manager

Enclosures:

Two (2) Unbound copies of Re-Registration Information

Two (2) Bound copies of Re-Registration Information with FDEP Rules

2011 DEC 20 AM 7: 00
FINANCE & ACCOUNTING

ENVIRONMENTAL PROTECTION