

Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

May 13, 1999

Mr. Brian Waiver
Chromalloy Gas Turbine Corporation
630 Anchors Street Northwest
Fort Walton Beach, Florida 32548

Re: Facility No.: 0910083

Dear Mr. Waiver:

The Department has received the Title V General Permit Notification Form for the chromium electroplating and anodizing facility that you submitted on April 15, 1999.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Charles Norman, Northwest District

**CHROMIUM ELECTROPLATING AND ANODIZING
AIR GENERAL PERMIT NOTIFICATION FORM**

Part III. Notification of Intent to Use General Permit

Pror to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): CHROMALLOY GAS TURBINE CORPORATION
2. Site Name (For example, plant name or number): CHROMALLOY FLORIDA
3. Hazardous Waste Generator Identification Number: FLD097373542
4. Facility Location: Street Address: 630 ANCHORS STREET N.W. City: FORT WALTON BEACH County: OKALOOSA Zip Code: 32548
5. Facility Identification Number (DEP Use): 0910083

Responsible Official

6. Name and Title of Responsible Official: Name: BRIAN WAIVER Title: VICE PRESIDENT AND GENERAL MANAGER
7. Responsible Official Mailing Address: Organization/Firm: CHROMALLOY FLORIDA Street Address: 630 ANCHORS STREET N.W. City: FORT WALTON BEACH County: OKALOOSA Zip Code: 32548
8. Responsible Official Telephone Number: Telephone: (850) 244-7684 Fax: (850) 243-2413

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): GEORGE CARLOUGH, SAFETY AND ENVIRONMENTAL MANAGER
10. Facility Contact Address: Street Address: 630 ANCHORS STREET N.W. City: FORT WALTON BEACH County: OKALOOSA Zip Code: 32548
11. Facility Contact Telephone Number: Telephone: (850)244-7684 Fax: (850)243-2413

Facility Information

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

DATE PURCHASED	HARD UNIT CLASS (new or existing)	CHROMIUM DATE CNTRL DEVICE INSTALLED	PLATING CONTROL DEVICE (see key)	TANKS APPLICABLE STANDARD (see key)
12/9/98	New	09-JAN-99	CMP	a

Key for Control Device Type

PBS = packed-bed scrubber
 CMP = composite mesh pad
 PBS/CMP = packed-bed scrubber and composite mesh pad
 FS = fume suppressant only
 FS/WA = fume suppressant with a wetting agent
 FM = fiber-bed mist eliminator
 WA = wetting agent

Applicable Standard Key

a = 0.03 mg/dscm
 b = 0.015 mg/dscm
 c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes No

1.b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

DECORATIVE AND ANODIZING TANKS				
DATE PURCHASED	UNIT CLASS (new or existing)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
N/A				

Key for Control Device Type

PBS = packed-bed scrubber
 CMP = composite mesh pad
 PBS/CMP = packed-bed scrubber and composite mesh pad
 FS = fume suppressant only
 FS/WA = fume suppressant with a wetting agent
 FM = fiber-bed mist eliminator
 WA = wetting agent

Applicable Standard Key

x = 0.01 mg/dscm
 y = 45 dynes/cm
 z = records of bath components (trivalent Cr tanks only)
 c = alternative standard for multiple tanks under common control

2. Indicate the date by which the facility must meet the requirements of paragraph (5) of Part II:
 (Note: if your facility contains both hard and decorative plating or anodizing units, you must check each applicable date)

January 25, 1996 January 25, 1997

3. Indicate how the facility will fulfill the compliance demonstration:

- The facility will conduct an initial performance test
- The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

4. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Equipment maintenance [X]
- (b) Equipment inspection and repair [X]
- (c) Equipment malfunctions [X]
- (d) Operation and maintenance checklist [X]
- (e) Instrument calibration [X]
(used during initial performance test)
- (f) Start-up, shutdown, malfunction plan []
- (g) Performance test results [X]
- (h) Equipment monitoring [X]
- (i) Excess emissions [X]
- (j) Operating periods [X]
- (k) Rectifier capacity [X]
- (l) Fume suppressant records []
- (m) Purchase records of wetting agent components []

Surrender of Existing DEP Air Permit(s)

5. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- [X] I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are: 0910065-004-AC and 0910065-003-AV.
- [] No air permits currently exist for the operation of the facility indicated in this notification form.


Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Brian Waiver, Vice President and General Manager

Print name of responsible official


Signature

4/13/99
Date



CHROMALLOY FLORIDA

630 Anchors Street N.W. Fort Walton Beach, Florida 32548
Phone: (904) 244-7684, Sita: PNSRVCR Fax#: (904) 244-6322
FAA Repair Station #IH4R258M

RECEIVED

APR 15 1999

Bureau of Air Monitoring
& Mobile Sources

April 13, 1999

General Permits Section
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400


Dear Sir / Ma'am :

Please find enclosed Chromalloy Florida's Chromium Electroplating and Anodizing Air General Permit Application Form, URS Greiner Woodward Clyde Applicability Determination Letter and FDEP letter dated March 29, 1999 concurring with the applicability Determination.

Should you have any question regarding our application please feel free to contact me at (850)-244-7684.

For Chromalloy Florida,

George Carlough
Environmental and Safety Manager



Department of Environmental Protection


Jeb Bush
Governor

Northwest District
160 Governmental Center
Pensacola, Florida 32501-5794

David B. Struhs
Secretary

March 29, 1999

Rodney D. Hames, P.E.
URS Greiner Woodward Clyde
917 Western America circle, Suite 500
Mobile, AL 36609



Dear Mr. Hames:

This is in response to your March 19, 1999 letter concerning Chromalloy Florida. Your letter included an evaluation of each of the emission units at the Chromalloy Florida facility to determine whether the emission units were insignificant consistent with Rule 62-213.300(2)(a)1, F.A.C., and whether the facility might qualify for a Title V air general permit as a chromium electroplating and anodizing facility. We believe you did an excellent job of evaluating these issues.

We agree with your conclusion that, with the exception of emission unit 004 (Plating Operations), the remaining emission units are insignificant. We believe the Title V chromium electroplating and anodizing general permit is applicable to this facility, and that a general permit application should be submitted. The application should be submitted prior to April 28, 1999, ninety days from the date of our January 28, 1999 incompleteness letter. We have included the current General Permit notification form (DEP Form No. 62-213.900(5), Effective 2/24/99).

If necessary and at your request we will extend the time to submit the remaining information for the Title V application to cover the general permit processing time. If Chromalloy Florida qualifies and uses the Title V air general permit, any other air permits (0910065-004-AC) and applications (TV application 0910065-003-AV) must then be surrendered.

If you have any questions or comments, please contact Bob Kriegel of this office at (850) 595-8364.

Sincerely,

Andrew S. Allen
Air Permitting Supervisor

ASA:bkw

Enclosure

cc: Claude R. Butler, DEP Northwest District Branch Office, Tallahassee
George Carlough, Chromalloy Florida

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

URS Greiner Woodward Clyde

A Division of URS Corporation

917 Western America Circle, Suite 500

Mobile, AL 36609

Tel: 334.342.7222

Fax: 334.342.0407

Offices Worldwide

March 19, 1999

Mr. Ed K. Middleswart, P.E.
Air Program Administrator
Florida Department of Environmental Protection
160 Governmental Center
Pensacola, FL 32501

Subject: Chromalloy Gas Turbine Corporation (Chromalloy Florida)
Fort Walton Beach, Florida Facility
Response to Request of Additional Information for Title V Application
Project No. 2500000005.00

Dear Mr. Middleswart:

On behalf of our client, Chromalloy Gas Turbine Corporation (Chromalloy Florida), URS Greiner Woodward Clyde (URSGWC) is writing in response to your correspondence dated January 28, 1999, which requested additional information for the initial Title V permit application submitted to the Florida Department of Environmental Protection (FDEP) Northwest District on July 1, 1996.

BACKGROUND

Following receipt of your letter, Chromalloy Florida and URSGWC representatives met with Mr. Bob Kriegel and Mr. Charles Norman to discuss specific issues as well as the potential applicability of a Title V General Permit. During this meeting, it was explained that as long as other emissions can be defined as insignificant under Rule 62-213.300(2)(a)1 F.A.C., a Title V General Permit for the chromium MACT source could apply to the facility. According to the referenced insignificant source criteria, Chromalloy Florida can qualify for a Title V General Permit. This conclusion is based on the results of an inventory performed on the 1998 emissions for the Fort Walton Beach operation and is further explained in the following discussion.

SOURCE EVALUATION

Each permitted emissions unit within the Chromalloy Florida Fort Walton Beach facility is evaluated separately in the following sections. Table 1 is a summary of the determination of significance detailed in these sections. Criteria A, B, C refer to the tests for eligibility set forth at 62-213.300(2)(a)1.a., b. and c. F.A.C.

Mr. Ed K. Middleswart
 FDEP
 March 19, 1999
 Page 2

TABLE 1
SUMMARY OF SIGNIFICANT SOURCE DETERMINATION
CHROMALLOY FLORIDA
FORT WALTON BEACH, FLORIDA

Emissions Unit	Emissions Unit No.	Criteria A	Criteria B	Criteria C
Plasma Booths and Honing	0910065001	No	No	No
Plating Operations	0910065004	Yes; Chromium Electroplating MACT	No	No
Fluorescent Paint Inspection	0910065002	No	No	No
Paint Booths/Drying Ovens	0910065005	No	No	No
Acid/Alkaline Cleaning	0910065007	No	No	No
Vapor Degreasers ¹	0910065003	*	*	*
Heat Treating Furnaces ²	0910065006	*	*	*

¹The vapor degreasers using trichloroethylene have been decommissioned and removed from the facility.

²There are no emissions from the electric heat treating furnaces.

PLASMA BOOTHS AND HONING - EMISSIONS UNIT 0910065001

Criteria A

This emissions unit is not regulated by a source specific regulation, either under the Florida Administrative Code or Title 40 of the Code of Federal Regulations (40 CFR).

Mr. Ed K. Middleswart
FDEP
March 19, 1999
Page 3

Criteria B

Based on the 1998 emissions inventory, this unit:

- Had no lead or lead compound emissions
- Emitted the following amounts of HAPs:
 - Chromium: 48.27 lbs.
 - Cobalt: 7.64 lbs.
 - Manganese: 1.18 lbs.
 - Nickel: 805.88 lbs.
- Emitted 862.97 lbs. of Total HAPs
- Emitted the following amounts of other regulated pollutants:
 - Particulate Matter: 0.166 tons

Criteria C

In 1998, this emissions unit in combination with other emissions units:

- Emitted 0.234 tons of particulate matter. No carbon monoxide, nitrogen oxide, sulfur dioxide, or VOCs were emitted from this unit.
- Had no lead or lead compound emissions.
- Emitted the following HAPs:
 - Chromium: 0.024 tons
 - Cobalt: 0.004 tons
 - Manganese: 0.001 tons
 - Nickel: 0.403 tons
- Emitted 0.432 tons of total HAPs
- Emitted no other regulated pollutants

PLATING OPERATION - EMISSIONS UNIT 0910065004

Criteria A

This emissions unit is regulated by 40 CFR Part 63 Subpart N, Maximum Available Control Technology (MACT) for Chromium Electroplaters.

Mr. Ed K. Middleswart
FDEP
March 19, 1999
Page 4

Criteria B

Based on the 1998 emissions inventory, this unit:

- Emitted 0.0012 lbs. of lead
- Emitted the following amounts of HAPs:
 - Chromic Acid: 0.84 lbs.
 - Nickel: 0.70 lbs.
- Emitted 1.53 lbs. of Total HAPs
- Emitted the following amounts of other regulated pollutants:
- Particulate Matter: 0.000765 tons

Criteria C

In 1998, this emissions unit in combination with other emissions units:

- Emitted 0.234 tons of particulate matter. No carbon monoxide, nitrogen oxide, sulfur dioxide, or VOCs were emitted from this unit.
- Had no lead or lead compound emissions.
- Emitted the following HAPs:
 - Chromium: 0.024 tons
 - Cobalt: 0.004 tons
 - Manganese: 0.001 tons
 - Nickel: 0.403 tons
- Emitted 0.432 tons of total HAPs
- Emitted no other regulated pollutants

FLUORESCENT PAINT INSPECTION - EMISSIONS UNIT 0910065002

Criteria A

This emissions unit is not regulated by a source specific regulation, either under the Florida Administrative Code or Title 40 CFR.

Criteria B

Based on the 1998 emissions inventory, this unit:

- Had no lead or lead compound emissions

Mr. Ed K. Middleswart
FDEP
March 19, 1999
Page 5

- Had no HAP emissions
- Had no Total HAP emissions
- Emitted the following amounts of other regulated pollutants:
 - Particulate Matter: 0.01638 tons

Criteria C

In 1998, this emissions unit in combination with other emissions units:

- Emitted 0.234 tons of particulate matter. No carbon monoxide, nitrogen oxide, sulfur dioxide, or VOCs were emitted from this unit.
- Had no lead or lead compound emissions.
- Emitted the following HAPs:
 - Chromium: 0.024 tons
 - Cobalt: 0.004 tons
 - Manganese: 0.001 tons
 - Nickel: 0.403 tons
- Emitted 0.432 tons of total HAPs
- Emitted no other regulated pollutants

PAINT BOOTHS/DRYING OVENS - EMISSIONS UNIT 0910065005

Criteria A

This emissions unit is not regulated by a source specific regulation, either under the Florida Administrative Code or Title 40 CFR.

Criteria B

Based on the 1998 emissions inventory, this unit:

- Had no lead or lead compound emissions
- Emitted the following amounts of HAPs:
 - Aromatic 150 (Naptha): 40.59 lbs.
 - Chromium III Compounds: 0.13 lbs.
 - Chromium VI Compounds: 0.65 lbs.
 - Epoxy Resin: 6.85 lbs.

Mr. Ed K. Middleswart
FDEP
March 19, 1999
Page 6

- Ethyl Benzene: 17.04 lbs.
- Formaldehyde: 0.22 lbs.
- Isophorone: 19.18 lbs.
- Methyl Ethyl Ketone: 13.21
- Mineral Spirits: 5.41 lbs.
- Toluene: 19.82 lbs.
- Xylene: 73.68 lbs.
- Emitted 196.77 lbs. of Total HAPs
- Emitted the following amounts of other regulated pollutants:
 - Volatile Organic Compounds: 0.170 tons
 - Particulate Matter: 0.00453 tons

Criteria C

In 1998, this emissions unit in combination with other emissions units:

- Emitted 0.234 tons of particulate matter. No carbon monoxide, nitrogen oxide, sulfur dioxide, or VOCs were emitted from this unit.
- Had no lead or lead compound emissions.
- Emitted the following HAPs:
 - Chromium: 0.024 tons
 - Cobalt: 0.004 tons
 - Manganese: 0.001 tons
 - Nickel: 0.403 tons
- Emitted 0.432 tons of total HAPs
- Emitted no other regulated pollutants

ACID/ALKALINE CLEANING, EMISSIONS UNIT 0910065007

Criteria A

This emissions unit is not regulated by a source specific regulation, either under the Florida Administrative Code or Title 40 CFR.

Criteria B

Based on the 1998 emissions inventory, this unit:

Mr. Ed K. Middleswart
FDEP
March 19, 1999
Page 7

- Had no lead or lead compound emissions
- Emitted the following amounts of HAPs:
 - Hydrochloric Acid: 2,800.04 lbs.
 - Hydrofluoric Acid: 50.40 lbs.
- Emitted 2850.44 lbs. of Total HAPs
- Emitted the following amounts of other regulated pollutants:
 - VOCs: 0.234 tons
 - Nitric Acid: 1.026 tons

Criteria C

In 1998, this emissions unit in combination with other emissions units:

- Emitted 0.234 tons of particulate matter. No carbon monoxide, nitrogen oxide, sulfur dioxide, or VOCs were emitted from this unit.
- Had no lead or lead compound emissions.
- Emitted the following HAPs:
 - Chromium: 0.024 tons
 - Cobalt: 0.004 tons
 - Manganese: 0.001 tons
 - Nickel: 0.403 tons
- Emitted 0.432 tons of total HAPs
- Emitted no other regulated pollutants

VAPOR DEGREASERS - EMISSIONS UNIT 0910065003

The operations comprising this emissions unit have been replaced by an unregulated, non-emitting operation. The vapor degreasers have been decommissioned and removed from the facility. For further details concerning this source, refer to our letter dated August 26, 1998 (copy enclosed).

HEAT TREATING FURNACES - EMISSIONS UNIT 0910065006

The operations comprising this emissions unit have no emissions. The furnaces are electrically heated and purged by argon, an inert gas. Treated parts are uncoated and are not consumed or altered in any manner that might cause emissions. For further information concerning this emissions unit, see our letter dated August 26, 1998 (copy enclosed).


Mr. Ed K. Middleswart
FDEP
March 19, 1999
Page 8

CLOSING


Following review of this correspondence, please advise the permittee of your position in respect to the applicability of the General Title V Permit. If the Department concurs that the facility qualifies for coverage under the General Title V Permit for Chromium Electroplaters, we request the Department so notify us and that processing of the current Individual Title V application be postponed until a general permit application can be submitted. Preparation of the application will be initiated while the Department conducts its review so that submittal can be made within the original ninety (90) days time frame established by your letter dated January 28, 1999, and received by the permittee on January 29, 1999. If the Department does not concur with our position, please advise as soon as possible so that any required response may be generated within our established time frame.

If you have any questions or comments concerning this letter or our position regarding applicability of the General Title V Permit for Chromium Electroplaters, please contact either of the undersigned. We look forward to resolving this permitting issue and proceeding with the Title V effort.

Sincerely,



Allison M. Davis
Staff Scientist



Rodney D. James, P.E.
Branch Manager/Consulting Engineer

AMD:gh

Enclosures

August 26, 1998

Mr. Armando Sarasua, PE
Florida Dept. of Environmental Protection
Air Div., Northwest District
160 Government Center
Pensacola, FL 32501-5794

Subject: Requested Title V Air Permit Modifications
Chromalloy Florida
Project No. 97N077M

Dear Mr. Sarasua:

On behalf of our client, Chromalloy Florida (Chromalloy) of Fort Walton Beach, Florida, URS Greiner Woodward-Clyde is requesting adjustments to Chromalloy's Title V Air Permit Application which is currently being reviewed. A short form application (DEP Form No. 62-210.900[2]) has been completed in order to apply for a construction permit for the installation of two new emission units – a vacuum furnace and a paint spray booth. After speaking with you, we understand that submittal of this application may be unnecessary; however, we have included it as Attachment 1 for your reference. The following includes the requested information for the two emissions units that are to be installed at the Chromalloy facility.

VACUUM FURNACE

The use of Argon is our major concern for the vacuum furnace. Metal parts processed through this unit are heated to extremely high temperatures, and this process can only take place in an anoxic environment. When used, the heat treat chamber of the furnace is filled with Argon to replace the oxygen. Following the treatment and cooling of the parts, the Argon is vented to the atmosphere. Though Argon is an inert gas and not an ozone depleter, we feel this operation should be brought to your attention to give you a complete understanding of the operations at this facility. The estimated annual Argon emissions are expected to be 25,000 pounds per year.

PAINT SPRAY BOOTH

The construction of the new paint booth is due to manufacturing convenience rather than an increase in paint use. This installation should not increase the facility's paint use of 65

Woodward-Clyde

Mr. Armando Sarasua, PE
Florida Dept. of Environmental Protection
August 26, 1998
Page 2

gallons per year, which does not exceed the *deminimus* value of 6 gallons per day. The expected annual emissions are calculated assuming that an equal amount of paint is applied in each operating booth. The maximum annual emissions for this new booth are 650 pounds per year (0.325 tons per year).


REVISIONS TO TITLE V APPLICATION


In addition to these new units, we request that FDEP consider our request to drop the following "sources" from our application which is currently being reviewed:

- Air conditioner units - These are not process equipment, and the coolants used are managed under EPA's CFC Regulations. The units are being retrofitted for the use of replacement refrigerants as such compounds are available for commercial use.
- Vapor degreasers using trichloroethylene - For production as well as environmental reasons, the vapor degreasers using trichloroethylene are no longer used in the plant. These units were decommissioned in December 1997.
- Existing vacuum furnaces - These are not emission sources, as explained previously. The furnaces are heated electrically, and the only "emission" is an inert gas which is not an ozone depleter.

URS Greiner Woodward-Clyde appreciates the opportunity to review this information with you. If you have any questions or require additional information, please contact either of the undersigned at (334) 342-7222.

Sincerely,


Allison M. Davis
Staff Scientist


Rodney D. Hames, P.E.
Vice President/Office Manager

AMD:gh

Enclosures



Jeb Bush
Governor

Department of Environmental Protection

RECEIVED
APR 14 1999

Northwest District
160 Governmental Center
Pensacola, Florida 32501-5794
Bureau of Air Monitoring
& Mobile Sources

David B. Struhs
Secretary

March 29, 1999

Rodney D. Hames, P.E.
URS Greiner Woodward Clyde
917 Western America circle, Suite 500
Mobile, AL 36609

Dear Mr. Hames:

This is in response to your March 19, 1999 letter concerning Chromalloy Florida. Your letter included an evaluation of each of the emission units at the Chromalloy Florida facility to determine whether the emission units were insignificant consistent with Rule 62-213.300(2)(a)1, F.A.C., and whether the facility might qualify for a Title V air general permit as a chromium electroplating and anodizing facility. We believe you did an excellent job of evaluating these issues.

We agree with your conclusion that, with the exception of emission unit 004 (Plating Operations), the remaining emission units are insignificant. We believe the Title V chromium electroplating and anodizing general permit is applicable to this facility, and that a general permit application should be submitted. The application should be submitted prior to April 28, 1999, ninety days from the date of our January 28, 1999 incompleteness letter. We have included the current General Permit notification form (DEP Form No. 62-213.900(5), Effective 2/24/99).

If necessary and at your request we will extend the time to submit the remaining information for the Title V application to cover the general permit processing time. If Chromalloy Florida qualifies and uses the Title V air general permit, any other air permits (0910065-004-AC) and applications (TV application 0910065-003-AV) must then be surrendered.

If you have any questions or comments, please contact Bob Kriegel of this office at (850) 595-8364.

Sincerely,


Andrew S. Allen
Air Permitting Supervisor

ASA:bkw

Enclosure

cc: Claude R. Butler, DEP Northwest District Branch Office, Tallahassee
George Carlough, Chromalloy Florida

"Protect, Conserve and Manage Florida's Environment and Natural Resources"



Jeb Bush
Governor

Department of Environmental Protection

Northwest District
160 Governmental Center
Pensacola, Florida 32501-5794

David B. Struhs
Secretary

March 29, 1999

Rodney D. Hames, P.E.
URS Greiner Woodward Clyde
917 Western America circle, Suite 500
Mobile, AL 36609

RECEIVED
MAR 31 1999
Bureau of Air Monitoring
& Mobile Sources

Dear Mr. Hames:

This is in response to your March 19, 1999 letter concerning Chromalloy Florida. Your letter included an evaluation of each of the emission units at the Chromalloy Florida facility to determine whether the emission units were insignificant consistent with Rule 62-213.300(2)(a)1, F.A.C., and whether the facility might qualify for a Title V air general permit as a chromium electroplating and anodizing facility. We believe you did an excellent job of evaluating these issues.

We agree with your conclusion that, with the exception of emission unit 004 (Plating Operations), the remaining emission units are insignificant. We believe the Title V chromium electroplating and anodizing general permit is applicable to this facility, and that a general permit application should be submitted. The application should be submitted prior to April 28, 1999, ninety days from the date of our January 28, 1999 incompleteness letter. We have included the current General Permit notification form (DEP Form No. 62-213.900(5), Effective 2/24/99).

If necessary and at your request we will extend the time to submit the remaining information for the Title V application to cover the general permit processing time. If Chromalloy Florida qualifies and uses the Title V air general permit, any other air permits (0910065-004-AC) and applications (TV application 0910065-003-AV) must then be surrendered.

If you have any questions or comments, please contact Bob Kriegel of this office at (850) 595-8364.

Sincerely,

Andrew S. Allen
Air Permitting Supervisor

ASA:bkw

Enclosure

cc: Claude R. Butler, DEP Northwest District Branch Office, Tallahassee
George Carlough, Chromalloy Florida

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

May 10, 1999

Mr. Bob Kriegal
Environmental Manager
Air Resources Management
Florida Dept. of Environmental Protection
Northwest District
160 Governmental Center
Pensacola, FL 32501-5794

Subject: Surrender of Air Permit
0910065-004-AC
Withdraw of Title V Application
0910065-003-AV

Dear Mr. Kriegel

On behalf of Chromalloy Florida, I am surrendering our existing Air Permit # 0910065-004-AC and withdrawing our Title V Permit Application # 0910065-003-AV. on May 15, 1999 which is the effective date of our Title V General Permit granted by the Department.

If you have any questions or comments, please contact me at (850) 244-7684.

Sincerely,

George W. Carlough
Environmental & Safety Manager

Cc. Rick Butler, DEP Division of Air Resources Management, Tallahassee



CHROMALLOY FLORIDA

630 Anchors Street N.W. Fort Walton Beach, Florida 32548
Phone: (850) 244-7684, Sita: PNSRVCR Fax#: (850) 244-6322
FAA Repair Station #IH4R258M

RECEIVED

MAY 28 2004

Bureau of Air Monitoring
& Mobile Sources

May 26, 2004

Bruce Thomas
Florida Department of
Environmental Protection
Mail Station 5510
2600 Blair Stone Road
Tallahassee, Florida 32399

*Airs I.D.
0910083
INACTIVE*

Re: Permit Surrender

Dear Mr. Thomas:

Chromalloy Florida would like to surrender our existing Title V, Chromium Electroplating and Anodizing Air General Permit, which has been in effect since May 13, 1999. Chromium electroplating is no longer performed as one of our repair processes and all equipment supporting this operation has either been removed or is in the process of removal.

Should you have any questions please feel free to call me at (850) 244-7684.

Sincerely,

CHROMALLOY FLORIDA

George Carlough CECM
Manager, Environmental, Health and Safety



Department of Environmental Protection

AIR & I.D.

0910083

Jeb Bush
Governor

Northwest District
160 Government Center
Pensacola, Florida 32501-5794

Colleen Castille
Secretary

FACILITY INACTIVE 4/14

FAX TRANSMITTAL FORM

TO: Bruce Thomas

FDEP - DARM

FAX #: 850/922-6979

DATE: 4/7/04

FROM: Kevin White
FDEP Northwest District Air Program

PHONE: 850/595-8364, extension 1226
Fax 850/595-8096

RECEIVED
APR 8 2004
Bureau of Air Monitoring
& Mobile Sources

The following is the TV AG surrender letter we received from Chromalloy Florida on 4/2/04. We also received a request to determine if the facility meets the Generic Facility Exemption rule. Since this facility no long meets the requirements of the Chromium Electroplating and Anodizing AG, the District will determine the facility's permitting status.

If you have any questions, please let me know.

Number of pages including transmittal: 2

Faxed by: M.B. Curle

**CHROMALLOY FLORIDA**

630 Anchors Street N.W. Fort Walton Beach, Florida 32548
Phone: (850) 244-7684, Site: PNSRVCR Fax#: (850) 244-6322
FAA Repair Station #IH4R258M

March 31, 2004

Andrew S. Allen
Air permitting Supervisor / Northwest District
Florida Department of Environmental Protection
160 Governmental Center
Pensacola, FL 32501-5794

Re: Generic Facility Exemption

Dear Mr. Allen:

112083 ← Chromalloy Florida currently is operating under the Chromium Electroplating and Anodizing Air General Permit, facility number ~~0210063~~, issued by the Florida Department of Environmental Protection on May 13, 1999. The chromium electroplating operations regulated under this permit are in the process of being permanently shut down and in the final stages of equipment removal. Notification from the Title V General Permits Office regarding permit renewal has been received.

Due to the permanent removal of the chromium electroplating processes at Chromalloy Florida we would like to surrender the existing permit on the expiration date and be considered exempt from future permitting in accordance with Rule 62-210.300(3)(b) -- Generic Facility Exemption. Notification to the Title V Air Permits Office will be made upon final equipment removal.

Enclosed you will find for your review our emission inventory summarizing predicted potential emissions from our facility. Emissions data contained in the inventory were calculated using 2003 material usages. As indicated on the summary sheet of the inventory, all facility emissions would be below the significant thresholds established under the exemption. Preventative maintenance programs and inspection of our emissions control equipment have been established to ensure proper device operation per manufactures recommendations.

Chromalloy Florida is and has always been committed to protecting the environment and appreciates your assistance with this matter. We would however appreciate a determination of the applicability of the "Generic Facility Exemption" with respect this matter. Should you have any question please feel free to call me at (850) 244-7684.

Sincerely,

CHROMALLOY FLORIDA

George Carlough CECM
Manager, Environmental, Health and Safety

RECEIVED
APR - 2 2004
NORTHWEST FLORIDA
DEP



CHROMALLOY FLORIDA

630 Anchors Street N.W., Fort Walton Beach, Florida 32548
Phone: (850) 244-7684, Sita: PNSRVCR Fax: (850) 244-6322
FAA Repair Station #IH4R258M

RECEIVED
JUL 21 1999
Bureau of Air Monitoring
& Mobile Sources

July 16, 1999

Mr. Charles Norman
Environmental Specialist
Air Resources Management
Florida Dept. of Environmental Protection
Northwest District
160 Governmental Center
Pensacola, FL 32501-5794

Subject: Correction of Air General Permit notification Form # 62-213.900(5)

Dear Mr. Norman

On behalf of Chromalloy Florida, I am re-submitting the Chromium Electroplating and Anodizing Air General Permit Notification Form to correct the Applicable Standard Key under the Facility information section 1.a. The Applicable Standard Key is changed from a = 0.03 mg/dscm to b = 0.015 mg/dscm which reflects our applicable emission limit

If you have any questions or comments, please contact me at (850) 244-7684.

Sincerely,

George W. Carlough
Environmental & Safety Manager

RECEIVED

JUL 19 1999

Northwest Florida
DEP

CHROMIUM ELECTROPLATING AND ANODIZING
AIR GENERAL PERMIT NOTIFICATION FORM

Part III. Notification of Intent to Use General permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): CHROMALLOY GAS TURBINE CORPORATION
2. Site Name (For example, plant name or number): CHROMALLOY FLORIDA
3. Hazardous Waste Generator Identification Number: FLD097373542
4. Facility Location: Street Address: 630 ANCHORS STREET N.W. City: FORT WALTON BEACH County: OKALOOSA Zip Code: 32548
5. Facility Identification Number (DEP Use ONLY - do not fill in): 0910083

Responsible Official

6. Name and Title of Responsible Official: Name: BRIAN WAIVER Title: VICE PRESIDENT AND GENERAL MANAGER
7. Responsible Official Mailing Address: Organization/Firm: CHROMALLOY FLORIDA Street Address: 630 ANCHORS STREET N.W. City: FORT WALTON BEACH County: OKALOOSA Zip Code: 32548
8. Responsible Official Telephone Number: Telephone: (850) 244 - 7684 Fax: (850) 243 - 2413

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): GEORGE CARLOUGH, ENVIRONMENTAL AND SAFETY MANAGER
10. Facility Contact Address: Street Address: 630 ANCHORS STREET N.W. City: FORT WALTON BEACH County: OKALOOSA Zip Code: 32548
11. Facility Contact Telephone Number: Telephone: (850) 244 - 7684 Fax: (850) 243 - 2413

RECEIVED

JUL 19 1999

Northwest Florida
DEP

Memorandum

To: File # 0910083

CC:

From: Rick Butler

Date: 10/05/99

Re: Chromalloy

I spoke with George Carlough, Safety and Environmental Manager for Chromalloy, on May 7, 1999. He stated that Chromalloy is operating under the new source standard of 0.015 mg/ dscm. Mr. Carlough noted that the notification form is marked for the existing source standard. The initial performance test for the new tank was conducted on March 10, 1999. Mr. Carlough stated the Start-up, Shutdown, Malfunction Plan is included in the operation and maintenance plan for the facility.

~~CONFIDENTIAL~~

Facility Information

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

HARD CHROMIUM PLATING TANKS

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
12/9/98	New	01/09/99	CMP	b

Key for Control Device Type

- PBS = packed-bed scrubber
- CMP = composite mesh pad
- PBS/CMP = packed-bed scrubber and composite mesh pad
- FS = fume suppressant only
- FS/WA = fume suppressant with a wetting agent
- FM = fiber-bed mist eliminator
- WA = wetting agent

Applicable Standard Key

- a = 0.03 mg/dscm
- b = 0.015 mg/dscm
- c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes No

1.b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

DECORATIVE AND ANODIZING TANKS

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
N/A	N/A	N/A	N/A	N/A

Key for Control Device Type

- PBS = packed-bed scrubber
- CMP = composite mesh pad
- PBS/CMP = packed-bed scrubber and composite mesh pad
- FS = fume suppressant only
- FS/WA = fume suppressant with a wetting agent
- FM = fiber-bed mist eliminator
- WA = wetting agent

Applicable Standard Key

- x = 0.01 mg/dscm
- y = 45 dynes/cm
- z = records of bath components (trivalent Cr tanks only)
- c = alternative standard for multiple tanks under common control

2. Indicate the date by which the facility must meet the requirements of paragraph (5) of Part II: (Note: if your facility contains both hard and decorative plating or anodizing units, you must check each applicable date)

January 25, 1996 January 25, 1997

3. Indicate how the facility will fulfill the compliance demonstration:

- The facility will conduct an initial performance test
- The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

4. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Equipment maintenance
- (b) Equipment inspection and repair
- (c) Equipment malfunctions
- (d) Operation and maintenance checklist
- (e) Instrument calibration (used during initial performance test)
- (f) Start-up, shutdown, malfunction plan
- (g) Performance test results
- (h) Equipment monitoring
- (i) Excess emissions
- (j) Operating periods
- (k) Rectifier capacity
- (l) Fume suppressant records
- (m) Purchase records of wetting agent components

5. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are:
0910065-004-AC AND 0910065-003-AV.

No DEP air permits currently exist for the operation of the facility indicated in this notification form.


Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Brian Waiver, Vice President and General Manager

Print name of responsible official


Signature

7/16/99
Date



CHROMALLOY FLORIDA

630 Anchors Street N.W. Fort Walton Beach, Florida 32548
Phone: (850) 244-7684, Sita: PNSRVCR Fax#: (850) 244-6322
FAA Repair Station #IH4R258M

RECEIVED
NOV 5 2003
Bureau of Air Monitoring
& Mobile Sources

October 30, 2003

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS5510
Department of Environmental protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Re: Change of Facility Responsible Official


Dear Sir or Madam:

This letter is to inform the Title V General Permits Office that the facility responsible official for Chromalloy Florida's Title V General Permit, Facility No: 0910083, has been changed from Brian Waiver to Jim Faris.

Thank you for your assistance in this matter. If there are any questions please contact me at (850) 244-7684 ext. 443.

Respectfully Yours,

George Carlough CECM
Manager, Environmental, Health and Safety



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

February 4, 2004

Mr. George Carlough
Chromalloy Florida
630 Anchors Street Northwest
Fort Walton Beach, Florida 32548

Re: Operations of Emissions Control Device

Dear Mr. Carlough:

Thank you for taking the time to discuss your chromium electroplating operation February 3. Based on our conversation, Chromalloy Florida (AIRS I.D. #0910083) would like clarification regarding the need to-run the existing emission control scrubber during non-operating hours.

Rule 62-213.300, Florida Administrative Code (F.A.C.), stipulates that the facility must comply with all applicable provisions of Rule 62-213.300(1)(d), F.A.C., and all the requirements of Title 40 of the Code of Federal Regulations Part 63 (40 CFR 63), Subparts A and N, adopted and incorporated by reference at Rule 62-204.800, F.A.C., as applicable.

Also, 40 CFR 63.342(b)(1), stipulates that the applicable emission limiting standards apply only during tank operation, and also apply during periods of startup and shutdown as these are routine occurrences for affected sources subject to this subpart. The emission limitations do not apply during periods of malfunction, but the work practice standards that address operation and maintenance and are required by paragraph (f) of this section, must be followed during malfunctions.

"Tank operation" is defined at 40 CFR 63.341, and is the time in which current and/or voltage is being applied to a chromium electroplating tank or a chromium anodizing tank.

Based on the description of your operation, Chromalloy Florida could operate the scrubber as described above, and still meet all applicable requirements of the Chromium Electroplating and Anodizing General Permit.

If you have any additional questions or need additional information, please do not hesitate to call me at 850/921-7744.

Sincerely,

Bruce Thomas, P.E.
Bureau of Air Monitoring
and Mobile Sources

BT/
cc: Andy Allen, Northwest District

"More Protection, Less Process"



CHROMALLOY FLORIDA

630 Anchors Street N.W. Fort Walton Beach, Florida 32548
Phone: (850) 244-7684, Sita: PNSRVCR Fax#: (850) 244-6322
FAA Repair Station #IH4R258M

RECEIVED

DEC 22 2003

Bureau of Air Monitoring
& Mobile Sources

December 17, 2003

Rick Butler
Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS5510
Department of Environmental protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Re: Operation of Emissions Control Device

Dear Mr. Butler

Currently Chromalloy Florida is operating our hard chromium plating operations under the Chromium Electroplating and Anodizing Air General Permit. Under Section 5(a) of the Chromium Emission Standards portion the permit it states: "the emissions standards in this section apply only during tank operations and during periods of startup and shutdown". Within the general permit definitions, "Tank Operations" are described as "the time during which currents and/or voltage is being applied to a chromium electroplating tank or chromium anodizing tank". Since receiving approval to operate under this permit we have operated our emission control scrubber twenty-four hours a day, seven days a week even when no chrome plating tank operations or tank heating is being performed.

In efforts to reduce the amount of wastewaters generated from our emission control scrubber, we would like to get clarification if there is a requirement to run our emissions control device during periods when no electroplating tank operations or tank heating is being performed.

Thank you for your assistance in this matter. If there are any questions please contact me at (850) 244-7684 ext. 443.

Respectfully Yours,

George Carlough CECM
Manager, Environmental, Health and Safety

Acc ✓

CHROMIUM ELECTROPLATING/ANODIZING
AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

RECEIVED

JUL 21 1999

Bureau of Air Monitoring
& Mobile Sources
DATE

FACILITY NAME: Chromalloy Florida

FACILITY LOCATION: 630 Anchors Street N.W.
Fort Walton Beach, FL, 32548

Annual Reporting Period: May, 15 1999 TO July, 15 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

ENTERED

JUL 20 1999

ep

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

REVIEWED
JUL 20 1999

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete.

RESPONSIBLE OFFICIAL: Brain Waiver *Brain Waiver* 7/16/99
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Received Jul 19, 1999
ep

TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT

RECEIVED
JUL 21 1999
Bureau of Air Monitoring & Mobile Sources

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 0835 AM TIME OUT: 1145 A AIRS ID#: 0940831

TYPE OF FACILITY: CHROMIUM ELECTROPLATING (HARD)

FACILITY NAME: Chromalloy Florida DATE: 7/19/99

FACILITY LOCATION: 630 Anchors St, N.W.
Ft Walton Beach FL 32548

RESPONSIBLE OFFICIAL: Brian Waiver PHONE NUMBER: 243-2413 (850)

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
ENTERED JUL 20 1999 <i>(Signature)</i>	

COMMENTS: Recommend resubmitting notification form to correct applicable standard (change from "2" to "6" page 20 of 22)

very good records!

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 12 mos (Approximate) Left for R.O. to complete

INSPECTION CONDUCTED BY: CHARLES NORMAN (Please Print)

INSPECTOR'S SIGNATURE: *Charles Norman* PHONE NUMBER: (850) 595-8364

RECEIVED

CHROMIUM ELECTROPLATING/ANODIZING

JUL 21 1999

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

Bureau of Air Monitoring
& Mobile Sources

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0910083 TIME IN: 0835AM TIME OUT: 1145AM
FACILITY NAME: Chromalloy FLORIDA
FACILITY LOCATION: 630 ANCHORS ST. N.W.
FT Walton Beach FL 32548

PART I: NOTIFICATION ENTERED
(check appropriate box) JUL 20 1999
1. Facility notified DARM by 9/1/96
2. New facility notified DARM 30 days prior to startup
3. Facility failed to notify DARM to use a general permit

PART II: CLASSIFICATION
Facility type(s)/applicable standard indicated on notification form:
Hard Chromium Plating
a. Existing Large (0.015 mg/dscm) b. Existing Small (0.03 mg/dscm)
c. New (0.015 mg/dscm) d. Alternative Standard for existing facilities
(0.03 mg/dscm) using a rolling average of
rectifier capacity (less than 60 million A-hr/year)
Decorative Chromium Plating/Anodizing
a. Chromic Acid Bath Emissions of <0.01/mg/dscm (4.4x10⁻⁶ gr/dscf)
Surface tension of ≤ 45 dynes/cm (3.1x10⁻³ lb-f/ft)
May only be selected if a wetting agent is used.
b. Trivalent Chromium Bath With wetting agent
Without wetting agent <0.01mg/dscm (4.4x10⁻⁶ gr/dscf)
c. Chromium Anodizing Emissions of <0.01 mg/dscm (4.4x10⁻⁶ gr/dscf)
Surface tension of 45 dynes/cm (3.1x10⁻³ lb-f/ft)
May only be selected if a wetting agent is used.

PART III: CONTROL TECHNOLOGY

Control device selected	In use?
1. <input checked="" type="checkbox"/> Composite Mesh Pad	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
2. <input type="checkbox"/> Fiber Bed Mist Eliminator	<input type="checkbox"/> Y <input type="checkbox"/> N
3. <input type="checkbox"/> Packed Bed Scrubber	<input type="checkbox"/> Y <input type="checkbox"/> N
4. <input type="checkbox"/> Packed Bed Scrubber/Composite Mesh Pad	<input type="checkbox"/> Y <input type="checkbox"/> N
5. <input type="checkbox"/> Foam Blanket Fume Suppressant	<input type="checkbox"/> Y <input type="checkbox"/> N
6. <input type="checkbox"/> Fume Suppressant w/ Wetting Agent	<input type="checkbox"/> Y <input type="checkbox"/> N

Has the facility conducted an initial performance test to establish monitoring parameters? Y N N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness) MARCH 10, 1999

PART IV: RECORDKEEPING AND REPORTING REQUIREMENTS

Has the responsible official maintained the following records?

- Quarterly inspection records for add-on air pollution control devices and monitoring equipment. *(applicable only to a facility using a packed bed scrubber, fiber-bed mist eliminator, or composite mesh pad)* Y N N/A
- Operations and Maintenance Plan (OMP). *(applicable only to a facility using a packed bed scrubber, fiber-bed mist eliminator, or composite mesh pad)* Y N N/A
- Maintenance records for the source, add-on pollution control devices, and monitoring equipment (equipment identified, date performed, description). Y N
- *Records of date of occurrence, duration, cause, and corrective action of each malfunction of process, add-on pollution control device, and monitoring equipment. Y N
**Form set up to do this but haven't had any since start up.*
- Results of all performance tests. Y N N/A
- Records of monitoring data. *(not applicable to trivalent chromium baths using a wetting agent)* Y N N/A

Composite Mesh Pad Measure the pressure drop across the CMP daily.	Packed Bed Scrubber Measure the pressure drop across the PBS and the inlet velocity daily.
Fiber-Bed Mist Eliminator Measure the pressure drop across the FBME and the upstream device daily.	Packed Bed Scrubber/Composite Mesh Pad Measure the pressure drop across the CMP daily.
Foam Blanket Fume Suppressant Measure the foam blanket thickness at the appropriate interval.	Fume Suppressant w/ Wetting Agent Measure the surface tension at the appropriate interval.

- Purchase records of wetting agent components. Y N N/A
- Records of the date and time that fume suppressants are added to the bath. Y N N/A
- Records of rectifier capacity, if used to determine facility size. *(Test Report)* Y N N/A
- Records of the total process operating time. Y N
- Records identifying specific periods of excess emissions. *such periods* Y N
HAS NO LOGS BUT PROCEDURES + FORMS SET UP TO DO SO.
- Startup, Shutdown & Malfunction Plan Y N
Union International's equip manual is basis for this

PART V: ADDITIONAL SITE INFORMATION

[Empty box for additional site information]

BRIAN WAIVER

Name of Responsible Official

CHARLES NORMAN

Inspector's Name

Charles Norman

Inspector's Signature

7/15/99

Date of Inspection

~ 12 mos

Approximate Date of Next Inspection

TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT



TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

RECEIVED

TIME IN: 0850 TIME OUT: 1000 AIRSID#: 0910083
 TYPE OF FACILITY: Chromium Electroplating APR 27 2000
 FACILITY NAME: Chromalloy Florida Bureau of Air Monitoring DATE: 4/25/00
 FACILITY LOCATION: 630 Anchors St. New Sources
 RESPONSIBLE OFFICIAL: Brian Weaver PHONE NUMBER: 244-6322

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
<u>No Problems</u>	

COMMENTS: VERY WELL ORGANIZED RECORDS

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO
 DATE OF NEXT INSPECTION: 8-12 mos (Approximate) will be monitored AS SOON AS No. Signs
 INSPECTION CONDUCTED BY: CHARLES NORMAN (Please Print) 595-8361
 INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: X 1222

~~SEND OUT 16 Camp form.~~

**CHROMIUM ELECTROPLATING/ANODIZING
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0910083 TIME IN: 0850 TIME OUT: 1000
FACILITY NAME: Chromplating-FLORIDA
FACILITY LOCATION: 630 Anchors St. NW
Ft. Waller Beach FL 32548

PART I: NOTIFICATION

(check appropriate box)

1. Facility notified DARM by 9/1/96
2. New facility notified DARM 30 days prior to startup
3. Facility failed to notify DARM to use a general permit

PART II: CLASSIFICATION

Facility type(s)/applicable standard indicated on notification form:

Hard Chromium Plating

a. Existing Large (0.015 mg/dscm) b. Existing Small (0.03 mg/dscm)
c. New (0.015 mg/dscm) d. Alternative Standard for existing facilities
(0.03 mg/dscm) using a rolling average of
rectifier capacity (less than 60 million A-hr/year)

Decorative Chromium Plating/Anodizing

a. Chromic Acid Bath Emissions of < 0.01/mg/dscm (4.4×10^{-6} gr/dscf)
Surface tension of ≤ 45 dynes/cm (3.1×10^{-3} lb-f/ft)
May only be selected if a wetting agent is used.

b. Trivalent Chromium Bath With wetting agent
Without wetting agent < 0.01mg/dscm (4.4×10^{-6} gr/dscf)

c. Chromium Anodizing Emissions of < 0.01 mg/dscm (4.4×10^{-6} gr/dscf)
Surface tension of 45 dynes/cm (3.1×10^{-3} lb-f/ft)
May only be selected if a wetting agent is used.

PART V: ADDITIONAL SITE INFORMATION

[Empty box for additional site information]

George Cheloo
Name of Responsible Official

CHARLES NORMAN
Inspector's Name

Charles Norman
Inspector's Signature

4/25/00
Date of Inspection

Approximate Date of Next Inspection

**CHROMIUM ELECTROPLATING/ANODIZING
AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

ACC*

FACILITY NAME: Chromalloy Florida	DATE: 4-28-00
FACILITY LOCATION: 630 Anchors st nw Fort Walton Beach Fl 32548	

RECEIVED
 MAY 12 2000
 Bureau of Air Monitoring
 & Mobile Sources

Annual Reporting Period: July 16 20 1999 TO April 28 20

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with Department Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete.

RESPONSIBLE OFFICIAL: Brian Waiver
Name (Please Print)

Brian Waiver
Signature

04/28/00
Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

CHROMIUM ELECTROPLATING/ANODIZING

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL (INS1, INS2, INS3) COMPLAINT/DISCOVERY (CI)
 RE-INSPECTION (FUI)

AIRS ID#:	0910083	DATE:	11-6-00	TIME IN:	0930	TIME OUT:	1105
FACILITY NAME:	CHROMALLOY-FLORIDA						
FACILITY LOCATION:	630 ANCHORS ST. NW FWB, FL 32548						
RESPONSIBLE OFFICIAL:				PHONE:			
CONTACT NAME:	GEORGE CARLOUGH			PHONE:	8502447684		

PART I: NOTIFICATION			
(check appropriate box)		Facility Compliance Status: IN	<input checked="" type="checkbox"/>
1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>	(ARMS Data)	MNC <input type="checkbox"/>
2. Facility failed to notify DARM to use a general permit	<input type="checkbox"/>		SNC <input type="checkbox"/>

PART II: CLASSIFICATION			
Facility type(s)/applicable standard indicated on notification form:			
<u>Hard Chromium Plating</u>			
a. Existing Large (0.015 mg/dscm)	<input checked="" type="checkbox"/>	b. Existing Small (0.03 mg/dscm)	<input type="checkbox"/>
c. New (0.015 mg/dscm)	<input type="checkbox"/>	d. Alternative Standard for existing facilities (0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)	<input type="checkbox"/>
<u>Decorative Chromium Plating/Anodizing</u>			
a. Chromic Acid Bath	Emissions of ≤ 0.01 mg/dscm (4.4×10^{-6} gr/dscf)		<input type="checkbox"/>
	Surface tension of ≤ 45 dynes/cm (3.1×10^{-3} lb-f/ft) <i>May only be selected if a wetting agent is used.</i>		<input type="checkbox"/>
b. Trivalent Chromium Bath	With wetting agent		<input type="checkbox"/>
	Without wetting agent ≤ 0.01 mg/dscm (4.4×10^{-6} gr/dscf)		<input type="checkbox"/>
c. Chromium Anodizing	Emissions of ≤ 0.01 mg/dscm (4.4×10^{-6} gr/dscf)		<input type="checkbox"/>
	Surface tension of 45 dynes/cm (3.1×10^{-3} lb-f/ft) <i>May only be selected if a wetting agent is used.</i>		<input type="checkbox"/>

PART III: CONTROL TECHNOLOGY

Control device selected	In use?
1. <input checked="" type="checkbox"/> Composite Mesh Pad	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
2. <input type="checkbox"/> Fiber Bed Mist Eliminator	<input type="checkbox"/> Y <input type="checkbox"/> N
3. <input type="checkbox"/> Packed Bed Scrubber	<input type="checkbox"/> Y <input type="checkbox"/> N
4. <input type="checkbox"/> Packed Bed Scrubber/Composite Mesh Pad	<input type="checkbox"/> Y <input type="checkbox"/> N
5. <input type="checkbox"/> Foam Blanket Fume Suppressant	<input type="checkbox"/> Y <input type="checkbox"/> N
6. <input type="checkbox"/> Fume Suppressant w/ Wetting Agent	<input type="checkbox"/> Y <input type="checkbox"/> N

Has the facility conducted an initial performance test to establish monitoring parameters? Y N N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)

PART IV: RECORDKEEPING AND REPORTING REQUIREMENTS

Has the responsible official maintained the following records?

1. Quarterly inspection records for add-on air pollution control devices and monitoring equipment. <i>(applicable only to a facility using a packed bed scrubber, fiber-bed mist eliminator, or composite mesh pad)</i>	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
2. Operations and Maintenance Plan (OMP). <i>(applicable only to a facility using a packed bed scrubber, fiber-bed mist eliminator, or composite mesh pad)</i>	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
3. Maintenance records for the source, add-on pollution control devices, and monitoring equipment (equipment identified, date performed, description).	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
4. Records of date of occurrence, duration, cause, and corrective action of each malfunction of process, add-on pollution control device, and monitoring equipment.	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
5. Results of all performance tests.	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
6. Records of monitoring data. <i>(not applicable to trivalent chromium baths using a wetting agent)</i>	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Composite Mesh Pad Measure the pressure drop across the CMP daily.	Packed Bed Scrubber Measure the pressure drop across the PBS and the inlet velocity daily.
Fiber-Bed Mist Eliminator Measure the pressure drop across the FBME and the upstream device daily.	Packed Bed Scrubber/Composite Mesh Pad Measure the pressure drop across the CMP daily.
Foam Blanket Fume Suppressant Measure the foam blanket thickness at the appropriate interval.	Fume Suppressant w/ Wetting Agent Measure the surface tension at the appropriate interval.
7. Purchase records of wetting agent components.	<input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A
8. Records of the date and time that fume suppressants are added to the bath.	<input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A
9. Records of rectifier capacity, if used to determine facility size.	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
10. Records of the total process operating time.	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
11. Records identifying specific periods of excess emissions.	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
12. Startup, Shutdown & Malfunction Plan	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N

PART V: ADDITIONAL SITE INFORMATION

WALK-THRU INDICATED GOOD HOUSEKEEPING PRACTICES.

INSZ-4/25/00; IN SOCR-5/11/00; IN

MARY GUTIERREZ
Inspector's Name
Mary Gutierrez
Inspector's Signature

11-6-00
Date of Inspection
11-2001
Approximate Date of Next Inspection

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 930 TIME OUT: 1105 AIRS ID#: 0910083
 TYPE OF FACILITY: CHROMIUM ELECTROPLATING
 FACILITY NAME: CHROMALLOY-FLORIDA DATE: 11-6-00
 FACILITY LOCATION: 630 ANCHORS ST NW
FWB, FL.
 RESPONSIBLE OFFICIAL: GEORGE CARLOUGH PHONE NUMBER: 8502447684

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
NA	<p>RECEIVED</p> <p>NOV - 7 2000</p>
	<p>Bureau of Air Monitoring & Mobile Sources</p>

COMMENTS:
WELL ORGANIZED RECORDKEEPING

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 11/2001
(Approximate)

INSPECTION CONDUCTED BY: MARY F. GUTIERREZ
(Please Print)

INSPECTOR'S SIGNATURE: Mary F. Gutierrez PHONE NUMBER: 8505958364

BEST AVAILABLE COPY
TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 930 TIME OUT: 1105 AIRS ID#: 0910083
 TYPE OF FACILITY: CHROMIUM ELECTROPLATING
 FACILITY NAME: CHROMAWAY-FLORIDA DATE: 11-6-00
 FACILITY LOCATION: 630 ANCHORS ST NW
FWB, FL
 RESPONSIBLE OFFICIAL: GEORGE CARLOUGH PHONE NUMBER: 8502447684

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
<i>NA</i>	

COMMENTS: WELL ORGANIZED RECORD KEEPING

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 11/2001
 (Approximate)

INSPECTION CONDUCTED BY: MARY F GUTIERREZ
 (Please Print)

INSPECTOR'S SIGNATURE: Mary F Gutierrez PHONE NUMBER: 8505958364

**CHROMIUM ELECTROPLATING/ANODIZING
AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: CHROMALLOY - FLORIDA DATE: 11/19/01
 FACILITY LOCATION: 630 ANCHORS ST NW
PWB, FL. 32548

Annual Reporting Period: 11-6 2000 TO 11-19 2001

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to **ENTERED**

Action(s) taken to achieve compliance: DEC 11 2001

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to **RECEIVED**

Action(s) taken to achieve compliance: NOV 27 2001

Method used to demonstrate compliance: NORTHWEST FLORIDA DEP

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete.

RESPONSIBLE OFFICIAL: BRIAN WAIVER Brian Waiver 11/19/01
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

RECEIVED
 DEPC02
 Bureau of Air Monitoring
 & Mobile Sources



CHROMALLOY FLORIDA

630 Anchors Street N.W. Fort Walton Beach, Florida 32548
Phone: (904) 244-7684, Sita: PNSRVCR Fax#: (904) 244-6322
FAA Repair Station #IH4R258M

Facility AIRS ID # 0910083

Title V – General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

Dear Sir / Ma'am:

Enclosed you will find Chromalloy Florida's 1999 Title V Air General Permit annual operation fees.
If you have any questions regarding this payment please do not hesitate to call me at (850) 244-7684

Sincerely,

A handwritten signature in black ink that reads "George Carlough". The signature is written in a cursive, flowing style.

George Carlough
Environmental & Safety Manager



CHROMALLOY FLORIDA

630 Anchors Street N.W. Fort Walton Beach, Florida 32548
Phone: (904) 244-7684, Sita: PNSRVCR Fax#: (904) 244-6322
FAA Repair Station #IH4R258M

Facility AIRS ID # 0910083

Title V – General Permit
Receipts
P.O. Box 3070
Tallahassee, Florida 32315-3070

Dear Sir / Ma'am :

Enclosed you will find Chromalloy Florida's 2000 Title V Air General Permit annual operation fees.
If you have any questions regarding this payment please do not hesitate to call me at (850) 244-7684.

Sincerely,

George Carlough
Manager, Environmental, Health and Safety



CHROMALLOY FLORIDA

630 Anchors Street N.W. - Fort Walton Beach, Florida 32548
Phone: (850) 244-7684, Fax number: (850) 244-6322
FAA Repair Station number IH4R258M

January 8, 2003

Facility AIRS ID# 0910083

Title V – General Permit
Receipts
PO Box 3070
Tallahassee, Florida 32315-3070

Dear Sir / Ma'am

Enclosed you will find Chromalloy Florida's 2002 Title V Air General Permit annual operation fees. If you have any questions regarding this payment please do not hesitate to call me at (850) 244-7684.

Sincerely,

George Carlough CECM
Manager, Environmental, Health and Safety

Bureau of Air Monitoring
& Mobile Sources

JAN 15 2003

RECEIVED



CHROMALLOY FLORIDA

630 Anchors Street N.W. - Fort Walton Beach, Florida 32548
Phone: (850) 244-7684, Fax number: (850) 244-6322
FAA Repair Station number IH4R258M

Facility AIRS ID# 0910083

Title V – General Permit
Receipts
PO Box 3070
Tallahassee, Florida 32315-3070

Dear Sir / Ma'am

Enclosed you will find Chromalloy Florida's 2001 Title V Air General Permit annual operation fees. If you have any questions regarding this payment please do not hesitate to call me at (850) 244-7684.

Sincerely,

George Carlough CECM
Manager, Environmental, Health and Safety

7003 0500 0004 0140 7799

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$	<i>03</i> <i>Receipt</i> <small>Postmark Here</small>
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		

Total Postage: 0910083001AG 7
 CHROMALLOY GAS TURBINE CORPORATION
 Sent To: 630 Anchors Street NW
 Street, Apt. N or PO Box No: FORT WALTON BEACH, FL 32548
 City, State, ZI

PS Form 3800, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

0910083001AG 7
 CHROMALLOY GAS TURBINE CORPORATION
 630 Anchors Street NW
 FORT WALTON BEACH, FL 32548

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 X *Carol O'Neal* Addressee

B. Received by (Printed Name) C. Date of Delivery
CAROL O'NEAL *2-17-04*

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2
 (Transfer from) 7003 0500 0004 0140 7799

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

DARWIN MOBILE SOURCE CONTROL PROGRAM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

RECEIVED
FEB 23 2004
DEPT. OF AIR & WATER RESOURCES
TALLAHASSEE, FLORIDA





THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0391238

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0910083

CHROMALLOY FLORIDA
 BRIAN WAIVER
 630 ANCHORS STREET NW
 FORT WALTON BEACH FL 32548

RECEIVED

MAIL ROOM

JAN 19 00

JAN 21 2000

Bureau of Air Monitoring
& Mobile Sources

FOR GOVERNMENT USE ONLY
 Org.: 37550101000 EO: B1
 Fund: 20-2-035001
 Obj.: 002273

CHROMALLOY FLORIDA

Check No. - 089085
Check Date - 1/12/00

Stub 1 of 1

INVOICE NUMBER	DATE	AIRS ID#	GROSS AMOUNT	DISCOUNT	NET AMOUNT
091083	1/12/00	0910083	50.00		50.00
			50.00		50.00



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

435588 JAN22 2004

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

910083
 JIM FARIS
 CHROMALLOY FLORIDA
 630 ANCHORS STREET NW
 FT WALTON BEACH FL 32548

RECEIVED
 JAN 26 2004
 Bureau of Air Commerce
 & Mobile Services

FOR GOVERNMENT USE ONLY
 Org.: 37550101000 EO: 1
 Fund: 20-2-035001
 Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

403993

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0910083

CHROMALLOY FLORIDA
 BRIAN WAIVER
 630 ANCHORS STREET NW
 FORT WALTON BEACH FL 32548

Bureau of Air Monitoring
& Mobile Sources

JAN 26 2001

RECEIVED

1-26-01
pd

FOR GOVERNMENT USE ONLY
 Org.: 37550101000 EO: AT
 Fund: 20-035001
 Obj.: 002273

JAN 26 01

RECEIVED
MAIL ROOM

CHROMALLOY FLORIDA

110957

Check No. - 110957
Check Date - 1/22/01

Stub 1 of 1

INVOICE NUMBER	DATE		GROSS AMOUNT	DISCOUNT	NET AMOUNT
AIRS ID # 0910083	1/18/01	AIRS ID # 0910083	50.00		50.00
			50.00		50.00



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

421528 JAN 9 2003

Do NOT Remove Label

AIRS ID#0910083

CHROMALLOY FLORIDA
BRIAN WAIVER
630 ANCHORS STREET NW
FORT WALTON BEACH FL
32548

Bureau of Air Monitoring
& Mobile Sources

JAN 15 2003

RECEIVED

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

CHROMALLOY FLORIDA

121643

Check No. - 121643
Check Date - 1/6/03

INVOICE NUMBER	DATE		GROSS AMOUNT	Stub 1 of 1 DISCOUNT	NET AMOUNT
AIRS ID#0910083	12/30/02	AIRS ID#0910083	50.00		50.00
			50.00		50.00



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

413411 JAN22 2002 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0910083
CHROMALLOY FLORIDA
BRIAN WAIVER
630 ANCHORS STREET NW
FORT WALTON BEACH FL
32548

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

CHROMALLOY FLORIDA

116917

Check No. - 116917
Check Date - 1/15/02

INVOICE NUMBER	DATE		GROSS AMOUNT	Stub 1 of 1 DISCOUNT	NET AMOUNT
011402	1/14/02	AIRS ID# 0910083	50.00		50.00
			50.00		50.00






CHROMALL

630 Anchors Str
Fort Walton Bea

CERTIFIED MAIL™




7003 1010 0004 7778 9507



Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources
Florida Dept. of Environmental Protection
Mail Station 5510
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

32312+9801








CHROMALLOY FLORIDA

630 Anchors Street N.W.
Fort Walton Beach, Florida 32430

CERTIFIED MAIL™



7003 1010 0004 7778 9545



*Seasons
Greetings*

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources
Florida Dept. of Environmental Protection
Mail Station 5510
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

32399+2400 32399+2400 ATTN: Rick Butler