



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

January 26, 2000

Mr. Paul Phu
Alysa Cleaner
1541 West Orange Blossom Trail
Apopka, Florida 32712

Re: Facility No.: 0950288-002

Dear Mr. Phu:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on December 21, 1999.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. John Turner, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.

0950288-002

01/13/2000

Spoke to Paul Phu, vice president of P+L of Orlando, and he stated that the dry to dry machine in Abyssa Clever is approximately 5-6 years old. The previous notification indicated the purchase date to be November 11, 1994. Mr. Phu also indicated the machine contains a refrigerated condenser (chiller).

P15

1.(a) Add initial purchase date. add date control device installed.

P17

Responsible Official sign and date for changes made

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

RECEIVED
 DEC 21 1999
 Bureau of Air Monitoring
 & Mobile Sources

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
P&L of ORLANDO
2. Site Name (For example, plant name or number):
ALYSA CLEANER
3. Hazardous Waste Generator Identification Number:
3-130-51-3098
4. Facility Location:
Street Address: 1541 W. ORANGE BLOSSOM TRAIL
City: APOPKA County: LAKE Zip Code: 32712
5. Facility Identification Number (DEP Use ONLY - do not fill in)
0950288-002

Responsible Official

6. Name and Title of Responsible Official:	
Name: PAUL PHU	Title: V. President
7. Responsible Official Mailing Address:	
Organization/Firm: P&L of ORLANDO	
Street Address: 1541 W. ORANGE BLOSSOM TRAIL	
City: APOPKA County: LAKE Zip Code: 32712	
8. Responsible Official Telephone Number:	
Telephone: (407) 880-8003	Fax: (N/A) -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):		
10. Facility Contact Address:		
Street Address:		
City:	County:	Zip Code:
11. Facility Contact Telephone Number:		
Telephone: () -	Fax: () -	

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site? [1]

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
<u>UNKNOWN</u>	<u>Existing</u> /New	RC/ <u>CA</u> /None required	<u>UNKNOWN</u>
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site? []

How many dryers/reclaimers do you have on-site? []

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

[19.5] gallons (You must fill this in)

(b) If less than 12 months, how many? [2] months

Check why it is less than 12 months: New owner: [X] Did not keep records: []

New store: [] New machine []

Unopened store [] (date of expected opening _____)

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
 - Transfer only on-site (used less than 200 gallons of perc per year)
 - Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
 - Transfer only on-site (used 200 - 1,800 gallons of perc per year)
 - Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
 (Indicate with an "X".)

- | | |
|---|--|
| <u>Existing machines at small area source</u> | <u>New machines at small area source</u> |
| (NONE REQUIRED) <input type="checkbox"/> | Refrigerated condenser <input checked="" type="checkbox"/> |
| <u>Existing machines at large area source</u> | <u>New machines at large area source</u> |
| Carbon adsorber <input type="checkbox"/> | Refrigerated condenser <input type="checkbox"/> |
| Refrigerated condenser <input type="checkbox"/> | |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
 No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

 Pam Phu
Print name of responsible official

 Pam Phu
Signature

 10/25/99
Date

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

JP
ARMS
2-18-00

✓ TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0950288-002 DATE: 2-18-00 TIME IN: 1105 TIME OUT: 1135
FACILITY NAME: Alysa Cleaner
FACILITY LOCATION: 1541 N. Orange Blossom Feb 24 2000
Apopka, FL 32712
RESPONSIBLE OFFICIAL: Paul Phu PHONE: 407-880-8003
CONTACT NAME: _____ PHONE: _____

Bureau of Air Monitoring
& Mobile Sources

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:

(check appropriate box)

- No notification form
 Drop store/out of business/petroleum

A.

- | | |
|--|--|
| 1. Existing small area source
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed before 12/9/91) <input type="checkbox"/> | 2. New small area source <input checked="" type="checkbox"/>
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed on or after 12/9/91) |
| 3. Existing large area source <input type="checkbox"/>
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed before 12/9/91) | 4. New large area source <input type="checkbox"/>
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed on or after 12/9/91) |
5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 39 gallons. Since Sept. 1999

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:

(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:** N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Ilka Bundy

Inspector's Name (Please Print)

2-18-00

Date of Inspection


Ilka Bundy

Inspector's Signature

2-18-01

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:



DJS ID#: 0950288-002

Revised 01/18/00

ACC

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

ARMS
2-18-00
JP

FACILITY NAME: Alysa Cleaner DATE: Feb. 18-00
 FACILITY LOCATION: 1541 N. Orange Blossom Trail
Apopka, FL 32712

Annual Reporting Period: Oct. 28, 1999 ~~2000~~ TO Feb. 18 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: PAUL PHU [Signature] 2/18/00
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 1105 TIME OUT: 1135 AIRS ID#: 0950288-002
 TYPE OF FACILITY: Dry Cleaner
 FACILITY NAME: Alysa Cleaner DATE: 2-18-00
 FACILITY LOCATION: 1541 N. Orange Blossom Trail
Apopka, FL 32712
 RESPONSIBLE OFFICIAL: Paul Phu PHONE NUMBER: 407-880-8003

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: Epoxy coating. Facility in compliance.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 2-18-01
(Approximate)

INSPECTION CONDUCTED BY: Ilka Bundy
(Please Print)

INSPECTOR'S SIGNATURE: Ilka Bundy PHONE NUMBER: 836-1400

01/13/2000

RECEIVED 0950288-002
01/13/2000

Pr
com

Facilit

- 1. Fa
- 2. Si
- 3. H:
- 4. Fa
- St
- Ci

Spoke to Paul Phu, vice president of Post of Deland, and he stated that the dry to dry machine in Abyssa Cleaner is approximately 5-6 years old. The previous notification indicated the purchase date to be November 11, 1994. Mr. Phu also indicated the machine contains a refrigerated condenser (chiller).

P15

1.(a) Add initial purchase date. Add date control device installed.

Respo:

- 6. Na
- Name:
- 7. Re
- Or
- St
- Ci
- 8. Re
- Te

P17

Responsible Official sign and date for charges made

Facilit

- 9. Na
- 10. Fa
- St
- City:

11. Facility Contact Telephone Number:
Telephone: () -

Fax: () -

RECEIVED

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

RECEIVED
DEC 21 1999
Bureau of Air Monitoring
& Mobile Sources

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	P&L of ORLANDO		
2. Site Name (For example, plant name or number):	ALYSA CLEANER		
3. Hazardous Waste Generator Identification Number:	3-130-51-3098		
4. Facility Location:	1541 W. ORANGE BLOSSOM TRAIL		
Street Address:			
City:	County:	Zip Code:	
APOPKA	LAKE	32712	
5. Facility Identification Number (DEP Use ONLY; do not fill in)	0750000002		

Responsible Official

6. Name and Title of Responsible Official:			
Name:	Title:		
PAUL PHU	V. President		
7. Responsible Official Mailing Address:	1541 W. ORANGE BLOSSOM TRAIL		
Organization/Firm:	P&L of ORLANDO		
Street Address:			
City:	County:	Zip Code:	
APOPKA	LAKE	32712	
8. Responsible Official Telephone Number:			
Telephone:	Fax:		
(407) 880-8003	(N/A)		-

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):			
10. Facility Contact Address:			
Street Address:			
City:	County:	Zip Code:	
11. Facility Contact Telephone Number:			
Telephone:	Fax:		
()	()		-

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
<u>11/4/94</u> unknown P-P	<input checked="" type="radio"/> Existing <input type="radio"/> New	<input checked="" type="radio"/> RC <input type="radio"/> CA <input type="radio"/> None required	<u>11/4/94</u> unknown P-P
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

19.5 gallons (You must fill this in)

(b) If less than 12 months, how many? 2 months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
 - Transfer only on-site (used less than 200 gallons of perc per year)
 - Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
 - Transfer only on-site (used 200 - 1,800 gallons of perc per year)
 - Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

- | | |
|---|--|
| <u>Existing machines at small area source</u> | <u>New machines at small area source</u> |
| (NONE REQUIRED) <input type="checkbox"/> | Refrigerated condenser <input checked="" type="checkbox"/> |
| <u>Existing machines at large area source</u> | <u>New machines at large area source</u> |
| Carbon adsorber <input type="checkbox"/> | Refrigerated condenser <input type="checkbox"/> |
| Refrigerated condenser <input type="checkbox"/> | |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
 No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Pan Phu
Print name of responsible official

[Signature]
Signature

10/28/99
Date
2/4/00

ASCO

PERCHLOROETHYLENE DRY CLEANERS

ARMS 2-19-01 JB

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)
RE-INSPECTION (FUI)

AIRS ID#: 0950288-002 DATE: 2-9-01 TIME IN: 0930 TIME OUT: 1000
 FACILITY NAME: Alysa Cleaner
 FACILITY LOCATION: 1541 W. Orange Blossom
Apopka, FL 32712
 RESPONSIBLE OFFICIAL: Paul Phu PHONE: 407-880-8003
 CONTACT NAME: _____ PHONE: _____

RECEIVED
FEB 22 2001
Bureau of Air Monitoring
& Mobile Sources

PART I: NOTIFICATION

(check appropriate box)

	Facility Compliance Status:	IN	<input checked="" type="checkbox"/>
1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>	(ARMS Data)	MNC <input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>		SNC <input type="checkbox"/>

PART II: CLASSIFICATION

Facility indicated on notification form that it is:

(check appropriate box)

	<input type="checkbox"/>	No notification form
	<input type="checkbox"/>	Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number _____ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 78 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

- 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
- 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
- 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
- 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
- 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
- 6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

- 1. Maintained receipts for perc purchased? Y N
- 2. Maintained rolling monthly total of perc consumption? Y N
- 3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
- 4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
- 5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
- 6. Maintained startup/shutdown/malfunction plan? Y N
- 7. Maintained deviation reports?
Problem corrected? Y N N/A
- 8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks?

- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |

4. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

Halogen leak detector

If using direct-reading instrumentation, is the equipment: N/A

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N

c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N

d. Kept in a clean and secure area when not in use? Y N

e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Ilka Bundy
Inspector's Name (Please Print)

2-9-01
Date of Inspection

Ilka Bundy
Inspector's Signature

2-9-02
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

1-27-00	19.5	}	97.5
5-11-00	19.5		
7-20-00	19.5		
10-6-00	19.5		
12-22-00	19.5		
	78.0		

RS ID#: 0950288-002

Revised 01/18/00

ARMS 2-19-01 JB

ASAP

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Alysa Cleaner DATE: 2/9/01
 FACILITY LOCATION: 1541 W. Orange Blossom Trail
Apopka, FL 32712

Annual Reporting Period: February 2000 TO February 2001

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 2-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: PAUL PHU [Signature] 2/9/01
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: <u>0930</u>	TIME OUT: <u>10 00</u>	AIRS ID#: <u>0950288-002</u>
TYPE OF FACILITY: <u>Dry Cleaner</u>		
FACILITY NAME: <u>Alysa Cleaner</u>		DATE: <u>2-9-01</u>
FACILITY LOCATION: <u>1541 W. Orange Blossom Trail</u> <u>Apopka, FL 32712</u>		
RESPONSIBLE OFFICIAL: <u>Paul Phu</u>		PHONE NUMBER: <u>407-880-8003</u>

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:
Facility in compliance.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 2-9-02
(Approximate)

INSPECTION CONDUCTED BY: Ilka Bundy
(Please print)

INSPECTOR'S SIGNATURE: Ilka Bundy **PHONE NUMBER:** 407-836-1400

BEST AVAILABLE COPY

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

444001 JAN 3 2005

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 950288 10
ALYSA CLEANERS
1541 W US Hwy 441
APOPKA, FL 32712

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273

Printed on recycled paper.

RECEIVED
JAN 4 2005
Bureau of Air Monitoring
& Mobile Sources



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

434032 DEC 8 2003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

950288
PAUL PHU
ALYSA CLEANERS
1541 W ORANGE BLOSSOM TRAIL
APOPKA FL 32712

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

Bureau of Air Mobility
& Mobile Support
DEC 10 2003
RECEIVED



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

422053 JAN22 2003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

RECEIVED
JAN 27 2003
BUREAU OF CONTRACT MANAGEMENT & MODIFICATION

Do **NOT** Remove Label

ALYSA CLEANERS
PAUL PHU
1541 W ORANGE BLOSSOM TRAIL
APOPKA FL
32712

AIRS ID#0950288

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS

<p>SENDER: C</p> <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. <p>1. Article Addressed to:</p> <p style="text-align: right;">AIRS ID # 0950288</p> <p>ALYSA CLEANERS PAUL PHU 1541 W ORANGE BLOSSOM TRAIL APOPKA FL 32712</p>	<p>ION ON DELIVERY</p> <p>A. Received by (Please Print Clearly) B. Date of Delivery</p> <p>C. Signature <input checked="" type="checkbox"/> <i>[Signature]</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>2. Article Number (Copy from service label)</p> <p style="font-size: 1.2em; font-family: monospace;">7000111060011002614112657111111</p>	<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>

PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">Postage</td> <td style="width: 10%;">\$</td> <td style="width: 50%;"></td> </tr> <tr> <td>Certified Fee</td> <td></td> <td></td> </tr> <tr> <td>Return Receipt Fee <small>(Endorsement Required)</small></td> <td></td> <td></td> </tr> <tr> <td>Restricted Delivery Fee <small>(Endorsement Required)</small></td> <td></td> <td></td> </tr> </table>	Postage	\$		Certified Fee			Return Receipt Fee <small>(Endorsement Required)</small>			Restricted Delivery Fee <small>(Endorsement Required)</small>			<p>Postmark Here</p>
Postage	\$												
Certified Fee													
Return Receipt Fee <small>(Endorsement Required)</small>													
Restricted Delivery Fee <small>(Endorsement Required)</small>													

AIRS ID # 0950288

ALYSA CLEANERS
PAUL PHU
1541 W ORANGE BLOSSOM TRAIL
APOPKA FL 32712

See Reverse for Instructions

7000 0600 0026 4126 5711



(cut here)

408363 MAY 7 2001

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$75.00

Do **NOT** Remove Label

ALYSA CLEANERS
PAUL PHU
1541 W ORANGE BLOSSOM TRAIL
APOPKA FL 32712

AIRS ID # 0950288

Ref

[Handwritten signature]

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

412600 JAN 4 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.



TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0950288
ALYSA CLEANERS
PAUL PHU
1541 W ORANGE BLOSSOM TRAIL
APOPKA FL
32712

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

396957

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$75.00

Do NOT Remove Label

AIRS ID # 0950288

ALYSA CLEANERS
JORGE R PEREYRA
1541 W US HWY 441
APOPKA FL 32712

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
MAIL ROOM
SEP -5 00

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

FASHION CARE CLEANERS, INC.

ID# 0910085

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 062273

395442

3755
2273



RECEIVED
MAIL ROOM
MAY 30 00

**Fashion
Care**
CLEANERS


5 Industrial Park Lane
Unit 102
Destin, Florida 32541



Title V Air General Permits
Receipts
P.O. Box 3070
Tallahassee, FL 32315-3070

Bluewater Bay ■ Destin ■ Near Sandestin ■ Navarre

32315+3070



Fold at line over top of envelope to

SENDER: COMPLETE		ON DELIVERY	
<ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. <p>1. Article Addressed to:</p> <p style="text-align: right;">AIRS ID # 0950288</p> <p>ALYSA CLEANERS JORGE R PEREYRA 1541 W US HWY 441 APOPKA FL 32712</p> <p style="text-align: center; font-size: 1.2em; font-weight: bold;">2 210 663 098</p>	<p>A. Received by (Please Print Clearly) B. Date of Delivery</p> <p style="text-align: center;">MY Luff Song 4-3-00</p> <p>C. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>		
<p>2. Article Number (Copy from service label)</p> <p style="text-align: center;"> </p>	<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>		

PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789

2 210 663 098

US Postal Service
Receipt for Certified Mail
No Insurance Coverage Provided.

AIRS ID # 0950288

ALYSA CLEANERS
JORGE R PEREYRA
1541 W US HWY 441
APOPKA FL 32712

3rd

2000

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PS Form 3800, April 1995

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Received by (Please Print Clearly) B. Date of Delivery</p>
<p>1. Article Addressed to:</p> <p style="text-align: right;">AIRS ID # 0950288</p> <p>LYSA CLEANERS AUL PHU 541 W ORANGE BLOSSOM TRAIL APOPKA FL 32712</p> <p>7000060002641259062</p>	<p>C. Signature X <i>Lyssa</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>2. Article Number (Copy from service label)</p> <p>7000060002641259062</p>	<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789</p>	

U.S. Postal Service CERTIFIED MAIL RECEIPT <i>(Domestic Mail Only; No Insurance Coverage Provided)</i>																
7000 0600 0026 4125 9062	<table border="1"> <tr> <td data-bbox="558 1293 751 1336">Postage</td> <td data-bbox="751 1293 944 1336">\$</td> <td data-bbox="944 1293 1196 1336" rowspan="4" style="text-align: center; vertical-align: middle;">Postmark Here</td> </tr> <tr> <td data-bbox="558 1342 751 1385">Certified Fee</td> <td data-bbox="751 1342 944 1385"></td> </tr> <tr> <td data-bbox="558 1391 751 1434">Return Receipt Fee (Endorsement Required)</td> <td data-bbox="751 1391 944 1434"></td> </tr> <tr> <td data-bbox="558 1440 751 1483">Restricted Delivery Fee (Endorsement Required)</td> <td data-bbox="751 1440 944 1483"></td> </tr> <tr> <td colspan="2" data-bbox="558 1489 944 1532"> Total Postage ALYSA CLEANERS </td> <td data-bbox="944 1489 1196 1532" style="text-align: right;">AIRS ID # 0950288</td> </tr> <tr> <td colspan="3" data-bbox="558 1538 1196 1676"> Recipient's Address: PAUL PHU 1541 W ORANGE BLOSSOM TRAIL APOPKA FL 32712 </td> </tr> </table>	Postage	\$	Postmark Here	Certified Fee		Return Receipt Fee (Endorsement Required)		Restricted Delivery Fee (Endorsement Required)		Total Postage ALYSA CLEANERS		AIRS ID # 0950288	Recipient's Address: PAUL PHU 1541 W ORANGE BLOSSOM TRAIL APOPKA FL 32712		
Postage	\$	Postmark Here														
Certified Fee																
Return Receipt Fee (Endorsement Required)																
Restricted Delivery Fee (Endorsement Required)																
Total Postage ALYSA CLEANERS		AIRS ID # 0950288														
Recipient's Address: PAUL PHU 1541 W ORANGE BLOSSOM TRAIL APOPKA FL 32712																
<p>PS Form 3800, February 2000 See Reverse for Instructions</p>																