

Department of Environmental Protection

Lawton Chiles Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

September 23, 1996

Mr. Bip Shah President Peppermint Cleaner, Inc. 7878 Canyon Lake Circle Orlando, Florida 32835

Dear Mr. Shah:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 28, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring

and Mobile Sources

/DD

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.

0950301

P14
1.(a) = believe
he mean + to
pu+ 12-8-91
Otherwise he
would be a
new small
area source.

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
Peppermint cleaner Inc.
2. Site Name (For example, plant name or number):
Peppermint deaner
3. Hazardous Waste Generator Identification Number:
FLR 0000/0538
4. Facility Location:
Street Address: 12397 S. Orange Blossow Trail City: Orlando County: Brange Zip Code: 32837
5. Facility Identification Number (DEP Use):
0950301
Responsible Official
6. Name and Title of Responsible Official:
BIP SHAH, President.
7. Responsible Official Mailing Address: Organization/Firm: Peppermint deaner Inc. Street Address: 7878 canyon Lake Circle City: Origndo County: Orange Zip Code: 32835
City: Origndo County: Orange Zip Code: 32835
8. Responsible Official Telephone Number: Telephone: (407) 438 1328 Fax: (407 294-9358
Facility Contact (If different from Responsible Official)
9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address:
Street Address
Street Address: City: County: N A Zip Code:
11. Facility Contact Telephone Number: Telephone: () - Fax: () -
RECEIVED

AUS 2 5 1779

Bureau of Air Monitoring & Mobile Sources

DEP Form No. 62-213.900(2) Effective: 6-25-96

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit						"		and the	
(1) w/ ref. condenser	#1	12-9-91							
(2) w/ carbon adsorber	77 *								
(3) w/ no controls									
Washer Unit		1					-		Dept.
(4) w/ ref. condenser	_								
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit					100000000000000000000000000000000000000	100	1.7		martin da a
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit				r Bir	and the second second		***	100 100 100	er of the second
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									
 (b) Control devices are (c) No control devices 2.(a) What was the total of [are ro	equired to be ity of perchloons ow many? [installed [_ proethylene (perc)	purchased in				
3. What is the facility's so (Indicate with an "X". Existing small ar Existing large are	Selec ea so	t one classifi	cation only.) Ne	ew sn	nitions found nall area sour	rce []	3) of	Part II?	

DEP Form No. 62-213.900(2)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)
Existing large area source Carbon adsorber
New small area source Refrigerated condenser []
New large area source Refrigerated condenser [] NOT APPLICABE
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:
All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site
Equipment Monitoring and Recordkeeping Information
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases
(b) Leak detection inspection and repair (c) Refrigerated condenser temperature monitoring
(c) Refrigerated condenser temperature monitoring
(d) Carbon adsorber exhaust perc concentration monitoring
(e) Instrument calibration (f) Start-up, shutdown, malfunction plan
(f) Start-up, shutdown, malfunction plan

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

ease indica	te with an "X" the appropriate selection:						
[]	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)						
لك	No air permits currently exist for the operation of the facility indicated in this notification form.						
	Responsible Official Certification						
this notif statemen maintain	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in facility action. I hereby certify, based on information and belief formed after reasonable inquiry, that the ts made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to with all terms and conditions of this general permit as set forth in Part II of this notification form.						
I will pro	amptly notify the Department of any changes to the information contained in this notification.						
Signature	Baskah <u>8/26/96</u>						

DEP Form No. 62-213.900(2)

RECEIVED

Peppermint Cleaner Inc.

12397 S. Orange Blossom Trail Orlando, Florida, 32824 JUN 1 8 1999

Bureau of Air Monitoring & Mobile Sources

June 10th 1999

State Of Florida
Department Of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida,32399-2400

Bureau of Waste Cleanup

JUN 15 1999 Hazardous Waste Cleanup Section

Re: Sale Of Peppermint Cleaners, AIRS ID# 0950301

Ladies/ Gentlemen:

Effective June 12 Th. 1999, All the assets of Peppermint Cleaners are sold to Silverin US Corporation. The new Owner's name is Mr. Ofortune Silverin. Please mail annual Title V General Permits to his attention at 12397 S. Orange Blossom Trail, Florida, 32837. You can reach him at 407-438-1328 and he will continue to use Peppermint Cleaners as a trade name. Please change your records accordingly.

Thank you very much.

Sincerely, fox

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL CO	OMPLAINT/DISCOVERY RE-INSPECTION
TIME IN: 1030 TIME OUT:	11,30 AIRS ID#: 0950301
TYPE OF FACILITY: DVV CIPA	U PV
FACILITY NAME: Deppermint Cly	Paner DATE: 5/20/97
FACILITY LOCATION: 12397 S. Ove	8
OVlando Fl	32837
RESPONSIBLE OFFICIAL: BIP Shah	PHONE NUMBER: (407) 438-1328
Based on the results of the compliance requirements eva compliance with DEP Rule 62-213.300, Florida Admini	luated during this inspection, the facility is found to be in strative Code (F.A.C.).
Based on the results of the compliance requirements eva discrepancies were noted:	luated during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Hazardous containers not sealed	N/A
COMMENTS:	
· · ·	
The Annual Compliance Certification form has been properly cer	rtified and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION: 5/3	30/98
INSPECTION CONDUCTED BY: 10	Approximate) DD FICTChev (Please Print)
INSPECTOR'S SIGNATURE:	JC PHONE NUMBER: 836-9524

Page_

Revised 10/96

	Pe	P 14	
		1. (a) I believe	
2.	Pep Hazardous Waste FLR	he meant to put 12-8-91 Otherwise he would be a new small area source.	
4.	Facility Location: Street Address: City: Orlas	\sqrt{nnn}	837
5.	Facility/Identifica	RECEIVED Central District	
	Name and Title	a District 1	
6.	Name and Title o $BIP = 5$	SPE	
7.	Responsible Official Organization/Firm: Street Address: 7 City: Orlano	878 canyon Lake Circle	ip Code: 32835
8.	I	Telephone Number: 7) 438 1328 Fax: (407) 294-	-9358

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (F	or example, plant	manager):	,
10. Facility Contact Address:			
Street Address: City:	County:	N(A	Zip Code:
11. Facility Contact Telephone Number: Telephone: () -	/	Fax: (
			K L L L V F D

AUG 2 8 1976

Bureau of Air Monitoring & Mobile Sources

DEP Form No. 62-213.900(2) Effective: 6-25-96 Page 13 of 16

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1.	Facility Owner/Company Name (Name of corpor	ation, agency, or individ	ual owner):
	Peppermint cleaner	Inc.	
2.	Site Name (For example, plant name or number):		
	Peppermint deaner		
3.	Hazardous Waste Generator Identification Number	r:	
	FLR 0000/0538		
4.	Facility Location:	an RIARONA	Tario
	Street Address: 12397 5. Orange City: Orlando County:	ge Bresson Brange	Zip Code: 32837
70 E. 17 SE		ZO AZBORIJETO CERCO NAMERIA DE LA CONTE	
	Facility Identification Number (DEP Use):		0950301
- Caractar And	s and the compression of the second s	отом фило объек 4 стан и том не раз от том ну от	tenggan at it dan per-akultuan in at 1904 i 200 Apin Paranagamaganaganaganagan at in at ti ti tibun galab ya j
	Responsi	ible Official	
6.	Name and Title of Responsible Official:		
	BIP SHAH, Presider	it.	
7.	Responsible Official Mailing Address: Organization/Firm: Peppermint Contract Address: 7878 Canyon La City: Origndo Count	leaner Inc.	
	City: Origndo Count	y: Orange	Zip Code: 32835
8.	Responsible Official Telephone Number: Telephone: (401) 438-1328	Env. (Un7	294-9358
	receptione. (40) 436-1328	rax. (70)	279- 133
	Facility Contact (If differe	nt from Responsible O	fficial)
9.	Name and Title of Facility Contact (For example,	plant manager):	
	•		
10.	Facility Contact Address:		
	Street Address:	, (A	
	City: County:	NA	Zip Code:
11	Facility Contact Telephone Number:		
и.	racing Contact relephone Number.		
	Telephone: () -	Fax: ()	-
	Telephone: () -	Fax: ()	RÉCEIVED

MUG 2 6 1976

Bureau of Air Monitoring & Mobile Sources

DEP Form No. 62-213.900(2) Effective: 6-25-96

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

		Date	Date		Date	Date		Date	Date
•.		Machine	Control		Machine	Control		Machine '	Control
		Initially	Device		Initially	Device		Initially	Device
Type of Machine	ID	Purchased	Installed	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-9
Dry-to-Dry Unit		10-8-91	m		•				
(1) w/ ref. condenser	XI	inag)	12-891		T.				
(2) w/ carbon adsorber	17 7	m	-			1			
(3) w/ no controls		 	m						
Washer Unit				l		<u> </u>			
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls	_								_
Dryer Unit								·	٠٠.
(7) w/ ref. condenser									
(8) w/ carbon adsorber									_
(9) w/ no controls					1				
Reclaimer Unit	, .			<u>. </u>	1	L .			
(10) w/ ref. condenser				<u>.</u>					
(11) w/carbon adsorber									
(12) w/ no controls			4.					,	
(b) Control devices are(c) No control devices	_								
2.(a) What was the total of	quant	ity of perchlo				n the latest 12	2 mor	nths?	
(b) If less than 12 mont Check why it is less	hs, ho than	ow many? [_ 12 months: `	(2) months New owner:		New store	:: [] Did	not k	eep records:	[]
3. What is the facility's so (Indicate with an "X".					nitions found	d in section (3) of	Part II?	
Existing small ar	ea so	urce [Ne	w sn	nall area sour	rce []		
Existing large are	ea soi	urce []	Ne	w lai	rge area sour	ce []		

DEP Form No. 62-213.900(2)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)
Existing large area source Carbon adsorber [] Refrigerated condenser []
New small area source Refrigerated condenser []
New large area source Refrigerated condenser [] NOT APPLICABE
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:
All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site
Equipment Monitoring and Recordkeeping Information
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases
(b) Leak detection inspection and repair
(c) Refrigerated condenser temperature monitoring
(d) Carbon adsorber exhaust perc concentration monitoring
(e) Instrument calibration
(f) Start-up, shutdown, malfunction plan

DEP Form No. 62-213.900(2)

Surrender of Existing Air Permit(s)

Ple	ease indicat	te with an "X" the appropriate selection:						
	<u>.</u>	I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)						
	لىكنا	No air permits currently exist for the operation of the facility indicated in this notification form.						
		Responsible Official Certification						
	this notifi statemen maintain	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in fication. I hereby certify, based on information and belief formed after reasonable inquiry, that the ts made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to with all terms and conditions of this general permit as set forth in Part II of this notification form.						
	I will pro	emptly notify the Department of any changes to the information contained in this notification.						
	Signature	Baskah <u>8/26/96</u> Bandah <u>Under</u>						

DEP Form No. 62-213.900(2)

Orange County Environmental Protection Department

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL. RE-INSPECTION	COMPLAINT/DISCO	VERY 🗆
		7 TIME IN: 1030 TIME	
		5, O.B,T,	
		F) 37837	
PART I: NOTIFICATION			
(check appropriate box)	30 S. C. A. C. 20 S. C. C. C. C. T. C.		
1. Existing facility notified D	ARM by 9/1/96		
2. New facility notified DAR	M 30 days prior to startu	ıp	۵
3. Facility failed to notify DA	ARM to use general perm	nit	
Brok Lawrey on Disputation is a country of the coun			
PART II: CLASSIFICATION	ON		
Facility indicated on notification (check appropriate box)	ation form that it is:		
A. 1. Existing small area so dry-to-dry only, x<140 ga transfer only, x<200 gal/y both types, x<140 gal/yr (constructed before 12/9/9	d/yr r	2. New small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed on or after 12/9/91)	
3. Existing large area so dry-to-dry only, 140 <x<2 (constructed="" 12="" 140<x<1,800="" 200<x<1,80="" 9="" 9<="" before="" both="" only,="" td="" transfer="" types,=""><td>, 100 gal/yr 00 gal/yr gal/yr</td><td>4. New large area source dry-to-dry only, 140<x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td></td></x<2,></td></x<2>	, 100 gal/yr 00 gal/yr gal/yr	4. New large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)<="" after="" both="" gal="" on="" only,="" or="" td="" transfer="" types,="" yr=""><td></td></x<2,>	
This is a correct facility clas	ssification	MY ON	
If no, please check the appr	opriate classification:		
		nit as number above s not cligible for a general permit	
B. The total quantity of per facility was 33 gall		archased within the preceding 12 month	is by this dry cleaning

Is the responsible official of the dry cleaning facility: (check appropriate boxes)				
1. Storing perchloroethylene in tightly scaled and impervious containers?	OY QN			
2. Examining the containers for leakage?	אט עצו			
3. Closing and securing machine doors except during loading/unloading?	erý on			
4. Draining cartridge filters in their housing or in scaled containers for at least 24 hours prior to disposal?	אם צם			
Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	DY ON ON/A			
PART IV: PROCESS VENT CONTROLS				
In Part II-A:				
If classification 1 has been checked, no controls are required. Proceed to Part	v.			
If classification 2 has been checked, the machine should be equipped with a refu (complete $f A$ below).	rigerated condenser			
If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993				
If classification 4 has been checked, the machine should be equipped with a ref (complete ${\bf A}$ and ${\bf B}$ below).	rigerated condenser			
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)				
1. Equipped all machines with the appropriate vent controls?	חם אם			
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	אומם מם: צם			
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A			
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	ПА ПИ			
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	OY ON			
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	חא מא			

PART III: GENERAL CONTROL REQUIREMENTS

B. Has the responsible official of an existing large or new large area source also:	
1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	אט צט
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	□Y □N
Is the temperature differential equal to or greater than 20° F?	UY UN
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	□Y □N □N/A
Is the perc concentration equal to or less than 100 ppm?	אם אם
4. Assured that the sampling port on the carbon adsorber exhaust for measuring pere concentrations is at least 8 duet diameters downstream of any bend, contraction, or expansion; is at least 2 duet diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	OY ON
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	OY ON ON/A
6. Routed airflow to the carbon adsorber (if used) at all times?	□Y □N □N/A
PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	,
1. Maintained receipts for perc purchased?	ON DN
2. Maintained rolling monthly averages of perc consumption?	DY ON
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 lws? or;	MY ON
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON
4. Maintained calibration data? (for direct reading instruments only)	OY ON ON/A
5. Maintained exhaust duct monitoring data on pere concentrations?	OY ON W/A
6. Maintained startup/shutdown/malfunction plan?	OY ON
7. Maintained deviation reports?	אט אַצ
Problem corrected?	מם אַם
8. Maintained compliance plan, if applicable?	OY ON BN/A
The state of the s	
PART VI: LEAK DETECTION AND REPAIRS	THE PARTY OF THE P

	Which method of detection is used by th	e respons	ible official	?			
	Visual examination (condensed so	lvent on c	exterior surf	faces)			
	Physical detection (airflow felt three	ough gask	ccts)	•	σĺ		
	Odor (noticeable pere odor)				· 🗹		
	Use of direct-reading instrumentat	ion (FID/	PID/calorii	netric tubes)			
	If using direct-reading instrument	ntation, i	s the equip	ment:			
	a. Capable of detecting p	ere vapor	concentrat	ions in a range of 0-500 ppm?	ם צם	N	
	b. Calibrated against a st (PID/FID only)?	landard g	as prior to a	and after each use	ם צם	N	
	c. Inspected for leaks and	d obvious	signs of wo	ear on a weekly basis?		И	
	d. Kept in a clean and so	ecure area	when not i	n use?		И	
	e. Verified for accuracy	by use of	duplicate sa	imples (calorimetric only)?	OY O	N	
3.	. Has the facility maintained a leak log?				ØÝΟ	MD YE	
1.	Does the responsible official check the	following	areas for lo	eaks?			
	Hose connections, fittings, couplings, and valves	UΣΥ	ПИ	Muck cookers	ŒΥ	ПИ	
	Door gaskets and seating	ΔY	ПИ	Stills	ΞÝ	ПИ	
	Filter gaskets and seating	ωÝ	ПN	Exhaust dampers	DΥ	ПN	
	Pumps	ŪΥ	ПИ	Diverter valves	ΘÝ	ПΝ	
	Solvent tanks and containers	ΔY	ΠN	Cartridge filter housing	s er	ПИ	
	Water separators	ΞÝ	ПИ				

Bip Shah Name of Responsible Official

Todd Fletcher

Inspector's Signature

Inspector's Name (Please Pitul)

11/30/98
Approximate Date of Next Inspection

BEST AVAILABLE COPY

RECEIVED

MAR 0 4 1551

Bureau of Air Monitoring
& Mobile Sources

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#0950301
PEPPERMINT CLEANER INC
BIP SHAH
7878 CANYON LAKE CIRCLE
ORLANDO FL 32835

Do NOT Remove Label

	D0 <u>110</u>	T Kemove Lane	71		
Annual Reporting Period:	1st 1997	19 TC	Jan	1st 1998	19
Based on each term or condition of the Title 62-213.300, Florida Administrative Code (F		•			EP Rule
If NO, complete the following:					
#1. Term or condition of the general permit	that has not been in co	ontinuous comp	oliance during t	he reporting peri	od stated above:
Exact period of non-compliance: from			to		· ·
Action(s) taken to achieve compliance:					
Method used to demonstrate compliance:					
#2. Term or condition of the general permit	that has not been in co	ontinuous comp	liance during t	he reporting peri	od stated above:
Exact period of non-compliance: from			to		
Action(s) taken to achieve compliance:		•		_	
Method used to demonstrate compliance:	<u>. </u>		·		
As the responsible official, I hereby certify, base notification are true, accurate and complete. F does not exceed 2,100 gallons per year for dry-to-	urther, my annual consu	imption of perch	iloroethylene so	lvent, based upon	purchase receipts,
RESPONSIBLE OFFICIAL: Nan	Cahal ne (Please Print)	** ** ** ** **************************	Signatur	e	2/26/98 Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: V ANNUAL COM	IPLAINT/DISCOVERY RE-INSPECTION
TIME IN: 10:45 TIME OUT: 11:1	AIRS ID#: 0950301
TYPE OF FACILITY: DVY Cleaner	
	NEL DATE: 6/8/98
	veuge Blossum Trail
RESPONSIBLE OFFICIAL: B.P Shay	32837 PHONE NUMBER: (407) 438 - 1328
RESPONSIBLE OFFICIAL: 13.0 544.4	PHONE NUMBER: (407) 438 - 1328
Based on the results of the compliance requirements evaluated compliance with DEP Rule 62-213.300, Florida Administration Based on the results of the compliance requirements evaluated discrepancies were noted:	ative Code (F.A.C.).
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Not Documenting Brusekly leak. Detection.	R
₹ 	Bureau of R Moor
	EN 29 1948 Not Air Monitoring Nobile Sources
	ring.
<	
COMMENTS:	
Facility will start us	ing the state cal.
· · · · · · · · · · · · · · · · · · ·	
The Annual Compliance Certification form has been properly certif	
DATE OF NEXT INSPECTION:	proximate)
INSPECTION CONDUCTED BY: TO DA FI	ease Print)
	PHONE NUMBER: (407)836-9524

Page of .

Revised 10/96

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

V	

TYPE OF INSPECTION:

ANNUAL

کی

 \Box

COMPLAINT/DISCOVERY

Ü

RE-INSPECTION

	98 TIME IN: 10:45 TIME OUT: 11:45
FACILITY NAME: Pepper mint	Cleuners
FACILITY LOCATION: 12397	(W
Ovlan	do F1 32837 ≈ € 0
RESPONSIBLE OFFICIAL: BLOSU	4 h PHONE: 407 - \$4380 1328
CONTACT NAME:	0 =
CONTACT NAME:	PHONE: SON TE
	by orit
PART I: NOTIFICATION	
(check appropriate box)	
1. New facility notified DARM 30 days prior to sta	rtup
2. Facility failed to notify DARM to use general pe	rmit 🗆
Marian	
PART II: CLASSIFICATION	
Facility indicated on notification form that it is:	☐ No notification form
(check appropriate box)	☐ Drop store/out of business/petroleum
A. 1. Existing small area source	2. New small area source
dry-to-dry only, x < 140 gal/yr	dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr	transfer only, x < 200 gal/yr
both types, x < 140 gal/yr	both types, $x < 140$ gal/yr (constructed on or after $12/9/91$)
(constructed before 12/9/91)	(constructed on or after 1217171)
3. Existing large area source	4. New large area source □
dry-to-dry only, $140 \le x \le 2,100$ gal/yr	dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$
transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr	transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr
(constructed before 12/9/91)	(constructed on or after 12/9/91)
5. This is a correct facility classification	□Y □N □Can not determine
If no, please check the appropriate classif	ication:
	cheral permit as number above
	mits and is not eligible for a general permit
B. The total quantity of perchloroethylene (perc) facility was 1.73 gallons.	purchased within the preceding 12 months by this dry cleaning

PART III: GENERAL CONTROL REQUIREMENTS					
Is the responsible official of the dry cleaning facility: (check appropriate boxes)					
1. Storing perchloroethylene in tightly scaled and impervious containers?	אואם אם אם				
2. Examining the containers for leakage?	מ/אם אם אם				
3. Closing and securing machine doors except during loading/unloading?	DY CIN				
4. Draining cartridge filters in their housing or in scaled containers for at least 24 hours prior to disposal?	אואם אם אם				
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	בוא בוא באיוע				
PART IV: PROCESS VENT CONTROLS					
In Part II-A:					
If classification 1 has been checked, no controls are required. Proceed to Part V					
If classification 2 has been checked, the machine should be equipped with a refri (complete Λ below).	gerated condenser				
If classification 3 has been checked, the machine should be equipped with either condenser or a carbon adsorber (complete A and B below). Carbon adsorber mu installed prior to September 22, 1993					
If classification 4 has been checked, the machine should be equipped with a refr (complete Λ and B below).	igerated condenser				
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)					
1. Equipped all machines with the appropriate vent controls?	מט מט				
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	מ/אם אם צם				
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	חא מי מי איע				
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	ים אם אם				
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	OY ON ON/A				
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	חם אם				

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ÜΥ	ÜN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΠY	ПN	ÜN/A
	Is the temperature differential equal to or greater than 20° F?	ÜΥ	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ĽΙΥ	ШN	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΠY	ПИ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	ПΝ	□n/ ∧
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΠY	ПИ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	ΠИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS					
Has the responsible official: (check appropriate boxes)					
1. Maintained receipts for perc purchased?	CITY CIN				
2. Maintained rolling monthly total of perc consumption?	ON ON				
3. Maintained leak detection inspection and repair reports for the following:					
a. documentation of leaks repaired w/in 24 hrs? or;	ראלום אים איע				
 b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? 	QY CIN CIN/A				
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON CHÁ/A				
5. Maintained exhaust duct monitoring data on perc concentrations?	OY ON ON/A				
6. Maintained startup/shutdown/malfunction plan?	DY ON				
7. Maintained deviation reports?	OY ON ON/A				
Problem corrected?	איאנס אם אם אי				
8. Maintained compliance plan, if applicable?	אואנט אם צם				

PA	PART VI: LEAK DETECTION AND REPAIRS						
1.	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair						
	inspection?		מוֹט עׁבּוֹא				
2.	2. Has the facility maintained a leak log?		אנם צם				
3.	3. Does the responsible official check the following areas for lea	nks?					
	Hose connections, fittings, couplings, and valves	Muck cookers	MY ON ON/A				
	Door gaskets and scating	Stills	OY ON ON/A				
	Filter gaskets and scating	Exhaust dampers	EY UN UN/A				
	Pumps GY ON ON/A	Diverter valves	DY DN DN/A				
	Solvent tanks and containers	Cartridge filter housings	MY ON ON/A				
	Water separators CMY CIN CIN/A						
4.	4. Which method of detection is used by the responsible official	17	,				
	Visual examination (condensed solvent on exterior sur	faces)	Ø				
	Physical detection (airflow felt through gaskets)						
	Odor (noticeable perc odor)						
	Use of direct-reading instrumentation (FID/PID/caloring	netric tubes)					
	Halogen leak detector	- /					
	If using direct-reading instrumentation, is the ed	quipment:	EN/A				
	a. Capable of detecting perc vapor concentrat	ions in a range of 0-500 ppm?	OY ON				
	 b. Calibrated against a standard gas prior to a (PID/FID only)? 	and after each use	□Ү □И				
	c. Inspected for leaks and obvious signs of we	car on a weekly basis?	OY ON				
I	d. Kept in a clean and secure area when not i	in usc?	OY ON				
	e. Verified for accuracy by use of duplicate sa	amples (calorimetric only)?	OY ON				
	•						
-							
	T000 Flotcher 6/8/98						
_	Inspector's Name (Please Print) Date of Inspection						
	A021 TO Sold 618/99						
-	Inspector's Signature	Approximate Date of	Next Inspection				

ADDITION	AL SITE INFORMATION:		
	·		
	•	• .	
		•	

BEST AVAILABLE COPY

PERCHLOROETHYLENE DRY CLEANERS

TITLE	V GENERAL	PERMIT
COMPLIANCE	E INSPECTIO	ON CHECKLIST

	ANNUAL	Z C	OMPLAINT/DISCOVE	Ŕ Ŷ □
	RE-INSPECTION		^	<i>'</i> C
465.2-1				Charles Control
AIRS 10#: 0950301	• _ 1 ,		0	1046- FTU
FACILITY NAME: Per			~	3 C
FACILITY LOCATION:				
	Orlando, FL			
RESPONSIBLE OFFICIAL	: Bip Shah	PI	IONE: <u>407-438</u>	-1328
CONTACT NAME:	·	PI	IONE:	
PART I: NOTIFICATION	·			
(check appropriate box)				
New facility notified DAR				
2. Facility failed to notify DA	RM to use general permit			
DADT II. CI ACCIFICATIO				
PART II: CLASSIFICATIO				
Facility indicated on notifica			No notification form	ess/petroleum
Facility indicated on notificated (check appropriate box) A.	ation form that it is:		Drop store/out of busin	ess/petroleum
Facility indicated on notificated (check appropriate box) A. 1. Existing small area so	ation form that it is:	New small area	Drop store/out of busin	ess/petroleum
Facility indicated on notificated (check appropriate box) A.	urce 2.	New small area y-to-dry only, x <	Source 140 gal/yr	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area so diy-to-dry only, x < 140 gatransfer only, x < 200 gal/y both types, x < 140 gal/yr	urce 2. al/yr dry yr tra	New small area y-to-dry only, x < 20 th types, x < 140	Source 140 gal/yr 200 gal/yr 31/yr	ess/petroleum
Facility indicated on notificate (check appropriate box) A. 1. Existing small area so dry-to-dry only, x < 140 gate transfer only, x < 200 gal/y	urce 2. al/yr dry yr tra	New small area y-to-dry only, x < unsfer only, x < 2	Source 140 gal/yr 200 gal/yr 31/yr	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area so diy-to-dry only, x < 140 gatransfer only, x < 200 gal/y both types, x < 140 gal/yr	urce 2. al/yr dry yr tra bot 1) (cc	New small area y-to-dry only, x < 20 th types, x < 140	Source 140 gal/yr 00 gal/yr gal/yr after 12/9/91)	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area so dry-to-dry only, x < 140 gat transfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/9) 3. Existing large area so dry-to-dry only, 140 < x <	urce 2. al/yr dry yr tra bot 1) (cc urce 4. 2,100 gal/yr dry	New small area y-to-dry only, x < ansfer only, x < 20 th types, x < 140 constructed on or a New large area y-to-dry only, 140	Drop store/out of busing source \Box 140 gal/yr \Box 200 gal/yr \Box 3140 gal/yr \Box 3150 \Box 3	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area so dry-to-dry only, x < 140 gal/yr both types, x < 140 gal/yr (constructed before 12/9/9) 3. Existing large area so dry-to-dry only, 140 ≤ x ≤ transfer only, 200 ≤ x ≤ 1,	urce 2. al/yr dry yr tra bot 1) (cc urce 4. 2,100 gal/yr dry 800 gal/yr tra	New small area y-to-dry only, x < onsfer only, x < 20 th types, x < 140 constructed on or a New large area y-to-dry only, 140 onsfer only, 200 <	Drop store/out of busing source \square 140 gal/yr \square 200 gal/yr \square 314 gal/yr \square 315 gal/yr \square 315 gal/yr \square 316 gal/yr \square 316 gal/yr \square 317 gal/yr \square 318 gal/yr \square	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area so diy-to-dry only, x < 140 gatransfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/9) 3. Existing large area so dry-to-dry only, 140 < x <	urce 2. al/yr dry yr tra bot 1) (cc 2,100 gal/yr dry 800 gal/yr tra 0 gal/yr bo	New small area y-to-dry only, x < ansfer only, x < 20 th types, x < 140 constructed on or a New large area y-to-dry only, 140	Source \square 140 gal/yr 200 gal/yr gal/yr after 12/9/91) source \square $0 \le x \le 2,100$ gal/yr $0 \le x \le 1,800$ gal/yr $0 \le 1,800$ gal/yr	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area sood dry-to-dry only, x < 140 gatransfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/9) 3. Existing large area sood dry-to-dry only, 140 ≤ x ≤ transfer only, 200 ≤ x ≤ 1, both types, 140 ≤ x ≤ 1,80	ation form that it is: urce 2. al/yr dry yr tra bot 1) (cc urce 4. 2,100 gal/yr dry 800 gal/yr tra 0 gal/yr bo 1) (cc	New small area y-to-dry only, x < ansfer only, x < 2i th types, x < 140 onstructed on or a New large area y-to-dry only, 140 ansfer only, 200 < ansfer only, 200 < ansfer only in the types, 140 < ansfer on or a onstructed on or a	Source \square 140 gal/yr 200 gal/yr gal/yr after 12/9/91) source \square $0 \le x \le 2,100$ gal/yr $0 \le x \le 1,800$ gal/yr $0 \le 1,800$ gal/yr	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area soodly-to-dry only, x < 140 gateransfer only, x < 200 gal/y both types, x < 140 gal/yr (constructed before 12/9/9) 3. Existing large area soodry-to-dry only, 140 ≤ x ≤ transfer only, 200 ≤ x ≤ 1, both types, 140 ≤ x ≤ 1,80 (constructed before 12/9/9) 5. This is a correct facility If no, please check the	ation form that it is: urce 2. al/yr dry yr tra bot 1) (cc urce 4. 2,100 gal/yr dry 800 gal/yr tra 0 gal/yr bo 1) (cc r classification classification	New small area y-to-dry only, x < onsfer only, x < 20 th types, x < 140 constructed on or a New large area y-to-dry only, 140 onsfer only, 200 < onsfructed on or a Y	Drop store/out of busing source 140 gal/yr gal/yr after 12/9/91) source $0 \le x \le 2,100 \text{ gal/yr} \le x \le 1,800 \text{ gal/yr} = 1,$	ess/petroleum
Facility indicated on notifical (check appropriate box) A. 1. Existing small area so dry-to-dry only, x < 140 gally both types, x < 140 gallyr (constructed before 12/9/9) 3. Existing large area so dry-to-dry only, 140 ≤ x ≤ transfer only, 200 ≤ x ≤ 1, both types, 140 ≤ x ≤ 1,80 (constructed before 12/9/9) 5. This is a correct facility If no, please check the	ation form that it is: urce 2. al/yr dry yr tra bot 1) (cc 2,100 gal/yr dry 800 gal/yr tra 0 gal/yr bo 1) (cc y classification	New small area y-to-dry only, x < 20 th types, x < 140 constructed on or a New large area y-to-dry only, 140 constructed on or a th types, 140 \le x constructed on or a Y In types, 140 \le x constructed on or a Y In types, 140 \le x constructed on or a The types is a sumble of the types.	Drop store/out of busing source 140 gal/yr gal/yr after 12/9/91) source $0 \le x \le 2,100 \text{ gal/yr} \le x \le 1,800 \text{ gal/yr} \le 1,800 \text{ gal/yr}$ after 12/9/91) Can not determine $0 \le x \le 3$ above	ess/petroleum

+ 50CK

PART III: GENERAL CONTROL BEQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly scaled and impervious containers? ON ON/A DY ON ON/A Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in scaled containers for at MY ON ON/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? CIY CIN DANA PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) 1. Equipped all machines with the appropriate vent controls? 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the DY ON ONA condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the DAY ON ON/A condenser exceeded 45° F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

B. Has the responsible official of an existing large or new large area source also:	
Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	MY ON
Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	עאום אם אם
Is the temperature differential equal to or greater than 20° F?	OY ON MYA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	OY ON ŒŃ/A
Is the perc concentration equal to or less than 100 ppm?	OY ON ON/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,	DY DN ZN/A
or expansion; and downstream from no other inlet?	UY UN UNA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	OY ON MY/A
6. Routed airflow to the carbon adsorber (if used) at all times?	OY ON BN/A

PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	DY ON
2. Maintained rolling monthly total of perc consumption?	QA CIN
3. Maintained leak detection inspection and repair reports for the following:	
 a. documentation of leaks repaired w/in 24 hrs? or; 	QY ON ON/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	MY ON ON/A
4. Maintained calibration data? (for applicable direct reading instruments)	אַעס או עם אַנו
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN DN/A
6. Maintained startup/shutdown/malfunction plan?	DAY DIN
7. Maintained deviation reports?	OY ON CON/A
Problem corrected?	OY ON MANA
8. Maintained compliance plan, if applicable?	OY ON ON/A

PA	ART VI: LEAK DETECTION AND R	EPAIR	<u>S</u>			
1.	Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair					
	inspection?				ďY	/ 🗆 N
2.	Has the facility maintained a leak log?				ΘY	ПN
3.	Does the responsible official check the fe	ollowing	g areas for leaks?			
	Hose connections, fittings, couplings, and valves	QY C	N □N/A	Muck cookers	σγ	□N □N/A
	Door gaskets and scating	ØY C	IN □N/A	Stills	ZY	ON ON/A
	Filter gaskets and scating	ØY C	IN □N/A	Exhaust dampers	Ø Y	□N □N/A
	Pumps	ØY C	IN □N/A	Diverter valves	ЩY	□N □N/A
	Solvent tanks and containers	cy X, C	IN □N/A	Cartridge filter housings	ØΥ	□N □N/A
	Water separators	CYY C	N DN/A			
4.	Which method of detection is used by th	e respor	nsible official?		,	
	Visual examination (condensed so	lvent on	exterior surfaces)		₽.	
Physical detection (airflow felt through gaskets)						
Odor (noticeable perc odor)					Ø	
Use of direct-reading instrumentation (FID/PID/calorimetric tubes)					0 /	
Halogen leak detector						/
If using direct-reading instrumentation, is the equipment:			ØN/	'Λ		
a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?			ΠY	ПΝ		
 b. Calibrated against a standard gas prior to and after each use (PID/FID only)? 				ΩY	ПN	
	c. Inspected for leaks and	d obviou	s signs of wear on	a weekly basis?	ΠY	ΠN
	d. Kept in a clean and se	cure are	ea when not in use?		ΠY	ПN
	e. Verified for accuracy b	by use o	f duplicate samples	(calorimetric only)?	ΩY	□N
	·					
		i				
	T				α	
	Ilka Bundy Inspector's Name (Please Prin			6/10/9 Date of Inspe	<u>7</u>	
	Inspector's Name (Please Prin	ıt)		Date of Inspe	ection	
	Aller Bunda			6/10/20	ω	
_	Inspector's Signature			Approximate Date of	Next	Inspection

ADDITIONAL SITE INFORMATION:	
	·
,	
·	
·	
·	

Orange County Environmental Protection Department

AIRS ID#: 0950301

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: PEDDERMINT	Cleaner		na na na	Tr. (a/16/99
FACILITY NAME: Peppermint FACILITY LOCATION: 12397 Orland	South Orang	e Blossom	Trail	
Orland	10 FL 3283	37		
	,			
Annual Reporting Period: 6/8	1			19 <u>99</u>
Based on each term or condition of the Titl 62-213.300, Florida Administrative Code (DEP Rule
If NO, complete the following:				
#1. Term or condition of the general perm	it that has not been in cont	inuous compliance du	iring the reporting pe	eriod stated above:
Exact period of non-compliance: from		to		
Action(s) taken to achieve compliance:				
Method used to demonstrate compliance:				
#2. Term or condition of the general permi	t that has not been in cont	inuous compliance du	ring the reporting pe	riod stated above:
Exact period of non-compliance: from		to		
Action(s) taken to achieve compliance:				
Method used to demonstrate compliance:				
As the responsible official, I hereby certify, made in this notification are true, accurate upon rolling averages of purchase receipts, year for transfer or combination facilities.	and complete. Further, m	y annual consumption	of perchloroethylen	e solvent, based
RESPONSIBLE OFFICIAL:Na	Bipin P. Hard me (Please Print)	Sign	nature	6/10/99 Date

Page of .

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL \(\sqrt{} \)	OMPLAINT/DISCOVERY RE-INSPECTION
TIME IN: 1015 TIME OUT: 10	40 AIRS ID#: 0950301
TYPE OF FACILITY: Dry Cleaner	
FACILITY NAME: Peppermint Cleaner	DATE: 6-10-99
FACILITY LOCATION: 12397 South Orange	Blossom Trail
Orlando, FL	11.24.24.24
RESPONSIBLE OFFICIAL: Bip Shah	PHONE NUMBER: 407-438-1328
Based on the results of the compliance requirements eva compliance with DEP Rule 62-213.300, Florida Admini	cluated during this inspection, the facility is found to be in strative Code (F.A.C.).
Based on the results of the compliance requirements eva discrepancies were noted:	
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Facility in Compliance	
	The state of the s
	· ·
COMMENTS:	
Facility in compliance.	
The Annual Compliance Certification form has been properly ce	rtified and submitted to the inspector. YES NO
DATE OF NEXT INSPECTION: $\frac{(c/10/2)}{(c)}$	Approximate)
INSPECTION CONDUCTED BY: IKA BO	
INSPECTOR'S SIGNATURE: Ma P	phone number: 836-9524

Page | of | .

Revised 10/96

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLISTS changes. COMPLAÎNT/DISCOVERY - C2LI ANNUAL TYPE OF INSPECTION: **RE-INSPECTION** - Clused 08/02/00 AIRS ID#: 0950301 DATE: 6-13-00 TIME IN: TIMESOUT: 1040 Cleaner FACILITY NAME: Peppermint FACILITY LOCATION: 12397 South Orange Orlando, FL 32837 407-438-1328 RESPONSIBLE OFFICIAL: Bip Shah PHONE: PHONE: CONTACT NAME: PART I: NOTIFICATION (check appropriate box) 1. New facility notified DARM 30 days prior to startup 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION	·
Facility indicated on notification form that it is:	☐ No notification form
(check appropriate box)	☐ Drop store/out of business/petroleum
A.	· .
1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after $12/9/91$)
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed before $12/9/91$)	4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$)
5. This is a correct facility classification	□Y □N □Can not determine
If no, please check the appropriate classific	eation:
facility qualified for a ge	
	nits and is not eligible for a general permit
B. The total quantity of perchloroethylene (perc) pu	irchased within the preceding 12 months by this dry cleaning

PART III: GENERAL CONTROL REQUIREMENTS		
Is the responsible official of the dry cleaning facility: (check appropriate boxes)		
1. Storing perchloroethylene in tightly sealed and impervious containers?	□Y □N □N/A	
2. Examining the containers for leakage?	OY ON ON/A	
3. Closing and securing machine doors except during loading/unloading?	OY ON	
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	OY ON ON/A	
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON ON/A	
PART IV: PROCESS VENT CONTROLS		
In Part II-A:		
If classification I has been checked, no controls are required. Proceed to Part \	/.	
If classification 2 has been checked, the machine should be equipped with a refr (complete A below).	igerated condenser	
If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993		
If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).		
A. Has the responsible official of all new sources and existing large area source (check appropriate boxes)	s:	
Equipped all machines with the appropriate vent controls?	□Y □N	
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	OY ON ON/A	
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A	
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	OY ON	
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	OY ON ON/A	
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	Пу Пи	

B.	Has the responsible official of an existing large or new large area source also:		
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	□N
2.	Measured and recorded the washer exhaust temperature at the condenser		
	inlet and outlet weekly?	ЦY	□N □N/A
	Is the temperature differential equal to or greater than 20° F?	ПY	□N □N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber,		
	if machines are equipped with a carbon adsorber?	ΠY	□n □n/A
	Is the perc concentration equal to or less than 100 ppm?	ПY	□N □N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction,		
	or expansion; and downstream from no other inlet?	ПY	□N □N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ŪΥ	□n □n/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΠY	ON ON/A

PART V: RECORDKEEPING REQUIREMENTS				
Has the responsible official: (check appropriate boxes)				
1. Maintained receipts for perc purchased?	OY ON			
2. Maintained rolling monthly total of perc consumption?	OY ON			
3. Maintained leak detection inspection and repair reports for the following:				
a. documentation of leaks repaired w/in 24 hrs? or,	OY ON ON/A			
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	OY ON ON/A			
4. Maintained calibration data? (for applicable direct reading instruments)	□Y □N □N/A			
5. Maintained exhaust duct monitoring data on perc concentrations?	□Y □N □N/A			
6. Maintained startup/shutdown/malfunction plan?	□Y □N			
7. Maintained deviation reports?	OY ON ON/A			
Problem corrected?	□Y □N □N/A			
8. Maintained compliance plan, if applicable?	OY ON ON/A			

PART VI: LEAK DETECTION AND REPAIRS				
1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair				
 	inspection?			OY ON
2.	Has the facility maintained a leak log?	r		OY ON
3.	Does the responsible official check the	•		
	Hose connections, fittings, couplings, and valves	OY ON ON/A	Muck cookers	OY ON ON/A
÷	Door gaskets and scating	OY ON ON/A	Stills	□Y □N □N/A
	Filter gaskets and seating	OY ON ON/A	Exhaust dampers	OY ON ON/A
	Pumps	OY ON ON/A	Diverter valves	OY ON ON/A
	Solvent tanks and containers	QY ON ON/A	Cartridge filter housings	OY ON ON/A
	Water separators	OY ON ON/A		
4. Which method of detection is used by the responsible official?				
	Visual examination (condensed solvent on exterior surfaces)			O.
	Physical detection (airflow felt through gaskets)			
	Odor (noticeable perc odor)			o l
	Use of direct-reading instrumentation (FID/PID/calorimetric tubes)			0
¥.	Halogen leak detector			a
	If using direct-reading instrumentation, is the equipment:			□N/A
	a. Capable of detecting pere vapor concentrations in a range of 0-500 ppm?			OY ON
	 b. Calibrated against a standard gas prior to and after each use (PID/FID only)? 			OY ON
c. Inspected for leaks and obvious signs of wear on a weekly basis?				OY ON .
d. Kept in a clean and secure area when not in use?				OY ON
e. Verified for accuracy by use of duplicate samples (calorimetric only)?				OY ON
			·	
Ilka Bundy 6-13-00				
Inspector's Name (Please Print) Date of Inspection				
	Alles Bunch		TBD	
Inspector's Signature Approximate Date of N				Next Inspection

6-13-60

New owner: Orfortune Sylverain Currently is doing all Title I requirements of permit.

Left Notification form & SBAP sheet. Explained how to fill out form. 30 days to submit.

Allea Bund



Peppermint Cleaners

Ofortune Sylverain President

> 12397 S. Orange Blossom Trail Orlando, FL 32837

Phone: (407) 438-1328



Peppermint Cleaners

Ofortune Sylverain President

12397 S. Orange Blossom Trail
Phone: (407) 438-1328 Orlando, FL 32837

SENDER: Complete items 1 and/or 2 for additional services. Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so the card to you. Attach this form to the front of the mailpiece, or on the back if spermit. Write "Return Receipt Requested" on the mailpiece below the a tell write "Return Receipt will show to whom the article was delivered delivered.	space does not	I also wish to receive the following services (for an extra fee): 1. Addressee's Address 2. Restricted Delivery Consult postmaster for fee.
3. Article Addressed to: AIRS ID#: 0950301 PEPPERMINT CLEANER INC BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835	4b. Service ☐ Register ☐ Express	Type ed
5.Received By: (Print Name) 8 1 1 6. Signature: (Addressee or Agent) 9 PS Form 3811, December 1994	8 8 Addresse and tee is	e's Address (Only if requested s paid) Domestic Return Receipt

	P 262 3	P.CE 50
c	*	
	US Postal Service Receipt for Cerl	tified Mail
	No Incurance Courses	Decided and
		#: 0950301
	PERMINT CLEANER IN SHAH	NC .
7878	CANYON LAKE CIRC ANDO FL 32835	CLE
ORL	· .	, , <u>i</u>
	Postage	\$
	Certified Fee	
	Special Delivery Fee	
	Restricted Delivery Fee	
1995	Return Receipt Showing to Whom & Date Delivered	
'S Form 3800 , April 1995	Return Receipt Showing to Whom, Date, & Addressee's Address	1,
800,	TOTAL Postage & Fees	\$
E E	Postmark or Date	
S For	2/17/	77

	U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)			
8	Article Sent To:			
698	22106	63037	OLD	
827	Postage	\$		
L 2	Certified Fee		Postmark	
1200	Return Receipt Fee (Endorsement Required)		Here	
	Restricted Delivery Fee (Endorsement Required)			
0600	Total Postage & Fees	\$		
=	Name (Please Print Clear)	y) (to be completed by mail	ler)	
믐	Street, Apt. No., or PO Bo	211 /1 L-14	1 4C	
7000	City, State, ZIP+4	5036100	21 #19	
	PS Form 3800. July 1999		See Reverse for Instructions	

	z 510	PP3	037
	US Postal Service Receipt for Ce No Insurance Coverage Do not use for Internation Sent to	Provide	ad he
E P 7	0 AIRS IE SIP SHAH EPPERMINT CLEANI 878 CANYON LAKE (RLANDO FL 32835	ER	3301001AG
	Ceruneo ree	<u></u>	
	Special Delivery Fee		
2	Restricted Delivery Fee		
i 199	Return Receipt Showing to . Whom & Date Delivered		
, Apri	Return Receipt Showing to Whom, Date, & Addressee's Address		
800	TOTAL Postage & Fees	\$	
PS Form 3800 , April 1995	Postmark or Date		

 $\sqrt{}$ THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

264423

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED MAIL ROOM

HAR 31 97

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID#: 0950301 PEPPERMINT CLEANER INC BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obl.: 002273

BEST AVAILABLE COPY

on the reverse sic	Complete items 1 ar. unal services. Complete items 3, 4a, a. Print your name and addre. a the reverse of this form so that we card to you. Attach this form to the front of the mailpiece, or on the back if space permit. Write 'Return Receipt Requested' on the mailpiece below the article and delivered.	e does not e number.	I also wish to refollowing service extra fee): 1.	es (for an see's Address
IN ADDRESS completed on	Afticle Addressed to: AIRS ID # 0950301 PEPPERMINT CLEANER BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835	4b. Service 1 ☐ Registere ☐ Express I	36603 Type ad Mail ceipt for Merchandis	Certified Of Cop
ls your RETURN	5. Received By: (Print Name) 6. Signature: (Addressee or Agent) PS Form 3811, December 1994 102	8. Addresses and fee is	Domestic Ref	if requested Lyank

•	`z 333 £		33 b	1999			
US Postal Service Receipt for Certified Mail No Insurance Coverage Provided. Do not use for International Mail (See reverse)							
BIP 787	PPERMINT CLEANE SHAH 8 CANYON LAKE C LANDO FL 32835	R		0950301			
1	Certified Fee						
	Special Delivery Fee						
	Restricted Delivery Fee						
1995	Return Receipt Showing to Whom & Date Delivered						
April	Return Receipt Showing to Whom, Date, & Addressee's Address						
800,	TOTAL Postage & Fees	\$					
PS Form 3800 , April 1995	Postmark or Date						

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0950301 PEPPERMINT CLEANER

BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835

LEB 18 88

RECEIVED MALERONA

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

w/

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

304072

H A

EIVER ROOM

Do NOT Remove Label

AIRS ID#0950301

PEPPERMINT CLEANER INC BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

	Complete items 1 and/or 2 for additional services. Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so that we card to you.	e can return this	l also wish to rec following services extra fee):	s (for an	oš.
	 Print your name and address on the reverse of this form so that we card to you. Attach this form to the front of the mailpiece, or on the back if space permit. Write "Return Receipt Requested" on the mailpiece below the article. The Return Receipt will show to whom the article was delivered and delivered. 	e number.	Addresse Restricte Consult postmas		receipt service
ADDDECO GOOGLA	3. Article Addressed to: AIRS ID 0950301 PEPPERMINT CLEANER INC BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835	4b. Service 1 ☐ Registere ☐ Express !	-6/3-65 Type ed Mail ceipt for Merchandise	Certified Insured COD	ior using Return
MOLITAGE STATE	6. Signaturė: (Addressee dr. Adent)	8. Addressee and fee is			I Hallik you
	PS Form 3611 , December 1994		Domestic Ret	urn Receipt	-

7 7 7	
7 477	613 652
US Postal Service Receipt for Cer No Insurance Coverage Do not use for Internation	Provided.
Sent to	AIRS ID 0950301
PEPPERMINT CLEANE BIP SHAH 7878 CANYON LAKE C ORLANDO FL 32835	
Cernilled Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Return Receipt Showing to Whom & Date Delivered Return Receipt Showing to Whom, Date, & Addressee's Address TOTAL Postage & Fees Postmark or Date	·

P 174 052 095


US Postal Service Receipt for Certified Mail

AIRS ID # 0950301

PEPPERMINT CLEANER BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835

	Postage	\$
	Certified Fee	
	Special Delivery Fee	
1995	Restricted Delivery Fee	
	Return Receipt Showing to Whom & Date Delivered	
April	Return Receipt Showing to Whom, Date, & Addressee's Address	
800	TOTAL Postage & Fees	\$
orm 3800, April 1995	Postmark or Date	


STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION MS 5510-37550 304000 2600 BLAIR STONE ROAD TALLAHASSEE FL 32399-2400



7000 0600 0021 2827 6988







Route # Carr/Iniliais

10.6 - 601

Suregus of Al Monitor

10 AIRS ID # 0950301001AG BIP SHAH PEPPERMINT CLEANER 7878 CANYON LAKE CIRCLE ORLANDO FL 32835

☐ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.	A. Received by (Please Print Clearly) B. Date of Deliver
 Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	C. Signature Agent Addresse
Article Addressed to:	D. Is delivery address different from item 1?
10 AIRS ID # 0950301001 AG BIP SHAH PEPPERMINT CLEANER	
7878 CANYON LAKE CIRCLE ORLANDO FL 32835	3. Service Type Certified Mail
	4. Restricted Delivery? (Extra Fee)

. .

.

....

STATE OF FLORIDA

DEPARTMENT OF ENVIRONMENTAL PROTECTION

TWIN TOWERS OFFICE BUILDING


2600 BLAIR STONE ROAD

TALLAHASSEE, FLORIDA 32399-2400

37550301000 2529 1R MS#5S10 BAMMS JOEY ROBERTS

P 174 052 095





Forwarding Order Broired Ineufficient Address Unclaimed I Refused Attempted - Not Known

32833×8283948400

habaltallakhindibahklakhillalla

77	The second secon	જે કે જાણ કરવા છે. જે જે જ	
	SSO(0)084141416 Felgigle		
63	SENDER: SENDER:		. †
bis eciav	Complete items 1 a. 24, 2 or additional services: Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so that card to you. Affact this form to the front of the malipiece, or on the back if spiperruit.	W9 con return this	Talso wish to receive the following services (for an extra fee):
2	permit.	ace aces noi	1. 🗆 Addressee's Address 🙎
n the	"Write Return Receipt Requested" on the mallpices below the arti- The Return Receipt will show to whom the article was delivered a delivered.	cle number. and the date	2. 🗆 Restricted Delivery
Ö	3-Article-Addressed to:	and the same of th	Consult postmaster for fee.
	AIRS ID # 095)301 PEPPERMINT CLEANER BIP SHAH 7878 CANYON LAKE CIRCLE ORLANDO FL 32835 5. Received By: (Print Name) 6. Signature: (Addressee or Agent)	7. Date of De	ype d Address (Only if requested)
= -	PS Form 3811 , December 1994 102	2595-97-B-0179	Domestic Return Receipt
	The second secon		- Warmer With the Collife

10.10 10.10 10.10 14.10 20.10 10.10