



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

December 30, 1996

Mr. James E. McDonnell
Marriott's Orlando World Center
8701 World Center Drive
Orlando, Florida 32821

Re: Facility I.D. No. 0950332

Dear Mr. McDonnell:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 30, 1996.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

RECEIVED
O.C. ENVIRONMENTAL
PROTECTION DIVISION
2002 OCT 13 AM 11:51

RECEIVED
[SEP 12 2002]
Bureau of Air Monitoring
& Mobile Sources

PERCHLOROETHYLENE DRY CLEANER
GENERAL PERMIT NOTIFICATION FORM
Part III. Notification of Intent to Use General Permit
JUN 26 2003

Bureau of Air Monitoring & Mobile Sources
Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Marriott International		
2. Site Name (For example, plant name or number):	Orlando World Center Marriott		
3. Hazardous Waste Generator Identification Number:	FLD013195398		
4. Facility Location: Street Address:	8701 World Center Drive		
City:	County:	Zip Code:	
Orlando FL	Orange		
32821			
5. Facility Identification Number (DEP Use ONLY - do not fill in)	0950332-002		

Responsible Official

6. Name and Title of Responsible Official:	Name: Douglas Lowell		Title: Laundry/Water Manager
7. Responsible Official Mailing Address:	Organization/Firm: Orlando World Center		
Street Address:	8701 World Center Drive		
City:	County:	Zip Code:	
Orlando FL	Orange	32821	
32821			
8. Responsible Official Telephone Number:	Telephone: (407) 339-4200 Ext 85030		Fax: (407) 238-8718

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	Jeff Plutz - Director of Engineering		
10. Facility Contact Address: Street Address:	8701 World Center Drive		
City:	County:	Zip Code:	
Orlando FL	Orange	32821	
32821			
11. Facility Contact Telephone Number:	Telephone: (407) 239-4200 Ext 88630		Fax: (407) 238-8501

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
12-01-1997	Existing /New	RC/CA/None required	SAME
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an EXISTING unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a NEW unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

Small Area Source

50

- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
- Transfer only on-site (used less than 200 gallons of perc per year)
- Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
- Transfer only on-site (used 200 - 1,800 gallons of perc per year)
- Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing machines at small area source
(NONE REQUIRED)

New machines at small area source
Refrigerated condenser DL

Existing machines at large area source
Carbon adsorber
Refrigerated condenser

New machines at large area source
Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
No such units on-site

How many boilers do you have on-site? 2 H.P. STEAM

For each boiler, indicate its horsepower (HP) rating: 2 5 0

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Doug Lowell
Print name of responsible official

[Signature]
Signature

09-06-02
Date

CHANGES
MADE

Doug Lowell
print name

[Signature]
SIGNATURE

10-24-02
DATE

RECEIVED
O.C. ENVIRONMENTAL
PROTECTION DIVISION

AIRS ID # 0950332-002

2002 OCT 17 AM 11:51

Page 15

1. (a) New should be circled under Status for 1997 machine.

Page 16

4. New Machines at small area source Refrigerated condenser should be marked.

✓
530

AIRS ID # 0950332-002


Page 15

1. (a) New should be circled under Status for 1997 machine.

Page 16

4. New Machines at small area source Refrigerated condenser should be marked.

file
6/20/83



Department of Environmental Protection

Division of Air Resources Management

PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM

Part I. Procedures For Use of General Permit

(1) Eligibility Determination. The Department of Environmental Protection has established a Title V air general permit under Rule 62-213.300(1)(a), F.A.C., for perchloroethylene dry cleaning facilities, the terms and conditions of which are listed in Part II of this Perchloroethylene Dry Cleaner Air General Permit Notification Form. A perchloroethylene dry cleaning facility may use this Title V air general permit provided the facility meets the eligibility criteria set forth in the rule and, throughout the term of the general permit, maintains its eligibility to use the general permit and complies with all terms and conditions of the general permit. The responsible official of the perchloroethylene dry cleaning facility shall determine the facility's eligibility for the Title V air general permit and notify the Department of intent to use the general permit.

(a) A perchloroethylene dry cleaning facility is eligible to operate under the terms and conditions of the Title V air general permit established at Rule 62-213.300(1)(a), F.A.C., provided the responsible official has submitted a completed Part III of this notification form to the Department at least 30 days prior to beginning operations under the general permit and, throughout the term of the general permit, all of the following conditions are met:

1. The facility operates no emissions units other than perchloroethylene dry cleaning systems and emissions units which are considered insignificant pursuant to the criteria of Rule 62-213.300(2)(a)1., F.A.C., set forth in paragraph (1)(b);
2. The facility is classified as a small or large area source pursuant to 40 CFR Part 63, Subpart M; that is, the facility is a Title V source by virtue of being subject to 40 CFR Part 63, Subpart M, but does not emit any pollutant in a major amount as set forth in paragraphs (a) through (e) of the definition of "major source of air pollution" at Rule 62-210.200, F.A.C.; and
3. The facility complies with all general conditions of Rule 62-213.300(3), F.A.C., set forth in Part II of this notification form, and all requirements of 40 CFR Part 63, Subparts A and M, as applicable, also set forth in Part II of the notification form.

(b) No facility which contains an emissions unit, other than perchloroethylene dry cleaning systems or a unit considered insignificant pursuant to this paragraph, shall be eligible to use this air general permit. No facility is eligible to use more than one air general permit. An emissions unit or activity shall be considered insignificant if all of the following criteria are met:

1. The emissions unit or activity would be subject to no unit-specific applicable requirement.
2. The emissions unit or activity would neither emit nor have the potential to emit:
 - a. 500 pounds per year or more of lead and lead compounds expressed as lead;
 - b. 1,000 pounds per year or more of any hazardous air pollutants;
 - c. 2,500 pounds per year or more of total hazardous air pollutants; or
 - d. 5.0 tons per year or more each of any other regulated pollutants.
3. The emissions unit or activity, in combination with other units and activities at the facility, would neither cause the facility to emit nor have the potential to emit:
 - a. 100 tons per year or more of carbon monoxide, nitrogen oxides, particulate matter, sulfur dioxide, or volatile organic compounds;
 - b. 5 tons per year or more of lead and lead compounds expressed as lead;
 - c. 10 tons per year or more of any hazardous air pollutant;
 - d. 25 tons per year or more of total hazardous air pollutants; or

- e. 100 tons per year or more of any other regulated pollutant.
 - (c) Any facility that would use a Title V air general permit under Rule 62-213.300, F.A.C., must surrender all existing air permits authorizing the operation of the facility.
 - (d) If a facility at any time becomes ineligible for the use of the Title V air general permit and is subject to the source-specific Title V air operation permit requirements of Chapter 62-213, F.A.C., it shall be subject to enforcement action for operating without an air operation permit.
 - (e) Notwithstanding the shield provisions of Rule 62-213.460, F.A.C., any facility utilizing a Title V air general permit will be subject to enforcement action for operation without a permit under Chapter 62-213, F.A.C., if it is determined to be initially ineligible for the air general permit which is being utilized.
- (2) Notification.** For each facility intending to operate under the provisions of this Title V air general permit, the responsible official must complete and submit Part III of this Perchloroethylene Dry Cleaner Air General Permit Notification Form (DEP Form No. 62-213.900(2)) to give notice to the Department of intent to use such permit.
- (3) Administrative Corrections.** Within 30 days of any changes requiring corrections to information contained in this notification form, the responsible official shall notify the Department in writing. Such changes shall include:
- (a) Any change in name of the responsible official or facility address or phone number;
 - (b) A change in facility status requiring more frequent monitoring or reporting by the responsible official from that noted on the most recent notification form; and
 - (c) Any other similar minor administrative change at the facility.
- (4) Violation of Permit.** This Title V air general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that activity is a violation of the permit. The responsible official is placed on notice that violation of the permit constitutes grounds for revocation and suspension pursuant to Rules 62-4.100 and 62-4.530(4), F.A.C., and initiation of enforcement action pursuant to s. 403.141 through 403.161, F.S. No revocation shall become effective except after notice is served by personal service, certified mail, or newspaper notice pursuant to Section 120.60(5), F.S., upon the person or persons named therein and a hearing held, if requested within the time specified in the notice. The notice shall specify the provision of the law or rule alleged to be violated, or the permit condition or Department order alleged to be violated, and the facts alleged to constitute a violation thereof.
- (5) Nullification of Eligibility.** Eligibility for use of a Title V air general permit is automatically nullified by:
- (a) Submission of false or inaccurate information in the notification form for use of the Title V air general permit or in the required reports;
 - (b) Refusal of lawful inspection by Department staff;
 - (c) Failure to submit operational reports or other information required by the general permit; or
 - (d) Failure to timely pay the required annual emissions fee, penalty, or interest.
- (6) Use of Permit.** Any facility eligible to operate under the terms of a Title V air general permit may use the permit 30 days after giving notice to the Department without any agency action.

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

Part II. Permit Terms and Conditions
(Keep this Part onsite for use by facility staff.)

- (1) **Applicability.** This part of the Perchloroethylene Dry Cleaner Air General Permit Notification Form establishes the terms and conditions of this Title V air general permit. Throughout the term of this air general permit, the responsible official shall ensure that the facility maintains its eligibility to use the general permit and complies with all general conditions of Rule 62-213.300(3), F.A.C., set forth below, and all requirements of 40 CFR Part 63, Subparts A and M, as applicable, also set forth in this part of the notification form.
- (2) **General Conditions.** All terms, conditions, requirements, limitations, and restrictions set forth in Rule 62-213.300(3), F.A.C., and listed below (Rule 62-213.300(3)(a) through (s), F.A.C.) are "general permit conditions" and are binding upon the owner or operator and upon the responsible official of the facility utilizing this Title V air general permit.
- (a) The duration of this general permit is five years. No later than 30 days prior to the fifth anniversary of the filing of intent to use this general permit, the responsible official shall submit a new notice of intent which shall contain all current information regarding the facility. The general permit is not transferable and does not follow a change in ownership of the facility. Prior to any sale, other change of ownership, or permanent shutdown of the facility, the responsible official shall notify the Department.
 - (b) The owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirements of this general permit.
 - (c) This general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that activity shall constitute a violation of the permit.
 - (d) This general permit does not convey any vested rights or any exclusive privileges, nor does it authorize any injury to public or private property nor any invasion of personal rights. It does not authorize any infringement of federal, state, or local laws or regulations.
 - (e) This general permit does not relieve the responsible official or the owner or operator of the facility from liability and penalties when the operation of the permitted activity causes harm or injury to human health or welfare; causes harm or injury to animal, plant or aquatic life; or causes harm or injury to property. It does not allow the responsible official, owner, or operator to cause pollution in contravention of Florida law.
 - (f) This general permit conveys no title to land or water, nor does it constitute state recognition or acknowledgment of title.
 - (g) The responsible official shall make every reasonable effort to conduct the specific activity authorized by this general permit in a manner that will minimize any adverse effects on adjacent property or on public use of the adjacent property, where applicable, and on the environment, including fish, wildlife, natural resources, water quality, or air quality.
 - (h) The responsible official shall allow a duly authorized representative of the Department access to the permitted facility or activity at reasonable times to inspect and test, upon presentation of credentials or other documents as may be required by law, to determine compliance with this general permit and Department rules.
 - (i) The responsible official shall maintain any permitted facility or activity in good condition.

- (j) This general permit shall be effective until suspended, revoked, surrendered, expired, or nullified pursuant to Rule 62-213.300, F.A.C.

(k) Monitoring and Related Recordkeeping and Reporting Requirements.

1. The responsible official shall maintain records of monitoring information that specify the date, place, time, and operating conditions of measurement; the methodology used; the company or entity which performed the monitoring; and the analytical results. These shall include all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit.
2. The responsible official shall retain records of all monitoring data and supporting information for a period of at least five years from the date of collection.
3. The responsible official shall keep records in which all occurrences of deviations from any specific monitoring requirements and from the procedures of any startup, shutdown, and malfunction plan required pursuant to paragraph (2)(l), shall be clearly identified. Reports of these deviations shall be submitted to the Department during facility inspections and also submitted with the annual compliance certification as required by paragraph (2)(n)2. The responsible official shall certify each report as true, accurate, and complete.
4. The responsible official shall ensure that the Department is promptly notified of deviations from any specific monitoring requirements, including those attributable to upset conditions. Notification shall include the probable cause of such deviations and any corrective actions or preventive measures taken, except that notification shall not be required of actions taken consistent with any startup, shutdown, and malfunction plan required pursuant to paragraph (2)(l). Notification shall be provided within one working day of occurrence of the deviation and may be given by telephone.

(l) Operation and Maintenance Requirements.

1. The responsible official shall maintain on-site a startup, shutdown, and malfunction plan for the facility that describes, in detail, procedures for operating and maintaining the equipment during periods of startup, shutdown, and malfunction. The plan may be in the form of an equipment operation manual and shall also specify corrective action for malfunctioning process and air pollution control equipment.
2. During periods of startup, shutdown, or malfunction, the responsible official shall operate and maintain equipment in accordance with the procedures specified in the plan. Records of compliance with the plan shall be kept on-site for a minimum of five years and shall contain a certification statement signed by the responsible official that the documentation is true, accurate, and complete, based upon information and belief formed after reasonable inquiry.
3. If any action is taken which is inconsistent with the plan, the responsible official shall record and report the actions taken in accordance with the requirements of paragraph (2)(k)3. and 4.. The record shall explain the circumstances of the event, the reason for not following the startup, shutdown, and malfunction plan, and whether any excess emissions and/or parameter monitoring exceedances are believed to have occurred. Taking actions inconsistent with those in the plan constitutes a violation of a permit condition and shall be subject to the provisions of Part I, paragraph (4).

(m) Compliance Plan Requirements.

1. For each applicable permit condition with which the facility is not in compliance at the time of giving notice to the Department of intent to use this general permit and for which the facility has not come into compliance within 30 days after the giving of such notice, the responsible official shall submit to the Department a compliance plan. The compliance plan shall contain measurable and enforceable milestones, including specific dates for completion of each milestone.

2. The responsible official shall notify the Department in writing, within 15 days after the date for completion of each milestone, detailing the achievement of compliance, of progress achieved, requirements met or unmet, corrective measures adopted, and an explanation of any measures not met by the completion date for the compliance milestone. The responsible official shall certify that such notice is complete and accurate. Any deviation from the compliance plan shall constitute a violation of the permit condition and shall be subject to the provisions of Rule 62-213.300(2)(d), F.A.C.

(n) Compliance Certification.

1. For each applicable requirement with which the facility is in compliance, the responsible official shall submit a statement certifying such compliance to the Department annually. The responsible official shall certify each statement as true, accurate, and complete.
2. The statement of compliance shall identify each term or condition of the permit with which the facility has remained in compliance during the period covered by the statement and shall specify the method used to demonstrate compliance. It shall identify each term or condition of the permit with which the facility has not been in continuous compliance during that reporting period. It shall also include the monitoring report required pursuant to paragraph (3)(k)3.
3. For those terms or conditions which the facility has not been in continuous compliance during any reporting period, the statement shall include the exact period of non-compliance, actions taken to achieve compliance, and the method used to demonstrate compliance.

(o) This general permit does not authorize any demolition or renovation of the facility or its parts or components which involves asbestos removal. This permit does not constitute a waiver of any of the requirements of Chapter 62-257, F.A.C., and 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos, adopted and incorporated by reference in Rule 62-204.800, F.A.C.

(p) Refrigerant Requirements. Any facility having appliances or refrigeration equipment, including air conditioning equipment, which use Class I or II ozone-depleting substances such as chlorofluorocarbons and hydrochlorofluorocarbons listed as refrigerants in 40 CFR Part 82 Subpart A, Appendices A and B, which are adopted and incorporated by reference in Rule 62-204.800, F.A.C., shall service, repair, and maintain such equipment according to the work practices, personnel certification requirements, reporting and recordkeeping requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82, Subpart F, adopted and incorporated in Rule 62-204.800, F.A.C. No person shall knowingly vent or otherwise release any Class I or II substance into the environment during the repair, servicing, maintenance, or disposal of any such device except as provided in 40 CFR Part 82, Subpart F.

(q) This general permit does not authorize any open burning nor does it constitute any waiver of the requirements of Chapter 62-256, F.A.C.

(r) No person shall circumvent any air pollution control device or allow the emission of air pollutants without the proper operation of all applicable air pollution control devices.

(s) All reports and notices submitted by the facility and all records required to be maintained according to paragraph (2) (k) 3., shall contain a certification statement signed by the responsible official that the documentation is true, accurate, and complete, based upon the information and belief formed after reasonable inquiry.

(3) Definitions. The following words and phrases, when used in this notification form, shall have the following meanings:

- (a) "Ancillary Equipment" - The equipment used with a dry cleaning machine in a dry cleaning system, including emission control devices, pumps, filters, muck cookers, stills, solvent tanks, solvent containers, water separators, exhaust dampers, diverter valves, interconnecting piping, hoses, and ducts.
- (b) "Articles" - Any clothing, garments, textiles, fabrics, and leather goods that are dry cleaned.

- (c) "Area Source" - A perchloroethylene dry cleaning facility which consumes an amount of perchloroethylene less than or equal to 2,100 gallons per year for dry-to-dry machines only, or consumes less than or equal to 1,800 gallons per year and utilizes either only transfer or both dry-to-dry and transfer machines on-site, where the amount of perchloroethylene consumed is determined by purchase receipts or by the solvent consumption log in accordance with the requirements of paragraph (6) of this Part.
- (d) "Biweekly" - Any consecutive 14-day period of time.
- (e) "Carbon Adsorber" - A bed of activated carbon into which an air-perchloroethylene gas-vapor stream is routed and which adsorbs the perchloroethylene on the carbon.
- (f) "Coin-operated Dry Cleaning Machine" - A dry cleaning machine that is operated solely by the customer.
- (g) "Colorimetric Detector Tube" - A glass tube (sealed prior to use) containing material impregnated with a chemical that is sensitive to perchloroethylene and is designed to measure the concentration of perchloroethylene in air.
- (h) "Construction" - The fabrication (on-site), erection, or installation of a dry cleaning system.
- (i) "Control Device" - Any device used to minimize perchloroethylene emissions, such as a refrigerated condenser or a carbon adsorber.
- (j) "Desorption" - The regeneration of a carbon adsorber by removal of the perchloroethylene adsorbed on the carbon.
- (k) "Diverter Valve" - A flow control device that prevents room air from passing through a refrigerated condenser when the door of the dry cleaning machine is open.
- (l) "Dry Cleaning" - The process of cleaning articles using perchloroethylene.
- (m) "Dry Cleaning Cycle" - The washing and drying of articles in a dry-to-dry machine or transfer machine system.
- (n) "Dry Cleaning Facility" - An establishment with one or more dry cleaning systems.
- (o) "Dry Cleaning Machine" - A dry-to-dry machine or each machine of a transfer machine system.
- (p) "Dry Cleaning Machine Drum" - The perforated container inside the dry cleaning machine that holds the articles during drycleaning.
- (q) "Dry Cleaning System" - A dry-to-dry machine and its ancillary equipment or a transfer machine system and its ancillary equipment.
- (r) "Dryer" - A machine used to remove perchloroethylene from articles by tumbling them in a heated air stream (see reclaimer).
- (s) "Dry-to-dry Machine" - A one-machine dry cleaning operation in which washing and drying are performed in the same machine.
- (t) "Episodic Exceedance" - Any exceedance of the perchloroethylene solvent consumption level which occurs three years or more after the most recent prior exceedance of the same type.
- (u) "Emissions Unit" - Any part or activity of a facility that emits or has the potential to emit any air pollutant.
- (v) "Exhaust Damper" - A flow control device that prevents the air-perchloroethylene gas-vapor stream from exiting the drycleaning machine into a carbon adsorber before room air is drawn into the dry cleaning machine.
- (w) "Existing" - Dry cleaning machines which were manufactured or initially purchased from the manufacturer on or before December 9, 1991.

- (x) "Filter" - A porous device through which perchloroethylene is passed to remove contaminants in suspension. Examples include lint filter (button trap), cartridge filter, tubular filter, regenerative filter, prefilter, polishing filter, and spin disc filter.
- (y) "Heating Coil" - A device used to heat the air stream circulated from the dry cleaning machine drum, after perchloroethylene has been condensed from the air stream and before the stream reenters the dry cleaning machine drum.
- (z) "Large Area Source" - A dry cleaning facility which:
 1. Contains only dry-to-dry machines and consumes equal to or between 140 and 2,100 gallons per year of perchloroethylene.
 2. Contains only transfer machines and consumes equal to or between 200 and 1,800 gallons per year of perchloroethylene.
 3. Contains both dry-to-dry and transfer machines and consumes equal to or between 140 and 1,800 gallons per year of perchloroethylene.
- (aa) "Major Source" - A dry cleaning facility which consumes an amount of perchloroethylene exceeding 2,100 gallons per year for dry-to-dry machines only or exceeding 1,800 gallons per year for either transfer machines only or facilities containing both dry-to-dry and transfer machines.
- (bb) "Muck Cooker" - A device for heating perchloroethylene-laden waste material to volatilize and recover perchloroethylene.
- (cc) "New" - Dry cleaning machines which were manufactured or initially purchased from the manufacturer after December 9, 1991.
- (dd) "Perceptible Leaks" - Any perchloroethylene vapor or liquid leaks that are obvious from:
 1. The odor of perchloroethylene.
 2. Visual observation, such as of pools or droplets of liquid.
 3. The detection of gas flow by passing fingers over the surface of the equipment.
- (ee) "Perchloroethylene Consumption" - The total volume of perchloroethylene purchased yearly by the facility or added to the machine, based upon purchase receipts or other reliable measures.
- (ff) "Reclaimer" - A machine used to remove perchloroethylene from articles by tumbling them in a heated air stream (see dryer).
- (gg) "Reconstruction" - The replacement of a washer, dryer, or reclaimer; or replacement of any components of a dry cleaning system to such an extent that the fixed capital cost of the new components exceeds 50 percent of the fixed capital cost that would be required to construct a comparable new system.
- (hh) "Refrigerated Condenser" - A vapor recovery system into which an air-perchloroethylene gas-vapor stream is routed and the perchloroethylene is condensed by cooling the gas-vapor stream.
- (ii) "Refrigerated Condenser Coil" - The coil containing the chilled liquid used to cool and condense the perchloroethylene.
- (jj) "Responsible Official" - One of the following:
 1. For a corporation: a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C.;
 2. For a partnership: a general partner;
 3. For a sole proprietorship: the owner;

4. For a municipality, state, federal, or other public agency: either a principal executive officer or ranking official.
- (kk) "Small Area Source" - A dry cleaning facility which:
1. Contains only dry-to-dry machines and consumes less than 140 gallons per year of perchloroethylene.
 2. Contains only transfer machines and consumes less than 200 gallons per year of perchloroethylene.
 3. Contains both dry-to-dry and transfer machines and consumes less than 140 gallons per year of perchloroethylene.
- (ll) "Source" - Each dry cleaning facility.
- (mm) "Still" - Any device used to volatilize and recover perchloroethylene from contaminated perchloroethylene.
- (nn) "Temperature Sensor" - A thermometer or thermocouple used to measure temperature.
- (oo) "Transfer Machine System" - A multiple-machine dry cleaning operation in which washing and drying are performed in different machines. Examples include:
1. A washer and dryer(s)
 2. A washer and reclaimer(s), and/or
 3. A dry-to-dry machine and reclaimer(s) and/or dryer(s).
- (pp) "Washer" - A machine used to clean articles by immersing them in perchloroethylene. This includes a dry-to-dry machine when used with a reclaimer.
- (qq) "Water Separator" - A device used to recover perchloroethylene from a water-perchloroethylene mixture.
- (rr) "Year or Yearly" - Any consecutive 12-month period of time.

(4) Basic Requirements.

- (a) The responsible official shall determine the eligibility of the facility for this permit and shall submit a completed Part III of this Dry Cleaner Air General Permit Notification Form at least 30 days prior to beginning operations under this general permit.
- (b) The responsible official shall certify in the initial notification and annually thereafter that the annual consumption of perchloroethylene does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities. The annual consumption total shall be based upon purchase receipts and the average shall be recalculated on a monthly basis.
- (c) New facilities shall comply with all applicable requirements upon start-up.
- (d) The operation of transfer cleaning machines purchased after September 22, 1993, is prohibited.
- (e) This permit does not apply to the operation of coin-operated dry cleaning units used solely by customers.

(5) Control Technology Requirements. Control technology requirements are based upon the facility's classification as a small or large area source; the type of machine(s) used, and its date of manufacture or initial purchase from the manufacturer. If the solvent consumption exceeds the source limit for the facility's classification, the facility shall immediately comply with all additional requirements of 40 CFR Part 63, Subpart M, for the appropriate higher classification; unless the consumption meets the definition of an episodic exceedance. Additionally, facilities previously classified as large area sources must apply for a major source permit under Chapter 62-213, F.A.C., within 180 days of exceeding the solvent consumption level. The facility shall operate and maintain equipment according to the manufacturer's specifications. The manuals, design specifications, and other instructional materials shall be kept on-site by the responsible official.

- (a) General Control Requirements. All facilities shall:

1. Store perchloroethylene in tightly sealed containers which are impervious and chemically unreactive to the solvent.
2. Examine the containers for leakage as required in paragraph (7) of this Part.
3. Close and secure machine doors except during loading and unloading.
4. Drain cartridge filters in their housing or in sealed containers for a minimum of twenty-four hours.
5. Maintain the solvent-to-carbon ratio and steam pressure for carbon adsorber beds to ensure that stripping occurs according to the manufacturer's specifications.

(b) Process Vent Controls.

1. All existing dry cleaning systems located in small area source facilities and new transfer dry cleaning systems located in small area source facilities which contain only transfer cleaning systems do not require process vent controls.
2. For all new dry cleaning systems located in small area source facilities, the owner or operator shall:
 - a. Equip all machines with a refrigerated condenser, except for the transfer dry cleaning systems subject to paragraph (5)(b)1. above.
 - b. Equip dry-to-dry, dryer, and reclaimer machines with a closed-loop vapor venting system, such that the air-perchloroethylene gas-vapor stream contained within the machine shall not be vented or released to the atmosphere while the machine drum is rotating.
 - c. Operate the refrigerated condenser with a diverter valve, which prevents air drawn into the dry cleaning machine when the door of the machine is opened from passing through the refrigerated condenser.
 - d. Measure and record the exhaust stream temperature of the outlet on the refrigerated condenser on a weekly basis. The temperature must not exceed 45 degrees Fahrenheit (F) [7.2 degrees Celsius (C)].
 - e. Repair or adjust the equipment within twenty-four hours if the exhaust stream temperature exceeds 45 degrees F. The repair shall be documented as required in paragraph (6) of this Part.
 - f. The temperature sensor used in Section (5)(b)2.d. above shall be designed to measure an exhaust stream temperature of 45 degrees F [7.2 degrees C] to an accuracy of plus or minus 2 degrees F [1.1 degrees C]. The sensor must have a detectable range of at least 32 degrees F to 120 degrees F [0 to 48.9 degrees C].
 - g. Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
3. For all existing dry cleaning systems located in large area source facilities, the owner or operator shall:
 - a. Comply with all the requirements listed for new dry cleaning systems located in small area source facilities, except that machines equipped with carbon adsorbers on or before September 22, 1993 are not required to refit with refrigerated condensers.
 - b. Measure and record the exhaust stream temperature on the outlet side of a refrigerated condenser located on dry-to-dry machines, reclaimers, and dryers on a weekly basis as required in paragraph (5)(b)2.d. of this Part.
 - c. Measure and record the temperature of the washer exhaust at both the inlet and outlet sides of the refrigerated condenser. If the temperature differential is less than 20 degrees F [11.1 degrees C], the equipment shall be repaired or adjusted within twenty-four hours. The repair shall be documented pursuant to paragraph (7) of this Part.

- d. Measure and record the concentration of perchloroethylene in the exhaust from the carbon adsorber at a sampling port on a weekly basis using a colorimetric tube. The measurement shall be obtained at the end of the final dry cleaning cycle prior to desorption while the machine is venting to the carbon adsorber. If the concentration of perchloroethylene exceeds parts per million (ppm), the equipment shall be repaired or adjusted within twenty-four hours. The repair shall be documented as required in paragraph (7) of this Part.
 - e. The location of the sampling port for measuring perchloroethylene concentrations in the exhaust duct shall be at least eight stack or duct diameters downstream from any flow disturbances such as a bend, expansion, contraction, or outlet; downstream from no other inlet; and two stack or duct diameters upstream from any flow disturbance such as a bend, expansion, contraction, inlet, or outlet.
 - f. Transfer systems shall be equipped with individual refrigerated condenser coils for dryers, reclaimers, and washers.
 - g. The airflow shall never be routed to bypass the carbon adsorber.
4. For all new dry cleaning systems located in large area source facilities, the owner or operator shall:
- a. Comply with all the requirements listed for existing dry cleaning systems located in large area source facilities, except that all machines shall be equipped with a refrigerated condenser.

(6) Recordkeeping Requirements.

- (a) The responsible official shall maintain the following records in a log kept on-site, for a minimum of five years:
 - 1. All purchase receipts for determination of perchloroethylene solvent consumption and monthly consumption logs.
 - 2. All leak detection inspection and repair reports.
 - 3. All control equipment monitoring data on perchloroethylene concentrations and exhaust stream temperatures.
- (b) On the first business day of the month, the responsible official shall record the total amount of perchloroethylene purchased in the previous month and calculate the total amount purchased in the preceding twelve months, as a measure of perchloroethylene consumption.

(7) Leak Detection Requirements.

- (a) The responsible official or equipment operator of a large area source facility must conduct a weekly leak detection and repair inspection of the facility; however, small area sources may conduct the inspection on a biweekly basis. The responsible official or equipment operator shall enter the results of the inspection into the inspection and repair log kept on-site.
- (b) The responsible official or equipment operator shall use one of the following methods to detect leaks:
 - 1. Visual examination of condensed solvent on exterior surfaces.
 - 2. Detection of air flow through improperly seated gaskets.
 - 3. Detection of perchloroethylene odors.
- (c) The following items shall be inspected for leaks:
 - 1. Hose and pipe connections, fittings, couplings, and valves.
 - 2. Door gasket seating.
 - 3. Filter gaskets and seating.
 - 4. Pumps.
 - 5. Solvent tanks and containers.
 - 6. Water separators.
 - 7. Muck cookers.

8. Stills.
9. Exhaust dampers.
10. Diverter valves.
11. Cartridge filter housings.

(d) Leaks shall be repaired within twenty-four hours of detection, unless repair equipment must be ordered.

1. Equipment parts needed to repair the machine shall be ordered within two working days of leak detection.

2. Repair parts shall be installed within five working days of receipt.

(e) Colorimetric tubes and bellows or piston-driven pumps shall be operated according to the manufacturer's specifications and shall be verified for accuracy by the use of duplicate samples. The tube should be designed to measure a concentration of 100 parts per million by volume of perchloroethylene in air to an accuracy of +/- 25 parts per million by volume.

(f) The integrity of all rubber seals on the pump shall be inspected on a weekly basis for large area sources (biweekly for small area sources) and all equipment shall be kept in a clean and secure area when not in use.

(8) Local Program Requirements. All facilities located within the borders of Duval County shall comply with the following additional requirements:

(a) Pursuant to Jacksonville Environmental Board Rule 2.901, no person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor, and

(b) Pursuant to Jacksonville Ordinance Code Chapter 376, any facility that causes or contributes to the emission of objectionable odors which results in the Air Quality Division (AQD) receiving and validating complaints from five or more different households within a 90-day period may be cited for objectionable odors.

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):
2. Site Name (For example, plant name or number):
3. Hazardous Waste Generator Identification Number:
4. Facility Location: Street Address: City: County: Zip Code:
5. Facility Identification Number (DEP Use ONLY - do not fill in):

Responsible Official

6. Name and Title of Responsible Official: Name: Title:
7. Responsible Official Mailing Address: Organization/Firm: Street Address: City: County: Zip Code:
8. Responsible Official Telephone Number: Telephone: () - Fax: () -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: () - Fax: () -

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

Small Area Source

 Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)

 Transfer only on-site (used less than 200 gallons of perc per year)

 Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

 Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)

 Transfer only on-site (used 200 - 1,800 gallons of perc per year)

 Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

<u>Existing machines at small area source</u>	<u>New machines at small area source</u>
(NONE REQUIRED) <input type="checkbox"/>	Refrigerated condenser <input type="checkbox"/>
<u>Existing machines at large area source</u>	<u>New machines at large area source</u>
Carbon adsorber <input type="checkbox"/>	Refrigerated condenser <input type="checkbox"/>
Refrigerated condenser <input type="checkbox"/>	

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt **OR**
 No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____.
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Print name of responsible official

Signature

Date

Instructions for Completing Part III of Notification Form

The Perchloroethylene Dry Cleaning Facility Notification of Intent to Use General Permit, Part III of this form, shall be completed and submitted to the Division of Air Resources Management **at least 30 days prior to beginning operations under the general permit.** Please type or print clearly all information. A copy of this notification form shall be kept on-site and made available for review by Department personnel.

The responsible official of the facility, as defined in Part II of this notification form, is responsible for ensuring that the facility complies with all applicable terms and conditions of this general permit, as set forth in Part II of this form.

Mail the signed and completed Part III of this form to:

General Permits Section
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Facility Name and Location

1. **Facility Owner/Company Name** - Enter the name of the corporation, agency, or individual that has ownership or control of the dry cleaning facility for which this notification is submitted.
2. **Site Name** - Enter the common name, if any, of the facility site; for example, Plant A, Metropolis plant, etc. If more than one facility is owned, a notification form must be completed for each.
3. **Hazardous Waste Generator Identification Number** - Enter the hazardous waste generator identification number, if known, assigned by the Department to the facility.
4. **Facility Location** - Enter the street address and zip code of the facility and the city and county in which it is located.
5. **Facility Identification Number (DEP Use ONLY)** - Please leave this space blank. DEP will enter the facility identification number assigned to you by ARMS.

Responsible Official

6. **Name and Title of Responsible Official** - Enter the name and title of the designated responsible official for the facility who, by signing this form, is certifying that the facility is eligible for a general permit pursuant to the requirements of Part II of this notification form and Rule 62-213.300, F.A.C.
7. **Responsible Official Mailing Address** - Enter the mailing address for the responsible official if different than the address entered in No. 4 above.
8. **Responsible Official Telephone Number** - Enter the telephone number and facsimile number, if available, at which the responsible official can be contacted.

Facility Contact

9. **Name and Title of Facility Contact** - Enter the name of the facility contact, if other than the responsible official. For example, a plant manager could be designated as the facility contact for Department inspections.

10. **Facility Contact Address** - Enter the mailing address for the facility contact, if different than the address entered in No. 4 above.
11. **Facility Contact Telephone Number** - Enter the telephone number and facsimile number, if available, at which this person can be contacted.

Facility Information

1. For each machine located at the facility, select the appropriate machine type and type of air pollution control device installed on the machine (for example, dry-to-dry unit w/ ref. condenser). If the dry-to-dry machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the dry-to-dry machine was purchased from the manufacturer after December 9, 1991, it is a **NEW** unit. Beginning with dry-to-dry machines, enter the date the machine was **initially purchased from the manufacturer** in the dd-mth-yy format. If you do not know the exact date of purchase, but can confirm it was prior to December 9, 1991, enter 08-DEC-91. Indicate the status of the machine as either new or existing. Circle the required control equipment for that machine (if required) and enter the date of its installation (in the dd-mth-yy format). If control equipment is required, but has not yet been installed, indicate this with an "X". If the control device was already included at the time of purchase, enter "SAME". Up to three dry-to-dry machines may be entered across this table. Complete the other table for transfer machines located at the facility, as applicable. Submit additional copies of these tables if more than three machines per type are located at the facility.
2. Enter the total amount, in gallons, of perchloroethylene consumed during the preceding twelve months. If this amount represents a period of less than twelve months, indicate the actual time period used to determine solvent consumption and the reason for this discrepancy (for example, new store). New owners should attempt to obtain solvent purchase records from the previous owner.
3. Using the amount of perc entered in No. 2 above, select the facility's classification. The classification is based on the definitions found in paragraph (3) of Part II.
4. Indicate which control technology is required on machines pursuant to paragraph (5) of Part II, based upon the selection in No. 3 above. Existing small area sources are not required to install any additional control equipment.
5. Indicate with an "X" that all steam and hot water generating units on-site are exempt from permitting pursuant to Rule 62-210.300(3), F.A.C., or that the facility has no such units on-site. Provide information on the quantities of boilers, their horsepower rating(s), and fuel used.

Equipment Monitoring and Recordkeeping Information

6. Indicate all logs which are required to be kept on-site in accordance with the requirements of this notification form with an "X".

Surrender of Existing DEP Air Permit(s)

7. Rule 62-213.300(2)(a)2., F.A.C., makes the surrender of all existing DEP air permits authorizing the operation of a facility a condition precedent for the entitlement to a DEP air general permit. Indicate whether the responsible official surrenders such permit(s) or whether no such permit(s) exist with an "X" and list all existing DEP air permit numbers.

Responsible Official Certification

This statement must be both printed and signed by the person named on page 13, Field 6, of this form.

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): Marriott Hotel Properties Limited Partnership
2. Site Name (For example, plant name or number): Marriott's Orlando World Center
3. Hazardous Waste Generator Identification Number: 982092249
4. Facility Location: Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821
5. Facility Identification Number (DEP Use): 0950332

Responsible Official

6. Name and Title of Responsible Official: James E. McDonnell, General Manager
7. Responsible Official Mailing Address: Organization/Firm: Marriott's Orlando World Center Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821
8. Responsible Official Telephone Number: Telephone: (407) 239 4200 Fax: (407) 238 78757

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): Pete Cuttino, Laundry Manager
10. Facility Contact Address: Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821
11. Facility Contact Telephone Number: Telephone: (407) 2388520 Fax: (407) 238 8998

RECEIVED
AUG 30 1996
Bureau of Air Monitoring
& Mobile Sources

#0950332

~~9-23~~

9-23 Spoke to Pete
Cuttino, he said James
McDonnell was
ultimate operational
responsibility for
the facility.

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit									
(1) w/ ref. condenser	#1	1986	1986						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt

No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) _____

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Signature

Date

INTEROFFICE MEMORANDUM

Sensitivity: COMPANY CONFIDENTIAL

Date: 10-Sep-1999 04:03pm

From: William Edwards ORL

EDWARDS_W@a1.depor1.dep.state.fl.us

Dept:

Tel No:

To: Sandy Bowman TAL 850/921-9583

(BOWMAN_S@A1)

Subject: Re: Marriott

Well, looking over the permit....If they're burning natural gas (no. 2 fuel oil is supposed to be the back-up fuel source) in accordance with what their permit applications have reported, then each unit is insignificant per 62-213.300(2)(a)1. a and b.....and the facility probably meets paragraph c. (depending on the drycleaner). The largest emissions with NG would be NOx at just under 10 TPY.

So, I suppose the question revolves around 213.300(2)(a)2. Did they surrender their permit for the TV GP? My guess is that they probably should have, but didn't - and we didn't catch it. Then, they renewed their permit the following year, and that wasn't caught either. I'm sure they'd rather surrender our permit than the TV GP - since the boilers & generators are insignificant.

The reason I noticed this in the first place - I was trying to identify duplicate facility numbers in ARMS for the DIFF data cleanup (loads of fun.) Marriott is one facility and should only have one number, but has two right now - and they're both active. If you can get them to surrender the permit, I'll inactivate that facility and the TV GP facility will be the only active one in ARMS. That seems like the most efficient way of handling this to me....what do you think?

Henry
19658

12:30
4:00

Notice of Revocation

verify books
Contact Marshall
revoke 15 permit
apply re
notice of
all info
exploration
notice
of flight
mule
citations
GP

INTEROFFICE MEMORANDUM

Date: 09-Sep-1999 09:51am

From: Sandy Bowman TAL
BOWMAN_S

Dept: Air Resources Management

Tel No: 850/921-9583

To: Ilka Bundy ORL

(BUNDY_I @ A1 @ EPIC66)

Subject: RE: Marriott

Hi Ilka!

Rick has passed on to me the information on the Marriott. Have you seen the boilers and hot water generators at the facility and do you know if they are insignificant or not?

If it looks like they are significant, then we will proceed to revoke the Title V general permit.

Thanks

Sandy

INTEROFFICE MEMORANDUM

Date: 09-Sep-1999 09:24am
From: Sandy Bowman TAL
BOWMAN_S
Dept: Air Resources Management
Tel No: 850/921-9583

To: William Edwards ORL (EDWARDS_W @ A1 @ ORL1)

Subject: RE: Marriott

Rick has informed me of the situation with the Marriott. Are the boilers and hot water generators (0950133) considered insignificant for Title V general permit purposes?

Thanks

Sandy

Rick,

I finally spoke with Ilka Bundy, Orange County EPD, earlier today. She says that she had called you after I emailed OCEPD. All I wanted to know from OCEPD was whether 0950133 (boilers & hot water generators) and 0950332 (Title V drycleaner) were two separate facilities or one facility. Ilka says that it's all located in the same hotel - one facility.

Also, facility # 0950133 has a continuous string of permits dating back to April 30, 1987. So, when the Title V Drycleaner GP form was received on August 30, 1996, the facility already had permitted emissions units. Please advise us as to how you want to proceed with this issue.

thank you,

johnny

INTEROFFICE MEMORANDUM

Date: 07-Sep-1999 12:54pm
From: Sandy Bowman TAL
BOWMAN_S
Dept: Air Resources Management
Tel No: 850/921-9583

To: Kenneth Hayman TAL (HAYMAN_K @ EPIC6A1 @ EPIC9)
CC: William Davis TAL (DAVIS_W)

Subject: RE: Title V air general permits

Kenny, Pat Comer suggested that I contact the air enforcement attorney regarding a Title V general permit for a facility which appears now to be ineligible for this gp. In 1996, Marriott's Orlando World Center submitted a notification form to the Department requesting entitlement under the Title V general permit program. They indicated on their notification form that they had no other permits and the name under which the database was queried didn't indicate the facility was existing. The facility received entitlement. We have just learned that this Marriott has an existing boiler permit reissued in 1997. We believe that the boilers are larger than the insignificant boilers allowed for a general permit. We intent to notify the facility that they are ineligible for the title V gp and will encourage them to apply for a major source permit if they wish to continue using perc. Pat indicated that the form and content of an administrative complaint are found in rule 28-107.004, F.A.C. I have not yet looked at this rule. Is there a particular format I need to follow or is there anything else I should do or be aware of in this situation?

Sandy

INTEROFFICE MEMORANDUM

Sensitivity: COMPANY CONFIDENTIAL

Date: 07-Sep-1999 10:24am
From: Patricia Comer TAL
COMER_P
Dept: Office General Counsel
Tel No: 850/488-9730

To: Sandy Bowman TAL (BOWMAN_S)
CC: William Davis TAL (DAVIS_W)

Subject: Re: RE:Title V gpThanks

When you notify them that they appear to be ineligible, you need to be sure to provide them with the notice of rights language (point of entry) and be sure to specify the factual basis upon which your determination is made, so they can have full notice of the agency's action. Arguably, this isn't a revocation, but that's not 100% clear, so we should assure that we meet all the revocation requirements. Section 120.60 (5) says that an administrative complaint must be personally served or sent by certified mail. The complaint must lay out the basis for the revocation and must afford a point of entry. The form and content of the administrative complaint are in rule 28-107.004, FAC.

The only folks I'm aware of that do administrative complaints are the enforcement folks, so I suggest you contact the air enforcement attorney.

enforcement
(air)
Tom Beeson
(air) super
~~Sherrill Thomas~~
Kenny Hagman

INTEROFFICE MEMORANDUM

Date: 07-Sep-1999 10:06am
From: Sandy Bowman TAL
BOWMAN_S
Dept: Air Resources Management
Tel No: 850/921-9583

To: Patricia Comer TAL (COMER_P)
CC: William Davis TAL (DAVIS_W)

Subject: RE:Title V gpThanks

Pat,

Hope you had a good holiday! Today seems like a Monday and it is hard for me to get going. Anyway, a Marriott facility in the Central District sent in a notification form for entitlement in the general permit program in 1996. The notification form indicated that they had no other permits and the name under which we queried the database didn't indicate the facility was existing. They received entitlement. We have just learned that this Marriott has an existing boiler permit re-issued in 1997. We believe that the boilers are larger than the insignificant boilers allowed for a general permit.

We intend to notify the facility that they are ineligible for the Title V gp and will encourage them to apply for a major source permit if they wish to continue using perc. Is there anything else we should be do or be aware of ?

Sandy

INTEROFFICE MEMORANDUM

Date: 30-Aug-1999 04:56pm
From: Rick Butler TAL
BUTLER_R
Dept: Air Resources Management
Tel No: 850/288-1344

To: Sandy Bowman TAL (BOWMAN_S)

Subject: FWD: Marriott

FYI

INTEROFFICE MEMORANDUM

Date: 30-Aug-1999 02:02pm
From: Ilka Bundy ORL
Ilka.Bundy@dep.state.fl.us
Dept:
Tel No:

Subject: FWD: Marriott

Rick, here is the information that you requested regarding the Marriot's two permits.

Ilka

INTEROFFICE MEMORANDUM

Date: 26-Aug-1999 11:08am
From: Marie Driscoll ORL
DRISCOLL_M@a1.epic66.dep.state.fl.us
Dept:
Tel No:

Subject: FWD: Marriott

If those addresses are correct, as listed on the permits and in ARMS, Johnny is absolutely correct. Ilka, you need to ride out there and verify if there are boilers out there. The TV GP conditions are very specific about what is not allowed.

Please respond to me and Johnny with your results.

Thanks,

Marie

INTEROFFICE MEMORANDUM

Date: 25-Aug-1999 09:57am
From: William Edwards ORL
William.Edwards@dep.state.fl.us
Dept:
Tel No:

Subject: Marriott

Hey Ruth,

If you're not the person that inspects Marriott (World Center Drive), then please refer this to that person....thank you :-)

On August 30, 1996, a Title V general permit (0950332-001-AG) for a PCE drycleaner became effective for Marriott's Orlando World Center. The address in the computer is 8701 World Center Dr., and it was last inspected on June 7, 1999 (in-compliance). An operating permit (0950133-001-AO) was issued to Marriot Hotel Properties (same address) on September 19, 1997 for boilers and hot water generators. This facility was last inspected back in 1992. Are they the same facility?

If so, they are not entitled to the Title V general permit and are operating the PCE drycleaner without a permit. If they are separate facilities, could you provide me with better locations?

Thank you,

Johnny Edwards (893-3333)

0950332

CD

Per

9-23 Spoke to Pete
Cuttino, he said James
McDonnell was
ultimate operational
responsibility for
the facility.

1. Facility Owner/Corp Marriott Ho
2. Site Name (For ex Marriott's
3. Hazardous Waste 982092249
4. Facility Location Street Address: City: Orlan
5. Facility Identifi

Bureau of Air Monitoring
& Mobile Sources
JUN 29 1996

RECEIVED



321

6. Name and Title James E.

7. Responsible Official Mailing Address: Organization/Firm: Marriott's Orlando World Center Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821

8. Responsible Official Telephone Number: Telephone: (407) 239 4200 Fax: (407) 238 8757
--

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): Pete Cuttino, Laundry Manager
--

10. Facility Contact Address: Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821
--

11. Facility Contact Telephone Number: Telephone: (407) 2388520 Fax: (407) 238 8998
--

RECEIVED
AUG 30 1996
Bureau of Air Monitoring
& Mobile Sources

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): Marriott Hotel Properties Limited Partnership
2. Site Name (For example, plant name or number): Marriott's Orlando World Center
3. Hazardous Waste Generator Identification Number: 982092249
4. Facility Location: Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821
5. Facility Identification Number (DEP Use): 0950332

RECEIVED
JUN 29 1998
Bureau of Air Monitoring
& Mobile Sources

Responsible Official

6. Name and Title of Responsible Official: James E. McDonnell, General Manager
7. Responsible Official Mailing Address: Organization/Firm: Marriott's Orlando World Center Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821
8. Responsible Official Telephone Number: Telephone: (407) 239 4200 Fax: (407) 238 78757

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager): Pete Cuttino, Laundry Manager
10. Facility Contact Address: Street Address: 8701 World Center Drive City: Orlando County: Orange Zip Code: 32821
11. Facility Contact Telephone Number: Telephone: (407) 2388520 Fax: (407) 238 8998

RECEIVED
AUG 30 1998
Bureau of Air Monitoring
& Mobile Sources

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit		12/5/96	12/5/96						
(1) w/ ref. condenser	#1	1986	1986						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/ carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

~~Existing large area source~~ *Poz*

New large area source *Poz*

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser



New small area source

Refrigerated condenser

New large area source

Refrigerated condenser



5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt
No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)

No air permits currently exist for the operation of the facility indicated in this notification form.


Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.


I will promptly notify the Department of any changes to the information contained in this notification.

Signature


Date



8/23/96

 6/4/97

6/17/98



**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 10:15 TIME OUT: 10:45 AIRS ID#: 0950332
 TYPE OF FACILITY: Dry Cleaner
 FACILITY NAME: Marrriott's Orlando World Center DATE: 6/17/98
 FACILITY LOCATION: 83701 World Center Dr
Orlando FL 32821
 RESPONSIBLE OFFICIAL: Pete Cutting PHONE NUMBER: 407-238-8520

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED
 JUN 29 1998
 Bureau of Air Monitoring
 & Mobile Sources

COMMENTS:

Facility in Compliance

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 1/17/99
 (Approximate)

INSPECTION CONDUCTED BY: TODD FLETCHER
 (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 836-4524

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

RECEIVED
 JUN 29 1998
 Bureau of Air Monitoring
 & Mobile Sources

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#: 0950332 DATE: 6/17/98 TIME IN: 10:15 TIME OUT: 10:45
 FACILITY NAME: Marriott's Orlando World Center
 FACILITY LOCATION: 8701 World Center Dr
Orlando FL 32821
 RESPONSIBLE OFFICIAL: James McDonnell PHONE: 407 238-8520
 CONTACT NAME: Pete Cutting PHONE: 407 238-8520

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
 (check appropriate box)

No notification form
 Drop store/out of business/petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) <input checked="" type="checkbox"/>

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 200 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports?
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

TODD Fletcher
 Inspector's Name (Please Print)

6/17/98
 Date of Inspection


 Inspector's Signature

6/17/99
 Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

[Empty rectangular box for additional site information]

JB 6-15-99
+ SUCR

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

RECEIVED
JUN 21 12:00
Bureau of Air Monitoring
& Mobile Sources

AIRS ID#: 0950332 DATE: 6-7-99 TIME IN: 1120 TIME OUT: 1200
FACILITY NAME: Marriott's Orlando World Center
FACILITY LOCATION: 8701 World Center Drive
Orlando, FL 32821
RESPONSIBLE OFFICIAL: James E. McDonnell PHONE: 407-238-8520
CONTACT NAME: Pete Cuttino PHONE: 407-238-8520

PART I: NOTIFICATION

- (check appropriate box)
- 1. New facility notified DARM 30 days prior to startup
 - 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is: No notification form
(check appropriate box) Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input checked="" type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number 2 above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 78 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:** N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Ilka Bundy

Inspector's Name (Please Print)

6-7-99

Date of Inspection

Ilka Bundy

Inspector's Signature

6-7-2000

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

[Empty rectangular box for additional site information]

Orange County Environmental Protection Department

AIRS ID#: 0950332

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Marriott's Orlando World Center DATE: 6-7-99
FACILITY LOCATION: 8701 World Center Drive
Orlando, FL 32821

Annual Reporting Period: JUNE 19 98 TO JUNE 19 99

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: JIM LAVOIE J. Lavoie 6-7-99
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 1120 TIME OUT: 1200 AIRS ID#: 0950332
 TYPE OF FACILITY: Dry Cleaner
 FACILITY NAME: Marriot's Orlando World Center DATE: 6-7-99
 FACILITY LOCATION: 8701 World Center Drive
Orlando, FL 32821
 RESPONSIBLE OFFICIAL: James E. McDonnell PHONE NUMBER: 407-238-8520

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: Facility in compliance.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 6-7-2000
(Approximate)

INSPECTION CONDUCTED BY: Ilka Bundy
(Please Print)

INSPECTOR'S SIGNATURE: Ilka Bundy PHONE NUMBER: 836-9524

INTEROFFICE MEMORANDUM

Sensitivity: COMPANY CONFIDENTIAL

Date: 20-Oct-1999 04:47pm

From: William Edwards ORL

EDWARDS_W@a1.deporl.dep.state.fl.us

Dept:

Tel No:

To: Marie Driscoll ORL

(Marie.Driscoll@dep.state.fl.us)

To: Sandy Bowman TAL

(BOWMAN_S@A1)

Subject: Marriott

We have a letter surrendering an operation permit for boilers and generators (0950133-001-AO) at the Marriott Orlando World Center. The letter indicates that the units are insignificant per 62-213.300(2)(a)1., FAC (it looks legitimate to me) and that they have an active Title V Air General Permit for a Drycleaner (0950332-001-AG). Unless either of you would prefer that I not, I will make 0950133 inactive so that the facility may be tracked under one facility number - 0950332.

thanks,

johnny



ORLANDO WORLD CENTER
Marriott
RESORT & CONVENTION CENTER

October 13, 1999

Mr. L.T. Koslov, PE
Program Administrator
State of Florida
Department of Environmental Protection
Air Resource Manager, Central District
3319 Maguire Boulevard, Suite 232
Orlando, FL 32803-3767

file
0950332

RECEIVED
OCT 18 1999
Bureau of Air Monitoring
& Mobile Sources

Dear Mr. Koslov:

I am contacting you in reference to operating permits for equipment. In discussions with Sandy Bowman of the F.D.E.P, it appears that the emissions units from my boilers and hot water generators are insignificant per rule 62-213.300 (2)(a)(1) of F.A.C. Therefore, I would like to surrender operating permit number 0950133-001-AO for my boilers and hot water generators per rule 62-213-300 (2)(a)(2) of F.A.C.

I intend to operate the boilers and hot water generators under a Title V Air General Permit for dry cleaners.

Thank you for your assistance.

Jeffrey Plutz
Director of Engineering, Marriott Orlando World Center
Agent for Owner (please see attached)

cc: Sandy Bowman, F.D.E.P. ✓

Instrument of Delegation

The undersigned, holding the office in HMC Properties I LLC ("the Company") (general partner of Marriott Hotel Properties Limited Partnership, owner of the Marriott Orlando World Center Hotel) set forth below his signature, appoints and delegates to the person named below ("Agent"), the authority to execute any and all documents necessary or appropriate to consummate the below described transaction, such authority to include, without limitation, authority to execute the documents specifically described below, if any. This delegation is made under authority contained in certain resolutions adopted by the Board of Directors of the Company pursuant to Section 122(5) of the Delaware General Corporation Law.

Agent: Name: Jeffrey Plutz
Title: Director of Engineering, Marriott Orlando
World Center Hotel

Transactions: Execute any and all documents required by various governmental authorities including, but not limited to, permit applications for work to be performed at the Marriott Orlando World Center Hotel, 8701 World Center Dr., Orlando, FL.

Documents: All documents related to the above transactions.

HMC PROPERTIES I LLC

By: 

Christopher G. Townsend
Executive Vice President

Dated: January 20, 1999

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

ARMS 6-12-00 JS
Thora 5 6-12-00 #
B.T.

✓ TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0950332 DATE: 6-12-00 TIME IN: 1050 TIME OUT: 1140
FACILITY NAME: Marriot's Orlando World Center
FACILITY LOCATION: 8701 World Center Drive
Orlando, FL 32821
RESPONSIBLE OFFICIAL: James E. McDonnell PHONE: 407-238-8520
CONTACT NAME: Pete Cuttino PHONE: 407-238-8520

RECEIVED
JUN 2 2000
Bureau of Air Monitoring
& Mobile Sources

PART I: NOTIFICATION
(check appropriate box)
1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION
Facility indicated on notification form that it is:
(check appropriate box) No notification form
 Drop store/out of business/petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input checked="" type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/>

5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 97 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:

(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:

(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:

(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:** N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Ilka Bundy

Inspector's Name (Please Print)

6-12-00

Date of Inspection

Ilka Bundy

Inspector's Signature

6-12-01

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

4-30-99 39.0

9-17-99 58.5

2-01-00 39.0

97.5

97.5
+ 39.0
136.5

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 1050 TIME OUT: 1140 AIRS ID#: 0950332
 TYPE OF FACILITY: Dry Cleaner
 FACILITY NAME: Marriot's Orlando World Center DATE: 6-12-00
 FACILITY LOCATION: 8701 World Center Drive
Orlando, FL 32821
 RESPONSIBLE OFFICIAL: James E. Mc Donnell PHONE NUMBER: 407-238-8520

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:
Facility in compliance.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 6-12-01
 (Approximate)

INSPECTION CONDUCTED BY: Ilka Bundy
 (Please Print)

INSPECTOR'S SIGNATURE: Ilka Bundy PHONE NUMBER: 407-836-1400

AIRS ID#: 0950332

Revised 01/18/00

ARMS
9-13-00 *JLB*

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Marriott's Orlando World Center DATE: 6-12-00
 FACILITY LOCATION: 8701 World Center Drive
Orlando, FL 32821

Annual Reporting Period: June 7, 1999 ~~2000~~ TO June 12 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO


If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____




#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____



As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: JAMES E. McDONNELL *[Signature]* 7/5/00
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

9/13/99 9:54 called
James McDonnell
office. Mr. Mc-
Donnell not in
and when he out
all week

9:56 called for
Pete Courtis -
was transferred
to Mr. Handy.
Mr. Handy did
not answer.

9/20 spoke w/ Jeff
Plutz, Dir of
Engineering (407) 238-8630

9/29 - Mr Plutz will
be recommended person to
District office.



(Cut)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

258941

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label. ✓



RECEIVED
MAIL ROOM
JAN 24 97

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 0950332
MARRIOTT HOTEL PROPERTIES LIMITED
PARTNERSHIP
JAMES E MCDONNELL
8701 WORLD CENTER DRIVW
ORLANDO FL 32821

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

 <p>MARRIOTT'S DBA Orlando World Center RESORT AND CONVENTION CENTER MARRIOTT INTERNATIONAL, INC. AS AGENT FOR MARRIOTT HOTEL PROPERTIES LIMITED PARTNERSHIP</p>		<p>WORLD CENTER DRIVE ORLANDO, FLORIDA 32821 (407) 239-4200 000000034118 DEPT OF ENVIROMENTAL PRO.</p>		<p>CHECK NUMBER 7E0- 185910 0000185910</p>	
INVOICE NUMBER	INVOICE DATE	GROSS AMOUNT	DISCOUNT TAKEN	NET AMOUNT	
33785	01/15/97	50.00	.00	50.00	
 Marriott HOTELS • RESORTS • SUITES					
CHECK DATE ▷	01/20/97	CHECK AMOUNT ▷		50.00	



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED
MAIL ROOM
FEB 17 98

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

302804

AIRS ID#0950332
MARRIOTT HOTEL PROPERTIES LIMITED
PARTNP
8701 WORLD CENTER DR
ORLANDO FL 32821

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0391466

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.


TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0950322
CREST CLEANERS & VALET
TYRONE WILSON
5800 LAKE UNDERHILL ROAD
ORLANDO FL 32807

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
MAIL ROOM
JAN 25 00



TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

3231543070



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0356842

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

RECEIVED
MAIL ROOM
JAN 11 99

Do NOT Remove Label

AIRS ID # 0950332
MARRIOTT'S ORLANDO WORLD CENTER
8701 WORLD CENTER DR
ORLANDO FL 32821

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273

MARRIOTT INTERNATIONAL, INC. AS AGENT FOR
MARRIOTT HOTEL PROPERTIES LIMITED PARTNERSHIP



ORLANDO WORLD CENTER
DBA **Marriott**
RESORT &
CONVENTION CENTER


8701 World Center Drive
Orlando, Florida 32821
(407) 239-4200


000000000376

DEPARTMENT OF ENVIRONMENTAL

CHECK NUMBER

7E0-222286
0000222286

INVOICE NUMBER	INVOICE DATE	GROSS AMOUNT	DISCOUNT TAKEN	NET AMOUNT
CK40197	12/30/98	50.00	.00	50.00
		 Marriott HOTELS · RESORTS · SUITES		
CHECK DATE ►	01/06/99	CHECK AMOUNT ►		50.00



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

400601

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.



TOTAL AMOUNT DUE: \$50.00 ✓

Do NOT Remove Label

AIRS ID # 0950332
 MARRIOTT'S ORLANDO WORLD CENTER
 8701 WORLD CENTER DR
 ORLANDO FL 32821

FOR GOVERNMENT USE ONLY
 Org.: 37550101000
 Fund: 20-2-035001
 Obj.: 002273

RECEIVED
MAIL ROOM
DEC 20 2000

<small>MARRIOTT INTERNATIONAL, INC. AS AGENT FOR MARRIOTT HOTEL PROPERTIES LIMITED PARTNERSHIP</small>  DBA ORLANDO WORLD CENTER <small>RESORT & CONVENTION CENTER</small>		8701 World Center Drive Orlando, Florida 32821 (407) 239-4280		CHECK NUMBER 7E0-255193 0000255193
		000000006129 DEPT OF ENVIRONMENTAL PROTECT		
INVOICE NUMBER	INVOICE DATE	GROSS AMOUNT	DISCOUNT TAKEN	NET AMOUNT
CK46175	12/15/2000	50.00	.00	50.00
		 HOTELS • RESORTS • SUITES		
CHECK DATE ▷	12/15/2000	CHECK AMOUNT ▷		50.00

Z 333 613 015

US Postal Service

Receipt for Certified Mail

AIRS ID 0950332

MARRIOTT HOTEL PROPERTIES LIMITED
PARTNP
8701 WORLD CENTER DR
ORLANDO FL 32821

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID 0950332
MARRIOTT HOTEL PROPERTIES LIMITED
PARTNP
8701 WORLD CENTER DR
ORLANDO FL 32821

4a. Article Number

Z 333 613 015

4b. Service Type

- | | |
|---|---|
| <input type="checkbox"/> Registered | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Insured |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD |

7. Date of Delivery

2/14/98

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X *Jou Figueroa*

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

Thank you for using Return Receipt Service.

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)	
AIRS ID # 0950332	
MARRIOTT'S ORLANDO WORLD CENTER 8701 WORLD CENTER DR ORLANDO FL 32821	
<i>by mailer</i>	
PS Form 3800, February 2000 See Reverse for Instructions	

7000 0520 0020 9373 1340

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Received by (Please Print Clearly) B. Date of Delivery</p> <p>C. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>1. Article Addressed to:</p> <p style="text-align: center;">AIRS ID # 0950332 MARRIOTT'S ORLANDO WORLD CENTER 8701 WORLD CENTER DR ORLANDO FL 32821</p>	<p>3. Service Type</p> <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input checked="" type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>2. Article Number (Copy from service label)</p> <p style="font-size: 1.2em;">7000 0520 0020 9373 1340</p>	
<p>PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789</p>	

Z 210 663 025

US Postal Service

Receipt for Certified Mail

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

10 AIRS ID # 0950332001AG
MARRIOTT'S ORLANDO WORLD CENTER
8701 WORLD CENTER DR
ORLANDO FL 32821

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

10 AIRS ID # 0950332001AG
MARRIOTT'S ORLANDO WORLD CENTER
8701 WORLD CENTER DR
ORLANDO FL 32821

2. Article Number (Copy from service label)

Z 210 663 025

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery

S. LEVIER 6-9-91

C. Signature

X

- Agent
- Addressee

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

- Certified Mail Express Mail
- Registered Return Receipt for Merchandise
- Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7001 0320 0001 7976 1954

OFFICIAL USE

Postage \$		Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		

Total Post AIRS ID # 0950332

Sent To **MARRIOTT'S ORLANDO WORLD CENTER**
8701 WORLD CENTER DR
ORLANDO FL
32821

Street, Apt. or PO Box #
City, State, :

PS Form 3800, January 2001 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. <p>1. Article Addressed to:</p> <p style="text-align: center;">AIRS ID # 0950332 MARRIOTT'S ORLANDO WORLD CENTER 8701 WORLD CENTER DR ORLANDO FL 32821</p>	<p>A. Received by (Please Print Clearly) <i>[Signature]</i> B. Date of Delivery 3-8-02</p> <p>C. Signature X <i>S. LEVER</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No If YES, enter delivery address below:</p>
<p>2. Article Number (Copy from service label)</p> <p style="font-size: 1.2em; font-weight: bold;">7001 0320 0001 7976 1954</p>	<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail</p> <p><input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789</p>	

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)	
OFFICIAL USE	
Postage \$	Postmark Here
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
AIRS ID # 0950332	
Total P. MARRIOTT'S ORLANDO WORLD CENTER	
Sent To	8701 WORLD CENTER DR
Street, A/c or PO Box	ORLANDO FL
City, State	32821
PS Form 3800, January 2001	

SENDER: COMPLETE THIS SECTION		RECIPIENT: COMPLETE THIS SECTION	
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 		<p>A. Received by (Please Print Clearly) B. Date of Delivery</p>	
<p>1. Article Addressed to:</p> <p style="text-align: center;">AIRS ID # 0950332 MARRIOTT'S ORLANDO WORLD CENTER 8701 WORLD CENTER DR ORLANDO FL 32821</p>		<p>C. Signature</p> <p>X <i>[Signature]</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p>	
		<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>	
		<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p>	
		<p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>	
7001 0320 0001 7975 8312			
PS Form 3811, July 1999		Domestic Return Receipt	
		102595-99-M-1789	