



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

November 7, 2007

Mr. Tom Hudgeons
First Class Cleaners #8
223 North Orange Blossom Trail
Orlando, Florida 32805

Re: Facility No.: 0950344-003

Dear Mr. Hudgeons:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on October 4, 2007.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.


For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,



Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Mr. Hamp Pridgen, Orange County

NO ACTIVITY FOR FACILITY.....
EMMISSION FEE DATES 1997-2006.....
SOC REPORTS.....
COMP. STATUS - SNC MNC

TRPT - SOCR - statement of Compliance
Report - 8/30/2007 - IN
Insp - Broward Co -

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

Bureau of Air, Water,
& Mobile Sources
OCT 04 2007
RECEIVED

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Orlando Cleaners, LLC, dba First Class Cleaners
2. Site Name (For example, plant name or number):	First Class Cleaners #8
3. Hazardous Waste Generator Identification Number:	FLD 984197962
4. Facility Location: Street Address:	223 North Orange Blossom Trail
City:	Orlando
County:	Orange
Zip Code:	32805
5. Facility Identification Number (DEP Use ONLY - do not fill in):	0950344-003

Responsible Official

6. Name and Title of Responsible Official: Name:	Tom Hudgens	Title:	V.P.
7. Responsible Official Mailing Address: Organization/Firm:	same as above		
Street Address:			
City:	County:	Zip Code:	
8. Responsible Official Telephone Number: Telephone:	(407) 481-2000	Fax:	(407) 648-8167

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	SAME AS ABOVE		
10. Facility Contact Address: Street Address:			
City:	County:	Zip Code:	
11. Facility Contact Telephone Number: Telephone:	() -	Fax:	() -

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site? 5

For each dry-to-dry machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
Union - 2000	Existing	RC	SAME
Realstar 2000	Existing/New	RC/CA/None required	Same
Columbia - 2002	Existing/New	RC/CA/None required	Same
Columbia - 2003	Existing/New	RC/CA/None required	Same
Columbia - 2005	New	RC	Same

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site? 0

How many dryers/reclaimers do you have on-site? 0

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

Date Initially Purchased From Manufacturer	Status (circle one)	Control Device Required* (circle one)	Date Control Device Installed (if already included at time of purchase, write "SAME")
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____
_____	Existing/New	RC/CA/None required	_____

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

[1,12] gallons (You must fill this in)

(b) If less than 12 months, how many? NA months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
 - Transfer only on-site (used less than 200 gallons of perc per year)
 - Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
 - Transfer only on-site (used 200 - 1,800 gallons of perc per year)
 - Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

- | | |
|--|--|
| <u>Existing machines at small area source</u> | <u>New machines at small area source</u> |
| (NONE REQUIRED) <input type="checkbox"/> | Refrigerated condenser <input type="checkbox"/> |
| <u>Existing machines at large area source</u> | <u>New machines at large area source</u> |
| Carbon adsorber <input type="checkbox"/> | Refrigerated condenser <input checked="" type="checkbox"/> |
| Refrigerated condenser <input checked="" type="checkbox"/> | |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
 No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____


No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

TOM HUDGEONS
Print name of responsible official


Signature

10-2-07
Date

HH Cecily Tart

RECEIVED

OCT 11 2007

Bureau of Air Monitoring & Mobile Sources

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

Small Area Source

- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
- Transfer only on-site (used less than 200 gallons of perc per year)
- Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
- Transfer only on-site (used 200 - 1,800 gallons of perc per year)
- Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing machines at small area source (NONE REQUIRED)

New machines at small area source Refrigerated condenser

Existing machines at large area source

- Carbon adsorber
- Refrigerated condenser

New machines at large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, P.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR No such units on-site

How many boilers do you have on-site? 1

For each boiler, indicate its horsepower (HP) rating: 15 4 8

What type of fuel do you use? propane natural gas No. 2 fuel oil No. 4 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:


- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

First Class Cleaners

223 North Orange Blossom Trail • Orlando, Florida 32805

ORLANDO FL 328

02 OCT 07 PM 1 T



General Permits Section
Bureau of Air Monitoring & Mobile Sources MS 5510
Department of E.P.A.
2600 Blair Stone Rd.
Tallahassee, FL 32399-2400

32399+2400

