



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

August 26, 1997

Mr. Johnny L. Whitted  
Johnny's One Hour Cleaners  
3094 Curry Ford Road  
Orlando, Florida 32806

Re: Facility No. 0950374

Dear Mr. Whitted:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on July 7, 1997.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Ms. Marie Driscole, Orange County

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

✓

## TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 0900 TIME OUT: 100 AIRS ID#: 0950374  
 TYPE OF FACILITY: Dry Cleaner  
 FACILITY NAME: Johnnys One Hour Cleaners DATE: 7/1/97  
 FACILITY LOCATION: 3054 Curry Ford Rd  
Orlando Fl 32806  
 RESPONSIBLE OFFICIAL: Johnny Whitted PHONE NUMBER: 407 897-8171

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
No Receipts on site	
No Rolling Perc Consumption Log <sup>①</sup>	
No Leak Detection Log <sup>②</sup>	
No Corrective Action Form <sup>③</sup>	
No Condenser Log (temp.) <sup>④</sup>	

RECEIVED

AUG 27 1997

Bureau of Air Monitoring  
& Mobile Sources

COMMENTS:

---

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 1/2/98  
(Approximate)

INSPECTION CONDUCTED BY: Todd Fletcher  
(Please Print)

INSPECTOR'S SIGNATURE: Todd Fletcher PHONE NUMBER: 836-9524

RECEIVED

JUL 7 1997

Bureau of Air Monitoring & Mobile Sources

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	JNV INC. JOHNNY L. WHITTED		
2. Site Name (For example, plant name or number):	JOHNNY'S ONE HOUR CLEANERS		
3. Hazardous Waste Generator Identification Number:			
4. Facility Location:	3094 CURRY FORD ROAD		
Street Address:			
City:	ORLANDO.	County:	ORANGE Zip Code: 32806
5. Facility Identification Number (DEP Use):	0950374		

Responsible Official

6. Name and Title of Responsible Official:	JOHNNY L. WHITTED OWNER		
	Johnny L. Whitted		
7. Responsible Official Mailing Address:	3094 CURRY FORD ROAD		
Organization/Firm:			
Street Address:			
City:	ORLANDO	County:	ORANGE Zip Code: 32806
8. Responsible Official Telephone Number:			
Telephone:	(407) 8978171	Fax:	( ) -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):			
10. Facility Contact Address:			
Street Address:			
City:		County:	Zip Code:
11. Facility Contact Telephone Number:			
Telephone:	( ) -	Fax:	( ) -

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	1	15 OCT 94	15 OCT 94						
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?

gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?

(Indicate with an "X". Select one classification only.)

**NEW  
Small  
P.C.**

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
No such units on-site

**Equipment Monitoring and Recordkeeping Information**

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Johnny L. Whitted  
Signature

7-1-97  
Date

RECEIVED  
JUL - 7 1997  
Bureau of Air Monitoring  
& Mobile Sources

# Orange County Environmental Protection Department

## PERCHLOROETHYLENE DRY CLEANERS TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0950374 DATE: 7/1/97 TIME IN: 0900 TIME OUT: 1000  
 FACILITY NAME: Jahnny's One Hour Cleaners  
 FACILITY LOCATION: 3054 Cowy Ford Rd  
Ovlando FL 32806

### PART I: NOTIFICATION

- (check appropriate box)
1. Existing facility notified DARM by 9/1/96
  2. New facility notified DARM 30 days prior to startup
  3. Facility failed to notify DARM to use general permit

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

<p>A.</p> <p>1. Existing small area source <input type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr both types, <math>140 &lt; x &lt; 1,800</math> gal/yr (constructed before 12/9/91)</p>	<p>2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/> dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr both types, <math>140 &lt; x &lt; 1,800</math> gal/yr (constructed on or after 12/9/91)</p>
--	---

This is a correct facility classification

If no, please check the appropriate classification:

facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 00 gallons.

RECEIVED

AUG 27 1997

Bureau of Air Monitoring  
& Mobile Sources

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?                           | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |



**B. Has the responsible official of an existing large or new large area source also:**

- |  |   |
|--|---|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimers, and dryer machines on a weekly basis?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Maintained receipts for perc purchased?   | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 2. Maintained rolling monthly averages of perc consumption?  | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 3. Maintained leak detection inspection and repair reports for the following:  |   |
| a. documentation of leaks repaired w/in 24 hrs? or;  | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 4. Maintained calibration data? (for direct reading instruments only)  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 7. Maintained deviation reports?   | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| Problem corrected?   | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART VI: LEAK DETECTION AND REPAIRS**

- |   |  |
|---|--|
| 1. Does the responsible official conduct a weekly leak detection and repair inspection? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
|---|--|

2. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

3. Has the facility maintained a leak log?  Y  N

4. Does the responsible official check the following areas for leaks?

- |   |  |                           |  |
|---|--|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |                           |  |

Johnny L. Whitted

Name of Responsible Official

**Todd Fletcher**

Inspector's Name (Please Print)

Todd Fletcher

Inspector's Signature

7/1/97

Date of Inspection

1/2/98

Approximate Date of Next Inspection

Z 333 613 545

US Postal Service  
**Receipt for Certified Mail**

AIRS ID#0950374

JOHNNY' S ONE HOUR CLEANERS  
 JOHNNY L WHITTED  
 3094 CURRY FORD ROAD  
 ORLANDO FL 32806

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1.  Addressee's Address
2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID#0950374  
 JOHNNY' S ONE HOUR CLEANERS  
 JOHNNY L WHITTED  
 3094 CURRY FORD ROAD  
 ORLANDO FL 32806

4a. Article Number

Z 333 613 545

4b. Service Type

- Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery

12-27-91

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X X Ruby Whitted

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

DARM/MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Bureau of Air Monitoring  
& Mobile Sources

JUN 30 1998

RECEIVED





# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

## LETTER OF NONCOMPLIANCE

TO:

Our records indicate that you have previously claimed entitlement to use a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.), as the owner or operator of an eligible facility. However, if one or more of the following events has occurred, you are no longer eligible to operate under the Title V Air General Permit. Department records currently indicate that your facility is not in compliance with the item(s) checked below:

- 1) The facility has a new owner or operator (Rule 62-213.300(3)(a), F.A.C.).
- 2) The annual emissions fee for your facility has not been received by the Department (Rule 62-213.300(3)(b), F.A.C.).
- 3) The annual Compliance Certification for your facility has not been filed with the Department (Rule 62-213.300(3)(n), F.A.C.).

If your facility is to continue to operate under the Title V Air General Permit, the condition(s) referenced above must be corrected. Please call our Division for assistance--either **Sandra Bowman at 850/921-9583** or **Rick Butler at 850/921-9586**.

The terms and conditions stated in the Title V Air General Permit continue to apply whether or not the facility is still operating. The Responsible Official (RO) is considered to be responsible for the permitted facility until the permit is surrendered, including any violations or payment of fees. If you wish to give up your eligibility to use the Title V Air General Permit, please sign and return this form in the enclosed self-addressed envelope. This will remove your name from our annual billing list used to notify when Title V permit fees are due.

*I am the Responsible Official for the facility identified above and hereby notify the Department that I surrender the Title V Air General Permit for that facility.*

\_\_\_\_\_  
*Name (please print)*

\_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Date*

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Facility Owner or Operator  
Page Two

Your prompt response to correct or clarify this situation will be greatly appreciated. If you have any questions, please call the Division staff listed above or the Small Business Assistance Program hotline at 800/722-7457.

Sincerely,

A handwritten signature in cursive script that reads "Sandra Bowman".

Sandra Bowman  
Title V Air General Permit Program

/SB

cc: District/Local program

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0950374 DATE: 1/12/98 TIME IN: 0930 TIME OUT: 1030  
 FACILITY NAME: Johnnys One Hour Cleaners  
 FACILITY LOCATION: 3094 Cuvvyford Rd  
Orlando FL 32806  
 RESPONSIBLE OFFICIAL: Johnny Whitted PHONE: (407) 897-8171  
 CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

*See Additional Information last page*

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

A.

- |  |  |
|--|--|
| <p>1. Existing small area source <input type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(constructed before 12/9/91)</p>                                  | <p>2. New small area source <input type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(constructed on or after 12/9/91)</p>                                  |
| <p>3. Existing large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>(constructed before 12/9/91)</p> | <p>4. New large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>(constructed on or after 12/9/91)</p> |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was \_\_\_\_\_ gallons.

Bureau of Air Monitoring  
& Mobile Sources

JAN 27 1998

**RECEIVED**

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |  |
|---|--|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |  |
|--|--|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input type="checkbox"/> N                              |



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |  |                           |  |
|---|--|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stillls                   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |  |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

\_\_\_\_\_  
Inspector's Name (Please Print)

\_\_\_\_\_  
Date of Inspection

\_\_\_\_\_  
Inspector's Signature


\_\_\_\_\_  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Now under new  
management

Mr Howell applied for  
GP on 1/12/98 under  
One Hour Cleaners





BUR. OF AIR MONITORING & MOBILE SOURCES  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

32399-6564 01



Facility Owner or Operator  
Page Two

Your prompt response to correct or clarify this situation will be greatly appreciated. If you have any questions, please call the Division staff listed above or the Small Business Assistance Program hotline at 800/722-7457.

Sincerely,



Sandra Bowman  
Title V Air General Permit Program

/SB

cc: District/Local program

RECEIVED  
JUL 30 1990  
Bureau of Air Monitoring  
& Mobile Sources

**U.S. Postal Service**  
**CERTIFIED MAIL RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

**OFFICIAL USE**

7001 0320 0001 7975 9036

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Postmark Here  
*Receipt*

Total Postage 10 AIRS ID # 0950374

Sent To JOHNNY L WHITTED  
 Street, Apt. No. or PO Box No. JOHNNY'S ONE HOUR CLEANERS  
 3094 CURRY FORD ROAD  
 City, State, ZIP ORLANDO FL 32806

PS Form 3800, January 2001 See Reverse for Instructions

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:  
 10 AIRS ID # 0950374  
 JOHNNY L WHITTED  
 JOHNNY'S ONE HOUR CLEANERS  
 3094 CURRY FORD ROAD  
 ORLANDO FL 32806

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by <i>(Please Print Clearly)</i>	B. Date of Delivery
C. Signature <b>X</b>	<input type="checkbox"/> Agent <input type="checkbox"/> Addressee
D. Is delivery address different from item 1? If YES, enter delivery address below:	<input type="checkbox"/> Yes <input type="checkbox"/> No
3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Registered <input type="checkbox"/> Insured Mail	<input type="checkbox"/> Express Mail <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> C.O.D.
4. Restricted Delivery? <i>(Extra Fee)</i>	<input type="checkbox"/> Yes



2. 7001 0320 0001 7975 9036

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
MS 5510-37550 304000  
2600 BLAIR STONE ROAD  
TALLAHASSEE FL 32399-2400



7001 0320 0001 7975 9036

Best Available Copy



RECEIVED

APR 23 2002

Bureau of Air Monitoring  
& Mobile Sources

MOVED, LEFT NO ADDRESS  
 ATTEMPTED - NOT KNOWN  
 UNCLAIMED  REFUSED  
 NO SUCH STREET  
 NO SUCH NUMBER  
 INSUFFICIENT ADDRESS  
 NOT DELIVERABLE AS  
ADDRESSED UNABLE TO FORWARD

Date: 6/7  
Carr/init: [Signature]  
Route No: [Signature]

RETURNED TO SENDER

10 AIRS ID # 0950374  
JOHNNY L. WHELFED  
JOHNNY'S ONE HOUR CLEANERS  
3094 CURRY FORD ROAD  
ORLANDO FL 32806



Z 333 613 716

US Postal Service  
**Receipt for Certified Mail**

No Insurance Coverage Provided.  
Do not use for International Mail.

AIRS ID# 0950374

JWV INC  
JOHNNY L WHITTED  
3094 CURRY FORD ROAD  
ORLANDO FL 32806

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1.  Addressee's Address
- 2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

JWV INC  
JOHNNY L WHITTED  
3094 CURRY FORD ROAD  
ORLANDO FL 32806

AIRS ID# 0950374

4a. Article Number

**2333613716**

4b. Service Type

- Registered  Certified
- Express Mail  Insured
- Return Receipt for Merchandise  COD

7. Date of Delivery

*4/1/95*

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

*Ruby Whitted*

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

7 333 613 663

US Postal Service  
**Receipt for Certified Mail**

No Insurance Coverage Provided.  
Do not use for International Mail (See reverse)

Sent to

AIRS ID 0950374

JWV INC  
JOHNNY L WHITTED  
3094 CURRY FORD ROAD  
ORLANDO FL 32806

PS Form 3800 April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Fold at line over top of envelope

<p><b>SENDER:</b></p> <ul style="list-style-type: none"> <li>■ Complete items 1 and/or 2 for additional services.</li> <li>■ Complete items 3, 4a, and 4b.</li> <li>■ Print your name and address on the reverse of this form so that we can return this card to you.</li> <li>■ Attach this form to the front of the mailpiece, or on the back if space does not permit.</li> <li>■ Write "Return Receipt Requested" on the mailpiece below the article number.</li> <li>■ The Return Receipt will show to whom the article was delivered and the date delivered.</li> </ul>	<p>I also wish to receive the following services (for an extra fee):</p> <p>1. <input type="checkbox"/> Addressee's Address</p> <p>2. <input type="checkbox"/> Restricted Delivery</p> <p>Consult postmaster for fee.</p>	
	<p>3. Article Addressed to:</p> <p style="text-align: right;">AIRS ID 0950374</p> <p>JWV INC JOHNNY L WHITTED 3094 CURRY FORD ROAD ORLANDO FL 32806</p>	
<p>5. Received By: (Print Name)</p> <p>6. Signature: (Addressee or Agent)</p> <p><i>X [Signature]</i></p>	<p>4a. Article Number</p> <p style="font-size: 1.2em;">7333-613-663</p> <p>4b. Service Type</p> <p><input type="checkbox"/> Registered                      <input checked="" type="checkbox"/> Certified</p> <p><input type="checkbox"/> Express Mail                      <input type="checkbox"/> Insured</p> <p><input type="checkbox"/> Return Receipt for Merchandise   <input type="checkbox"/> COD</p> <p>7. Date of Delivery</p> <p style="font-size: 1.2em;">2/1/95</p>	
	<p>8. Addressee's Address (Only if requested and fee is paid)</p>	
<p>PS Form 3811, December 1994</p>		<p>Domestic Return Receipt</p>

Is your RETURN ADDRESS stated on the reverse side?

Thank you for using Return Receipt Service.