

187041 0951305-002
Registration Type
Check one:
INITIAL REGISTRATION - Notification of intent to: Construct and operate a proposed new facility.
Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit). If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. (See "Surrender of Existing Air Operation Permit(s)" below.)
Operates an existing facility not currently permitted or using an air general permit.
RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to: Continue operating the facility after expiration of the current term of air general permit use. Continue operating the facility after a change of ownership. Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C. Any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.
Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable
All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):
General Facility Information
Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)
Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)
Facility Location (Physical location of the facility, not necessarily the mailing address.) Street Address: 2360 CLARK 57, UNIT I City: APOPKA County: PRANGE Zip Code: 33703-2
Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility.) N/A

Facility Contact	
Name and Position Title (Plant manager or person to be c	ontacted regarding day-to-day operations at the facility.)
Print Name and Title: ALBERTO FE	LIBERTY - PRESIDENT
Facility Contact Telephone Numbers	
Telephone: 407 - 532-081 5	Fax: 407-532-2440
Cell phone: Alsanodizing@) a mail card
	2 9 mail 1 Colve
Facility Contact Mailing Address	
Organization/Firm: A'S ANODIZING T	
Mailing Address: 2360 CLARK St.	01111 1 1 1 2 1 7 0 3 1 2 1 7 0 3 1 1 2 1 7 0 3 1
City: Apople	County:
Other Contact/Representative (to serve as additional I	Department contact)
Name and Position Title	
Print Name and Title:	
Other Contact/Representative Telephone Numbers	
Telephone:	Fax:
Cell phone:	
E-mail:	
Other Contact/Representative Mailing Address	
Organization/Firm:	
Mailing Address:	
City:	County: Zip Code:

Facility Information

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

HARD CHROMIUM PLATING TANKS

DATE	UNIT CLASS	DATE	CONTROL	APPLICABLE	7
PURCHASED	(Check one)	CONTROL	DEVICE	STANDARD	
1	1	DEVICE	(see key)	(see key)	1
		INSTALLED	<u> </u>		_
	☐ New ☐ Existing]
	☐ New ☐ Existing				
	☐ New ☐ Existing] ,
	☐ New ☐ Existing] JA
	☐ New ☐ Existing] [1]
	☐ New ☐ Existing				ł
	☐ New ☐ Existing				
	☐ New ☐ Existing				1
	☐ New ☐ Existing				
	☐ New ☐ Existing			<u></u>	_

Key for Control Device Type

PBS = packed-bed scrubber

CMP = composite mesh pad

PBS/CMP = packed-bed scrubber and composite mesh pad

FS = fume suppressant only

FS/WA = fume suppressant with a wetting agent

FM = fiber-bed mist eliminator

WA = wetting agent

Applicable Standard Key

a = 0.03 mg/dscm

b = 0.015 mg/dscm

c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

☐ Yes 🗡 No

1. b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

DECORATIVE AND ANODIZING TANKS

DATE	UNIT CLASS	DATE	CONTROL	APPLICABLE	
PURCHASED	(Check one)	CONTROL	DEVICE	STANDARD	
		DEVICE	(see key)	(see key)	
		INSTALLED	<u> </u>		
Line Committee	New Existing			<u> </u>	
	☐ New ☐ Existing				
	☐ New ☐ Existing				
	☐ New ☐ Existing				_
	☐ New ☐ Existing				
	☐ New ☐ Existing				
	☐ New ☐ Existing				
	☐ New ☐ Existing				_
	☐ New ☐ Existing				
	☐ New ☐ Existing				

* SEE ATTRUMED
E-MAIL DATED
E-MAIL DATED
O9/15/11 AS
O9/15/11 AS
AN ADDENOUM
TO THIS WORKSHEET FORM.

Key for Control Device Type

PBS = packed-bed scrubber CMP = composite mesh pad

 $PBS/CMP = packed-bed\ scrubber\ and\ composite\ mesh\ pad$

FS = fume suppressant only

FS/WA = fume suppressant with a wetting agent

FM = fiber-bed mist eliminator

WA = wetting agent

Applicable Standard Key

x = 0.01 mg/dscmy = 45 dynes/cm

z = records of bath components

(trivalent Cr tanks only)

c = alternative standard for multiple tanks

under common control

2. Indicate how the facility will fulfill the compliance demonstration (check one):

The facility will conduct an initial performance test



The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

Helpful Definitions

- "Add-on Air Pollution Control Device" Equipment installed in the ventilation system of chromium electroplating and anodizing tanks for the purpose of collecting and containing chromium emissions from the tank(s).
- "Air Pollution Control Technique" Any method, such as an add-on air pollution control device or a chemical fume suppressant, that is used to reduce chromium emissions from chromium electroplating and chromium anodizing tanks.
- "Base Metal" The metal or metal alloy that comprises the workpiece.
- "Bath Component" The trade or brand name of each component(s) in trivalent chromium plating baths. For trivalent chromium baths, the bath composition is proprietary in most cases. Therefore, the trade or brand name for each component(s) can be used; however, the chemical name of the wetting agent contained in that component must be identified.
- "Chemical Fume Suppressant" Any chemical agent that reduces or suppresses fumes or mists at the surface of an electroplating or anodizing bath; another term for fume suppressant is mist suppressant.
- "Chromic Acid" The common name for chromium anhydride (CrO₃).
- "Chromium Anodizing" The electrolytic process by which an oxide layer is produced on the surface of a base metal for functional purposes (e.g., corrosion resistance or electrical insulation) using a chromic acid solution. In chromium anodizing, the part to be anodized acts as the anode in the electrical circuit, and the chromic acid solution, with a concentration typically ranging from 50 to 100 grams per liter (g/L), serves as the electrolyte.
- "Chromium Electroplating or Chromium Anodizing Tank" The receptacle or container in which hard or decorative chromium electroplating or chromium anodizing occurs.
- "Composite Mesh-pad System" An add-on air pollution control device typically consisting of several mesh-pad stages. The purpose of the first stage is to remove large particles. Smaller particles are removed in the second stage, which consists of the composite mesh pad. A final stage may remove any retrained particles not collected by the composite mesh pad.
- "Construction" The fabrication (on-site), erection, or installation of a chromium electroplating or anodizing unit.
- "Decorative Chromium Electroplating" The process by which a thin layer of chromium (typically 0.003 to 2.5 microns) is electrodeposited on a base metal, plastic, or undercoating to provide a bright surface with wear and tarnish resistance. In this process, the part(s) serves as the cathode in the electrolytic cell and the solution serves as the electrolyte. Typical current density applied during this process ranges from 540 to 2,400 amperes per square meter (A/m²) for the total plating periods of 0.5 to 5 minutes.
- "Electroplating or Anodizing Bath" The electrolytic solution used as the conducting medium in

* ADDENDUM TO #0951305-002

PAGE 4, FACILITY INFORMATION - DECORATIVE

From:

Dibble, Dickson

Alberto Feliberty [alsanodizing@gmail.com]

Sent:

Thursday, September 15, 2011 1:35 PM

To:

Dibble, Dickson

Subject:

Re: Page four (4) of your CHROMIUM ELECTROPLATERS & ANODIZERS AIR GENERAL

PERMIT REGISTRATION WORKSHEET

Additional information per your request to complete registration.

Page 4 of renewal registration

Facility Information

la Not applicable/ we do not do hard chrome plating

1b Decorative and Anodizing Tanks

decorative chrome tank

Unit class - Existing

Date ctrl device installed 2-16-07 Control device code: FS/WA

Applicable Standard (key code)Y 45 dynes/cm

Let me know if you have any questions

Alberto

Als Anodizing Inc.

On Wed, Sep 14, 2011 at 12:36 PM, Dibble, Dickson < Dickson. Dibble@dep.state.fl.us > wrote:

Dear Mr. Feliberty,

I am in the process of reviewing and processing your Air General Permit Registration (see the attached pdf file) renewal for entitlement to operate your electroplating and anodizing facility.

Page four of the worksheet form was left blank and did not contain any of the required (Rule 62-210.310(5)(i)4.a. thru d., F.A.C.) equipment information/description requested.

Rule 62-210.310(5)(i)4.a. thru d., F.A.C.

- 4. The registration for this air general shall include all the following information.
- a. For each hard electroplating machine, whether the machine is existing or new as defined at 40 C.F.R. Part 63, Subpart N; date

of purchase; date of control device installation; type of control device (packed-bed scrubber, composite mesh pad, packed-bed

scrubber and composite mesh pad, fume suppressant, fume suppressant with a wetting agent, fiber-bed mist eliminator, or wetting

agent); and applicable standard (0.03 mg/dscm, 0.015 mg/dscm, or an alternative standard for multiple tanks under common

control).

- b. Whether the facility's cumulative potential rectifier capacity is greater than 60 million ampere-hours per year (yes or no).
- c. For each decorative electroplating or anodizing machine, whether the machine is existing or new as defined at 40 C.F.R. Part
- 63, Subpart N; date of purchase; date of control device installation; type of control device (packed-bed scrubber, composite mesh

pad, packed-bed scrubber and composite mesh pad, fume suppressant, fume suppressant with a wetting agent, fiber-bed mist

eliminator, or wetting agent); and applicable standard (0.01 mg/dscm, 45 dynes/cm, records of bath components for trivalent

chromium tanks, or alternative standard for multiple tanks under common control).

d. The compliance demonstration method (initial performance test, or use of a wetting agent to reduce emissions so as to meet

the existing surface tension limit).

In order for me to complete the review and processing of your registration renewal I will need to receive an updated Page four (4), or to make it simple, if you could provide this information in the body of an e-mail, I will simply attach your e-mail as an addendum to your current registration form.

If you have any questions, comments or concerns please e-mail or call.

Thank you and have a great day!

Dickson E. Dibble

Dickson E. Dibble, ES III

Air General Permit Program

FDEP Division of Air Resource Management Office of Permitting & Compliance Minerals & Metals Section

Tel. (850) 717-9071

FAX (850) 717-9001

GIC - #59571

Dickson.Dibble@dep.state.fl.us



Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communications may therefore be subject to public disclosure

Please take a few minutes to share your comments on the service you received from the department by clicking on this link. <u>DEP Customer Survey</u>.