



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

February 3, 1998

Mr. Salim Damji
De-Beers Cleaners
1901 West Vine Street
Kissimmee, Florida 34741

Re: Facility No.: 0970064

Dear Mr. Damji:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 26, 1998.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Anatoliy Sobolevskiy, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

| |
|---|
| 1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): DE - BEERS CLEANERS. |
| 2. Site Name (For example, plant name or number): |
| 3. Hazardous Waste Generator Identification Number: |
| 4. Facility Location: 1901 W. VINE ST. Street Address: City: KISSIMMEE County: FL OSCEOLA Zip Code: 34741 |
| 5. Facility Identification Number (DEP Use): 09170064 |

Responsible Official

| |
|--|
| 6. Name and Title of Responsible Official: SALIM DAMJI OWNER |
| 7. Responsible Official Mailing Address: Organization/Firm: Street Address: 1901 W. VINE ST. City: KISSIMMEE County: FL Zip Code: 34741 |
| 8. Responsible Official Telephone Number: Telephone: (407) 847-4432 Fax: () - |

Facility Contact (If different from Responsible Official)

| |
|---|
| 9. Name and Title of Facility Contact (For example, plant manager): |
| 10. Facility Contact Address: Street Address: City: County: Zip Code: |
| 11. Facility Contact Telephone Number: Telephone: () - Fax: () - |

RECEIVED

JAN 26 1998

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

| Type of Machine | ID | Date Machine Initially Purchased | Date Control Device Installed | ID | Date Machine Initially Purchased | Date Control Device Installed | ID | Date Machine Initially Purchased | Date Control Device Installed |
|------------------------|----|----------------------------------|-------------------------------|----|----------------------------------|-------------------------------|----|----------------------------------|-------------------------------|
| <i>Example</i> | | | | | | | | | |
| | #1 | 03-OCT-93 | 12-NOV-93 | #2 | 08-DEC-91 | | #3 | 02-MAR-92 | 02-MAR-92 |
| Dry-to-Dry Unit | | | | | | | | | |
| (1) w/ ref. condenser | 1 | NOV 97 | NOV 97 | | | | | | |
| (2) w/ carbon adsorber | | | | | | | | | |
| (3) w/ no controls | | | | | | | | | |
| Washer Unit | | | | | | | | | |
| (4) w/ ref. condenser | | | | | | | | | |
| (5) w/ carbon adsorber | | | | | | | | | |
| (6) w/ no controls | | | | | | | | | |
| Dryer Unit | | | | | | | | | |
| (7) w/ ref. condenser | | | | | | | | | |
| (8) w/ carbon adsorber | | | | | | | | | |
| (9) w/ no controls | | | | | | | | | |
| Reclaimer Unit | | | | | | | | | |
| (10) w/ ref. condenser | | | | | | | | | |
| (11) w/carbon adsorber | | | | | | | | | |
| (12) w/ no controls | | | | | | | | | |

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?
 gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt

No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) _____

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Salim Danji
Signature

1-22-1998
Date

Bowman, Sandy

From: Rice, Rodell
Sent: Monday, October 27, 2003 8:55 AM
To: Bowman, Sandy
Cc: Mulligan, Tom
Subject: RE: RE: Expired Entitlements

Hello Sandy,

Sorry for the delay. Yes, all these facilities are in operation. Only 0970064 has changed their name and is under new management. I provided them with the permit application. Central District Air Compliance section will take care of all the other facilities on the list.

We are currently one person short. I'm no longer doing the dry cleaners. I was promoted to another job, same section. Please forward any other Dry Cleaner or Small Business Program correspondence to Tom Mulligan, my supervisor. He should be able to help you.

Thanks for everything.

-----Original Message-----

From: Bowman, Sandy
Sent: Wednesday, October 22, 2003 9:11 AM
To: Rice, Rodell
Subject: RE: Expired Entitlements

Hi Rodell,

In looking through the ARMS database, I noticed that entitlements for the following facilities have expired. The last we heard from each facility was payment of their annual emissions fee.

Are these facilities still in operation? If so, they will need to submit another notification form for entitlement to operate for the next 5 years. If not, please let me know so that I may inactivate them.

Thanks for looking into this for me. If you have any questions, please give me a call.

| <u>AIRS ID</u> | <u>EXPIRE DATE</u> | <u>FEE PAYMENT YEAR</u> | <u>FEE PAYMENT DATE</u> |
|----------------|--------------------|-------------------------|-------------------------|
| 1270144 | 1/21/2003 | 2002 | 3/12/2003 |
| 0970064 | 1/29/2003 | 2002 | 2/20/2003 |
| 1170364 | 3/11/2003 | 2002 | 12/16/2002 |
| 1270147 | 4/1/2003 | 2002 | 2/6/2003 |
| 1170366 | 5/4/2003 | 2001 | 4/18/2002 |
| 0970066 | 7/28/2003 | 2002 | 2/13/2003 |
| 0090171 | 8/5/2003 | 2002 | 12/19/2002 |

10/27/2003

| | | | |
|---------|-----------|------|------------|
| 0090174 | 8/31/2003 | 2002 | 12/23/2002 |
| 1170369 | 8/31/2003 | 2002 | 2/3/2003 |

Thanks again,

Sandy Bowman

Sandy Bowman
Environmental Consultant
Division of Air Resource Management
850/921-9583 or sandy.bowman@dep.state.fl.us

TBD 00892

X



PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION *0970064* ✓

AIRS ID#: _____ DATE: *1/21/97* TIME IN: *10:55* TIME OUT: *11:10*
FACILITY NAME: *DR BEERS CLEANERS (FORMERLY EXPRESS)*
FACILITY LOCATION: *1901 W. VINE ST.*
KISSIMMEE FL 34741

PART I: NOTIFICATION

(check appropriate box)

1. Existing facility notified DARM by 9/1/96 *NEW OWNER*

2. New facility notified DARM 30 days prior to startup *SALIM DAMI*

3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

A.

| | |
|--|--|
| 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/> | 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input checked="" type="checkbox"/> |
| 3. Existing large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/> | 4. New large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/> |

This is a correct facility classification Y N *NOW AN EXISTING SMALL AREA SOURCE*

If no, please check the appropriate classification:

facility qualified for a general permit as number _____ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was *103* gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N
- 2. Examining the containers for leakage? Y N
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? Y N
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N
Is the temperature differential equal to or greater than 20° F? Y N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or; Y N
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N
4. Maintained calibration data? (for direct reading instruments only) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports?
Problem corrected? Y N
8. Maintained compliance plan, if applicable? Y N N/A

*EXPLAINED RECORD
KEEPING REQUIREMENTS -*

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly leak detection and repair inspection? Y N

2. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N

c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N

d. Kept in a clean and secure area when not in use? Y N

e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

3. Has the facility maintained a leak log? Y N

4. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves Y N

Muck cookers Y N

Door gaskets and seating Y N

Stills Y N

Filter gaskets and seating Y N

Exhaust dampers Y N

Pumps Y N

Diverter valves Y N

Solvent tanks and containers Y N

Cartridge filter housings Y N

Water separators Y N

SALIM DAMUR

Name of Responsible Official

LOUIS A. NICHOLS

Inspector's Name (Please Print)

Louis A. Nichols

Inspector's Signature

1/21/97

Date of Inspection

Approximate Date of Next Inspection

**DE BEERS CLEANERS
1901 W. VINE ST
KISSIMMEE, FL 34741
847 - 4432**

ADDITIONAL SITE INFORMATION:

- AJAX 44C 35 LB MACHINE NOW —
WILL BE INSTALLING A NEW AEROSTAR MACHINE
CONSIDERING BERGPARMA D SERIES 2TH GENERATION
MACHINE OR SIMILAR — NEW MACHINE & CONTAINMENT
DAN TO BE INSTALLED SHORTLY. EPOXY WILL BE POT
UNDER MACHINE AND SPOTTING BOARD
- SENT NOTIFICATION FORM FOR GENERAL PERMIT
ADVISED HIM TO SUBMIT APPLICATION WHEN NEW
MACHINE IS INSTALLED.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

1. A
SQ

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: D970064 DATE: 1/5/99 TIME IN: 11:00 TIME OUT: 11:50

FACILITY NAME: DeBeers cleaners

FACILITY LOCATION: 1901 W. VINE ST.
KISSIMMEE FL.

RESPONSIBLE OFFICIAL: Sam Punji PHONE: 407-847-4332

CONTACT NAME: _____ PHONE: _____

PART I: NOTIFICATION

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

- No notification form
- Drop store/out of business/petroleum

A.

- | | |
|---|---|
| <p>1. Existing small area source <input type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)</p> | <p>2. New small area source <input checked="" type="checkbox"/></p> <p>dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)</p> |
| <p>3. Existing large area source <input type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)</p> | <p>4. New large area source <input type="checkbox"/></p> <p>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)</p> |
5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number _____ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 69 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? *not stored* Y N N/A
2. Examining the containers for leakage? Y N N/A
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? *ref com.* Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? *no problems* Y N N/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
 Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
 Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly total of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
 - a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? *(for applicable direct reading instruments)* Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
 Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Seahra E. Preshi
Inspector's Name (Please Print)

1/15/99
Date of Inspection

[Signature]
Inspector's Signature

1/00
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Aerostat USA
CCPO.

PCIM - YES

Epoxy = YES ✓

panfor has water, yes.

Condensate water goes directly into
zero waste.

no perc on spotting board.

MEF - (takes away waste)

BEST AVAILABLE COPY
DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: DE BEERS CLEANERS DATE: 1/5/99
FACILITY LOCATION: 1901 W. VINE ST
KISSIMMEE FL 34741

Annual Reporting Period: DEC 1997 TO DEC 1998

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: SALIM DAMJI Sulim Damji 1/5/99
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 11:00 TIME OUT: 11:50 AIRS ID#: 0970064
 TYPE OF FACILITY: Drycleaning
 FACILITY NAME: De Beers Cleaners DATE: 1/5/99
 FACILITY LOCATION: 1901 W. Vine St.
Kissimmee FL 34741
 RESPONSIBLE OFFICIAL: Sam Damji PHONE NUMBER: (407) 847-4332

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

| COMPLIANCE REQUIREMENT/PROBLEM | FOLLOW-UP ACTION REQUIRED |
|--------------------------------|---------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

COMMENTS: Incompliance
Good clean facility

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 1/00
(Approximate)

INSPECTION CONDUCTED BY: Saadia Qureshi
(Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 407-893-3333

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

DMS UPDATED
DATE: 12-14-99
BY: RL

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 0970064 DATE: 12-14-99 TIME IN: 11:00 TIME OUT: 11:30
 FACILITY NAME: De Beers Cleaners
 FACILITY LOCATION: 1901 W. Vine St.
Kissimmee, FL 34741
 RESPONSIBLE OFFICIAL: Sam Damji PHONE: 407-847-4332
 CONTACT NAME: _____ PHONE: _____

RECEIVED
 DEC - 14 2000
 Bureau of Air Monitoring
 Mobile Sources

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

No notification form
 Drop store/out of business/petroleum

A.

| | |
|--|--|
| 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91) <input type="checkbox"/> | 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) <input checked="" type="checkbox"/> |
| 3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91) <input type="checkbox"/> | 4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91) <input type="checkbox"/> |

5. This is a correct facility classification N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 74 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers? Y N N/A
- 2. Examining the containers for leakage? Y N N/A
- 3. Closing and securing machine doors except during loading/unloading? Y N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N N/A

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls? Y N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

- | | |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

- | | |
|--|---|
| 1. Maintained receipts for perc purchased? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Maintained rolling monthly averages of perc consumption? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 3. Maintained leak detection inspection and repair reports for the following: | |
| a. documentation of leaks repaired w/in 24 hrs? or; No leaks > | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments) | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 7. Maintained deviation reports? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Problem corrected? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 8. Maintained compliance plan, if applicable? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N


Randall Cunningham
Inspector's Name (Please Print)

12-14-99
Date of Inspection

Randall Cif
Inspector's Signature

12-2000
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:



0970064

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

ACE

FACILITY NAME: De beers Cleaners DATE: 12-14-99
 FACILITY LOCATION: 1901 W. Vine St,
Kissimmee, FL 34741

Annual Reporting Period: December 1998 TO December 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: SALIM DAMJI *Salim Dayji* 12/14/99
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

| | | |
|--|-----------------------------------|--------------------------|
| TIME IN: <u>11:00</u> | TIME OUT: <u>11:30</u> | AIRS ID#: <u>0970064</u> |
| TYPE OF FACILITY: <u>Dry Cleaners</u> | | |
| FACILITY NAME: <u>De Beers Cleaners</u> | DATE: <u>12-14-99</u> | |
| FACILITY LOCATION: <u>1901 W. Vine St. Missimmee, FL 34741</u> | | |
| RESPONSIBLE OFFICIAL: <u>Sam Namji</u> | PHONE NUMBER: <u>407-847-4332</u> | |

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

| COMPLIANCE REQUIREMENT/PROBLEM | FOLLOW-UP ACTION REQUIRED |
|--------------------------------|---------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

COMMENTS:
In Compliance

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO

DATE OF NEXT INSPECTION: 12-2000 (Approximate)

INSPECTION CONDUCTED BY: Randall Cunningham (Please Print)

INSPECTOR'S SIGNATURE: Randall Cunningham PHONE NUMBER: (407) 843-3333


STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
MS 5510-37550 304000
2600 BLAIR STONE ROAD
TALLAHASSEE FL 32399-2400

5510


5521



7000 0520 0020 9372 7411



RECEIVED
JAN 02 2002
Bureau of Air Monitoring
& Mobile Sources


REASON CHECKED
Unclaimed Refused _____
Attempted - Not Known _____
Insufficient Address _____
No Such Street _____ Number _____
No Such Office in State _____
Do Not Remail in This Envelope _____
AD 12-27-02

Name _____
1st Notice 12-17
2nd Notice 12-27
Return _____

~~10 AIRS ID # 070064001AG
SALIM DAMBI
DEBEERS CLEANERS
1901 WINE STREET
KISSIMEE FL 34741~~

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS
 SENDER COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

10 AIRS ID # 0970064001AG
 SALIM DAMJI
 DEBEERS CLEANERS
 1901 W VINE STREET
 KISSIMMEE FL 34741

70000520002093727411

2. Article Number (Copy from service label)

COMPLETE THIS SECTION ON DELIVERY

| | |
|--|---------------------|
| A. Received by (Please Print Clearly) | B. Date of Delivery |
| C. Signature | |
| <input type="checkbox"/> Agent <input type="checkbox"/> Addressee | |
| D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No | |
| 3. Service Type | |
| <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | |
| 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |

**U.S. Postal Service
 CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)**

7000 0520 0020 0220 0220 0220 9372 7411

| | | |
|--|----|--|
| Postage | \$ | |
| Certified Fee | | |
| Return Receipt Fee (Endorsement Required) | | |
| Restricted Delivery Fee (Endorsement Required) | | |
| Total P | | |

Receipt
 Postmark
 03

10 AIRS ID # 0970064001AG
 Recipient: SALIM DAMJI
 Street, Apt: DEBEERS CLEANERS
 1901 W VINE STREET
 City, State: KISSIMMEE FL 34741

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID#0970064

DEBEERS CLEANERS
SALIM DAMJI
1901 W VINE STREET
KISSIMMEE FL
34741

2. Article Number

(Transfer from service label)

7001 0320 0001 7976 4757

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Agent

Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below: No

3. Service Type

Certified Mail Express Mail

Registered Return-Receipt for Merchandise

Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-M-1035

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only, Not for Surface Coverage, Priority Mail)

OFFICIAL USE

Postage \$ _____

Certified Fee _____

Return Receipt Fee (Endorsement Required) _____

Restricted Delivery Fee (Endorsement Required) _____

Postmark Here

Signature

AIRS ID#0970064

DEBEERS CLEANERS
SALIM DAMJI
1901 W VINE STREET
KISSIMMEE FL
34741


7001 0320 0001 7976 4757

MS# 5510 MC Acct # 5521

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400



7001 0320 0001 7976 4757



REASON CHECKED
Unclaimed
Attempted - Not Known
Insufficient Address
No Such Street
No Such City


DEBEER CLEANERS
SAL & DAMII
12 W VINE STREET
LAKELAND FL
34741
AIRS:ID#0970064

Bureau of Air Monitoring
& Mobile Sources

AD
2-27-05
1st Notice 27
2nd Notice 27
Return 27


BEST AVAILABLE COPY

DAMI
2718 Muehlen St
Tallahassee, FL 32307



TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

32315+3070 99



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

412207 DEC24 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0970064
DEBEERS CLEANERS
SALIM DAMJI
1901 W VINE STREET
KISSIMMEE FL
34741

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

423274 FEB202003

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Bureau of Air Monitoring
& Mobile Sources

FEB 26 2003

RECEIVED

✓

Do NOT Remove Label

| | |
|--|-----------------|
| DEBEERS CLEANERS SALIM DAMJI 1901 W VINE STREET KISSIMMEE FL 34741 | AIRS ID#0970064 |
|--|-----------------|

| |
|--|
| FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: A1 Fund: 20-2-035001 Obj.: 002273 |
|--|



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0353702

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Bureau of Air Monitoring
& Mobile Sources

DEC 14 1998


RECEIVED

RECEIVED
MAIL ROOM

Do NOT Remove Label

| | |
|---|-------------------|
| DEBEERS CLEANERS SALIM DAMJI 1901 W VINE STREET KISSIMMEE FL 34741 | AIRS ID # 0970064 |
|---|-------------------|

| |
|--|
| FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: B1 Fund: 20-2-035001 Obj.: 002273 |
|--|



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389137

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 0970064

DEBEERS CLEANERS
 SALIM DAMJI
 1901 W VINE STREET
 KISSIMMEE FL 34741

Bureau of Air Monitoring
& Mobile Sources

DEC 10 1999

RECEIVED

DEC - 8 99

RECEIVED
MAIL ROOM

FOR GOVERNMENT USE ONLY
 Org.: 37550101000 EO: B1
 Fund: 20-2-035001
 Obj.: 002273