CONCRETE BATCHING PLANT AIR GENERAL PERMIT REGISTRATION FORM

RICEIVED

SEP 0 8 2009

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

Suitable Of Air Monitoring & Mobile Sources

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type	◢_
Check one:	
INITIAL REGISTRATION - Notification of intent to:	
Construct and operate a proposed new facility.	
Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from air operation permit to an air general permit).	n an
RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:	
Continue operating the facility after expiration of the current term of air general permit use.	
Continue operating the facility after a change of ownership.	
Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any	
other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.	
Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only	
If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the own	
or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the	
operation permits being surrendered. If no air operation permits are held by the facility, check the second box	•
All existing air operation permits for this facility are hereby surrendered upon the effective date of this a	iir
general permit; specifically permit number(s):	
0990002-004-AG No air operation permits currently exist for this facility.	
No air operation permits currently exist for this facility.	
General Facility Information	
Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, lease	s,
operates, controls, or supervises the facility.)	
CEMEX Construction Materials Florida, L.L.C.	
Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is	
owned, a registration form must be completed for each.)	
CEMEX - Delray Beach Ready-Mix and Block	
Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)	
Street Address: 1700 West Atlantic Avenue City: Delray Beach County: Palm Beach Zip Code: 33444	
City. Deliay Beach County. Faith Beach Zip Code. 33444	
Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility)	
N/A	

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this

air general permit.)

Print Name and Title: Jeffrey R. Porter - Environmental Manager, Southeast Florida Materials Division

Owner/Authorized Representative Mailing Address

Organization/Firm: CEMEX Construction Materials Florida, L.L.C.

Street Address: 1501 Belvedere Road

City: West Palm Beach

County: Palm Beach

Zip Code: 33406

Owner/Authorized Representative Telephone Numbers

Telephone: (561) 820-8415

Cell phone (optional): (561) 718-7564

Fax: (561) 820-8643

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: Chris Hickman - Operations Foreman

Facility Contact Mailing Address

Organization/Firm: CEMEX Construction Materials Florida, L.L.C.

Street Address: 1700 West Atlantic Avenue

City: Delray Beach

County: Palm Beach

Zip Code: 33444

Facility Contact Telephone Numbers

Telephone: (561) 276-6037

Cell phone (optional):

Fax: (561) 276-3495

Owner/Authorized Representative Statement

m Wat

This statement must be signed and dated by the person named above as owner or authorized representative I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and

belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration

8/24/09

Type of Facility	
Check one:	
Stationary Facility	Relocatable Facility
Type(s) of Reasonable Precautions Used	
Check all precautions to be used for the n Pave Roads	nanagement of roads, parking areas, stock piles and yards: Pave Parking Areas Pave Yards
	 ✓ Pave Parking Areas ✓ Use Water Application ✓ Use Dust Suppressant
Remove Particulate Matter	Reduce Stock Pile Height Install Wind Breaks
Check all precautions to be used for the n	nanagement of dron points to trucks:
Spray Bar	Chute Enclosure
	☐ Partial enclosure
Description of Reasonable Precautions Relow or as an attachment to this form pr	ovide details of all types of reasonable precautions to be used to prevent
unconfined emissions at the facility.	ovide details of all types of reasonable precautions to be used to prevent
	stormwater/wastewater drainage system, which is designed to flush
	entrance drive. This keeps the paving cleaner, substantially reducing n the yard are stored on paved surfaces and kept watered, partly for
	on emissions from these materials. Unused concrete which is brought
	ed washout structure, which reduces the area needed to dry the material,
while keeping it out of the main traffic patt	ern, where it would generate additional fugitive emissions.
<u>.</u>	

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

Ready-Mix Concrete Batching Facility and Concrete Block Manufacturing Plant, which utilize cement, flyash, slag and aggregate materials to produce ready-mix concrete and concrete block. Dust emissions generated during the filling of the plants' silos or loading of concrete mixer trucks are controlled by cartridge or baghouse dust collectors. Details of these emissions units (EU's) are as follows:

Ready-Mix Concrete Batching Facility:

- EU-01 Cement silo compartment no. 1 (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- EU-02 Cement silo compartment no. 2 (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- EU-03 Single-compartment flyash/slag silo (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector).
- EU005 N/A - Cement weigh hopper no. 1* (with a Griffin Environmental Model 18-CDS baghouse batcher vent).
- Cement weigh hopper no. 2* (with a Griffin Environmental Model 18-CDS baghouse batcher vent).
 - EU-04 Two concrete mixer truck loadouts (both served by a single Torit Downflo Model 2DF16 central cartridge dust collector).
 - EU-96- Single-compartment cement bin (with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector / Proposed).

Concrete Block Manufacturing Plant (Inactive):


109

- EU-05 Single-compartment cement bin (with a BHA "Pulse-Pleat" four-cartridge dust collector).
- N/A Cement weigh hopper/mixer machine* (with a fabric filter bag).
- * The cement weigh hoppers and cement weigh hopper/mixer machine are fully enclosed within the batch facility structure or block plant building and do not require annual emissions testing.


DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

ACAD\DRAW\NEWEST\GA\CP-305S NOTE: THIS PRINT NOT FOR


CONSTRUCTION. FOR GENERAL REF. ONLY



TOP VIEW



FRONT VIEW



SIDE VIEW

CP-305-839 PULSE JET COLLECTOR



C & W MFG. & SALES CO. 6933 SHELMOR RD. ALVARADO, TX. 76009 (817) 790-5000

Specifications for CP Silo Collectors at 6" Static Pressure

Model Number	CP-230-639	CP-300-839	CP-310-478	CP-380-1039	CP-450-678	CP-610-878
Number of Cartridges	6	8	4	10	6	8
Cartridge Diameter & Length	8"x39"	8"x39"	8"x78"	8"x39"	8"x78"	8"x78"
Number of Solenoids	2	2	2	2	2	2
Total Filtration Area	228	304	304	380	456	608
Min. Design Efficiency	99.99%	99.99%	99.99%	99.99%	99.99%	99.99%
Air to Cloth Ratio (ACFM/Ft.2)	3.5	5.3	5.3	5.3	5.5	4.9
Filtration Velocity (Ft./Min.)	3.5	5.3	2.6	5.3	5.5	4.9
Blower Horsepower (optional)	2	3	3	3	5	5
Static Pressure Drop (WC)	6"	6"	6"	6"	6"	6"
Normal Air Capacity	850	1600	1600	2000	2500	3000
Outlet Area (Ft.2)	0.196	0.64	0.64	0.81	0.79	1.00
Outlet Velocity (Ft./Sec.)	68.03	41.67	41.67	41.15	52.74	50.00
Outlet Moisture Content (Ideally)	0	0	0	0	0	0
Cleaning Mechanism	Pulse Jet w/ Timer					
*Inlet Dust Concentration	12,000	24,000	24,000	30,000	37,500	45,000
*Outlet Emissions (Gr/Min)	1.20	2.40	2.40	3.00	3.75	4.50
*Outlet Dust Loading (Gr/Cf)	0.0015	0.0015	0.0015	0.0015	0.0015	0.0015

^{*}These Calculations Based on Inlet Loading of 15 Gr. / Ft. 3

Your State Environmental Dept. may request additional information. If so, contact C & W Engineering

The Fabric Material is 100% Spun Bound Polyester

The Approximate Weight of the Filter Media is 8.1Oz.

Specifications for CP Silo Collectors at 6" Static Pressure

Model Number	CP-760-1078	CP-900-1278	CP-1220-1678	CP-1520-2078	CP-2250-3078
Number of Cartridges	10	12	16	20	30
Cartridge Diameter & Length	8"X 78"	8"X 78"	8"X 78"	8"X 78"	8"X 78"
Number of Solenoids	2	3	4	5	6
Total Filtration Area	760	912	1216	1520	2280
Min. Design Efficiency	99.99%	99.99%	99.99%	99.99%	99.99%
Air to Cloth Ratio (ACFM/Ft.2)	5.3	5.5	5.5	5.5	5.5
Filtration Velocity (Ft./Min.)	5.3	5.5	5.5	5.5	5.5
Blower Horsepower (optional)	7.5	10	15	20	25
Static Pressure Drop (WC)	6"	6"	6"	6"	6"
Normal Air Capacity	4,000	5,000	6,700	8,400	12,400
Outlet Area (Ft.2)	1.09	1.31	2.29	2.85	4.19
Outlet Velocity (Ft./Sec.)	61.16	63.61	48.76	49.12	49.32
Outlet Moisture Content (Ideally)	0	0	0	0	0
Cleaning Mechanism	Pulse Jet Nozzle W/Preset timer	Pulse Jet Nozzle W/Preset timer	Pulse Jet Nozzle W/Preset timer	Pulse Jet Nozzle W/Preset timer	Pulse Jet Nozzle W/Prese timer
*Inlet Dust Concentration	60,000	75,000	100,500	126,000	186,000
*Outlet Emissions (Gr/Min)	6.00	7.50	10.05	12.60	18.60
*Outlet Dust Loading (Gr/Cf)	0.0015	0.0015	0.0015	0.0015	0.0015

^{*}These Calculations Based on Inlet Loading of 15 Gr. / Ft. 3

Your State Environmental Dept. may request additional information. If so, contact C & W Engineering



CERTIFIED - RETURN RECEIPT REQ. 7009 0960 0000 2312 7596

August 31, 2009

Florida Dept. of Environmental Protection Receipts P. O. Box 3070 Tallahassee, FL 32315-3070

RE: General air permit modification for the CEMEX / Delray Beach ready-mix concrete facility (permit no. 0990002-004-AG).

Dear Sirs:

This letter is intended to serve as notification that our company plans to modify the dust collection systems at our Delray Beach concrete facility, which is located at 1700 West Atlantic Avenue, in Delray Beach, Florida.

Specifically, a single-compartment cement bin, which is currently served by the site's central dust collector, will be equipped with a C. & W. Dust Systems Model CP-305-839 cartridge dust collector. The newer unit is being transferred from our Pineda site, which has been permanently closed. All other dust collectors at the Delray Beach facility will remain unchanged.

In order to update the general air permit for this location, we have attached an FDEP Air General Permit Registration Form, a set of dust collector specifications and check no. 21882278 in the amount of \$100.00. A visible emissions test will be performed on the new dust collector within thirty days of its installation.

If you have any questions concerning the application or need additional data to complete your review, please contact us at (561) 820-8415.

Sincerely,

Jeffrey R. Porter

Environmental Manager

Page 2 FDEP / Receipts Delray Beach - AG Mod.

Attachments


CC:

J. Dutkin

C. Hickman

T. Mazzola D. Corrales

K. Arlington (Arlington Env.)
File (Delray Beach)



CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage

Return Receipt Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

Sent To
Florida Dept. of Environ: Protection

PS Form 3800, August 2006

Receipts - P. O. Box 3070

Tallahassee, FL 32315-3070

Florida Dept. of Environmental Protection Receipts P. O. Box 3070 Tallahassee, FL 32315-3070