

**CHROMIUM ELECTROPLATERS AND ANODIZERS
AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEET**

Facility Identification Number - If known (seven digit number)

0990434

0990434 - 004

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
- Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit). If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. (See "Surrender of Existing Air Operation Permit(s)" below.)
- Operates an existing facility not currently permitted or using an air general permit.

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
- Continue operating the facility after a change of ownership.
- Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C.
- Any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable

All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

KEVIN HENDRICKSON / MARK PLATING

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)

MARK PLATING

Facility Location (Physical location of the facility, not necessarily the mailing address.)

Street Address: 441 25TH STREET

City: WEST PALM BEACH

County: PALM BEACH

Zip Code: 33407

Facility Start-Up Date (Estimated start-up date of proposed **new** facility.)(N/A for existing facility.)

REVENUE ACCOUNTING
2112 SEP 13 PM 1:06
FACILITY REGISTRATION

Facility Contact

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: KEVIN J HENDRICKSON, PRESIDENT

Facility Contact Telephone Numbers

Telephone: 561-655-4370

Fax: 561-655-4552

Cell phone: 561-644-2893

E-mail: markplating@aol.com

Facility Contact Mailing Address

Organization/Firm: MARK PLATING

Mailing Address: 441 25TH STREET

City: WEST PALM BEACH

County: PALM BEACH

Zip Code: 33407

Correspondence Contact/Representative (to serve as additional Department contact)

Name and Position Title

Print Name and Title: KRISTI HENDRICKSON, VP

Correspondence Contact/Representative Telephone Numbers

Telephone: 561-655-4370

Fax: 561-655-4552

Cell phone: 561-644-2894

E-mail: markplating@aol.com

Correspondence Contact/Representative Mailing Address

Organization/Firm: MARK PLATING

Mailing Address: 441 25TH STREET

City: WEST PALM BEACH

County: PALM BEACH

Zip Code: 33407

Government Facility Code (check only one)

- Facility not owned or operated by a federal, state, or local government.
- Facility owned or operated by the federal government.
- Facility owned or operated by the state.
- Facility owned or operated by the county.
- Facility owned or operated by the municipality.
- Facility owned or operated by a water management district.

2012 SEP 13 PM 1:06
FINANCE & ACCOUNTING
REVENUE

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION

Facility Information

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

HARD CHROMIUM PLATING TANKS

none

DATE PURCHASED	UNIT CLASS (Check one)	DATE CONTROL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
	<input type="checkbox"/> New <input type="checkbox"/> Existing			Y
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			

Key for Control Device Type

- PBS = packed-bed scrubber
- CMP = composite mesh pad
- PBS/CMP = packed-bed scrubber and composite mesh pad
- FS = fume suppressant only
- FS/WA = fume suppressant with a wetting agent
- FM = fiber-bed mist eliminator
- WA = wetting agent

Applicable Standard Key

- a = 0.03 mg/dscm
- b = 0.015 mg/dscm
- c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes No

1. b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

DECORATIVE AND ANODIZING TANKS

DATE PURCHASED	UNIT CLASS (Check one)	DATE CONTROL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
12/16/1993	<input type="checkbox"/> New <input checked="" type="checkbox"/> Existing	12/16/1993	FS/WA	Y
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			
	<input type="checkbox"/> New <input type="checkbox"/> Existing			

FLORIDA DEPARTMENT OF
 ENVIRONMENTAL PROTECTION
 2012 SEP 13 PM 1:06
 MAKE REVENUE

Key for Control Device Type

PBS = packed-bed scrubber
CMP = composite mesh pad
PBS/CMP = packed-bed scrubber and composite mesh pad
FS = fume suppressant only
FS/WA = fume suppressant with a wetting agent
FM = fiber-bed mist eliminator
WA = wetting agent

Applicable Standard Key

x = 0.01 mg/dscm
y = 45 dynes/cm
z = records of bath components
(trivalent Cr tanks only)
c = alternative standard for multiple tanks
under common control

2. Indicate how the facility will fulfill the compliance demonstration (check one):

- The facility will conduct an initial performance test
- The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

Helpful Definitions

"Add-on Air Pollution Control Device" - Equipment installed in the ventilation system of chromium electroplating and anodizing tanks for the purpose of collecting and containing chromium emissions from the tank(s).

"Air Pollution Control Technique" - Any method, such as an add-on air pollution control device or a chemical fume suppressant, that is used to reduce chromium emissions from chromium electroplating and chromium anodizing tanks.

"Base Metal" - The metal or metal alloy that comprises the workpiece.

"Bath Component" - The trade or brand name of each component(s) in trivalent chromium plating baths. For trivalent chromium baths, the bath composition is proprietary in most cases. Therefore, the trade or brand name for each component(s) can be used; however, the chemical name of the wetting agent contained in that component must be identified.

"Chemical Fume Suppressant" - Any chemical agent that reduces or suppresses fumes or mists at the surface of an electroplating or anodizing bath; another term for fume suppressant is mist suppressant.

"Chromic Acid" - The common name for chromium anhydride (CrO₃).

"Chromium Anodizing" - The electrolytic process by which an oxide layer is produced on the surface of a base metal for functional purposes (e.g., corrosion resistance or electrical insulation) using a chromic acid solution. In chromium anodizing, the part to be anodized acts as the anode in the electrical circuit, and the chromic acid solution, with a concentration typically ranging from 50 to 100 grams per liter (g/L), serves as the electrolyte.

"Chromium Electroplating or Chromium Anodizing Tank" - The receptacle or container in which hard or decorative chromium electroplating or chromium anodizing occurs.

"Composite Mesh-pad System" - An add-on air pollution control device typically consisting of several mesh-pad stages. The purpose of the first stage is to remove large particles. Smaller particles are removed in the second stage, which consists of the composite mesh pad. A final stage may remove any retrained particles not collected by the composite mesh pad.

"Construction" - The fabrication (on-site), erection, or installation of a chromium electroplating or anodizing unit.

"Decorative Chromium Electroplating" - The process by which a thin layer of chromium (typically 0.003 to 2.5 microns) is electrodeposited on a base metal, plastic, or undercoating to provide a bright surface with wear and tarnish resistance. In this process, the part(s) serves as the cathode in the electrolytic cell and the solution serves as the electrolyte. Typical current density applied during this process ranges from 540 to 2,400 amperes per square meter (A/m²) for the total plating periods of 0.5 to 1.5 minutes.

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
2017 SEP 13 PM 1:06
FACILITY ACCOUNTING
REVENUE