



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

May 13, 1997

Mr. Philip Cohen  
Tropical Cleaners & Laundry  
9432 Lake Serena Drive  
Boca Raton, Florida 33405

Re: Facility No. 0990488

Dear Mr. Cohen:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on March 24, 1997.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

A handwritten signature in cursive script, appearing to read "Dotty Diltz".

Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Al Grasso, Palm Beach County

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

4

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 1:00 TIME OUT: 2:00 AIRS ID#: 20990488  
 TYPE OF FACILITY: Dry Cleaner  
 FACILITY NAME: Tropical Cleaners & Laundry DATE: 3-11-97  
 FACILITY LOCATION: 3318 S. Dixie Hwy  
W. Palm Beach, FL 33405  
 RESPONSIBLE OFFICIAL: Philip Cohen PHONE NUMBER: 833-3120

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
<u>Open muck cooker used to burn off waste water.</u>	

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 3/98  
(Approximate)

INSPECTION CONDUCTED BY: Robert G. Gallo  
(Please Print)

INSPECTOR'S SIGNATURE: Robert G. Gallo PHONE NUMBER: 355-4535

#0990488

Tropical Cleaners & Laundry

- spoke with Hal Gernstadt -  
4/17/1997

p.13 6. add title - President

7. add firm

9. add title - General Manager

p.15 5.(e) delete if needed

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	TROPICAL CLEANERS & LAUNDRY
2. Site Name (For example, plant name or number):	SOUTH DIXIE
3. Hazardous Waste Generator Identification Number:	980-843-288
4. Facility Location: Street Address: City: W. PALM BEACH County: PALM BEACH Zip Code: 33405	3318 SO. DIXIE HWY.
5. Facility Identification Number (DEP Use):	0990488

Responsible Official

6. Name and Title of Responsible Official:	PHILIP COHEN
7. Responsible Official Mailing Address: Organization/Firm: Street Address: City: BOCA RATON County: PALM BEACH Zip Code: 33496	9432 LAKE SERENA DRIVE
8. Responsible Official Telephone Number: Telephone: (561) 477-5139 Fax: (561) 488-7541	

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	HAL GERNSTADT
10. Facility Contact Address: Street Address: City: W. PALM BEACH County: PALM BEACH Zip Code: 33405	3318 SO. DIXIE HWY.
11. Facility Contact Telephone Number: Telephone: (561) 833-3120 Fax: (561) 833-7203	

RECEIVED

MAR 24 1997

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	#1	NOV95	NOV95						
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

- new  
small  
p.c. Existing small area source  New small area source
- Existing large area source  New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source.

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser


5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
No such units on-site

**Equipment Monitoring and Recordkeeping Information**

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration  ← DELETE 
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)


\_\_\_\_\_


No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

  
\_\_\_\_\_  
Signature

  
\_\_\_\_\_  
Date

ARM-54

PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0990488 DATE: 3-11-97 TIME IN: 1:00 TIME OUT: 2:00  
FACILITY NAME: Tropical Cleaners + Laundry  
FACILITY LOCATION: 3318 S. Dixie Hwy  
W. Palm Beach FL 33405

PART I: NOTIFICATION

(check appropriate box)  
1. Existing facility notified DARM by 9/1/96  3/11/97  
2. New facility notified DARM 30 days prior to startup   
3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

A	1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)	<input checked="" type="checkbox"/>
	3. Existing large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>	4. New large area source dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (constructed on or after 12/9/91)	<input type="checkbox"/>

This is a correct facility classification  Y  N

If no, please check the appropriate classification:

facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 101 gallons.



**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N
- 2. Examining the containers for leakage?  Y  N
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? *mid*  Y  N
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  
 Is the temperature differential equal to or greater than 20° F?  Y  N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
 Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

- Has the responsible official:  
(check appropriate boxes)
1. Maintained receipts for perc purchased?  Y  N
  2. Maintained rolling monthly averages of perc consumption?  Y  N
  3. Maintained leak detection inspection and repair reports for the following:
    - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N
    - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N
  4. Maintained calibration data? (for direct reading instruments only)  Y  N  N/A
  5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
  6. Maintained startup/shutdown/malfunction plan?  Y  N
  7. Maintained deviation reports?  Y  N  
 Problem corrected?  Y  N  N/A
  8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly leak detection and repair inspection?  Y  N



PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

ARMS ✓

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0990488 DATE: 2-17-98 TIME IN: 1:20 TIME OUT: 2:00

FACILITY NAME: Tropical Cleaners & Laundry

FACILITY LOCATION: 3318 S. Dixie Hwy  
WPB, FL 33405

RESPONSIBLE OFFICIAL: Hal Gernstadt PHONE: 833-3120

CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup

2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  No notification form  
(check appropriate box)  Drop store/out of business/petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  N Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 100 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

- |  |  |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Maintained receipts for perc purchased?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Maintained rolling monthly averages of perc consumption?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. Maintained leak detection inspection and repair reports for the following:  |   |
| a. documentation of leaks repaired w/in 24 hrs? or;  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments)  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/infunction plan?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 7. Maintained deviation reports?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Problem corrected?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  N/A
- Halogen leak detector  N/A
- If using direct-reading instrumentation, is the equipment:
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
  - b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
  - c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
  - d. Kept in a clean and secure area when not in use?  Y  N
  - e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Hal Bernstein  
Responsible Official's Name  
(Please Print)

Hal Bernstein  
Responsible Official's Signature

RVC Wokshi  
Inspector's Name (Please Print)

2-17-98  
Date of Inspection

RVC Cho  
Inspector's Signature

2-17-99  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

- |   | Yes                                 | NO                       |
|---|-------------------------------------|--------------------------|
| 1. Secondary Containment for: Dry Cleaning Machine & Storage area | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Waste area  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Spotting area Sealed  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Have Containers for the spotting area

- |   |                                     |                                     |
|---|-------------------------------------|-------------------------------------|
| 2. Disposal of Water from Water Separator using approved evaporator | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| or contracted Wastewater service                                    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

MCF picks up Waste once a month



✓ All

# DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#0990488

TROPICAL CLEANERS & LAUNDRY  
 PHILIP COHEN  
 9432 LAKE SERENA DRIVE  
 BOCA RATON FL 33496

Bureau of Air Monitoring  
& Mobile Sources

JAN 29 1998

RECEIVED

Do NOT Remove Label

Annual Reporting Period: \_\_\_\_\_ 19\_\_\_\_ TO \_\_\_\_\_ 19\_\_\_\_

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_


Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_  
Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Philip Cohen  1/12/98  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

✓

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 1:20 TIME OUT: 2:00 AIRS ID#: 0990488  
 TYPE OF FACILITY: Dry cleaning  
 FACILITY NAME: Tropical Cleaners & Laundry DATE: 2-17-98  
 FACILITY LOCATION: 3318 S. Dixie Hwy  
WPB, FL 33405  
 RESPONSIBLE OFFICIAL: Hal Geynsadt PHONE NUMBER: 833-3120

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

---

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 2-17-98

INSPECTION CONDUCTED BY: R V Chotshi (Approximate)

INSPECTOR'S SIGNATURE: R V Chotshi (Please Print) PHONE NUMBER: 355-3070

BEST AVAILABLE COPY

TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 9:40 TIME OUT: 10:30 AIRS ID#: 0990488  
 TYPE OF FACILITY: Dry Cleaning  
 FACILITY NAME: Tropical Cleaners & Laundry DATE: 1-20-99  
 FACILITY LOCATION: 3318 S. Dixie Hwy  
WPB, FL 33405  
 RESPONSIBLE OFFICIAL: HAL Gernst PHONE NUMBER: 833-3120

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: Jan 2000  
(Approximate)

INSPECTION CONDUCTED BY: R V Chokshi  
(Please Print)

INSPECTOR'S SIGNATURE: R V Chokshi PHONE NUMBER: 355-3077

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

ARMS

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 0990488 DATE: 1-20-99 TIME IN: 9:40 TIME OUT: 10:30  
FACILITY NAME: Tropical Cleaners & Laundry  
FACILITY LOCATION: 3318 S. Dixie Hwy  
WPB, FL 33405  
RESPONSIBLE OFFICIAL: Philip Cohen PHONE: 833-3120  
CONTACT NAME: HAL GERNSTADT PHONE:

PART I: NOTIFICATION

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:  No notification form  
(check appropriate box)  Drop store/out of business/petroleum

- A.
- 1. Existing small area source   
dry-to-dry only,  $x < 140$  gal/yr  
transfer only,  $x < 200$  gal/yr  
both types,  $x < 140$  gal/yr  
(constructed before 12/9/91)
  - 2. New small area source   
dry-to-dry only,  $x < 140$  gal/yr  
transfer only,  $x < 200$  gal/yr  
both types,  $x < 140$  gal/yr  
(constructed on or after 12/9/91)
  - 3. Existing large area source   
dry-to-dry only,  $140 \leq x \leq 2,100$  gal/yr  
transfer only,  $200 \leq x \leq 1,800$  gal/yr  
both types,  $140 \leq x \leq 1,800$  gal/yr  
(constructed before 12/9/91)
  - 4. New large area source   
dry-to-dry only,  $140 \leq x \leq 2,100$  gal/yr  
transfer only,  $200 \leq x \leq 1,800$  gal/yr  
both types,  $140 \leq x \leq 1,800$  gal/yr  
(constructed on or after 12/9/91)
  - 5. This is a correct facility classification   N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 125 gallons. for 1998

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  N/A
- Halogen leak detector  N/A
- If using direct-reading instrumentation, is the equipment:
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

HAL GERNSTADT  
Responsible Official's Name  
(Please Print)

*Hal Gernstadt*  
Responsible Official's Signature

R.V. Chokshi  
Inspector's Name (Please Print)

1-20-99  
Date of Inspection

*R.V. Chokshi*  
Inspector's Signature

Jan 2000  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

- |   | Yes                                 | NO                       |
|---|-------------------------------------|--------------------------|
| 1. Secondary Containment for: Dry Cleaning Machine & Storage area | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Waste area  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Spotting area Sealed  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Hal says Spotting area is ~~is~~ sealed  
and installed secondary containment  
around Spotting area for better soil protection

- |   |                                     |                          |
|---|-------------------------------------|--------------------------|
| 2. Disposal of Water from Water Separator using approved evaporator | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| or contracted Wastewater service                                    | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

MCF picks up the waste



TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 9:35 TIME OUT: 10:50 AIRS ID#: 0990488  
 TYPE OF FACILITY: Dry Cleaning  
 FACILITY NAME: Tropical Cleaners DATE: 2/7/00  
 FACILITY LOCATION: 3318 S. Dixie Highway  
 West Palm Beach, FL 33405  
 RESPONSIBLE OFFICIAL: Hal Geerstast PHONE NUMBER: 833-3120

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED  
 MAR - 6 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

COMMENTS: Facility has changed classification size from a new small area to a new large area. Leak check logs must be performed on a weekly basis. Temperature monitoring logs of the refrigerated condenser must also be performed on a weekly basis. Facility already performs weekly inspections.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: Feb 2001  
(Approximate)

INSPECTION CONDUCTED BY: Jeffrey Dizek  
(Please Print)

INSPECTOR'S SIGNATURE: Jeffrey Dizek PHONE NUMBER: 355-3070 XT 1139

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:      ANNUAL                            COMPLAINT/DISCOVERY        
    RE-INSPECTION                     

AIRS ID#: <u>0910488</u>	DATE: <u>2/7/00</u>	TIME IN: <u>9:35</u>	TIME OUT: <u>10:50</u>
FACILITY NAME: <u>Tropical Cleaners</u>			
FACILITY LOCATION: <u>3318 S. Dixie Highway</u> <u>West Palm Beach, FL 33405</u>			
RESPONSIBLE OFFICIAL: <u>Hal Geerstast</u>		PHONE: <u>833 - 3120</u>	
CONTACT NAME: _____		PHONE: _____	

<b>PART I: NOTIFICATION</b>	
(check appropriate box)	
1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (check appropriate box)	<input type="checkbox"/> No notification form <input type="checkbox"/> Drop store/out of business/petroleum
A.	
1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)
5. This is a correct facility classification <input type="checkbox"/> Y <input checked="" type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number _____ above <input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit <input checked="" type="checkbox"/> Facility has changed to a new large area source.	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>342</u> gallons. <u>for 1999</u>	

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                               | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

ADDITIONAL SITE INFORMATION:

- |   | Yes                                 | NO                       |
|---|-------------------------------------|--------------------------|
| 1. Secondary Containment for: Dry Cleaning Machine & Storage area | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Waste area  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Spotting area Sealed  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

(A) SPOTTING AREA USES A SECONDARY CONTAINMENT PAN.

- |   |                                     |                                     |
|---|-------------------------------------|-------------------------------------|
| 2. Disposal of Water from Water Separator using approved evaporator | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| or contracted Wastewater service                                    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

- (A) Pipe venting mist from still. manager, me. Geerstast will have repaired ASAP. Requested me. Geerstast phone me and provide documentation when repair is performed.
- (B) Called me. Geerstast on 2/14/00 who verified that LEAK (pipe venting mist) has been repaired.
- (C) Facility already performs weekly inspections for leaks and condenser temperature monitoring.

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)  NA
- Halogen leak detector  NA
- If using direct-reading instrumentation, is the equipment:
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

HAL GERNSTADT  
 Responsible Official's Name  
 (Please Print)

[Signature]  
 Responsible Official's Signature

Jeffrey Dirak  
 Inspector's Name (Please Print)

2/7/00  
 Date of Inspection

Jeffrey Dirak  
 Inspector's Signature

Feb 2001  
 Approximate Date of Next Inspection

ACC

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: <u>TROPICAL DRY LAUNDRY</u>	DATE: <u>FEB 10 2000</u>
FACILITY LOCATION: <u>3318 So. Dixie Hwy</u>	
<u>UPB-33905</u>	

Annual Reporting Period: \_\_\_\_\_ 20 \_\_\_\_\_ TO \_\_\_\_\_ FEB 10 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

RECEIVED  
 MAR - 6 2000  
 Bureau of Air Monitoring  
 of Mobile Sources

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: HAL GERNSTAOT [Signature] FEB 10 2000

Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

412492 JAN 22002 X

RECEIVED

JAN - 4 1998

Do **NOT** Remove Label

AIRS ID# 0990488  
 TROPICAL CLEANERS - SOUTH DIXIE  
 PHILIP COHEN  
 9432 LAKE SERENA DRIVE  
 BOCA RATON FL  
 33496

Bureau of Administration  
 & Mobile Computing  
 FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: A1  
 Fund: 20-2-035001  
 Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

300937

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

RECEIVED  
MAIL ROOM

JAN 27 98

Do **NOT** Remove Label

AIRS ID#0990488  
 TROPICAL CLEANERS & LAUNDRY  
 PHILIP COHEN  
 9432 LAKE SERENA DRIVE  
 BOCA RATON FL 33496

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: B1  
 Fund: 20-2-035001  
 Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

399906

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

*pd*  
*12-14-00*

Do NOT Remove Label

AIRS ID # 0990488  
 TROPICAL CLEANERS - SOUTH DIXIE  
 PHILIP COHEN  
 9432 LAKE SERENA DRIVE  
 BOCA RATON FL 33496

Bureau of Air Monitoring  
& Mobile Sources

DEC 14 2000

RECEIVED

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: A1  
 Fund: 20-2-035001  
 Obj.: 002273

RECEIVED  
MAIL ROOM  
DEC 14 2000



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0355728

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00



Do NOT Remove Label

AIRS ID # 0990488  
 TROPICAL CLEANERS - SOUTH DIXIE  
 PHILIP COHEN  
 9432 LAKE SERENA DRIVE  
 BOCA RATON FL 33496

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: B1  
 Fund: 20-2-035001  
 Obj.: 002273

RECEIVED  
MAIL ROOM  
DEC 30 98

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389194

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 0990488  
TROPICAL CLEANERS - SOUTH DIXIE  
PHILIP COHEN  
9432 LAKE SERENA DRIVE  
BOCA RATON FL 33496

Bureau of Air Monitoring  
& Mobile Sources

DEC 10 1999

RECEIVED

DEC - 8 99

RECEIVED  
MAIL ROOM

FOR GOVERNMENT USE ONLY  
Org.: 3750101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

U.S. Postal Service  
**CERTIFIED MAIL RECEIPT**  
 (Domestic Mail Only; No Insurance Coverage Provided)

**OFFICIAL USE**

7000 2870 0000 7027 4411

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

*McCart*  
 Postmark Here

Total Postage \$ 10  
 AIRS ID # 0990488001AG  
 Sent To PHILIP COHEN  
 TROPICAL CLEANERS - SOUTH DIXIE  
 Street, Apt. No. 9432 LAKE SERENA DRIVE  
 City, State, ZIP+ BOCA RATON FL 33496

PS Form 3800, May 2000 See Reverse for Instructions

TO THE RIGHT OF ENVELOPE TURN ADDRESS

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

10 AIRS ID # 0990488001AG  
 PHILIP COHEN  
 TROPICAL CLEANERS - SOUTH DIXIE  
 9432 LAKE SERENA DRIVE  
 BOCA RATON FL 33496

2. Article Number (Copy from service label)  
*70002870000070274411*

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by (Please Print Clearly) B. Date of Delivery  
 C. Signature *[Signature]*  Agent  
 Addressee  
 D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No  
 2/9/02

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes