



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

November 15, 1996

Mr. Anayat Nagyi  
Bayside Cleaners  
11270 4th Street North  
St. Petersburg, Florida 33716

Re: Facility I.D. No. 1030323

Dear Mr. Nagyi:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on September 3, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Gary Robbins, Pinellas County

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

AIRS ID#: <u>1030323</u>	DATE: <u>11/21/97</u>	TIME IN: <u>10:35am</u>	TIME OUT: <u>11:03am</u>
FACILITY NAME: <u>Bayside Dry Cleaners</u>			
FACILITY LOCATION: <u>11270 4th St N</u> <u>St Petersburg, FL</u>			
RESPONSIBLE OFFICIAL: <u>Anayat Nagyi</u>		PHONE: <u>578-1087</u>	
CONTACT NAME: <u>Gulfrin Ali</u>		PHONE: <u>578-1087</u>	

RECEIVED  
 Bureau of Air Monitoring  
 DEC - 1 1997  
 2716  
 578-1087

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
 (check appropriate box)

<input checked="" type="checkbox"/> Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/> New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
<input type="checkbox"/> Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/> New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

<input type="checkbox"/> facility qualified for a general permit as number _____ above
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 63 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |  |
|--|--|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                               | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y <input type="checkbox"/> N                              |

**B. Has the responsible official of an existing large or new large area source also:**

- |  |  |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)


- |  |   |
|--|---|
| 1. Maintained receipts for perc purchased?   | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 2. Maintained rolling monthly averages of perc consumption?  | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N                              |
| 3. Maintained leak detection inspection and repair reports for the following:  |   |
| a. documentation of leaks repaired w/in 24 hrs? or;  | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N <input type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments)  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 7. Maintained deviation reports?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Problem corrected?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A            |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
 Inspector's Name (Please Print)

11/21/97  
 Date of Inspection

  
 Inspector's Signature

12/5/97  
 Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

- Leak log not maintained
- Purchase (Perc) rolling avg  
not maintained
- Purchase receipts not maintained
- Advisory Letter to be sent

✓

## TITLE V AIR QUALITY AIR GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: <u>1030323 001</u>	DATE: <u>10/7/98</u>	TIME IN: <u>11:45 a.m.</u>	TIME OUT: <u>12:20 p.m.</u>
FACILITY NAME: <u>Bayside Drycleaners</u>			
FACILITY LOCATION: <u>11270 4th St. N</u> <u>St. Petersburg, FL, 33716</u>			
RESPONSIBLE OFFICIAL: <u>Anayat Nagji</u>		Phone No.: _____	
Permit No. <u>1030323-001-AG</u>	Exp. Date: <u>09/30/2001</u>		

RECEIVED  
 NOV 2 2 1998  
 Bureau of Air Monitoring & Mobile Sources


- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

### Inspection Summary Report Guidance

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input checked="" type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input checked="" type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: 12 month consecutive total not maintained <sup>missing:</sup> ~~for~~ Aug + Sept 1998.  
 Bi-weekly leak log not maintained, missing: March 2, 1998, April 13, 1998,  
 April 27, 1998, May 10, 1998, May 25, 1998,  
 June 8, 1998, June 22, 1998, July 6, 1998, July 20, 1998, August 3, 1998,  
 August 17, 1998, September 7, 1998, September 21, 1998 + October 5, 1998  
 If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective records.  
 measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper  
 corrective actions have been taken.

Inspection Conducted by: Jeffrey Morris  
 Inspector's Signature:   
 Phone Number: 464-4422



**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

AIRS ID#: <u>1030323 001</u>	DATE: <u>10/7/98</u>	TIME IN: <u>11:45a.m.</u>	TIME OUT: <u>12:20p.m.</u>
FACILITY NAME: <u>Bayside Drycleaners</u>			
FACILITY LOCATION: <u>11270 4th St. N</u> <u>St. Petersburg, FL, 33716</u>			
RESPONSIBLE OFFICIAL: <u>Anayat Nagji</u>		PHONE: <u>578-1087</u>	
CONTACT: <u>Gulfrin Ali</u>		PHONE: <u>578-1087</u>	

**PART I: NOTIFICATION**

(Check appropriate box)

- 1. Existing facility notified DARM By 9/1/96
- 2. New facility notified DARM 30 days prior to startup
- 3. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(Check appropriate box)

- No notification form
- Drop store / out of business / petroleum

- A.
- |   |  |
|---|--|
| <p>1. Existing small area source <input checked="" type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(Constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr<br/>transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr<br/>both types, <math>140 &lt; x &lt; 1,800</math> gal/yr<br/>(Constructed before 12/9/91)</p> | <p>2. New small area source <input type="checkbox"/><br/>dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>transfer only, <math>x &lt; 200</math> gal/yr<br/>both types, <math>x &lt; 140</math> gal/yr<br/>(Constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/><br/>dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr<br/>transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr<br/>both types, <math>140 &lt; x &lt; 1,800</math> gal/yr<br/>(Constructed on or after 12/9/91)</p> |
|---|--|

This is a correct facility classification:  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 95 gallons.

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  NA
2. Examining the containers for leakage?  Y  N  NA
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  NA
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  NA  
Is the temperature differential equal to or greater than 20° F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  NA  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? (for direct reading instrument only)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA  
Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

10/7/98  
Date of Inspection

[Signature]  
Inspector's Signature

4/15/99  
Approximate Date of Next Inspection

FACILITY DETAILS:

FACILITY NAME: Bayside Dry Cleaners

Dry Cleaning Machine #1:

Manufacturer Forenta/Miraclean Capacity 45 lbs  
Model# 345 Serial# \_\_\_\_\_ Mfg yr 1992

Dry Cleaning Machine #2:

Manufacturer \_\_\_\_\_ Capacity \_\_\_\_\_ lbs  
Model# \_\_\_\_\_ Serial# \_\_\_\_\_ Mfg yr \_\_\_\_\_

Boiler:

Manufacturer Hurst Hp 150  
Model # 734 Serial # V60-150-18 Mfg yr 1989  
Fuel Type: Natural gas?  propane?  fuel oil?

Notification (unpermitted sources only):

- 1. Was the facility assisted in filling out the notification by the inspector?  Y  N  N/A
- 2. Did the facility insist on filling out its own notification, and will send it to FDEP?  Y  N  N/A

Record keeping :

- 1. Does facility have statement/specs as to the design accuracy of the temperature sensor?  Y  N  N/A  
(temperature of 45°F w/accuracy ±2°F, or 7.2°C w/accuracy of ±1.1°C)

Hazardous Waste:

- 1. Is all perc. contaminated wastewater either treated or disposed of properly?  Y  N
- 2. If wastewater is evaporated, is it an approved system, and using carbon filtration?  Y  N
- 3. Does the facility have secondary containment for the dry-dry machine?  Y  N
- 4. Does the facility have secondary containment for any perc. waste containers?  Y  N

Comments:

12 month consecutive total not maintained  
missing: Aug & Sept.

Bi-weekly leak log not maintained

missing: 3/2/98, March 2, 1998, March 16, 1998, <sup>pm</sup>

April 13, 1998, April 27, 1998, May, 11, 1998, May 25, 1998

June 8, 1998, June 22, 1998, July 6, 1998, July 20, 1998

August 3, 1998, August 17, 1998, September 7, 1998,

September 21, 1998, October 5, 1998.

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	Bayride Cleaners (Bayride Sun Inc.)		
2. Site Name (For example, plant name or number):	Bayride Cleaners		
3. Hazardous Waste Generator Identification Number:	FLD 980847271 FLD-CE50G		
4. Facility Location:	Street Address: 11270, 4th STREET NORTH City: ST. PETERSBURG County: PINELLAS Zip Code: 33716		
5. Facility Identification Number (DEP Use):	1030323		

## Responsible Official

6. Name and Title of Responsible Official:	ANAYAT NAGJI		
7. Responsible Official Mailing Address:	Organization/Firm: Street Address: Same as above City: County: Zip Code:		
8. Responsible Official Telephone Number:	Telephone: (813) 578-1087 Fax: ( ) -		

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):			
10. Facility Contact Address:	Street Address: City: County: Zip Code:		
11. Facility Contact Telephone Number:	Telephone: ( ) Fax: ( ) -		

# 1030323

9-30 Spoke to Bayside  
Cleaners - Anayat  
Nagy is the  
Vice President.

P.13

6. add title - Vice President

P.14

- 1.(c) should not be marked
3. new small area source  
should be marked

P.15

4. new small (r.c. should  
be marked

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	#1	1/96	1/96						
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source



4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
No such units on-site

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form: specifically, permit number(s) \_\_\_\_\_

No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Signature



Date

8/25/96

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION:    ANNUAL                        COMPLAINT/DISCOVERY      
                                  RE-INSPECTION                   

AIRS ID#: 1030323    DATE: 10/15/97    TIME IN: 11:15 a.m.    TIME OUT: 12:30 p.m.  
 FACILITY NAME: Bayside Cleaners  
 FACILITY LOCATION: 11270 4th St N  
                                  St Petersburg, FL 33716  
 RESPONSIBLE OFFICIAL: Anoyat Nagy    PHONE: 578-1087  
 CONTACT NAME: Gulfrin Ali    PHONE: 578-1087

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup                      
 2. Facility failed to notify DARM to use general permit                   

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:                     No notification form  
 (check appropriate box)                     Drop store/out of business/petroleum

A.

1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification                     Y     N     Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 63 gallons.  
63

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers), with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)


1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or,  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- ~~e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N~~

Jeff Morris  
Inspector's Name (Please Print)

10/15/97  
Date of Inspection

  
Inspector's Signature

10/29/97  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Forenta  
Miraclean 345  
40 lb capacity

- Purchase (perc) receipts need to be in chronological order (Jan. 96 - Oct. 97)
- Rolling average (12 month) total of perc purchase is needed
- Maintain a bi-weekly leak log.
- Need startup, shutdown or malfunction plan or operators manual for machine.

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: <u>1030323 001</u>	DATE: <u>3/30/99</u>	TIME IN: <u>6:45 a.m.</u>	TIME OUT: <u>2:05 p.m.</u>
<div style="position: absolute; top: -50px; left: 50%; transform: translate(-50%, -50%); opacity: 0.5; font-size: 2em; font-weight: bold;">RECEIVED</div> <div style="position: absolute; top: -20px; left: 50%; transform: translate(-50%, -50%); opacity: 0.5; font-size: 1.2em;">APR 9 1999</div> <div style="position: absolute; top: 10px; left: 50%; transform: translate(-50%, 50%); opacity: 0.5; font-size: 0.8em;">Bureau of Air Monitoring &amp; Mobile Sources</div>			
FACILITY NAME: <u>Bayside Drycleaners</u>			
FACILITY LOCATION: <u>11270 4th St. N</u> <u>St. Petersburg, FL, 33716</u>			
RESPONSIBLE OFFICIAL: <u>Anayat Nagji</u>		Phone No.: <u>578-1087</u>	
Permit No. <u>1030323-001-AG</u>		Exp. Date: <u>09/30/2001</u>	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

**Inspection Summary Report Guidance**

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.




	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimers) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylene-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: \_\_\_\_\_

\_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: 

Phone Number: 464-4422

✓

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

**AIRS ID#:** 1030323 001      **DATE:** 3/30/99      **TIME IN:** 1:17 p.m.      **TIME OUT:** 2:05 p.m.

**FACILITY NAME:** Bayside Drycleaners

**FACILITY LOCATION:** 11270 4th St. N  
St. Petersburg, FL, 33716

**RESPONSIBLE OFFICIAL:** Anayat Nagji      **PHONE:** 578-1087

**CONTACT:** \_\_\_\_\_      **PHONE:** \_\_\_\_\_

**PART I: NOTIFICATION**

(Check appropriate box)

- |   |                                     |
|---|-------------------------------------|
| 1. Existing facility notified DARM By 9/1/96            | <input checked="" type="checkbox"/> |
| 2. New facility notified DARM 30 days prior to startup  | <input type="checkbox"/>            |
| 3. Facility failed to notify DARM to use general permit | <input type="checkbox"/>            |

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(Check appropriate box)

- |   |
|---|
| <input type="checkbox"/> No notification form                     |
| <input type="checkbox"/> Drop store / out of business / petroleum |

- |   |  |
|---|--|
| <p>A.</p> <p>1. Existing small area source <input checked="" type="checkbox"/><br/>dry-to-dry only, x &lt; 140 gal/yr<br/>transfer only, x &lt; 200 gal/yr<br/>both types, x &lt; 140 gal/yr<br/>(Constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/><br/>dry-to-dry only, 140 &lt; x &lt; 2,100 gal/yr<br/>transfer only, 200 &lt; x &lt; 1,800 gal/yr<br/>both types, 140 &lt; x &lt; 1,800 gal/yr<br/>(Constructed before 12/9/91)</p> | <p>2. New small area source <input type="checkbox"/><br/>dry-to-dry only, x &lt; 140 gal/yr<br/>transfer only, x &lt; 200 gal/yr<br/>both types, x &lt; 140 gal/yr<br/>(Constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/><br/>dry-to-dry only, 140 &lt; x &lt; 2,100 gal/yr<br/>transfer only, 200 &lt; x &lt; 1,800 gal/yr<br/>both types, 140 &lt; x &lt; 1,800 gal/yr<br/>(Constructed on or after 12/9/91)</p> |
|---|--|

This is a correct facility classification:  Y     N     Can not determine

If no, please check the appropriate classification:

- |   |
|---|
| <input type="checkbox"/> facility qualified for a general permit as number _____ above          |
| <input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit |

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 73.8 gallons.

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  NA
2. Examining the containers for leakage?  Y  N  NA
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  NA  
Is the temperature differential equal to or greater than 20° F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  NA  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? (for direct reading instrument only)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA  
Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent of exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

3/30/99  
Date of Inspection

Jeff Morris  
Inspector's Signature

5/30/99  
Approximate Date of Next Inspection

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Bayside Drycleaners DATE: 10/8/99
FACILITY LOCATION: 11270 4th St. N. St. Petersburg, FL 33716

Annual Reporting Period: March 30, 1999 TO October 8, 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. [X] YES [ ] NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

RECEIVED NOV 12 1999 Bureau of Air Monitoring & Mobile Sources

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Gulfarin Ali (Name) Gulfarin Ali (Signature) 10-8-99 (Date)

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: <u>1030323 001</u>	DATE: <u>10/8/99</u>	TIME IN: <u>10:27a.m</u>	TIME OUT: <u>11:17a.m.</u>
FACILITY NAME: <u>Bayside Drycleaners</u>			
FACILITY LOCATION: <u>11270 4th St. N</u> <u>St. Petersburg, FL, 33716</u>			
RESPONSIBLE OFFICIAL: <u>Anayat Nagji</u>		Phone No.: <u>578-1087</u>	
Permit No. <u>1030323-001-AG</u>	Exp. Date: <u>09/30/2001</u>		

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

**Inspection Summary Report Guidance**

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.


	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: \_\_\_\_\_

\_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: 

Phone Number: 464-4402



✓

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

**TYPE OF INSPECTION:** ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

**AIRS ID#:** 1030323 001      **DATE:** 10/8/99      **TIME IN:** 10:27am      **TIME OUT:** 11:17am

**FACILITY NAME:** Bayside Drycleaners

**FACILITY LOCATION:** 11270 4th St. N  
St. Petersburg, FL, 33716

**RESPONSIBLE OFFICIAL:** Anayat Nagji      **PHONE:** 578-1087

**CONTACT:** Gulfrin Ali      **PHONE:** 578-1087

**PART I: NOTIFICATION**

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96

2. New facility notified DARM 30 days prior to startup

3. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(Check appropriate box)

<p>A.</p> <p>1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, x &lt; 140 gal/yr transfer only, x &lt; 200 gal/yr both types, x &lt; 140 gal/yr (Constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 &lt; x &lt; 2,100 gal/yr transfer only, 200 &lt; x &lt; 1,800 gal/yr both types, 140 &lt; x &lt; 1,800 gal/yr (Constructed before 12/9/91)</p>	<p><input type="checkbox"/> No notification form</p> <p><input type="checkbox"/> Drop store / out of business / petroleum</p> <p>2. New small area source <input type="checkbox"/> dry-to-dry only, x &lt; 140 gal/yr transfer only, x &lt; 200 gal/yr both types, x &lt; 140 gal/yr (Constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/> dry-to-dry only, 140 &lt; x &lt; 2,100 gal/yr transfer only, 200 &lt; x &lt; 1,800 gal/yr both types, 140 &lt; x &lt; 1,800 gal/yr (Constructed on or after 12/9/91)</p>
---	--

This is a correct facility classification:  Y     N     Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number \_\_\_\_\_ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 92.2 gallons.  
92

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |  |                                       |                            |  |
|--|---------------------------------------|----------------------------|--|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 2. Examining the containers for leakage?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 3. Closing and securing machine doors except during loading/unloading?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |  |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                      | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

- |  |                            |                            |                             |
|--|----------------------------|----------------------------|-----------------------------|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                 | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?             | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                           | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  NA  
Is the temperature differential equal to or greater than 20°F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  NA  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? (for direct reading instrument only)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA  
Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

10/8/99  
Date of Inspection

Jeffrey Thomas  
Inspector's Signature

4/8/2000  
Approximate Date of Next Inspection

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION:      ANNUAL       COMPLAINT/DISCOVERY       RE-INSPECTION

TIME IN: 11:15 a.m.	TIME OUT: 12:30 p.m.	AIRS ID# <b>1030323 001</b>
TYPE OF FACILITY: <b>Perchloroethylene Dry Cleaner</b>		
FACILITY NAME: <b>Bayside Drycleaners</b>	DATE: October 15, 1997	
FACILITY LOCATION : <b>11270 4th St. N, St. Petersburg, FL 33716</b>		
RESPONSIBLE OFFICIAL: <b>Anayat Nagyi</b>	PHONE NUMBER:(813) 578-1087	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
Monthly purchase records were not maintained as a twelve month rolling average.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a twelve month rolling average.
Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

The Annual Compliance Certification form has been properly certified and submitted to the inspector.      Yes       No

DATE OF NEXT INSPECTION: October 29, 1997  
(Approximate)

INSPECTION CONDUCTED BY: Jeffrey Morris  
(Please Print)

INSPECTOR'S SIGNATURE:       PHONE NUMBER: 464-4422

✓

## TITLE V AIR QUALITY AIR GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:      ANNUAL                       COMPLAINT/DISCOVERY                       RE-INSPECTION

TIME IN: 9:55 a.m.	TIME OUT: 10:55 a.m.	AIRS ID#: 1030323 001
TYPE OF FACILITY: <b>Perchloroethylene Dry Cleaner</b>		
FACILITY NAME: <b>Bayside Drycleaners</b>	DATE: December 8, 1997	
FACILITY LOCATION : <b>11270 4th St. N, St. Petersburg, FL 33716</b>		
RESPONSIBLE OFFICIAL: <b>Anayat Nagyi</b>	PHONE NUMBER: (813) 578-1087	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

The Annual Compliance Certification form has been properly certified and submitted to the inspector.      Yes       No

DATE OF NEXT INSPECTION: June 8, 1998

(Approximate)

INSPECTION CONDUCTED BY: Jeff Morris

(Please Print)

INSPECTOR'S SIGNATURE:       PHONE NUMBER: 464-4422

all 301887

# DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#1030323
BAYSIDE SUN INC ANAYAT NAGJI 11270 4TH STREET NORTH ST PETERSBURG FL 33716

Do **NOT** Remove Label

RECEIVED  
MAIL ROOM  
FEB - 6 93

Annual Reporting Period: \_\_\_\_\_ 19\_\_\_\_ TO \_\_\_\_\_ 19\_\_\_\_

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

RECEIVED  
FEB 10 1998  
Bureau of Air Monitoring  
& Mobile Sources

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: ANAYAT NAGJI ANAYAT NAGJI 1-2-98  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

✓

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

AIRS ID#: 1030323 DATE: 12/8/97 TIME IN: 9:55 a.m. TIME OUT: 10:18 a.m.  
 FACILITY NAME: Bayside Cleaners  
 FACILITY LOCATION: 11270 4th St N  
St Petersburg, FL 33716  
 RESPONSIBLE OFFICIAL: Anayat Nagyi PHONE: 578-1087  
 CONTACT NAME: Gulfrin Ali PHONE: 578-1087

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup   
 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  No notification form  
 (check appropriate box)  Drop store/out of business/petroleum

A.

1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 63 gallons.



**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |                                       |                            |   |
|---|---------------------------------------|----------------------------|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |   |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |                            |                            |                              |
|--|----------------------------|----------------------------|------------------------------|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y | <input type="checkbox"/> N |                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input type="checkbox"/> Y | <input type="checkbox"/> N |                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                               | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input type="checkbox"/> Y | <input type="checkbox"/> N |                              |

**BEST AVAILABLE COPY**

**B. Has the responsible official of an existing large or new large area source also:**

- |  |  |
|--|--|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)


- |  |   |
|--|---|
| 1. Maintained receipts for perc purchased?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Maintained rolling monthly averages of perc consumption?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. Maintained leak detection inspection and repair reports for the following:  |   |
| a. documentation of leaks repaired w/in 24 hrs? or;  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments)  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 7. Maintained deviation reports?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Problem corrected?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A            |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

12/8/97  
Date of Inspection

  
Inspector's Signature

\_\_\_\_\_  
Approximate Date of Next Inspection

**ADDITIONAL SITE INFORMATION:**

[Empty rectangular box for additional site information]

DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

RECEIVED

MAR 11 1998

Bureau of Air Monitoring  
& Mobile Sources

AIRS ID 1030323
BAYSIDE SUN INC ANAYAT NAGJI 11270 4TH STREET NORTH ST PETERSBURG FL 33716

Do NOT Remove Label

Annual Reporting Period: SAW ~~1996~~ 1996 TO SAW 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: ANAYAT NAGSI [Signature]  
Name (Please Print) Signature

Bureau of Air Monitoring  
& Mobile Sources  
MAR 11 1998  
Date

RECEIVED

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

ACC

AIRS ID#: 1030323

Revised 10/10/9

DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Bayside Cleaners DATE: 10/7/98  
FACILITY LOCATION: 11270 4th St. N.  
St. Petersburg, FL 33716

Annual Reporting Period: October 15, 1997 TO October 7, 1998

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Monthly purchase records were not maintained as a twelve month total.

Exact period of non-compliance: from July 7, 1998 to October 7, 1998

Action(s) taken to achieve compliance: Maintain monthly purchase records as a consecutive twelve month total

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Did not maintain a log of leak detection inspection and repair records

Exact period of non-compliance: from April 13, 1998 to October 7, 1998

Action(s) taken to achieve compliance: Maintain a bi-weekly log of leak detection and repair records.

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Gulfrin Ali Gulfrin Ali 10-7-98  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Bayside Drycleaners DATE: 4/10/00

FACILITY LOCATION: 11270 4th St. N.

St. Petersburg, FL 33716

RECEIVED  
Bureau of Air Monitoring  
& Mobile Sources  
3-8-2000

Annual Reporting Period: October 8, 1999 TO April 10, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: Gulfrin Ali Gulfrin Ali 4-10-00  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

**AIRS ID#:** 1030323      **DATE:** 4/10/00      **TIME IN:** 10:17 a.m.      **TIME OUT:** 11:23 a.m.

**FACILITY NAME:** Bayside Drycleaners

**FACILITY LOCATION:** 11270 4th Street North  
St. Petersburg, FL, 33716

**RESPONSIBLE OFFICIAL:** Anayat Nagji      Phone No.: 578-1087

**Permit No.** 1030323-001-AG      **Exp. Date:** 09/03/2001

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

**Inspection Summary Report Guidance**


	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.



	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a); of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

**Comments:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: \_\_\_\_\_ Jeff Morris  
 Inspector's Signature: \_\_\_\_\_   
 Phone Number: \_\_\_\_\_ 464-4422

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

AIRS ID#: <u>103 0323</u>	Date: <u>4/10/00</u>	TIME IN: <u>10:17 a.m.</u>	TIME OUT: <u>11:01 a.m.</u>
FACILITY NAME: <u>Bayside Drycleaners</u>			
FACILITY LOCATION: <u>11270 4th Street North</u> <u>St. Petersburg, FL, 33716</u>			
RESPONSIBLE OFFICIAL: <u>Anayat Nagji</u>		PHONE: <u>578-1087</u>	
CONTACT: <u>Anayat Nagji</u> <sup>for</sup> <u>Gulferin Ali</u>		PHONE: <u>578-1087</u>	

<b>PART I: NOTIFICATION</b>	
(Check appropriate box)	
1. Existing facility notified DARM By 9/1/96	<input checked="" type="checkbox"/>
2. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
3. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (Check appropriate box)	
<p>A.</p> <p>1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (Constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr both types, <math>140 &lt; x &lt; 1,800</math> gal/yr (Constructed before 12/9/91)</p>	<p><input type="checkbox"/> No notification form</p> <p><input type="checkbox"/> Drop store / out of business / petroleum</p> <p>2. New small area source <input type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (Constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/> dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr both types, <math>140 &lt; x &lt; 1,800</math> gal/yr (Constructed on or after 12/9/91)</p>
This is a correct facility classification: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number _____ above	
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>106</u> gallons.	

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |                                       |                            |  |
|---|---------------------------------------|----------------------------|--|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |  |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

- |  |                            |                            |                             |
|--|----------------------------|----------------------------|-----------------------------|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                 | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?             | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                          | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  NA  
Is the temperature differential equal to or greater than 20°F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  NA  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? (for direct reading instrument only)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA  
Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent of exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

4/10/2000  
Date of Inspection

*Jeff Morris*  
Inspector's Signature

10/10/2000  
Approximate Date of Next Inspection

*ACC*

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

**FACILITY NAME:** Bayside Drycleaners **Date:** 10/16/00

**FACILITY LOCATION:** 11270 4th Street North

St. Petersburg, FL, 33716

**RECEIVED**  
 NOV - 9 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

Annual Reporting Period: April ~~August~~ 10, 2000 To October ~~10~~, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  **YES**  **NO**

**IF NO**, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

\_\_\_\_\_

Exact period of non-compliance: **from** \_\_\_\_\_ **to** \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

\_\_\_\_\_

Exact period of non-compliance: **from** \_\_\_\_\_ **to** \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Anayat Nagji Gulfrin Ali 10-16-00  
 (Name, Please Print) Signature Date  
Gulfrin Ali

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

<b>AIRS ID#:</b> <u>1030323</u>	<b>DATE:</b> <u>10/16/00</u>	<b>TIME IN:</b> <u>9:32 a.m.</u>	<b>TIME OUT:</b> <u>10:08 a.m.</u>
<b>FACILITY NAME:</b> <u>Bayside Drycleaners</u>			
<b>FACILITY LOCATION:</b> <u>11270 4th Street North</u> <u>St. Petersburg, FL, 33716</u>			
<b>RESPONSIBLE OFFICIAL:</b> <u>Anayat Nagji</u>		<b>Phone No.:</b> <u>(727) 578-1087</u>	
<b>Permit No.</b> <u>1030323-001-AG</u>	<b>Exp. Date:</b> <u>9/3/2001</u>		

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

**Inspection Summary Report Guidance**

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylene-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

**Comments:** \_\_\_\_\_

\_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeff Morris

Inspector's Signature: 

Phone Number: 404-4422



**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

AIRS ID#: 1030323 Date: 10/12/00 TIME IN: 9:32 a.m TIME OUT: 10:08 a.m.

FACILITY NAME: Bayside Drycleaners

FACILITY LOCATION: 11270 4th Street North  
St. Petersburg, FL, 33716

RESPONSIBLE OFFICIAL: Anayat Nagji PHONE: (727) 578-1087

CONTACT: Anayat Nagji Gulfain Ali PHONE: (727) 578-1087

**PART I: NOTIFICATION**

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96

2. New facility notified DARM 30 days prior to startup

3. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
 (Check appropriate box)

No notification form  
 Drop store / out of business / petroleum

A.

1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (Constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (Constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (Constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, $140 < x < 2,100$ gal/yr transfer only, $200 < x < 1,800$ gal/yr both types, $140 < x < 1,800$ gal/yr (Constructed on or after 12/9/91)

This is a correct facility classification:  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 111 gallons.

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  NA
2. Examining the containers for leakage?  Y  N  NA
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  
Is the temperature differential equal to or greater than 20° F?  Y  N  NA  
 Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA  
 Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? (for direct reading instrument only)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  
Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

\_\_\_\_\_  
Inspector's Name (Please Print) *Jeff Morris*

\_\_\_\_\_  
Inspector's Signature *Jeff Morris*

\_\_\_\_\_  
Date of Inspection *10/16/00*

\_\_\_\_\_  
Approximate Date of Next Inspection *4/16/2001*

2 210 662 419

US Postal Service  
**Receipt for Certified Mail**

No Insurance Coverage Provided.  
Do not use for International Mail (See reverse)

Sent to

10 AIRS ID # 1030323001AG  
ANAYAT NAGJI  
BAYSIDE CLEANERS  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

**SENDER: COMPLETE**

- Complete items 1, 2, and 3. Complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

10 AIRS ID # 1030323001AG  
ANAYAT NAGJI  
BAYSIDE CLEANERS  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by (Please Print Clearly) B. Date of Delivery

6-11-01

C. Signature

*[Signature]*  
**RECEIVED**

Agent

Addressee

D. Is delivery address different from item 1?

Yes

If YES, enter delivery address below:

No

JUN 13 2001

Bureau of Air Monitoring  
& Mobile Sources

3. Service Type

Certified Mail

Express Mail

Registered

Return Receipt for Merchandise

Insured Mail

C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

2. Article Number (Copy from service label)

2 210 662 419 7000 0606 0021 6526 9844

P. 265 302 260

US Postal Service  
**Receipt for Certified Mail**  
No Insurance Coverage Provided

AIRS ID#: 1030323

BAYSIDE SUN INC  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	2/17/97

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services-(for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID#: 1030323  
BAYSIDE SUN INC  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

4a. Article Number

P265 302 260

4b. Service Type

- |   |                                    |
|---|------------------------------------|
| <input type="checkbox"/> Registered                     | <input type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail                   | <input type="checkbox"/> Insured   |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD       |

7. Date of Delivery

2-19-97

5. Received By: (Print Name)

RODOLFO MOUTOS

6. Signature: (Addressee or Agent)

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

P 174 052 658

1999

US Postal Service  
**Receipt for Certified Mail**  
No Insurance Coverage Provided.  
Do not use for International Mail (See reverse)

Sent to

AIRS ID # 1030323

BAYSIDE CLEANERS  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name, and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

BAYSIDE CLEANERS  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

AIRS ID # 1030323

4a. Article Number  
P174 052 658

4b. Service Type

Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery  
2-27-99

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)  
*Anayat Nagji*

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

Fold at line over top of envelope to the right of the return address

Z 333 613 229

US Postal Service  
**Receipt for Certified Mail**  
No Insurance Coverage Provided

AIRS ID 1030323

BAYSIDE SUN INC  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

**3. Article Addressed to:**

BAYSIDE SUN INC  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

AIRS ID 1030323

**4a. Article Number**

Z 333 613 229

**4b. Service Type**

- Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

**7. Date of Delivery**

2-14-98

**5. Received By: (Print Name)**

**6. Signature: (Addressee or Agent)**

X 

**8. Addressee's Address (Only if requested and fee is paid)**

Thank you for using Return Receipt Service.



UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

DARM/MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400



**U.S. Postal Service**  
**CERTIFIED MAIL RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

7000 0520 0020 9373 1852

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Postmark  
Here

AIRS ID # 1030323

**BAYSIDE CLEANERS**  
**ANAYAT NAGJI**  
**11270 4TH STREET NORTH**  
**ST PETERSBURG FL**  
**33716**

*(by mailer)*

PS Form 3800, February 2000 For Instructions

**SENDER: COMPLETE**

**ACTION ON DELIVERY**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

A. Received by <i>(Please Print Clearly)</i>	B. Date of Delivery <b>2-9-02</b>
C. Signature <i>Gaffri Ali</i>	<input type="checkbox"/> Agent <input type="checkbox"/> Addressee
D. Is delivery address different from item 1? If YES, enter delivery address below:	<input type="checkbox"/> Yes <input type="checkbox"/> No

1. Article Addressed to:  
 AIRS ID # 1030323  
**BAYSIDE CLEANERS**  
**ANAYAT NAGJI**  
**11270 4TH STREET NORTH**  
**ST PETERSBURG FL**  
**33716**

3. Service Type

<input checked="" type="checkbox"/> Certified Mail	<input type="checkbox"/> Express Mail
<input type="checkbox"/> Registered	<input type="checkbox"/> Return Receipt for Merchandise
<input type="checkbox"/> Insured Mail	<input type="checkbox"/> C.O.D.

4. Restricted Delivery? *(Extra Fee)*  Yes

2. Article Number *(Copy from service label)*  
**7000 0520 0020 9373 1852**

Z 333 660 688

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

AIRS ID # 1030323

BAYSIDE CLEANERS  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Fold at line over top of envelope to the right of the return address

Is your RETURN ADDRESS completed on the reverse side?

- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID # 1030323

BAYSIDE CLEANERS  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

4a. Article Number

2333660688

4b. Service Type

- Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery

2-13-99

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)


*ANAYAT NAGJI*

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-40

• Print your name, address, and ZIP Code in this box •

BUR. OF AIR MONITORING & MOBILE SOURCES  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400



7000 0000 0090 0000 0021 6526 9844

**U.S. Postal Service**  
**CERTIFIED MAIL RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

Article Sent To:  
**220662419 (04)**

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
<b>Total Postage &amp; Fees</b>	\$	

Name (Please Print Clearly) (to be completed by mailer)  
**Anayat Nagji**

Street, Apt. No.; or PO Box No.

City, State, ZIP+4  
**#1030323001 AG**

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

261119 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED  
MAIL ROOM

FEB 21 97

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID# 1030323
BAYSIDE SUN INC ANAYAT NAGJI 11270 4TH STREET NORTH ST PETERSBURG FL 33716

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: B1 Fund: 20-2-035001 Obj.: 002273
--

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

301887 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID#1030323
BAYSIDE SUN INC ANAYAT NAGJI 11270 4TH STREET NORTH ST PETERSBURG FL 33716

FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: B1 Fund: 20-2-035001 Obj.: 002273
--



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

✓ 0363391

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

RECEIVED  
MAIL ROOM  
MAR - 8 99

Do **NOT** Remove Label

AIRS ID # 1030323

BAYSIDE CLEANERS  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

~~0363391~~  
304991

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

RECEIVED  
*refund*  
MAR 11 1999  
MAIL ROOM

Do **NOT** Remove Label

AIRS ID 1030323

BAYSIDE SUN INC  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

Bureau of Air  
& Mobile Sources  
RECEIVED  
MAR 11 1999  
MAIL ROOM  
FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

BAYSIDE SUN, INC.

001523

1030323

2/13/02

50.00




50.00

2/13/02

001523

enviromental protection

\$50.0



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070





THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

389441

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label. ✓

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 1030323  
 BAYSIDE CLEANERS  
 ANAYAT NAGJI  
 11270 4TH STREET NORTH  
 ST PETERSBURG FL 33716

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: B1  
 Fund: 20-2-035001  
 Obj.: 002273

RECEIVED  
 MAIL ROOM  
 DEC 13 99



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

414269 FEB18 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 1030323  
 BAYSIDE CLEANERS  
 ANAYAT NAGJI  
 11270 4TH STREET NORTH  
 ST PETERSBURG FL  
 33716

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: A1  
 Fund: 20-2-035001  
 Obj.: 002273

BAYSIDE SUN, INC.

001642

2002/103032

5/1/02

50.00

50.00

5/28/02

001642

Enviromental Protection

\$50.0



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING 3755

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 1030323

BAYSIDE CLEANERS  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL  
33716

417133 MAY30 2002

*Refund*  
*for 2/18/02*  
**RECEIVED**  
JUN 3 2002  
Bureau of Air  
& Air Monitoring  
#9649

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: Air Sources  
Fund: 20-2-035001  
Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

402644

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** ✓

Do **NOT** Remove Label

AIRS ID # 1030323

BAYSIDE CLEANERS  
ANAYAT NAGJI  
11270 4TH STREET NORTH  
ST PETERSBURG FL 33716

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

RECEIVED  
MAIL ROOM  
JAN 12 2001



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

323153070



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

263663

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.


**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID#: 1030323  
 BAYSIDE SUN INC  
 ANAYAT NAGJI  
 11270 4TH STREET NORTH  
 ST PETERSBURG FL 33716

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: B1  
 Fund: 20-2-035001  
 Obj.: 002273

RECEIVED  
 NAIL ROOM  
 MAY - 6 1997



TITLE V - General Permit  
 Receipts  
 Post Office Box 3070  
 Tallahassee, FL 32315-3070

32315>3070

