



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

January 30, 1997

Mr. Carl G. Hawkins  
C & C Dry Cleaners  
14100 Walsingham Road, Unit #1  
Largo, Florida 33774

Re: Facility I.D. No. 1030349

Dear Mr. Hawkins:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on September 5, 1996.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources, MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Louis Fernandez, Southwest District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	<i>C+C Dry Cleaners Div of Hawkins Industries</i>
2. Site Name (For example, plant name or number):	<i>C+C Dry Cleaners</i>
3. Hazardous Waste Generator Identification Number:	<i>FID-055-750-608</i>
4. Facility Location: Street Address: <i>14100 Walsingham Rd, Unit #1</i> City: <i>Largo FL</i> County: <i>FL Pinellas</i> Zip Code: <i>33774</i>	
5. Facility Identification Number (DEP Use):	<i>1030349</i>

## Responsible Official

6. Name and Title of Responsible Official:	<i>Carl D. Hawkins</i>
7. Responsible Official Mailing Address: Organization/Firm: <i>C+C Dry Cleaners Div Hawkins Ind.</i> Street Address: <i>14100 Walsingham Rd Unit #1</i> City: <i>Largo FL</i> County: <i>Pinellas</i> Zip Code: <i>33774</i>	
8. Responsible Official Telephone Number: Telephone: <i>(813) 596-1983</i> Fax: <i>(813) 593-0173</i>	

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	<i>Carl D. Hawkins</i>
10. Facility Contact Address: Street Address: <i>14100 Walsingham Rd Unit #1</i> City: <i>Largo FL</i> County: <i>Pinellas</i> Zip Code: <i>33774</i>	
11. Facility Contact Telephone Number: Telephone: <i>(813) 596-1983</i> Fax: <i>(813) 593-0173</i>	

RECEIVED

SEP 5 1996

Bureau of Air Monitoring  
& Mobile Sources

#1030349

C&C Dry Cleaners

-spoke with Carl Hawkins-  
10/4/96

p.13 6. add title - Owner

p.15 5.(f) required

RECEIVED

NOV 1 1996

08 Dec 91  
 Before Dec 8 1991

**Facility Information**

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	1	03 JUN 83	02 FEB 94						
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

➔ 2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months  
 Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

*existing large area*

Existing small area source

New small area source

Existing large area source

New large area source

*140 to 2100 Dal*

*Default Dat 08 - Dec - 91*

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt

No such units on-site

#### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

(a) Purchase receipts and solvent purchases

(b) Leak detection inspection and repair

(c) Refrigerated condenser temperature monitoring

(d) Carbon adsorber exhaust perc concentration monitoring

(e) Instrument calibration

(f) Start-up, shutdown, malfunction plan

### Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_.


No air permits currently exist for the operation of the facility indicated in this notification form.

### Responsible Official Certification

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Signature



Date

8-29-96

AIRS ID#: 1030349

*all*

Revised 10/10/9

### DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: C+C Cleaners DATE: 11/6/97

FACILITY LOCATION: 14100 Walsingham Rd Unit #1

Largo, FL 33774

Annual Reporting Period: November 6, 1996 TO November 6, 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Purchase receipts were not maintained properly

Exact period of non-compliance: from November 6, 1997 to November 6, 1997

Action(s) taken to achieve compliance: Maintain purchase receipts in

Method used to demonstrate compliance: chronological order

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Did not maintain a log of leak detection

Exact period of non-compliance: from November 6, 1996 to November 6, 1997

Action(s) taken to achieve compliance: Maintain a log of leak detection

Method used to demonstrate compliance: inspection and repair records.

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: CARL G HAWKINS [Signature] 11-6-97

Name (Please Print) Signature Date

**RECEIVED**

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DEC 5 1997

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: <u>1030349 001</u>	DATE: <u>1/8/98</u>	TIME IN: <u>11:15 a.m.</u>	TIME OUT: <u>11:40 a.m.</u>
FACILITY NAME: <u>C &amp; C Cleaners</u>			
FACILITY LOCATION: <u>14100 Walsingham Rd., Unit 1</u> <u>Largo, FL</u>			
RESPONSIBLE OFFICIAL: <u>Mr. Carl Hawkins</u>		Phone No.: <u>596-1983</u>	
Permit No. <u>1030349-001-AG</u>		Exp. Date: <u>10/04/2001</u>	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

**Inspection Summary Report Guidance**

**Compliance Requirement/Problem**

**Follow-up Action Required**

<b>Compliance Requirement/Problem</b>	<b>Follow-up Action Required</b>
<input type="checkbox"/> Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/> Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/> Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/> Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/> Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/> Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/> Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.



<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

**Comments:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

The Annual Compliance Certification form has been properly certified and submitted to the inspector. Yes  No

Inspection Conducted by: Jeff Morris  
(Please Print)

Inspector's Signature:  1/8/98

✓

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION:      ANNUAL       COMPLAINT/DISCOVERY       RE-INSPECTION

TIME IN: 9:45 a.m.	TIME OUT: 11:00 a.m.	AIRS ID# <b>1030349 001</b>
TYPE OF FACILITY: <b>Perchloroethylene Dry Cleaner</b>		
FACILITY NAME: <b>C &amp; C Cleaners</b>	DATE: November 6, 1997	
FACILITY LOCATION : <b>14100 Walsingham Rd., Unit 1, Largo, FL 33774</b>		
RESPONSIBLE OFFICIAL: <b>Carl Hawkins</b>	PHONE NUMBER:(813) 596-1983	


- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

The Annual Compliance Certification form has been properly certified and submitted to the inspector.      Yes       No

DATE OF NEXT INSPECTION: November 20, 1997  
(Approximate)

INSPECTION CONDUCTED BY: Jeff Morris  
(Please Print)

INSPECTOR'S SIGNATURE:       PHONE NUMBER: 464-4422

# PERCHLOROETHYLENE DRY CLEANERS

## TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 1030349 DATE: 11/6/97 TIME IN: 9:45am TIME OUT: 11:00am  
FACILITY NAME: C+C Cleaners  
FACILITY LOCATION: 14100 Walsingham Rd #1  
Largo, FL 33774  
RESPONSIBLE OFFICIAL: Carl Hawkins PHONE: 596-1983  
CONTACT NAME: Carl Hawkins PHONE: 596-1983

### PART I: NOTIFICATION

(check appropriate box)

1. New facility notified DARM 30 days prior to startup  *N/A*  
2. Facility failed to notify DARM to use general permit

### PART II: CLASSIFICATION

Facility indicated on notification form that it is:  
(check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

A.

- |  |  |
|--|--|
| 1. Existing small area source <input checked="" type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91)                                | 2. New small area source <input type="checkbox"/><br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91)   |
| 3. Existing large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed before 12/9/91) | 4. New large area source <input type="checkbox"/><br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed on or after 12/9/91) |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 120 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or,  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? *elected weekly checks*  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and ~~obvious signs of wear~~ *N/A* on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

11/6/97  
Date of Inspection

*Jeff Morris*  
Inspector's Signature

11/20/97  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

VIC 30 lb capacity  
Ser # 83-1039-2-1  
Model P3

- Waste water is carbon adsorbed
- Leak log not maintained
- purchase receipts not in ~~chronological~~  
~~order~~. maintained. <sup>jm</sup>

PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

*all*

TYPE OF INSPECTION: ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

AIRS ID#: 0349 001      DATE: 1/8/98      TIME IN: 11:50 a.m.      TIME OUT: 11:40 a.m.  
FACILITY NAME: C & C Cleaners  
FACILITY LOCATION: 14100 Walsingham Rd., Unit 1  
Largo, FL  
RESPONSIBLE OFFICIAL: Carl Hawkins      Phone No.: 596-1983  
Permit No. 1030349-001-AG      Exp. Date: 10/04/2001

**PART I: NOTIFICATION**

(Check appropriate box)

1. Existing facility notified DARM by 9/1/96   
2. New facility notified DARM 30 days prior to startup   
3. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(Check appropriate box)

No notification form  
 Drop store / out of business / petroleum

A.

1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91) <input checked="" type="checkbox"/>	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91) <input type="checkbox"/>
3. Existing large area source dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91) <input type="checkbox"/>	4. New large area source dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91) <input type="checkbox"/>

This is a correct facility classification:  
 Y     N     Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 67 gallons.



**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N
- 2. Examining the containers for leakage?  Y  N
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N
- 5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

**PART IV: PROCESS VENT CONTROLS**

**In Part II-A:**

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- |   |                                     |   |   |
|---|-------------------------------------|---|---|
|   | <i>NA</i>                           | Mach ___  | Mach ___  |
| 1. Equipped all machines with the appropriate vent controls?  | <input checked="" type="checkbox"/> | <input type="checkbox"/> Y <input type="checkbox"/> N | <input type="checkbox"/> Y <input type="checkbox"/> N     |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  | <input checked="" type="checkbox"/> | <input type="checkbox"/> Y <input type="checkbox"/> N | <input type="checkbox"/> Y <input type="checkbox"/> N     |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                | <input checked="" type="checkbox"/> | <input type="checkbox"/> Y <input type="checkbox"/> N | <input type="checkbox"/> Y <input type="checkbox"/> N     |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?                      | <input type="checkbox"/>            | <input type="checkbox"/> Y <input type="checkbox"/> N | <input type="checkbox"/> Y <input type="checkbox"/> N N/A |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                          | <input type="checkbox"/>            | <input type="checkbox"/> Y <input type="checkbox"/> N | <input type="checkbox"/> Y <input type="checkbox"/> N     |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying the coolant had been completely charged? | <input type="checkbox"/>            | <input type="checkbox"/> Y <input type="checkbox"/> N | <input type="checkbox"/> Y <input type="checkbox"/> N     |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  
Is the temperature differential equal to or greater than 20° F?  Y  N  
 Y  N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA  
 Y  N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N
4. Maintained calibration data? (for direct reading instrument only)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports? (No problems since initial inspection)  Y  N N/A  
Problem corrected?  Y  N N/A
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a <sup>bi</sup>weekly leak detection and repair inspection?  Y  N

2. Which method of detection is used by the responsible official?

Visual examination (condensed solvent of exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

**If using direct-reading instrumentation, is the equipment:**

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N

b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N

c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N

d. Kept in a clean and secure area when not in use.  Y  N

e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

3. Has the facility maintained a leak log?  Y  N

4. The following area should be checked for leaks by the inspector:

Hose connections, fitting couplings, and valves  Y  N

Door gaskets and seating  Y  N

Filter gaskets and seating  Y  N

Pumps  Y  N

Solvent tanks and containers  Y  N

Water separators  Y  N

Muck cookers  Y  N

Stills  Y  N

Exhaust dampers  Y  N

Diverter valves  Y  N

Cartridge Filter housing  Y  N

Carl Hawkins  
Name of Responsible Official

Jeff Morris  
Inspector's Name (Please Print)

Jeff Morris  
Inspector's Signature

1/8/98  
Date of Inspection

1/8/99  
Approximate Date of Next Inspection

**ADDITIONAL SITE INFORMATION:**

**Machine #1:**

Manufacturer VIC Capacity 30 lbs  
Model# P3 Serial# 83-1039-2-1 Mfg yr 1987

**Machine #2:**

Manufacturer \_\_\_\_\_ Capacity \_\_\_\_\_ lbs  
Model# \_\_\_\_\_ Serial# \_\_\_\_\_ Mfg yr \_\_\_\_\_

**Notification (unpermitted sources only):**

- 1. Was the facility assisted in filling out the notification by the inspector?  Y  N N/A
- 2. Did the facility insist on filling out its own notification, and will send it to FDEP?  Y  N N/A

**Record keeping :**

- 1. Does facility have statement/specs as to the design accuracy of the temperature sensor?  Y  N N/A  
(temperature of 45°F w/accuracy ±2°F, or 7.2°C w/accuracy of ±1.1°C)

**Hazardous Waste:**

- 1. Is all perc. contaminated wastewater either treated or disposed of properly?  Y  N
- 2. If wastewater is evaporated, is it an approved system, and using carbon filtration?  Y  N
- 3. Does the facility have secondary containment for the dry-dry machine?  Y  N
- 4. Does the facility have secondary containment for any perc. waste containers?  Y  N

**Boiler:**

Manufacturer American Industrial Hp 25  
Model # \_\_\_\_\_ Serial # 3G-5 Mfg yr \_\_\_\_\_  
Fuel Type: Natural gas?  propane?  fuel oil?

Comments: Facility will have permanent Secondary containment by March 15, 1998. Temporary Secondary containment will be used immediately by facility.



AIRS ID#: 1030349

*Acc*  
\*

Revised 10/10/9

DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: C & C Cleaners DATE: 1/22/99  
FACILITY LOCATION: 14100 Walsingham Rd Unit #1  
Largo, FL 33774

Annual Reporting Period: January 8, 1998 TO January 22, 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: CARL HAWKINS *[Signature]* 1-22-99  
Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

✓

## TITLE V AIR QUALITY AIR GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: 1030349 001 DATE: 1/22/99 TIME IN: 8:13 a.m. TIME OUT: 9:30 a.m.

FACILITY NAME: C & C Cleaners

FACILITY LOCATION: 14100 Walsingham Rd., Unit 1  
Largo, FL, 33774

RESPONSIBLE OFFICIAL: Carl Hawkins

Phone No.: 596-1983

Permit No. 1030349-001-AG

Exp. Date: 10/04/2001

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

### Inspection Summary Report Guidance

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

**Comments:** \_\_\_\_\_

\_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: 

Phone Number: 464-4422



**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

AIRS ID#: 1030349 001      DATE: 1/22/99      TIME IN: 8:13 a.m.      TIME OUT: 8:30 a.m.

FACILITY NAME: C & C Cleaners

FACILITY LOCATION: 14100 Walsingham Rd., Unit 1  
Largo, FL, 33774

RESPONSIBLE OFFICIAL: Carl Hawkins      PHONE: 596-1983

CONTACT: Carl Hawkins      PHONE: 596-1983

**PART I: NOTIFICATION**

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96

2. New facility notified DARM 30 days prior to startup

3. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(Check appropriate box)

A.	<input checked="" type="checkbox"/> 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)	<input type="checkbox"/> 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)
	<input type="checkbox"/> 3. Existing large area source dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)	<input type="checkbox"/> 4. New large area source dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)

No notification form

Drop store / out of business / petroleum

This is a correct facility classification:  Y     N     Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number \_\_\_\_\_ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 85 gallons.

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  NA
2. Examining the containers for leakage?  Y  N  NA
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

- |   |                            |                            |                             |
|---|----------------------------|----------------------------|-----------------------------|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?   | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| Is the temperature differential equal to or greater than 20° F?   | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| Is the perc concentration equal to or less than 100 ppm?  | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 6. Routed airflow to the carbon adsorber (if used) at all times?  | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

- |  |                                       |                            |  |
|--|---------------------------------------|----------------------------|--|
| 1. Maintained receipts for perc purchased?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |  |
| 2. Maintained rolling monthly averages of perc consumption?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |  |
| 3. Maintained leak detection inspection and repair reports for the following:  |                                       |                            |  |
| a. documentation of leaks repaired w/in 24 hrs? or; (Repaired cartidge filter 4/11/98)                                     | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 4. Maintained calibration data? (for direct reading instrument only)   | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |
| 6. Maintained startup/shutdown/malfunction plan?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |  |
| 7. Maintained deviation reports?   | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |
| Problem corrected?   | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent of exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

1/22/99  
Date of Inspection

[Signature]  
Inspector's Signature

7/22/99  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Responsible official correctly identified each  
leak check point and demonstrated  
performance of a leak check. *mu*

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#:	1030349 001	DATE:	1/22/99	TIME IN:	8:13 a.m.	TIME OUT:	2:30 a.m.
FACILITY NAME:	C & C Cleaners						
FACILITY LOCATION:	14100 Walsingham Rd., Unit 1						
	Largo, FL, 33774						
RESPONSIBLE OFFICIAL:	Carl Hawkins			Phone No.:	596-1983		
Permit No.	1030349-001-AG		Exp. Date:	10/04/2001			

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

**Inspection Summary Report Guidance**

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.


	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

**Comments:** \_\_\_\_\_

\_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: 

Phone Number: 464-4422

**PERCHLOROETHYLENE DRY CLEANING  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

**TYPE OF INSPECTION:** ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

**AIRS ID#:** 1030349 001      **DATE:** 1/22/99      **TIME IN:** 8:13am      **TIME OUT:** 8:30am

**FACILITY NAME:** C & C Cleaners

**FACILITY LOCATION:** 14100 Walsingham Rd., Unit 1  
Largo, FL, 33774

**RESPONSIBLE OFFICIAL:** Carl Hawkins      **PHONE:** 596-1983

**CONTACT:** Carl Hawkins      **PHONE:** 596-1983

**PART I: NOTIFICATION**

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96

2. New facility notified DARM 30 days prior to startup

3. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(Check appropriate box)

<input type="checkbox"/> No notification form
<input type="checkbox"/> Drop store / out of business / petroleum

A.

1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)	2. New small area source <input type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)

This is a correct facility classification:  Y     N     Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number \_\_\_\_\_ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 85 gallons.



### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  NA
2. Examining the containers for leakage?  Y  N  NA
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  NA

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  
Is the temperature differential equal to or greater than 20°F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or; *(Repaired cartidge filter 4/11/98)*  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? *(for direct reading instrument only)*  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA
 

Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

1/22/99  
Date of Inspection

[Signature]  
Inspector's Signature

7/22/99  
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Responsible official correctly identified each  
leak check point and demonstrated  
performance of a leak check. *ju*

*ACC*

### DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: C & C Cleaners DATE: 5/1/00  
 FACILITY LOCATION: 14100 Walsingham Rd, Unit 1  
Largo, FL 33774

Annual Reporting Period: January 22, 1999 TO May 1, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_  
 Action(s) taken to achieve compliance: \_\_\_\_\_  
 Method used to demonstrate compliance: \_\_\_\_\_

RECEIVED  
 JUN - 7 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

*As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.*

RESPONSIBLE OFFICIAL: CARL C. HAWKINS *[Signature]* 5-1-00  
 Name (Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: <u>1030349</u>	DATE: <u>5/1/00</u>	TIME IN: <u>1:57 p.m.</u>	TIME OUT: <u>2:37 p.m.</u>
FACILITY NAME: <u>C &amp; C Cleaners</u>			
FACILITY LOCATION: <u>14100 Walsingham Road, Unit 1</u> <u>Largo, FL, 33774</u>			
RESPONSIBLE OFFICIAL: <u>Carl Hawkins</u>		Phone No.: <u>586-1983</u>	
Permit No. <u>1030349-001-AG</u>		Exp. Date: <u>8/29/01</u>	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

**Inspection Summary Report Guidance**

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: \_\_\_\_\_

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeff Morris

Inspector's Signature: 

Phone Number: 464-4422

✓

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

✓ **TYPE OF INSPECTION:** ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

**AIRS ID#:** 1030349      **Date:** 5/1/00      **TIME IN:** 1:57 p.m.      **TIME OUT:** 2:37 p.m.

**FACILITY NAME:** C & C Cleaners

**FACILITY LOCATION:** 14100 Walsingham Road, Unit 1  
Largo, FL, 33774

**RESPONSIBLE OFFICIAL:** Carl Hawkins      **PHONE:** 586-1983

**CONTACT:** Carl Hawkins      **PHONE:** 586-1983

**PART I: NOTIFICATION**

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96
2. New facility notified DARM 30 days prior to startup
3. Facility failed to notify DARM to use general permit

*add to access*

- 

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(Check appropriate box)

- No notification form  
 Drop store / out of business / petroleum

A.

- |   |   |
|---|---|
| <p>1. Existing small area source <input checked="" type="checkbox"/><br/>dry-to-dry only, x &lt; 140 gal/yr<br/>transfer only, x &lt; 200 gal/yr<br/>both types, x &lt; 140 gal/yr<br/>(Constructed before 12/9/91)</p>                       | <p>2. New small area source <input type="checkbox"/><br/>dry-to-dry only, x &lt; 140 gal/yr<br/>transfer only, x &lt; 200 gal/yr<br/>both types, x &lt; 140 gal/yr<br/>(Constructed on or after 12/9/91)</p>                                  |
| <p>3. Existing large area source <input type="checkbox"/><br/>dry-to-dry only, 140 &lt; x &lt; 2,100 gal/yr<br/>transfer only, 200 &lt; x &lt; 1,800 gal/yr<br/>both types, 140 &lt; x &lt; 1,800 gal/yr<br/>(Constructed before 12/9/91)</p> | <p>4. New large area source <input type="checkbox"/><br/>dry-to-dry only, 140 &lt; x &lt; 2,100 gal/yr<br/>transfer only, 200 &lt; x &lt; 1,800 gal/yr<br/>both types, 140 &lt; x &lt; 1,800 gal/yr<br/>(Constructed on or after 12/9/91)</p> |

This is a correct facility classification:  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 64 gallons.



### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |  |                                       |                            |  |
|--|---------------------------------------|----------------------------|--|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 2. Examining the containers for leakage?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 3. Closing and securing machine doors except during loading/unloading?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |  |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                      | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

- |  |                            |                            |                             |
|--|----------------------------|----------------------------|-----------------------------|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                 | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?             | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                          | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  NA  
Is the temperature differential equal to or greater than 20° F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  NA  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? (*for direct reading instrument only*)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA  
Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

*Jeff Morris*  
Inspector's Signature

5/1/00  
Date of Inspection

11/1/00  
Approximate Date of Next Inspection

*ACC*

**DRY CLEANER AIR QUALITY GENERAL PERMIT  
ANNUAL COMPLIANCE CERTIFICATION FORM**

**FACILITY NAME:** C & C Cleaners **Date:** 11/17/00

**FACILITY LOCATION:** 14100 Walsingham Road, Unit 1

Largo, FL, 33774

**RECEIVED**  
 DEC 1 2000  
 Bureau of Air Monitoring  
 & Mobile Sources

Annual Reporting Period: May 1, 2000 To November 17, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.  YES  NO

**IF NO**, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Facility did not maintain the 12-month consecutive perchloroethylene total

Exact period of non-compliance: from September, 2000 to November, 2000

Action(s) taken to achieve compliance: Maintain the 12-month consecutive Perchloroethylene total on a monthly basis

Method used to demonstrate compliance: \_\_\_\_\_

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

\_\_\_\_\_

Exact period of non-compliance: from \_\_\_\_\_ to \_\_\_\_\_

Action(s) taken to achieve compliance: \_\_\_\_\_

Method used to demonstrate compliance: \_\_\_\_\_

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Carl Hawkins *Carl Hawkins* 11-17-00  
 (Name, Please Print) Signature Date

\*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

AIRS ID#: <u>1030349</u>	DATE: <u>11/17/00</u>	TIME IN: <u>8:08 a.m.</u>	TIME OUT: <u>9:27 a.m.</u>
FACILITY NAME: <u>C &amp; C Cleaners</u>			
FACILITY LOCATION: <u>14100 Walsingham Road, Unit 1</u> <u>Largo, FL, 33774</u>			
RESPONSIBLE OFFICIAL: <u>Carl Hawkins</u>		Phone No.: <u>(727) 586-1983</u>	
Permit No. <u>1030349-001-AG</u>	Exp. Date: <u>8/29/01</u>		

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):


**Inspection Summary Report Guidance**

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input checked="" type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Verbal Warning:  
 Comments: Facility did not maintain the 12-month consecutive perchloroethylene total from September, 2000 to November, 2000, ya

*If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.*

Inspection Conducted by: Jeff Morris (SM)  
 Inspector's Signature:   
 Phone Number: 464-4422

**PERCHLOROETHYLENE DRY CLEANERS  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST**

**TYPE OF INSPECTION:** ANNUAL  RE-INSPECTION  COMPLAINT/DISCOVERY

AIRS ID#: <u>1030349</u>	Date: <u>11/17/00</u>	TIME IN: <u>8:08 a.m.</u>	TIME OUT: <u>9:31 a.m.</u>
FACILITY NAME: <u>C &amp; C Cleaners</u>			
FACILITY LOCATION: <u>14100 Walsingham Road, Unit 1</u> <u>Largo, FL, 33774</u>			
RESPONSIBLE OFFICIAL: <u>Carl Hawkins</u>		PHONE: <u>(727) 586-1983</u>	
CONTACT: <u>Carl Hawkins</u>		PHONE: <u>(727) 586-1983</u>	

<b>PART I: NOTIFICATION</b>	
(Check appropriate box)	
1. Existing facility notified DARM By 9/1/96	<input checked="" type="checkbox"/>
2. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
3. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

<b>PART II: CLASSIFICATION</b>	
Facility indicated on notification form that it is: (Check appropriate box)	
<p>A.</p> <p>1. Existing small area source <input checked="" type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (Constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr both types, <math>140 &lt; x &lt; 1,800</math> gal/yr (Constructed before 12/9/91)</p>	<p><input type="checkbox"/> No notification form</p> <p><input type="checkbox"/> Drop store / out of business / petroleum</p> <p>2. New small area source <input type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (Constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/> dry-to-dry only, <math>140 &lt; x &lt; 2,100</math> gal/yr transfer only, <math>200 &lt; x &lt; 1,800</math> gal/yr both types, <math>140 &lt; x &lt; 1,800</math> gal/yr (Constructed on or after 12/9/91)</p>
This is a correct facility classification: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number _____ above	
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>35</u> gallons. (based on purchase receipts)	

### PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |  |                                       |                            |  |
|--|---------------------------------------|----------------------------|--|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 2. Examining the containers for leakage?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 3. Closing and securing machine doors except during loading/unloading?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |  |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                      | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA            |
| 5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |

### PART IV: PROCESS VENT CONTROLS

#### In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

#### A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

- |  |                            |                            |                             |
|--|----------------------------|----------------------------|-----------------------------|
| 1. Equipped all machines with the appropriate vent controls?   | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                 | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?             | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                           | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? | <input type="checkbox"/> Y | <input type="checkbox"/> N |                             |



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  NA  
Is the temperature differential equal to or greater than 20° F?  Y  N  NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  NA  
Is the perc concentration equal to or less than 100 ppm?  Y  N  NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet?  Y  N  NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  NA
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  NA

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  NA
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  NA
4. Maintained calibration data? (for direct reading instrument only)  Y  N  NA
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  NA
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  NA  
Problem corrected?  Y  N  NA
8. Maintained compliance plan, if applicable?  Y  N  NA

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks:

- |   |  |                          |  |
|---|--|--------------------------|--|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers             | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators                                | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |                          |  |

4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent of exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector

**If using direct-reading instrumentation, is the equipment:**

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm.  Y  N
- b. Calibrated against a standard gas prior to and after each use(PID/FID only).  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use.  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Jeff Morris  
Inspector's Name (Please Print)

11/17/00  
Date of Inspection

Jeff Morris  
Inspector's Signature

5/17/00  
Approximate Date of Next Inspection

**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

303643

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID#1030349  
C&C DRY CLEANERS DIV OF HAWKINS IND  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

**FOR GOVERNMENT USE ONLY**  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

RECEIVED  
MAIL ROOM  
FEB 25 98

U.S. Postal Service  
**CERTIFIED MAIL RECEIPT**  
 (Domestic Mail Only; No Insurance Coverage Provided)

7000 0520 0020 9372 9767

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
<b>Total Postage &amp; Fees</b>	<b>\$</b>

Postmark  
Here

**Rec** 10 AIRS ID # 1030349001AG  
**Street** CARL G HAWKINS  
 C&C DRY CLEANERS  
 14100 WALSINGHAM ROAD  
**City** LARGO FL 33774

aller)

PS, Fe

structions

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:  
  
 10 AIRS ID # 1030349001AG  
 CARL G HAWKINS  
 C&C DRY CLEANERS  
 14100 WALSINGHAM ROAD  
 LARGO FL 33774

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by (Please Print Clearly) B. Date of Delivery  
 Megan Hawkins 8/1/01  
 C. Signature  
 X *Megan Hawkins*  Agent  
 Addressee  
 D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
 4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number (Copy from service label)  
 7000 0520 0020 9372 9767

**U.S. Postal Service**  
**CERTIFIED MAIL RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

7000 0600 0026 7825 5372

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark  
Here

AIRS ID # 1030349

C&C DRY CLEANERS  
 CARL G HAWKINS  
 14100 WALSHINGHAM ROAD  
 LARGO FL 33774

Reverse for Instructions

**SENDER:** PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS **ACTION ON DELIVERY**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID # 1030349  
 C&C DRY CLEANERS  
 CARL G HAWKINS  
 14100 WALSHINGHAM ROAD  
 LARGO FL 33774

A. Received by (Please Print Clearly) B. Date of Delivery

2/9/81

C. Signature

*Carl Hawkins*

- Agent  
 Addressee

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type
- Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number (Copy from service label)

7000 0600 0026 7825 5372

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

AIRS ID # 1030349  
C&C DRY CLEANERS  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

406165 FEB 26 2001  
OFFICE OF FEDERAL ACQUISITION  
MANAGEMENT SERVICES  
FEB 27 2001  
CFMATS

P. 265 302 304

US Postal Service  
**Receipt for Certified Mail**  
No Insurance Coverage Provided

AIRS ID#: 1030349  
C&C DRY CLEANERS DIV OF HAWKINS IND  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	2/17/97

PS Form 3800, April 1995

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID#: 1030349  
C&C DRY CLEANERS DIV OF HAWKINS IND  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

4a. Article Number

P265 302 304

4b. Service Type

- |   |                                    |
|---|------------------------------------|
| <input type="checkbox"/> Registered                     | <input type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail                   | <input type="checkbox"/> Insured   |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD       |

7. Date of Delivery

2-19-97

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

*Madeline Wright*

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

261602 /

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED  
MAIL ROOM

FEB 26 97

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID# 1030349  
C&C DRY CLEANERS DIV OF HAWKINS IND  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273





**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

0360620

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 1030349  
C&C DRY CLEANERS  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

RECEIVED  
MAIL ROOM  
FEB 15 99

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

Z 333 660 705

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

Sent to

AIRS ID # 1030349

C&C DRY CLEANERS  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Is your RETURN ADDRESS on the reverse side?

**SENDER** Fold at line over top of envelope to

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID # 1030349

C&C DRY CLEANERS  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

4a. Article Number

2333660705

4b. Service Type

- Registered  Certified
- Express Mail  Insured
- Return Receipt for Merchandise  COD

7. Date of Delivery

2-13-99

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X Carol Holt

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

Z 333 613 244

US Postal Service  
**Receipt for Certified Mail**

AIRS ID 1030349

C&C DRY CLEANERS DIV OF HAWKINS  
IND  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

PS Form 3800, April 1995

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID 1030349  
C&C DRY CLEANERS DIV OF HAWKINS  
IND  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

4a. Article Number

Z 333 613 244

4b. Service Type

- Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD

7. Date of Delivery

2/14

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X *Margie Wright*

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

Z 333 667 422

2000

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

AIRS ID # 1030349

C&C DRY CLEANERS  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AIRS ID # 1030349

C&C DRY CLEANERS  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

**COMPLETE THIS SECTION ON DELIVERY**

A. Received by (Please Print Clearly) B. Date of Delivery

2/12/00

C. Signature  Agent  Addressee  
*Carol Hawkins*

D. Is delivery address different from item 1?  Yes  No  
If YES, enter delivery address below:

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number (Copy from service label)

2333 667 422



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0392222

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.



**TOTAL AMOUNT DUE: \$50.00**

Do NOT Remove Label

C&C DRY CLEANERS  
CARL G HAWKINS  
14100 WALSINGHAM ROAD  
LARGO FL 33774

AIRS ID # 1030349

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

RECEIVED  
MAIL ROOM  
FEB 16 00