



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

December 19, 1997

Mr. John Alexander
"Lazy Bee" One Day Dry Cleaners
8465 4th Street North
St. Petersburg, Florida 33702

Re: Facility No.: 1030408

Dear Mr. Alexander:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on December 5, 1997.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,


Dotty Diltz, Chief
Bureau of Air Monitoring
and Mobile Sources

DD/jw

cc: Mr. Gary Robbins, Pinellas County

all

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: "Lazy Bee" Dry Cleaners & Coin Laundry DATE: 11/17/97
 FACILITY LOCATION: 8465 4th St N
St Petersburg, FL 33702

Annual Reporting Period: November 17, 1996 TO November 17, 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Did not maintain a log of leak detection inspection and repair records.

Exact period of non-compliance: from November 17, 1996 to November 17, 1997

Action(s) taken to achieve compliance: Develop and implement a leak detection inspection and repair program.

Method used to demonstrate compliance: Maintain a log of leak detection inspection (bi-weekly basis)

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Purchase receipts were not maintained as a twelve month rolling average.

Exact period of non-compliance: from November 17, 1996 to November 17, 1997

Action(s) taken to achieve compliance: Develop and implement a record keeping procedure that maintains monthly perchloroethylene purchases as a

Method used to demonstrate compliance: 12 month rolling average.

As the responsible official, I hereby certify, based on information and beliefs formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: JOHN ALEXANDER John Alexander 11-17-97
 Name (Please Print) Signature Date

RECEIVED

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: "Lazy Bee" Dry Cleaners & Coin Laundry DATE: 11/17/97
 FACILITY LOCATION: 8465 4th St N
St Petersburg, FL 33702

Annual Reporting Period: November 17, 1996 TO November 17, 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Did not measure and record the outlet temperature of the refrigerated condenser on dry-dry machine on a weekly basis.
 Exact period of non-compliance: from November 17, 1996 to November 17, 1997

Action(s) taken to achieve compliance: Measure and record the outlet temperature on a weekly basis, verifying temperature during cooling period is below 7°C
 Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Did not apply for a Title V General Permit
 Exact period of non-compliance: from November 17, 1996 to November 17, 1997

Action(s) taken to achieve compliance: All perchloroethylene dry cleaning facilities shall apply for a Title V
 Method used to demonstrate compliance: General Permit

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: JOHN ALEXANDER Alexander 11-17-97
 Name (Please Print) Signature Date

RECEIVED

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. This is at the discretion of the responsible official to use this form.

DEC 5 1997

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: "Lozy Bee" Dry Cleaners & Coin Laundry DATE: 11/17/97
FACILITY LOCATION: 8465 4th St N
St Petersburg, FL 33702

Annual Reporting Period: November 17, 1996 TO November 17, 1997

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Purchase records were not maintained properly

Exact period of non-compliance: from November 17, 1996 to November 17, 1997

Action(s) taken to achieve compliance: Maintain all purchase receipts in a

Method used to demonstrate compliance: log kept on-site for determination of perchloroethylene solvent consumption

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F (±1.1°C)
Exact period of non-compliance: from November 17, 1996 to November 17, 1997

Action(s) taken to achieve compliance: Obtain verification from the manufacturer that the temperature

Method used to demonstrate compliance: sensor is designed to measure 45°F with an accuracy of ±2°F (±1.1°C)
(7°C)

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: JOHN ALEXANDER *John Alexander* 11-17-97
Name (Please Print) Signature Date

RECEIVED

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DEC 5 1997

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): "Lazy Bee" One Day Dry Cleaner 30 Minute Coin OP Laundry
2. Site Name (For example, plant name or number):
3. Hazardous Waste Generator Identification Number: 91565
4. Facility Location: 8465 4th St N Street Address: City: St Petersburg, FL County: Pinellas Zip Code: 33702
5. Facility Identification Number (DEP Use): 1020100

Responsible Official

6. Name and Title of Responsible Official: John Alexander, owner
7. Responsible Official Mailing Address: Organization/Firm: "Lazy Bee" One Day Dry Cleaners / 30 minute Coin Laundry Street Address: 8465 4th St N City: St Petersburg, FL County: Pinellas Zip Code: 33702
8. Responsible Official Telephone Number: Telephone: (813) 577-3114 Fax: () -

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: () - Fax: ()

RECEIVED

DEC 5 1997

Bureau of Air Monitoring
& Mobile Sources

1030408

p14 1(c) Should not be marked. Mark
out and initial.

p15

5. Choose one.

p16

Responsible Official sign and
date for changes.

12/15/97

Spoke to John Alexander and
he stated that he uses natural gas
for his boiler. He does not know the
HP of the boiler.

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>	<i>#1</i>	<i>03-OCT-93</i>	<i>12-NOV-93</i>	<i>#2</i>	<i>08-DEC-91</i>		<i>#3</i>	<i>02-MAR-92</i>	<i>02-MAR-92</i>
Dry-to-Dry Unit									
(1) w/ ref. condenser		<i>15-Jun-96</i>	<i>15-Jun-96</i>						
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed *has refrigerated condenser*

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?

[29.2] gallons

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: New store: Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II? (Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.

All steam and hot water generating units exempt
No such units on-site

Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

Surrender of Existing Air Permit(s)

Please indicate with an "X" the appropriate selection:


I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)

No air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and beliefs formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.



Signature

11-17-97
Date

~~FDD-1577~~

TITLE V AIR QUALITY AIR GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 8:45 a.m.	TIME OUT: 10:15 a.m.	AIRS ID# 1030408
TYPE OF FACILITY: Perchloroethylene Dry Cleaner		
FACILITY NAME: Lazy Bee Dry Cleaning & Lndry	DATE: November 17, 1997	
FACILITY LOCATION: 8465 4th St. N, St. Petersburg, FL 33702		
RESPONSIBLE OFFICIAL: John Alexander		PHONE NUMBER: (813) 577-3114


- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
Monthly purchase records were not maintained as a twelve month rolling average.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a twelve month rolling average.
Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.
Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaiming) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.

The Annual Compliance Certification form has been properly certified and submitted to the inspector. Yes No

DATE OF NEXT INSPECTION: December 1, 1997
(Approximate)

INSPECTION CONDUCTED BY: Jeff Morris
(Please Print)

INSPECTOR'S SIGNATURE:  PHONE NUMBER: RECEIVED 422

**TITLE V AIR QUALITY AIR GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

TIME IN: 8:45 a.m.	TIME OUT: 10:15 a.m.	AIRS ID#
TYPE OF FACILITY:	Perchloroethylene Dry Cleaner	
FACILITY NAME:	Lazy Bee Dry Cleaning & Lndry	DATE: November 17, 1997
FACILITY LOCATION :	8465 4th St. N, St. Petersburg, FL 33702	
RESPONSIBLE OFFICIAL:	John Alexander	PHONE NUMBER:(813) 577-3114


- Based of the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

<p>The responsible official of the facility shall determine its eligibility for Title V air permit. New and existing dry cleaning facilities are required to complete and submit a Title V General Permit Notification Form.</p>	<p>A Title V General Permit Notification Form was completed by the facility at time of the inspection..</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------

The Annual Compliance Certification form has been properly certified and submitted to the inspector. Yes No

DATE OF NEXT INSPECTION: December 1, 1997
(Approximate)

INSPECTION CONDUCTED BY: Jeff Morris
(Please Print)

INSPECTOR'S SIGNATURE:  PHONE NUMBER: 464-4422

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: 1030408 DATE: 11/17/97 TIME IN: 8:45 a.m. TIME OUT: 10:15 a.m.
FACILITY NAME: Lazy Bee Dry Cleaners
FACILITY LOCATION: 6465 4th St N
St Petersburg, FL 33702
RESPONSIBLE OFFICIAL: John Alexander PHONE: 577-3114
CONTACT NAME: Laurie Alexander PHONE: 577-3114

PART I: NOTIFICATION

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(check appropriate box)

- No notification form
- Drop store/out of business/petroleum

A.

- 1. Existing small area source
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed before 12/9/91)
- 2. New small area source
dry-to-dry only, $x < 140$ gal/yr
transfer only, $x < 200$ gal/yr
both types, $x < 140$ gal/yr
(constructed on or after 12/9/91)
- 3. Existing large area source
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed before 12/9/91)
- 4. New large area source
dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr
transfer only, $200 \leq x \leq 1,800$ gal/yr
both types, $140 \leq x \leq 1,800$ gal/yr
(constructed on or after 12/9/91)
- 5. This is a correct facility classification Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number _____ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 29 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 2. Examining the containers for leakage? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading? | <input type="checkbox"/> Y <input type="checkbox"/> N |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:
(check appropriate boxes)

- | | |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N N/A
Is the temperature differential equal to or greater than 20° F? Y N N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N N/A
Is the perc concentration equal to or less than 100 ppm? Y N N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? Y N N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N N/A
6. Routed airflow to the carbon adsorber (if used) at all times? Y N N/A

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N N/A
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N N/A
4. Maintained calibration data? (for applicable direct reading instruments) Y N N/A
5. Maintained exhaust duct monitoring data on perc concentrations? Y N N/A
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N N/A
Problem corrected? Y N N/A
8. Maintained compliance plan, if applicable? Y N N/A

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N
2. Has the facility maintained a leak log? Y N
3. Does the responsible official check the following areas for leaks?
- | | | | |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | | |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment: N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)? Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use? Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
 Inspector's Name (Please Print)

11/17/97
 Date of Inspection

Jeff Morris
 Inspector's Signature

12/1/97
 Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Realstar
T-35FCO
Model # 4I 15 123
Mfg: 1996

- No leak log
 - No temperature log
 - Temperature sensor for outlet exhaust of refrigerated condenser
 - Purchase receipts not maintained
 - No rolling average maintained
 - Verify temp. sensor design of $\pm 2^{\circ}\text{F}$
-
- No secondary containment
 - Facility has secondary containment for machine

AIRS ID#: 1030408

ACC ✓

Revised 10/10/9

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Lazy Bee Cleaning + Laundry DATE: 7/24/98
FACILITY LOCATION: 8465 4th St. N.
St. Petersburg, FL 33702

Annual Reporting Period: November 17, 1997 TO July 24, 1998

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
Action(s) taken to achieve compliance: _____
Method used to demonstrate compliance: _____

RECEIVED
AUG 19 1998
Bureau of Air Monitoring
& Mobile Sources

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
Action(s) taken to achieve compliance: _____
Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: CHRISTINE ALEXANDER Christine Alexander 7/24/98
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

✓

TITLE V AIR QUALITY AIR GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>7/24/98</u>	TIME IN: <u>11:00a</u>	TIME OUT: <u>11:30a.m.</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u>			
<u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>			
Permit No. <u>1030408-001-AG</u>		Exp. Date: <u>12/18/2002</u>	

RECEIVED
 AUG 19 1998
 Bureau of Air Monitoring
 & Mobile Sources
 Phone No: 547-3114

- Based of the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):


Inspection Summary Report Guidance

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: _____

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Inspection Conducted by: Jeffrey Morris
 Inspector's Signature: 
 Phone Number: 464-4422

**PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL RE-INSPECTION COMPLAINT/DISCOVERY

AIRS ID#: 1030408 001 DATE: 7/24/98 TIME IN: 11:00a.m. TIME OUT: 11:30a.m.

FACILITY NAME: Lazy Bee Dry Cleaning & Lndry

FACILITY LOCATION: 8465 4th St. N
St. Petersburg, FL, 33702

RESPONSIBLE OFFICIAL: John Alexander PHONE: 577-3114

CONTACT: John Alexander PHONE: 577-3114

RECEIVED
AUG 19 1998
Bureau of Air Monitoring
& Mobile Sources

PART I: NOTIFICATION

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96

2. New facility notified DARM 30 days prior to startup

3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(Check appropriate box)

<input type="checkbox"/> No notification form
<input type="checkbox"/> Drop store / out of business / petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)

This is a correct facility classification: Y N Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number _____ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 19.2 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? Y N NA
2. Examining the containers for leakage? Y N NA
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N NA

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20° F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 dust diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N NA
Problem corrected? Y N NA
(No problem experienced with new machine since installed on 11/96)
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent of exterior surfaces)
 - Physical detection (airflow felt through gaskets)
 - Odor (noticeable perc odor)
 - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
 - Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

7/24/98
Date of Inspection

Jeff Morris
Inspector's Signature

2/24/99
Approximate Date of Next Inspection

FACILITY DETAILS:

FACILITY NAME: Lazy Bee Dry Cleaning & Laundry

Dry Cleaning Machine #1:

Manufacturer Realstar Capacity 35 lbs
Model# T-130 Serial# 47-16-123 Mfg yr 1996

Dry Cleaning Machine #2:

Manufacturer _____ Capacity _____ lbs
Model# _____ Serial# _____ Mfg yr _____

Boiler:

Manufacturer _____ Hp _____
Model # _____ Serial # _____ Mfg yr _____
Fuel Type: Natural gas? propane? fuel oil?

Notification (unpermitted sources only):

- 1. Was the facility assisted in filling out the notification by the inspector? Y N N/A
- 2. Did the facility insist on filling out its own notification, and will send it to FDEP? Y N N/A

Record keeping :

- 1. Does facility have statement/specs as to the design accuracy of the temperature sensor? Y N N/A
(temperature of 45°F w/accuracy ±2°F, or 7.2°C w/accuracy of ±1.1°C)

Hazardous Waste:

- 1. Is all perc. contaminated wastewater either treated or disposed of properly? Y N
- 2. If wastewater is evaporated, is it an approved system, and using carbon filtration? Y N N/A
- 3. Does the facility have secondary containment for the dry-dry machine? Y N
- 4. Does the facility have secondary containment for any perc. waste containers? Y N

Comments:

Acc

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Lazy Bee Dry Cleaning & Laundry DATE: 1/13/99
 FACILITY LOCATION: 8465 4th St. N.
St. Petersburg, FL 33702

Annual Reporting Period: July 24, 1998 TO January 13, 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

~~Facility did not have purchase receipts available~~

Exact period of non-compliance: from ~~July 24, 1998~~ to ~~January 13, 1999~~

Action(s) taken to achieve compliance: ~~Maintain all purchase receipts in a log kept on-site and available for determination of perchloroethylene solvent consumption~~

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Facility did not maintain a leak log.

Exact period of non-compliance: from July 24, 1998 to January 13, 1999

Action(s) taken to achieve compliance: Develop and implement a leak detection program and leak detection log.

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: *John Alexander* JOHN ALEXANDER 1-14-99
 Name (Please Print) Signature Date
 Signature in Printing Name

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Lazy Bee Dry Cleaning & Laundry DATE: 1/13/99
FACILITY LOCATION: 8465 4th St. N.
St. Petersburg, FL 33702

Annual Reporting Period: July 24, 1998 TO January 13, 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Facility did not maintain purchase records as a 12 month consecutive total.
Exact period of non-compliance: from July 24, 1998 to January 13, 1999

Action(s) taken to achieve compliance: Develop and implement a recordkeeping procedure that maintains monthly purchases as a twelve month total.
Method used to demonstrate compliance: as a twelve month total.

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Facility did not measure and record the outlet temperature of the refrigerated condenser on dry-dry machine on a weekly basis
Exact period of non-compliance: from July 24, 1998 to January 13, 1999

Action(s) taken to achieve compliance: Develop and implement a monitoring program
Method used to demonstrate compliance: Measure and record the outlet temperature on a weekly basis.

As the responsible official, I hereby certify, based on information and beliefs formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: JOHN ALEXANDER Alexander 1-14-99
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>1/13/99</u>	TIME IN: <u>11:50 a.m.</u>	TIME OUT: <u>12:10 p.m.</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		Phone No.: <u>577-3114</u>	
Permit No. <u>1030408-001-AG</u>		Exp. Date: <u>12/18/2002</u>	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

Inspection Summary Report Guidance

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input checked="" type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input checked="" type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.


	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input checked="" type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: Facility did not record refrigerated condenser temperature, no bi-weekly leak log, no 12 month consecutive total since given the 1998 compliance calendar and shown how to use it on 7/24/98. (One per record on Aug, 98)

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Responsible official stated on 7/24/98 that compliance calendar would be used.

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: 

Phone Number: 464-4422

**PERCHLOROETHYLENE DRY CLEANING
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
 RE-INSPECTION

AIRS ID#: 1030408 001 DATE: 1/13/99 TIME IN: 11:50 a.m. TIME OUT: 12:10 p.m.
 FACILITY NAME: Lazy Bee Dry Cleaning & Lndry
 FACILITY LOCATION: 8465 4th St. N
St. Petersburg, FL, 33702
 RESPONSIBLE OFFICIAL: John Alexander PHONE: 577-3114
 CONTACT: _____ PHONE: _____

PART I: NOTIFICATION

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96
 2. New facility notified DARM 30 days prior to startup
 3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
 (Check appropriate box)

<input type="checkbox"/> No notification form	<input type="checkbox"/> Drop store / out of business / petroleum
-----------------------------------------------	-------------------------------------------------------------------

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)

This is a correct facility classification: Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 19.8 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? Y N NA
2. Examining the containers for leakage? Y N NA
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N NA

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20° F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N NA
Problem corrected? Y N NA
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

1/13/99
Date of Inspection

Jeff Morris
Inspector's Signature

2/13/99
Approximate Date of Next Inspection

FACILITY DETAILS:

FACILITY NAME: Lazy Bee Dry Cleaning + Laundry

Dry Cleaning Machine #1:

Manufacturer Realstar Capacity 35 lbs
Model# T-130 Serial# 47-16-123 Mfg yr 1996

Dry Cleaning Machine #2:

Manufacturer _____ Capacity _____ lbs
Model# _____ Serial# _____ Mfg yr _____

Boiler:

~~Manufacturer _____ Hp _____
Model # _____ Serial # _____ Mfg yr _____
Fuel Type: Natural gas? propane? fuel oil?~~

Notification (unpermitted sources only):

- 1. Was the facility assisted in filling out the notification by the inspector? Y N N/A
- 2. Did the facility insist on filling out its own notification, and will send it to FDEP? Y N N/A

Record keeping :

- 1. Does facility have statement/specs as to the design accuracy of the temperature sensor? Y N
(temperature of 45°F w/accuracy ±2°F, or 7.2°C w/accuracy of ±1.1°C)

Hazardous Waste:

- 1. Is all perc. contaminated wastewater either treated or disposed of properly? Y N
- 2. If wastewater is evaporated, is it an approved system, and using carbon filtration? Y N N/A
- 3. Does the facility have secondary containment for the dry-dry machine? Y N
- 4. Does the facility have secondary containment for any perc. waste containers? Y N

Comments:

ADDITIONAL SITE INFORMATION:

Responsible official correctly identified each leak
check point. Joe

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Lazy Bee Dry Cleaning+Laundry DATE: 6/4/99
FACILITY LOCATION: 8465 4th St N St. Petersburg, FL 33702

Annual Reporting Period: January 13, 1999 TO June 4, 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. [X] YES [] NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from to
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:

RECEIVED JUL 12 1999 Bureau of Air Monitoring & Mobile Sources

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from to
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Name (Please Print) Signature Date
JOHN ALEXANDER Alexander 6-4-99

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

✓

TITLE V AIR QUALITY AIR GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>6/4/99</u>	TIME IN: <u>8:00am</u>	TIME OUT: <u>8:50am</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		Phone No.: <u>577-3114</u>	
Permit No. <u>1030408-001-AG</u>	Exp. Date: <u>12/18/2002</u>		

RECEIVED
 JUL 12 1999
 Bureau of Air Monitoring
 & Mobile Sources

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

Inspection Summary Report Guidance

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: Refrigerated condenser outlet exhaust temperature checked. 3°C during cooldown cycle. *jm*

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: *Jeffrey Morris*

Phone Number: 464-4422

**PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>6/4/99</u>	TIME IN: <u>8:00 a.m.</u>	TIME OUT: <u>8:50 a.m.</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		PHONE: <u>577-3114</u>	
CONTACT: _____		PHONE: _____	

RECEIVED

JUL 12 1999
Bureau of Air Monitoring
& Mobile Sources

PART I: NOTIFICATION

(Check appropriate box)

- 1. Existing facility notified DARM By 9/1/96
- 2. New facility notified DARM 30 days prior to startup
- 3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(Check appropriate box)

- No notification form
- Drop store / out of business / petroleum

A.

- | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. Existing small area source <input type="checkbox"/>
dry-to-dry only, x < 140 gal/yr
transfer only, x < 200 gal/yr
both types, x < 140 gal/yr
(Constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/>
dry-to-dry only, 140 < x < 2,100 gal/yr
transfer only, 200 < x < 1,800 gal/yr
both types, 140 < x < 1,800 gal/yr
(Constructed before 12/9/91)</p> | <p>2. New small area source <input checked="" type="checkbox"/>
dry-to-dry only, x < 140 gal/yr
transfer only, x < 200 gal/yr
both types, x < 140 gal/yr
(Constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/>
dry-to-dry only, 140 < x < 2,100 gal/yr
transfer only, 200 < x < 1,800 gal/yr
both types, 140 < x < 1,800 gal/yr
(Constructed on or after 12/9/91)</p> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

This is a correct facility classification: Y N Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number _____ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 19, 2 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? Y N NA
2. Examining the containers for leakage? Y N NA
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N NA

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20° F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N NA
Problem corrected? Y N NA
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

6/4/99
Date of Inspection

Jeffrey Morris
Inspector's Signature

12/4/99
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Poundage records May, 1999

26 lbs - 6/4

5/3 - 10

19 lbs 6/2

5/7 - 32.5

5/10 - 16

5/12 - 20

5/14 - 10

5/17 - 26.5

5/18 - 15

5/20 - 20

5/25 - 10

5/27 - 18

5/28 - 12 lbs

5/29 - 10

5/30 - 10

3°C at cooldown; Temperature reading
on the outlet exhaust of the refrigerated
condenser

ACC
1
**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Lazy Bee Dry Cleaning & Laundry DATE: 6/4/99
FACILITY LOCATION: 8465 4th St N
St. Petersburg, FL 33702

Annual Reporting Period: January 13, 1999 TO June 4, 1999
Bureau of Air Monitoring & Mobile Sources

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: _____
Name (Please Print) JOHN ALEXANDER Signature [Signature] Date 6-4-99

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>5/27/99</u>	TIME IN: <u>10:02 a.m.</u>	TIME OUT: <u>10:43 a.m.</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u>			
<u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		Phone No.: <u>577-3114</u>	
Permit No. <u>1030408-001-AG</u>	Exp. Date: <u>12/18/2002</u>		

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

Inspection Summary Report Guidance


	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: Facility contact, Laurie Alexander was told that dates ^(for temperature sensor data, leak detection data, etc.) need to be filled in appropriately in compliance calendar for each month.

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: 

Phone Number: 464-4422

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL RE-INSPECTION COMPLAINT/DISCOVERY

AIRS ID#: <u>1030408 001</u>	DATE: <u>5/27/99</u>	TIME IN: <u>10:07am</u>	TIME OUT: <u>10:43am</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		PHONE: <u>577-3114</u>	
CONTACT: _____		PHONE: _____	

PART I: NOTIFICATION	
(Check appropriate box)	
1. Existing facility notified DARM By 9/1/96	<input checked="" type="checkbox"/>
2. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
3. Facility failed to notify DARM to use general permit	<input checked="" type="checkbox"/>

PART II: CLASSIFICATION	
Facility indicated on notification form that it is: (Check appropriate box)	<input type="checkbox"/> No notification form <input type="checkbox"/> Drop store / out of business / petroleum
A.	
1. Existing small area source <input type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)
This is a correct facility classification: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number _____ above	
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>19,8</u> gallons.	

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? Y N NA
2. Examining the containers for leakage? Y N NA
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N NA

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20° F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N NA
Problem corrected? Y N NA
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

5/27/99
Date of Inspection

Jeff Morris
Inspector's Signature

6/15/99
Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Need to verify refrigerated condenser
outlet exhaust temperature gm

✓

TITLE V AIR QUALITY AIR GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>7/24/98</u>	TIME IN: <u>11:00a.m.</u>	TIME OUT: <u>11:30a.m.</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		Phone No.: <u>777-3114</u>	
Permit No. <u>1030408-001-AG</u>	Exp. Date: <u>12/18/2002</u>		

RECEIVED
 DEC - 1 1998
 Bureau of Air Monitoring
& Mobile Sources

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

Inspection Summary Report Guidance

Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/> Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/> Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/> Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/> Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/> Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/> Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/> Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: Facility, responsible official, was shown how to use compliance calendar. Responsible Official stated he would use the calendar for record keeping

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Inspection Conducted by: Jeffrey Morris

Inspector's Signature: 

Phone Number: 464-4422

**PERCHLOROETHYLENE DRY CLEANING
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL RE-INSPECTION COMPLAINT/DISCOVERY

AIRS ID#: 1030408 001 DATE: 7/24/98 TIME IN: 11:00a TIME OUT: 11:30a

FACILITY NAME: Lazy Bee Dry Cleaning & Lndry

FACILITY LOCATION: 8465 4th St. N
St. Petersburg, FL, 33702

RESPONSIBLE OFFICIAL: John Alexander PHONE: 577-3114

CONTACT: John Alexander PHONE: 577-3114

PART I: NOTIFICATION

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96

2. New facility notified DARM 30 days prior to startup

3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
(Check appropriate box)

<input type="checkbox"/> No notification form
<input type="checkbox"/> Drop store / out of business / petroleum

A.

1. Existing small area source <input type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)	2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)
3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)	4. New large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)

This is a correct facility classification: Y N Can not determine

If no, please check the appropriate classification:

facility qualified for a general permit as number _____ above

facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 19.2 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------|----------------------------------------|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 2. Examining the containers for leakage? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

- | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------|-----------------------------|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a <u>weekly</u> /bi-weekly basis? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20° F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N NA
Problem corrected? Y N NA
(No problem experienced with new machine since installed on 11/96)
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

Jeff Morris
Inspector's Signature

7/24/98
Date of Inspection

2/24/99
Approximate Date of Next Inspection

FACILITY DETAILS:

FACILITY NAME: Lozy Bee Dry Cleaning

Dry Cleaning Machine #1:

Manufacturer Realstar Capacity 35 lbs
Model# T-130 Serial# 47-16-123 Mfg yr 1996

Dry Cleaning Machine #2:

Manufacturer _____ Capacity _____ lbs
Model# _____ Serial# _____ Mfg yr _____

Boiler:

~~Manufacturer _____ Hp _____
Model # _____ Serial # _____ Mfg yr _____
Fuel Type: Natural gas? propane? fuel oil?~~

Notification (unpermitted sources only):

- 1. Was the facility assisted in filling out the notification by the inspector? Y N N/A
- 2. Did the facility insist on filling out its own notification, and will send it to FDEP? Y N N/A

Record keeping :

- 1. Does facility have statement/specs as to the design accuracy of the temperature sensor? Y N N/A
(temperature of 45°F w/accuracy ±2°F, or 7.2°C w/accuracy of ±1.1°C)

Hazardous Waste:

- 1. Is all perc. contaminated wastewater either treated or disposed of properly? Y N
- 2. If wastewater is evaporated, is it an approved system, and using carbon filtration? Y N N/A
- 3. Does the facility have secondary containment for the dry-dry machine? Y N
- 4. Does the facility have secondary containment for any perc. waste containers? Y N

Comments:

ACC

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Lazy Bee Dry Cleaning+Laundry DATE: 12/3/99
 FACILITY LOCATION: 8465 4th St. N.
St. Petersburg, FL 33702

Annual Reporting Period: June 4, 1999 TO December 3, 1999

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from _____ to _____
 Action(s) taken to achieve compliance: _____
 Method used to demonstrate compliance: _____

RECEIVED
 JAN 18 2000
 Bureau of Air Monitoring
 & Mobile Sources

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: CHRISTINE L. ALEXANDER Christine Alexander 12/3/99
 Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>12/3/99</u>	TIME IN: <u>8:05am</u>	TIME OUT: <u>8:28am</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		Phone No.: <u>577-3114</u>	
Permit No. <u>1030408-001-AG</u>	Exp. Date: <u>12/18/2002</u>		

- Based of the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted (only items which are checked):

Inspection Summary Report Guidance

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		


Comments: _____

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Inspection Conducted by:

Jeffrey Morris

Inspector's Signature:



Phone Number:

464-4422

✓

**PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY
RE-INSPECTION

AIRS ID#: <u>1030408 001</u>	DATE: <u>12/3/99</u>	TIME IN: <u>8:05a</u>	TIME OUT: <u>8:38a.m.</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Lndry</u>			
FACILITY LOCATION: <u>8465 4th St. N</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		PHONE: <u>577-3114</u>	
CONTACT: <u>John Alexander</u>		PHONE: <u>577-3114</u>	

PART I: NOTIFICATION	
(Check appropriate box)	
1. Existing facility notified DARM By 9/1/96	<input checked="" type="checkbox"/>
2. New facility notified DARM 30 days prior to startup	<input type="checkbox"/>
3. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

PART II: CLASSIFICATION	
Facility indicated on notification form that it is: (Check appropriate box)	
<p>A.</p> <p>1. Existing small area source <input type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)</p>	<p><input type="checkbox"/> No notification form</p> <p><input type="checkbox"/> Drop store / out of business / petroleum</p> <p>2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)</p>
This is a correct facility classification: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Can not determine	
If no, please check the appropriate classification:	
<input type="checkbox"/> facility qualified for a general permit as number _____ above	
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit	
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was <u>38</u> gallons.	

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

- | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------|----------------------------------------|
| 1. Storing perchloroethylene in tightly sealed and impervious containers? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 2. Examining the containers for leakage? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Closing and securing machine doors except during loading/unloading? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input checked="" type="checkbox"/> NA |

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

- | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------|-----------------------------|
| 1. Equipped all machines with the appropriate vent controls? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a <u>weekly</u> /bi-weekly basis? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> NA |
| 6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | |

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20° F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 dust diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N NA
Problem corrected? Y N NA
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use(PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

12/3/99
Date of inspection

Jeff Morris
Inspector's Signature

6/3/2000
Approximate Date of Next Inspection

ACE

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Lazy Bee Cleanings Laundry
FACILITY LOCATION: 8465 4th St. N. St. Petersburg, FL 33702
DATE: 6/7/00
RECEIVED JUL 17 2000 Bureau of Air Monitoring & Mobile Sources

Annual Reporting Period: December 3, 1999 TO June 7, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Facility did not measure and record the outlet exhaust temperature of the refrigerated condenser. Exact period of non-compliance: from May 12, 1999 to June 7, 1999. Action(s) taken to achieve compliance: record the outlet exhaust temperature of the refrigerated condenser on a weekly basis. Method used to demonstrate compliance: basis.

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from to
Action(s) taken to achieve compliance:
Method used to demonstrate compliance:

As the responsible official, I hereby certify, based on information and beliefs formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities. RESPONSIBLE OFFICIAL: JOHN ALEXANDER Name (Please Print) Signature Date 6-9-00

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

**TITLE V AIR QUALITY AIR GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: <u>1030408</u>	DATE: <u>6/7/00</u>	TIME IN: <u>10:60 a.m.</u>	TIME OUT: <u>10:45 a.m.</u>
FACILITY NAME: <u>Lazy Bee Dry Cleaning & Indry</u>			
FACILITY LOCATION: <u>8465 4th Street North</u> <u>St. Petersburg, FL, 33702</u>			
RESPONSIBLE OFFICIAL: <u>John Alexander</u>		Phone No.: <u>577-3114</u>	
Permit No. <u>1030408-061-A6</u>		Exp. Date: <u>11/17/02</u>	

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

Inspection Summary Report Guidance


	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input checked="" type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylen-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: Facility has not recorded outlet exhaust temperature of the refrigerated condensers, 3rd + 4th weeks of May, 2000 and first week of June, 2000.

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Inspection Conducted by: Jeff Morris

Inspector's Signature: 

Phone Number: 464-4422



**PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL RE-INSPECTION COMPLAINT/DISCOVERY

AIRS ID#: 1030408 Date: 6/7/00 TIME IN: 10:00am TIME OUT: 10:45am
 FACILITY NAME: Lazy Bee Dry Cleaning & Indry
 FACILITY LOCATION: 8465 4th Street North
St. Petersburg, FL, 33702
 RESPONSIBLE OFFICIAL: John Alexander PHONE: 577-3114
 CONTACT: John Alexander PHONE: 577-3114

PART I: NOTIFICATION

(Check appropriate box)

1. Existing facility notified DARM By 9/1/96
 2. New facility notified DARM 30 days prior to startup
 3. Facility failed to notify DARM to use general permit *Discovered facility/applied on 11/17/97 yr*

PART II: CLASSIFICATION

Facility indicated on notification form that it is:
 (Check appropriate box)

<input type="checkbox"/> No notification form	<input type="checkbox"/> Drop store / out of business / petroleum
-----------------------------------------------	-------------------------------------------------------------------

A.

<p>1. Existing small area source <input type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed before 12/9/91)</p>	<p>2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (Constructed on or after 12/9/91)</p>
<p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed before 12/9/91)</p>	<p>4. New large area source <input type="checkbox"/> dry-to-dry only, 140 < x < 2,100 gal/yr transfer only, 200 < x < 1,800 gal/yr both types, 140 < x < 1,800 gal/yr (Constructed on or after 12/9/91)</p>

This is a correct facility classification: Y N Can not determine

If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 38 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? Y N NA
2. Examining the containers for leakage? Y N NA
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N NA
5. Maintaining solvent-to- carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N NA

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly bi-weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20° F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports? Y N NA
Problem corrected? Y N NA
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use(PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

6/7/00
Date of Inspection

Jeff Morris (sm)
Inspector's Signature

12/7/06
Approximate Date of Next Inspection

Handwritten initials

**DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM**

FACILITY NAME: Lazy Bee Dry Cleaning & Lndry **Date:** 12/15/00

FACILITY LOCATION: 8465 4th Street North
St. Petersburg, FL, 33702

Annual Reporting Period: June 7, 2000 To December 15, 2000

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. **YES** **NO**

IF NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: **from** _____ **to** _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: **from** _____ **to** _____

Action(s) taken to achieve compliance: _____

Method used to demonstrate compliance: _____

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: John Alexander *Alexander* 12-15-2000
(Name, Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

RECEIVED
JAN 11 2001
Bureau of Air Monitoring
& Mobile Sources

**TITLE V AIR QUALITY AIR GENERAL PERMIT
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY RE-INSPECTION

AIRS ID#: 1030408 DATE: 12/15/00 TIME IN: 9:35 a.m. TIME OUT: 9:52 a.m.

FACILITY NAME: Lazy Bee Dry Cleaning & Lndry

FACILITY LOCATION: 8465 4th Street North
St. Petersburg, FL, 33702

RESPONSIBLE OFFICIAL: John Alexander Phone No.: (727) 577-3114

Permit No. 1030408-001-AG

Exp. Date: 11/17/02

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance **discrepancies** were noted (only items which are checked):

Inspection Summary Report Guidance

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not have a start-up, shutdown, malfunction (SSM) plan in place, along with associated recordkeeping, on site.	If no specific procedures are available from the manufacturer, develop a SSM plan that describes procedures for maintaining and operating equipment during periods of start-up and shutdown associated with a malfunction. EPA's O&M manual may be used if no manufacturers information is available. Keep log of maintenance actions
<input type="checkbox"/>	Purchase receipts were not maintained properly.	Maintain all purchase receipts in a log kept on-site for determination of perchloroethylene solvent consumption.
<input type="checkbox"/>	Monthly purchase records were not maintained as a consecutive twelve month total.	Develop and implement a recordkeeping procedure that maintains monthly purchases (perc) as a consecutive twelve month total.
<input type="checkbox"/>	Could not confirm that temperature sensor was designed to measure 45°F with an accuracy of ±2°F.	Obtain verification from the manufacturer that the temperature sensor is designed to measure 45°F with an accuracy of ±2°F, or determine this by another method that the Department would consider appropriate.
<input type="checkbox"/>	Evaporator for separator wastewater does not incorporate a pre-filtration system.	Facility may choose to either dispose of perc-containing separator water as hazardous waste, or incorporate a carbon filtration system with the evaporator (as per the State's guidelines).
<input type="checkbox"/>	Did not store all perc, and perc-containing waste in tightly sealed containers.	Store all perc and perc-containing waste in tightly sealed containers which are impervious and chemically unreactive to the solvent.
<input type="checkbox"/>	Did not maintain a log of leak detection inspection and repair records.	Develop and implement a leak detection inspection and repair program. Maintain a log of leak detection inspection and repair records.

	Compliance Requirement/Problem	Follow-up Action Required
<input type="checkbox"/>	Did not conduct weekly leak detection and repair inspection.	Develop and implement a leak detection inspection and repair program. Use at least one of the methods outlined in Part II, Section 7(a), of the general permit provisions, to detect leaks. Inspect the items listed in Part II, Section 7(b), for leaks. Repair leaks within 24 hours of detection, unless repair equipment must be ordered.
<input type="checkbox"/>	No calibration records for the mechanical direct reading instrumentation (halogen detector) were available.	Mechanical direct-reading instrumentation shall be operated as directed by the manufacturer and must meet the conditions in Part II, Section 7(e) of the general permit provisions..
<input type="checkbox"/>	Did not measure and record the outlet temperature of the refrigerated condenser on the dry-to-dry machine (dryer, reclaimer) on a weekly basis.	Develop and implement a monitoring program. Measure and record the outlet temperature on a weekly basis. The temperature, measured at the end of the drying cycle, must not exceed 45°F.
<input type="checkbox"/>	Airflow is directed towards the refrigerated condenser upon the door being opened and no diverter valve is in place.	Equip the condenser with a diverter valve to prevent air flow to the refrigerated condenser when the door is opened.
<input type="checkbox"/>	The outlet exhaust temperature of the refrigerated condenser exceeds 45°F and was not repaired within 24 hours.	Repair or adjust condenser within 24 hours of measurement indicating that the outlet exhaust temperature of the refrigerated condenser exceeds 45°F. The repair shall be documented in the monitoring record log.
<input type="checkbox"/>	Machine doors are not closed and secure during times other than loading and unloading.	Keep doors closed and secured at all times except during loading and unloading.
<input type="checkbox"/>	Temperature monitoring was not conducted after an appropriate cooldown period and after verifying that the coolant was completely charged.	Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
<input type="checkbox"/>	Containers for perchloroethylene and/or perchloroethylene-containing waste were found to be leaking.	Examine the containers, used for storing perchloroethylene and/or perchloroethylene-containing waste, for leakage.
<input type="checkbox"/>		
<input type="checkbox"/>		

Comments: _____

If the Inspection Summary Report indicates follow-up actions are required, you must take immediate corrective measures to achieve compliance. Pinellas County will perform a follow-up inspection to determine that proper corrective actions have been taken.

Inspection Conducted by: Jeff Morris

Inspector's Signature: 

Phone Number: 464-4422

ASCP ✓

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL RE-INSPECTION COMPLAINT/DISCOVERY

AIRS ID#: 1030408 Date: 12/15/00 TIME IN: 9:35 a.m. TIME OUT: 9:52 a.m.
FACILITY NAME: Lazy Bee Dry Cleaning & Lndry
FACILITY LOCATION: 8465 4th Street North
St. Petersburg, FL, 33702
RESPONSIBLE OFFICIAL: John Alexander PHONE: (727) 577-3114
CONTACT: John Alexander PHONE: (727) 577-3114

PART I: NOTIFICATION
(Check appropriate box)
1. Existing facility notified DARM By 9/1/96
2. New facility notified DARM 30 days prior to startup
3. Facility failed to notify DARM to use general permit

PART II: CLASSIFICATION
Facility indicated on notification form that it is:
(Check appropriate box)
A.
1. Existing small area source
dry-to-dry only, x < 140 gal/yr
transfer only, x < 200 gal/yr
both types, x < 140 gal/yr
(Constructed before 12/9/91)
2. New small area source
dry-to-dry only, x < 140 gal/yr
transfer only, x < 200 gal/yr
both types, x < 140 gal/yr
(Constructed on or after 12/9/91)
3. Existing large area source
dry-to-dry only, 140 < x < 2,100 gal/yr
transfer only, 200 < x < 1,800 gal/yr
both types, 140 < x < 1,800 gal/yr
(Constructed before 12/9/91)
4. New large area source
dry-to-dry only, 140 < x < 2,100 gal/yr
transfer only, 200 < x < 1,800 gal/yr
both types, 140 < x < 1,800 gal/yr
(Constructed on or after 12/9/91)
This is a correct facility classification: Y N Can not determine
If no, please check the appropriate classification:
 facility qualified for a general permit as number _____ above
 facility exceeds above limits and is not eligible for a general permit
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 38 gallons.

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers? Y N NA
2. Examining the containers for leakage? Y N NA
3. Closing and securing machine doors except during loading/unloading? Y N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? Y N NA
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? Y N NA

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below)

If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993.

If classification (4) has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls? Y N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? Y N NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? Y N NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly bi-weekly basis? Y N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? Y N NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged? Y N

B. Has the responsible official of an existing large or new large area source also:

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? Y N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly? Y N NA
Is the temperature differential equal to or greater than 20°F? Y N NA
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber? Y N NA
Is the perc concentration equal to or less than 100 ppm? Y N NA
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc. concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend contraction, or expansion; and downstream from no other inlet? Y N NA
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils? Y N NA
6. Routed airflow to the carbon adsorber (if used) at all times? Y N NA

PART V: RECORDKEEPING REQUIREMENTS

Has the responsible official:
(check appropriate boxes)

1. Maintained receipts for perc purchased? Y N
2. Maintained rolling monthly averages of perc consumption? Y N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or; Y N NA
 - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Y N NA
4. Maintained calibration data? (for direct reading instrument only) Y N NA
5. Maintained exhaust duct monitoring data on perc concentrations? Y N NA
6. Maintained startup/shutdown/malfunction plan? Y N
7. Maintained deviation reports?
Problem corrected? Y N NA
8. Maintained compliance plan, if applicable? Y N NA

PART VI: LEAK DETECTION AND REPAIRS

1. Does the responsible official conduct a weekly (for small sources bi-weekly) leak detection and repair inspection? Y N

2. Has the facility maintained a leak log? Y N

3. Does the responsible official check the following areas for leaks:

- | | | | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|
| Hose connections, fitting couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Muck cookers | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA |
| Door gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Stills | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Filter gaskets and seating | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Exhaust dampers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Pumps | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Diverter valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Solvent tanks and containers | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | Cartridge Filter housing | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA |
| Water separators | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA | | |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent of exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm. Y N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only). Y N
- c. Inspected for leaks and obvious signs of wear on a weekly basis? Y N
- d. Kept in a clean and secure area when not in use. Y N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)? Y N

Jeff Morris
Inspector's Name (Please Print)

12/15/00
Date of Inspection

Jeff Morris
Inspector's Signature

6/15/01
Approximate Date of Next Inspection

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

402034

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do **NOT** Remove Label

AIRS ID # 1030408
LAZY BEE ONE DAY DRY CLEANER 30
MINUTE Y
JOHN ALEXANDER
8465 4TH STREET NORTH
ST PETERSBURG FL 33702

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EQA1
Fund: 20-2-035001
Obj.: 002273

RECEIVED
MAIL ROOM
JAN - 8 2001



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

415124 MAR11 2002

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00 ✓

Do **NOT** Remove Label

AIRS ID # 1030408
LAZY BEE 1 DAY DRY CLEANER
JOHN ALEXANDER
8465 4TH STREET NORTH
ST PETERSBURG FL
33702

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: A1
Fund: 20-2-035001
Obj.: 002273

U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

7001 0320 0001 7976 0865

OFFICIAL USE

Postage \$	Postmark Here
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
To: AIRS ID # 1030408 Sent: LAZY BEE ONE DAY DRY CLEANER 30 Minute Y Street or P: JOHN ALEXANDER 8465 4TH STREET NORTH City: ST PETERSBURG FL 33702	

PS Form 3800, January 2001 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Print Clearly) _____ B. Date of Delivery <u>3/8/02</u>
1. Article Addressed to:	C. Signature <u>John Alexander</u> <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If YES, enter delivery address below: _____
AIRS ID # 1030408 LAZY BEE ONE DAY DRY CLEANER 30 MINUTE Y JOHN ALEXANDER 8465 4TH STREET NORTH ST PETERSBURG FL 33702	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.
2. Article Number (Copy from service label)	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes
7001 0320 0001 7976 0865	
PS Form 3811, July 1999	Domestic Return Receipt 102595-99-M-1789

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7000 0600 0026 4128 6396

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total	AIRS ID # 1030408	
Recip	LAZY BEE ONE DAY DRY CLEANER	
Street	JOHN ALEXANDER	
City	8465 4TH STREET NORTH	
	ST PETERSBURG FL	
	33702	

PS Form 3800, February 2000 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
 AIRS ID # 1030408
 LAZY BEE ONE DAY DRY CLEANER
 JOHN ALEXANDER
 8465 4TH STREET NORTH
 ST PETERSBURG FL
 33702

2. Article Number (Copy from service label)
 700000060002641286396

RECIPIENT: COMPLETE THIS SECTION

A. Received by (Please Print Clearly) B. Date of Delivery
 FEB 9 2002

C. Signature
 X *Alexander* Agent Addressee

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Postmark
 Here
McLester
 02

Total P 10 AIRS ID # 1030408001AG

Sent To JOHN ALEXANDER
 Street, A LAZY BEE ONE DAY DRY CLEANER
 City, State ST PETERSBURG FL
 33702

PS Form 3800, May 2000 See Reverse for Instructions

7000 1670 0013 3109 4927

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF RETURN ADDRESS

COMPLETE THIS SECTION ON DELIVERY

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse, so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
 10 AIRS ID # 1030408001AG
 JOHN ALEXANDER
 LAZY BEE ONE DAY DRY CLEANER
 8465 4TH STREET NORTH
 ST PETERSBURG FL
 33702

A. Received by (Please Print Clearly) B. Date of Delivery
JUL 29 2002

C. Signature
X L Alexander Agent Addressee

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number
 (Transfer from service label) *7000 1670 0013 3109 4927*

BEST AVAILABLE COPY

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

DARM/MOBILE SOURCE CONTROL PROGRAM
DEPT. OF ENVIRONMENTAL PROTECTION
MAIL STATION 5510
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32399-2600

RECEIVED
AUG 1 1992
Bureau of Air Monitoring
& Mobile Sources

00000042



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0390575

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE

RECEIVED
DEC 10 2000
\$50.00

Bureau of Air Monitoring
& Mobile Sources

RECEIVED
MAIL ROOM
JAN - 5 2001

Do NOT Remove Label

AIRS ID # 1030408
LAZY BEE ONE DAY DRY CLEANER 30
MINUTE Y
JOHN ALEXANDER
8465 4TH STREET NORTH
ST PETERSBURG FL 33702

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: BT
Fund: 20-2-035001
Obj.: 002273

Z 333 612 765

US Postal Service
Receipt for Certified Mail
No Insurance Coverage Provided.

International Mail (See reverse)

AIRS ID 1030408

JOHN ALEXANDER
JOHN ALEXANDER
8465 4TH STREET NORTH
ST PETERSBURG FL 33702

PS Form 3800, April 1995

Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. Addressee's Address
- 2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

JOHN ALEXANDER
JOHN ALEXANDER
8465 4TH STREET NORTH
ST PETERSBURG FL 33702

AIRS ID 1030408

4a. Article Number

Z 333 612 765

4b. Service Type

- Registered
- Express Mail
- Return Receipt for Merchandise
- Certified
- Insured
- COD

7. Date of Delivery

2-14-98

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X *John Alexander*

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

302766

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

RECEIVED
MAIL ROOM

FEB 17 98

Do **NOT** Remove Label

JOHN ALEXANDER JOHN ALEXANDER 8465 4TH STREET NORTH ST PETERSBURG FL 33702	AIRS ID#1030408
-------------------------------------------------------------------------------------	-----------------

FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0357047

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label



AIRS ID # 1030408
LAZY BEE ONE DAY DRY CLEANER 30
MINUTE Y
JOHN ALEXANDER
8465 4TH STREET NORTH
ST PETERSBURG FL 33702

RECEIVED
MAIL ROOM
JAN 13 99
FOR GOVERNMENT USE ONLY
Org.: 37550101000 EO: B1
Fund: 20-2-035001
Obj.: 002273