



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

January 30, 1997

Mr. Lester H. May  
Sunrise Fresh Corporation  
1425 West Granda Boulevard, Suite 5  
Ormond Beach, Florida 32174

Re: Facility I.D. No. 1270127

Dear Mr. May:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on September 5, 1996.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources, MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Louis Nichols, Central District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.

#1270127

Sunrise Fresh Corp.

spoke with Lester May - 10/4/96

p.13 6. add title - Vice-President

p.14 1.(a) add date control device  
installed

1.(c) mark out "v" and initial

p.16 add "v" to "No air..."

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): <b>SUNRISE FRESH CORP.</b>
2. Site Name (For example, plant name or number): <b>01</b>
3. Hazardous Waste Generator Identification Number: <b>FLR 000016097</b>
4. Facility Location: Street Address: <b>1425 WEST GRANADA BLVD SUITE 5</b> City: <b>ORMOND BEACH</b> County: <b>VOLUSIA</b> Zip Code: <b>32174</b>
5. Facility Identification Number (DEP Use): <b>1270127</b>

## Responsible Official

6. Name and Title of Responsible Official: <b>LESTER H. MACY</b>
7. Responsible Official Mailing Address: Organization/Firm: Street Address: <b>1425 WEST GRANADA BLVD SUITE 5</b> City: <b>ORMOND BEACH</b> County: <b>VOLUSIA</b> Zip Code: <b>32174</b>
8. Responsible Official Telephone Number: Telephone: <b>(904) 615-8514</b> Fax: ( <b>NONE</b> )

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):
10. Facility Contact Address: Street Address: City: County: Zip Code:
11. Facility Contact Telephone Number: Telephone: ( ) - Fax: ( ) -

RECEIVED

SEP 5 1996

**Facility Information**

1(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>		#1 03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit		21 22 MAR 96							
(1) w/ ref. condenser		<input checked="" type="checkbox"/>							
(2) w/ carbon adsorber									
(3) w/ no controls									
Washer Unit									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
Dryer Unit									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
Reclaimer Unit									
(10) w/ ref. condenser									
(11) w/carbon adsorber									
(12) w/ no controls									

(b) Control devices are required, but not yet installed

(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?  
 gallons

(b) If less than 12 months, how many?  months  
 Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?  
 (Indicate with an "X". Select one classification only.)

Existing small area source  New small area source   
 Existing large area source  New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
No such units on-site

### Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) \_\_\_\_\_.


No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

Signature



Date



NEW OWNER ~~1~~ month  
**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

*1 month  
all*

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

AIRS ID#: 1270127 DATE: 12/16/97 TIME IN: 2:15 TIME OUT: 2:45  
 FACILITY NAME: Sunrise Drycleaners  
 FACILITY LOCATION: 1425 W. Granada Blvd  
Ormond Beach, FL - 32174  
 RESPONSIBLE OFFICIAL: Paw Saroukhan PHONE: 615-9111  
 CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup   
 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
 (check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

A.

- |  |  |
|--|--|
| 1. Existing small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91) <input type="checkbox"/>   | 2. New small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91) <input checked="" type="checkbox"/>                                |
| 3. Existing large area source<br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed before 12/9/91) <input type="checkbox"/> | 4. New large area source<br>dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr<br>transfer only, $200 \leq x \leq 1,800$ gal/yr<br>both types, $140 \leq x \leq 1,800$ gal/yr<br>(constructed on or after 12/9/91) <input type="checkbox"/> |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 2 gallons.

*→ last owner used 130 gal.*

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
 Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
 Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**

(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
 Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
  - b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
  - c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
  - d. Kept in a clean and secure area when not in use?  Y  N
  - e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

SANDIP QURESHI  
Inspector's Name (Please Print)

12/16/97  
Date of Inspection

[Signature]  
Inspector's Signature

12/98  
Approximate Date of Next Inspection

**ADDITIONAL SITE INFORMATION:**

Aerotech USA

**NEW OWNER** 1 month <sup>in ARMS</sup> 12/17/97  
SR  
**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

**TYPE OF INSPECTION:** ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

**AIRS ID#:** 1270197 **DATE:** 12/16/97 **TIME IN:** 2:15 **TIME OUT:** 2:45  
**FACILITY NAME:** Sunrise Drycleaners  
**FACILITY LOCATION:** 1425 W. Granada Blvd  
Ormond Beach, FL - 32174  
**RESPONSIBLE OFFICIAL:** Paul Saroukhan **PHONE:** 615-9111  
**CONTACT NAME:** \_\_\_\_\_ **PHONE:** \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup
2. Facility failed to notify DARM to use general permit

RECEIVED

DEC 14 1997

**PART II: CLASSIFICATION**

Bureau of Air Monitoring  
& Mobile Source Control

**Facility indicated on notification form that it is:**  
 (check appropriate box)

- No notification form  
 Drop store/out of business/petroleum

**A.**

- |  |  |
|--|--|
| <p>1. Existing small area source <input type="checkbox"/><br/>                 dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>                 transfer only, <math>x &lt; 200</math> gal/yr<br/>                 both types, <math>x &lt; 140</math> gal/yr<br/>                 (constructed before 12/9/91)</p>                                  | <p>2. New small area source <input checked="" type="checkbox"/><br/>                 dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>                 transfer only, <math>x &lt; 200</math> gal/yr<br/>                 both types, <math>x &lt; 140</math> gal/yr<br/>                 (constructed on or after 12/9/91)</p>                       |
| <p>3. Existing large area source <input type="checkbox"/><br/>                 dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>                 transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>                 both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>                 (constructed before 12/9/91)</p> | <p>4. New large area source <input type="checkbox"/><br/>                 dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>                 transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>                 both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>                 (constructed on or after 12/9/91)</p> |
5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

**B.** The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 2 gallons.

→ last owner used 130 gal.

**PART III: GENERAL CONTROL REQUIREMENTS**

**Is the responsible official of the dry cleaning facility:**  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
- 2. Examining the containers for leakage?  Y  N  N/A
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

**In Part II-A:**

**If classification 1 has been checked, no controls are required. Proceed to Part V.**

**If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).**

**If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993***

**If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).**

**A. Has the responsible official of all new sources and existing large area sources:**  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N  N/A
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
 Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
 Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
 Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |

4. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
  - Physical detection (airflow felt through gaskets)
  - Odor (noticeable perc odor)
  - Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
  - Halogen leak detector
- If using direct-reading instrumentation, is the equipment:**  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
  - b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
  - c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
  - d. Kept in a clean and secure area when not in use?  Y  N
  - e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

SAADIA Qureshi  
Inspector's Name (Please Print)

12/16/98  
Date of Inspection

[Signature]  
Inspector's Signature

12/98  
Approximate Date of Next Inspection

**ADDITIONAL SITE INFORMATION:**

Aerotech USA



**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 2:15 TIME OUT: 2:45 AIRS ID#: 1270127  
 TYPE OF FACILITY: Drycleaners  
 FACILITY NAME: Sunrise Drycleaners DATE: \_\_\_\_\_  
 FACILITY LOCATION: 1425 W. Granada Blvd.  
Orlando Beach, FL 32174  
 RESPONSIBLE OFFICIAL: Paul Stroutan PHONE NUMBER: 904-615-9111

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS: Previous owner in compliance - gave new owner calendar.

The Annual Compliance Certification form has been New Owner properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 12/98  
(Approximate)

INSPECTION CONDUCTED BY: SAADIA QURESHI  
(Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 893-3333

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

AIRS ID#: 1270127 DATE: 3/25/97 TIME IN: 11:05 TIME OUT: 11:35  
 FACILITY NAME: SUNRISE FRESH DRY CLEANERS  
 FACILITY LOCATION: 1425 W. GRAWADA BLVD.  
ORMOND BEACH, FL, 32174

**PART I: NOTIFICATION**

(check appropriate box)

- 1. Existing facility notified DARM by 9/1/96
- 2. New facility notified DARM 30 days prior to startup
- 3. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
 (check appropriate box)

- A.
- |  |  |
|--|--|
| 1. Existing small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed before 12/9/91) <input type="checkbox"/>                         | 2. New small area source<br>dry-to-dry only, $x < 140$ gal/yr<br>transfer only, $x < 200$ gal/yr<br>both types, $x < 140$ gal/yr<br>(constructed on or after 12/9/91) <input checked="" type="checkbox"/>              |
| 3. Existing large area source<br>dry-to-dry only, $140 < x < 2,100$ gal/yr<br>transfer only, $200 < x < 1,800$ gal/yr<br>both types, $140 < x < 1,800$ gal/yr<br>(constructed before 12/9/91) <input type="checkbox"/> | 4. New large area source<br>dry-to-dry only, $140 < x < 2,100$ gal/yr<br>transfer only, $200 < x < 1,800$ gal/yr<br>both types, $140 < x < 1,800$ gal/yr<br>(constructed on or after 12/9/91) <input type="checkbox"/> |

This is a correct facility classification  Y  N

If no, please check the appropriate classification:

- facility qualified for a general permit as number 24 above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 50 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- 1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N *IN MACHINE AS NEEDED*
- 2. Examining the containers for leakage?  Y  N
- 3. Closing and securing machine doors except during loading/unloading?  Y  N
- 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N
- 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- 1. Equipped all machines with the appropriate vent controls?  Y  N
- 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
- 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
- 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?  Y  N
- 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  Y  N
- 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  
Is the temperature differential equal to or greater than 20° F?  Y  N
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly averages of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or;  Y  N
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N
4. Maintained calibration data? (for direct reading instruments only)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  
Problem corrected?  Y  N
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly leak detection and repair inspection?  Y  N

2. Which method of detection is used by the responsible official?

- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

If using direct-reading instrumentation, is the equipment:

- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

3. Has the facility maintained a leak log?  Y  N

4. Does the responsible official check the following areas for leaks?

- |   |  |                           |  |
|---|--|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N            |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |                           |  |

BRETT H. MAY

Name of Responsible Official

LOUIS A. NICHOLS

Inspector's Name (Please Print)

Louis A. Nichols

Inspector's Signature

3/25/97

Date of Inspection

Approximate Date of Next Inspection



Sunrise Fresh  
Dry Cleaners

Brett H. May  
President

1425 W. Granada Blvd.  
Ormond Beach, FL 32174  
(904) 615-8514

BEACH STORE  
1224 Ocean Shore Blvd.  
Ormond Beach, FL 32176  
(904) 441-2733

ADDITIONAL SITE INFORMATION:

DOING EXCELLENT JOB ON LEAK DETECTION AND REPORTING  
REQUIREMENTS. RECORDS ORGANIZED WELL.

AEROTECH AID HAS CONTAINMENT PAN

HAS EPOXY AROUND SPOTTING BOARD

MCF PICKS UP HAZARDOUS WASTE, INCLUDING SRP, WATER

CLEAN SHOP, EXCELLENT HOUSEKEEPING.

IN FULL COMPLIANCE.

LEFT SAMPLE RECORDS FORM & DISCUSSED,

BEST SHOP INSPECTED TO DATE.

✓

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

TYPE OF INSPECTION:    ANNUAL                     COMPLAINT/DISCOVERY      
                                  RE-INSPECTION                   

AIRS ID#: 1270127    DATE: 6/9/98    TIME IN: 11:10    TIME OUT: 11:45  
 FACILITY NAME: Sunrise Cleaners  
 FACILITY LOCATION: 1425 W. Granada Blvd.  
                                  Ormond Beach  
 RESPONSIBLE OFFICIAL: Paul Sarukhan    PHONE: 904-665-9111  
 CONTACT NAME: \_\_\_\_\_    PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

(check appropriate box)

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
 (check appropriate box)

- No notification form
- Drop store/out of business/petroleum

A.

- |  |  |
|--|--|
| <p>1. Existing small area source <input type="checkbox"/><br/>         dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>         transfer only, <math>x &lt; 200</math> gal/yr<br/>         both types, <math>x &lt; 140</math> gal/yr<br/>         (constructed before 12/9/91)</p>                                  | <p>2. New small area source <input type="checkbox"/><br/>         dry-to-dry only, <math>x &lt; 140</math> gal/yr<br/>         transfer only, <math>x &lt; 200</math> gal/yr<br/>         both types, <math>x &lt; 140</math> gal/yr<br/>         (constructed on or after 12/9/91)</p>                                  |
| <p>3. Existing large area source <input type="checkbox"/><br/>         dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>         transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>         both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>         (constructed before 12/9/91)</p> | <p>4. New large area source <input type="checkbox"/><br/>         dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr<br/>         transfer only, <math>200 \leq x \leq 1,800</math> gal/yr<br/>         both types, <math>140 \leq x \leq 1,800</math> gal/yr<br/>         (constructed on or after 12/9/91)</p> |
5. This is a correct facility classification     Y     N     Can not determine

RECEIVED

JUL - 6 1998

Bureau of Air Monitoring & Mobile Sources

If no, please check the appropriate classification:

- facility qualified for a general permit as number: \_\_\_\_\_ above
- facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 55 gallons.

*(Since November) ~~store bought~~ store bought then*

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |                                       |                            |   |
|---|---------------------------------------|----------------------------|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |   |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |                                       |                                       |                              |
|--|---------------------------------------|---------------------------------------|------------------------------|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            |                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            | <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            | <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input checked="" type="checkbox"/> Y | <input checked="" type="checkbox"/> N |                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                               | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            | <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            |                              |



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
  - a. documentation of leaks repaired w/in 24 hrs? or,  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |  |
|---|---|---------------------------|--|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |  |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

SAADIA QURESHI

Inspector's Name (Please Print)

6/9/98

Date of Inspection

[Signature]

Inspector's Signature

6/99

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:

Machine: Aerotek

2 INSPECTION ⇒

Checked perc/ leak/ temp loops.

Sufficient

has pan for hazardous waste

+ perc. in compliance

✓

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY  RE-INSPECTION

TIME IN: 11:20 TIME OUT: 11:45 AIRS ID#: 1270122  
 TYPE OF FACILITY: Sunrise Cleaners (Drycleaners)  
 FACILITY NAME: Sunrise Cleaners DATE: 6/19/98  
 FACILITY LOCATION: 1425 W. Granada Blvd  
Ormond Beach FL 32174  
 RESPONSIBLE OFFICIAL: Paul Samathan PHONE NUMBER: ~~407~~904-615-9111

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:

COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

RECEIVED

JUL - 6 1998

Bureau of Air Monitoring  
& Mobile Sources

COMMENTS: Reinspection: has kept leak logs/ per log/ temp condensers Has pan for hazardous waste.  
IN COMPLIANCE

The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES  NO

DATE OF NEXT INSPECTION: 6/99  
 (Approximate)

INSPECTION CONDUCTED BY: SAADIA KHURSHID  
 (Please Print)

INSPECTOR'S SIGNATURE: [Signature] PHONE NUMBER: 407-893-3333

✓ *ln Adams*  
*6/9/98*  
*350*

**PERCHLOROETHYLENE DRY CLEANERS**  
TITLE V GENERAL PERMIT  
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
RE-INSPECTION

AIRS ID#: 1270127 DATE: 6/9/98 TIME IN: 11:10 TIME OUT: 11:45  
 FACILITY NAME: Sunrise Cleaners  
 FACILITY LOCATION: 1425 W. Granada Blvd.  
Diamond perch  
 RESPONSIBLE OFFICIAL: Paul Samukhan PHONE: 904-665-9111  
 CONTACT NAME: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PART I: NOTIFICATION**

RECEIVED

(check appropriate box)

1. New facility notified DARM 30 days prior to startup  DEC 14 1999   
 2. Facility failed to notify DARM to use general permit

Bureau of Air Monitoring  
& Mobile Sources

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
(check appropriate box)

No notification form  
 Drop store/out of business/petroleum

A.

<p>1. Existing small area source <input type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (constructed before 12/9/91)</p> <p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr transfer only, <math>200 \leq x \leq 1,800</math> gal/yr both types, <math>140 \leq x \leq 1,800</math> gal/yr (constructed before 12/9/91)</p>	<p>2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, <math>x &lt; 140</math> gal/yr transfer only, <math>x &lt; 200</math> gal/yr both types, <math>x &lt; 140</math> gal/yr (constructed on or after 12/9/91)</p> <p>4. New large area source <input type="checkbox"/> dry-to-dry only, <math>140 \leq x \leq 2,100</math> gal/yr transfer only, <math>200 \leq x \leq 1,800</math> gal/yr both types, <math>140 \leq x \leq 1,800</math> gal/yr (constructed on or after 12/9/91)</p>
--	---

5. This is a correct facility classification  Y  N  Can not determine

If no, please check the appropriate classification:  
 facility qualified for a general permit as number \_\_\_\_\_ above  
 facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 55 gallons. *(Since November) ~~store bought~~ store bought*

*Shen*

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |                                       |                            |   |
|---|---------------------------------------|----------------------------|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 2. Examining the containers for leakage?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |   |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A            |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y            | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |                                       |                                       |                              |
|--|---------------------------------------|---------------------------------------|------------------------------|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            |                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            | <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            | <input type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input checked="" type="checkbox"/> Y | <input checked="" type="checkbox"/> N |                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?                               | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            | <input type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N            |                              |

**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	<input type="checkbox"/> Y <input type="checkbox"/> N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Is the temperature differential equal to or greater than 20° F?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Is the perc concentration equal to or less than 100 ppm?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
6. Routed airflow to the carbon adsorber (if used) at all times?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A

**PART V: RECORDKEEPING REQUIREMENTS**

**Has the responsible official:**  
(check appropriate boxes)

1. Maintained receipts for perc purchased?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
2. Maintained rolling monthly total of perc consumption?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or,	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A
4. Maintained calibration data? (for applicable direct reading instruments)	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
5. Maintained exhaust duct monitoring data on perc concentrations?	<input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A
6. Maintained startup/shutdown/malfunction plan?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
7. Maintained deviation reports?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Problem corrected?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
8. Maintained compliance plan, if applicable?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N

2. Has the facility maintained a leak log?  Y  N

3. Does the responsible official check the following areas for leaks?

Hose connections, fittings, couplings, and valves	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Muck cookers	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Door gaskets and seating	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Stills	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Filter gaskets and seating	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Exhaust dampers	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Pumps	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Diverter valves	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Solvent tanks and containers	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A	Cartridge filter housings	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A
Water separators	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A		

4. Which method of detection is used by the responsible official?

Visual examination (condensed solvent on exterior surfaces)

Physical detection (airflow felt through gaskets)

Odor (noticeable perc odor)

Use of direct-reading instrumentation (FID/PID/calorimetric tubes)

Halogen leak detector

If using direct-reading instrumentation, is the equipment:  N/A

a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N

b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N

c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N

d. Kept in a clean and secure area when not in use?  Y  N

e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

SARADIA QURESHI  
Inspector's Name (Please Print)

6/9/98  
Date of Inspection

[Signature]  
Inspector's Signature

6/99  
Approximate Date of Next Inspection



ADDITIONAL SITE INFORMATION:

Machine Aerokk

2 INSPECTION ⇒

Checked perc/ leak/ temp logs.

Sufficient

has plan for hazardous waste

+ perc. in compliance

**TITLE V AIR QUALITY GENERAL PERMIT  
INSPECTION SUMMARY REPORT**

TYPE OF INSPECTION:      ANNUAL       COMPLAINT/DISCOVERY       RE-INSPECTION

TIME IN: 11:20      TIME OUT: 11:45      AIRS ID#: 1270122  
 TYPE OF FACILITY: Sunrise Cleaners (Drycleaners)  
 FACILITY NAME: Sunrise Cleaners      DATE: 6/19/98  
 FACILITY LOCATION: 1425 W. Granada Blvd  
Ormond Beach FL 32174  
 RESPONSIBLE OFFICIAL: Paul Sarukhan      PHONE NUMBER: ~~407~~904-615-9111

- Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.).
- Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted:


COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED

COMMENTS:  
Reinspection: has kept leak logs/ per log/ temp  
condensate trap pan for hazardous waste.  
INCOMPLIANCE

The Annual Compliance Certification form has been properly certified and submitted to the inspector.      YES       NO

DATE OF NEXT INSPECTION: 6/99  
 (Approximate)

INSPECTION CONDUCTED BY: SANDIA EURESHI  
 (Please Print)

INSPECTOR'S SIGNATURE:       PHONE NUMBER: 407-893-3333

Z 333 660 395

US Postal Service

**Receipt for Certified Mail**

AIRS ID# 1270127

SUNRISE FRESH CORP  
LESTER H MAY  
1425 WEST GRANADA BLVD SUITE 5  
ORMOND BEACH FL 32174

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

Z 333 613 267

US Postal Service

**Receipt for Certified Mail**

AIRS ID 1270127

SUNRISE FRESH CORP  
LESTER H MAY  
1425 WEST GRANADA BLVD SUITE 5  
ORMOND BEACN FL 32174

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	

U.S. Postal Service  
**CERTIFIED MAIL RECEIPT**  
(Domestic Mail Only; No Insurance Coverage Provided)

7000 0600 0026 4129 9594

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark  
Here

*McIntire*

Recip 10 AIRS ID # 1270127001AG  
Street LESTER H MAY  
SUNRISE FRESH CORP  
City 1425 WEST GRANADA BLVD SUITE 5  
ORMOND BEACH FL 32174

PS Form

Instructions

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

258176 ✓

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED  
MAIL ROOM

JAN 15 97

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

SUNRISE FRESH CORP  
LESTER H MAY  
1425 WEST GRANADA BLVD SUITE 5  
ORMOND BEACH FL 32174

AIRS ID# 1270127

**FOR GOVERNMENT USE ONLY**  
Org.: 37550101000 EO: B1  
Fund: 20-2-035001  
Obj.: 002273

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
TWIN TOWERS OFFICE BUILDING  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

**CERTIFIED**

Z 333,660 395

U.S. POSTAGE  
APR 13 1998  
**RECEIVED**  
2 77



550304

**MAIL**

- Not Deliverable As Addressed
- Unable To Forward
- Insufficient Address
- Moved, Left No Address
- Unclaimed, Refused
- Attempted, Not Known
- No Return Address
- No Postage
- No Postage Necessary
- No Postage Needed
- No Postage Necessary
- No Postage Necessary
- No Postage Necessary

4465510

*Handwritten signature*

Vacant  
SUNRISE FRESH CORP  
LESTER H MAY  
125 WEST GRANADA BLVD SUITE 5  
DIAMOND BEACH FL 32174  
AIRS ID# 1270127

Bureau of Air Monitoring  
& Mobile Sources

Postnet Invelope or Envelope

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1.  Addressee's Address
- 2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

AIRS ID# 1270127

SUNRISE FRESH CORP  
 LESTER H. MAY  
 1425 WEST GRANADA BLVD SUITE 5  
 ORMOND BEACH FL 32174

4a. Article Number

2333 660 395

4b. Service Type

Registered                       Certified  
 Express Mail                       Insured  
 Return Receipt for Merchandise    COD

7. Date of Delivery

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X


Thank you for using Return Receipt Service.



**CERTIFIED**

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
TWIN TOWERS OFFICE BUILDING  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

Z 333 613 566



NOT DELIVERABLE  
AS ADDRESSED  
UNABLE TO FORWARD

18:31 06/23/98 TLH FL

TALLAHASSEE  
JUN 23 1998  
32301  
FL  
U.S. POSTAGE  
2.77  
PERMETER  
6900314

32301  
35544

NOT DELIVERABLE  
AS ADDRESSED  
UNABLE TO FORWARD

*MDF*

LETTER OF NOTICE

AIRS ID# 1270127

TO: SUNRISE FRESH CORP  
LESTER H MAY  
1425 WEST GRANADA BLVD SUITE 5  
ORMOND BEACH FL 32137

Bureau of Air Monitoring  
& Mobile Sources

RECEIVED  
JUN 23 1998

Vertical text on the right edge of the envelope.

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1.  Addressee's Address
- 2.  Restricted Delivery

Consult postmaster for fee.

**3. Article Addressed to:**

AIRS ID# 1270127  
 SUNRISE FRESH CORP  
 LESTER H MAY  
 1425 WEST GRANADA BLVD SUITE 5  
 ORMOND BEACN FL 32174

**4a. Article Number**

2333 613 566

**4b. Service Type**

- Registered  Certified
- Express Mail  Insured
- Return Receipt for Merchandise  COD

**7. Date of Delivery**

**5. Received By: (Print Name)**

**6. Signature: (Addressee or Agent)**

X

**8. Addressee's Address (Only if requested and fee is paid)**

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

Thank you for using Return Receipt Service.

2 333 613 566

US Postal Service  
**Receipt for Certified Mail**

AIRS ID# 1270127  
 SUNRISE FRESH CORP  
 LESTER H MAY  
 1425 WEST GRANADA BLVD SUITE 5  
 ORMOND BEACN FL 32174

PS Form 3800, April 1995

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date	