

RECEIVED

FEB 23 2012

NONMETALLIC MINERAL PROCESSING (NMMP) PLANT (CRUSHER)

AIR GENERAL PERMIT REGISTRATION INFORMATION DIVISION OF AIR

February 2012

RESOURCE MANAGEMENT

Facility Identification Number (If known)

7775075-005-AG: Re-registration of this permit (expires 03/22/2012) for 5-yr renewal and change of equipment removing EU 003 and EU 004 and adding EU 006.

7775075-006

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).
Operates an existing facility not currently permitted or using an air general permit.

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
Continue operating the facility after a change of ownership.
Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable - N/A

All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Angelo's Aggregate Materials d/b/a Angelo's Recycled Materials

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)

Angelo's Recycled Materials - Apopka

Facility Location (Physical location of the facility, not necessarily the mailing address.)

Street Address: 2105 Vulcan Road
City: Apopka

County: Orange

Zip Code: 32703 2001

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility.)

N/A

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
FINANCE & ACCOUNTING REVENUE
2012 FEB 21 AM 9:31

7775075 – Re-Registration February 2012

Facility Contact

<u>Name and Position Title</u> (Plant manager or person to be contacted regarding day-to-day operations at the facility.) Print Name and Title: John lafrate, Owner		
<u>Facility Contact Telephone Numbers</u> Telephone: (407) 290-8010 Fax: (407) 290-8115 Cell phone: E-mail: angelosrocks@yahoo.com (Use subject: "Attention: John lafrate")		
<u>Facility Contact Mailing Address</u> Organization/Firm: Angelo's Recycled Materials Street Address: 2105 Vulcan Road City: Apopka County: Orange Zip Code: 32703		

Other Contact/Representative (to serve as additional Department contact)

<u>Name and Position Title</u> Print Name and Title: Ginny lafrate		
<u>Other Contact/Representative Telephone Numbers</u> Telephone: (407) 290-8010 Fax: (407) 290-8115 Cell phone: (407) 545-9858 E-mail: angelosrocks@yahoo.com (Use subject: "Attention: Ginny lafrate")		
<u>Other Contact/Representative Representative Mailing Address</u> Organization/Firm: Angelo's Recycled Materials Street Address: 2105 Vulcan Road City: Apopka County: Orange Zip Code: 32703		

Other Contact/Representative (to serve as additional Department contact)

<u>Name and Position Title</u> Print Name and Title: Mr. Lynn Robinson, P.E., Permitting Manager		
<u>Other Contact/Representative Telephone Numbers</u> Telephone: (813) 752-5014 Fax: (813) 752-2475 Cell phone: (813) 957-8804 E-mail: lrobinson@sesfla.com		
<u>Other Contact/Representative Representative Mailing Address</u> Organization/Firm: Southern Environmental Sciences, Inc. Street Address: 1204 North Wheeler Street City: Plant City County: FL Zip Code: 33563		

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
2012 FEB 21 AM 9:31
FINANCE & ACCOUNTING REVENUE

7775075 – Re-Registration February 2012

Type of Facility

Check one:

Stationary Facility Relocatable Facility

Type(s) of Precautions Used to Prevent Unconfined Emissions

Check all that apply for the management of roads, parking areas, stock piles and yards:

Maintain Roads/Parking/Yards Use Water Application Use Dust Suppressant
 Remove Particulate Matter Reduce Stock Pile Height Install Wind Breaks

Check the location of spray bars at the nonmetallic mineral processing plant:

Feeders Entrance to "Crusher" Exit of "Crusher"
 Classifier Screens Conveyor Drop Points

Emission Unit Details - show all crushers (primary, secondary, tertiary), screens, conveyors, engines

COMPONENT DESCRIPTION (e.g. primary, secondary crusher, screener, conveyor, RICE* engine and fuel type, etc.)	MANUFACTURER	DATE OF MANUFACTURE	MODEL NUMBER	SERIAL NUMBER	RATED CAPACITY (tons/hr, hp)
Primary Crusher (EU 001)	Cedarapids	1996	30"-54"	46680	350 TPH
Secondary Crusher (New: EU 006 (double roll jaw crusher)	KPI	2011	MRC 1000	N/A: prototype	350 TPH
EU 005 - Feeders, Screens, & associated equipment:					
✓ Feeder/Screen (to MRC 1000)	unknown	unknown	unknown	unknown	unknown
✓ Screen	Cedarapids	1985	7'X20'	unknown	140 sq.ft.
✓ Screen	Midwest	2000	5'X10'	0200	50 sq.ft.
Conveyors:					
Quantity - 3	Angelo's	1997 thru 2000	N/A	N/A	60"
Quantity - 3	Angelo's	1997 thru 2000	N/A	N/A	48"
Quantity - 3	Angelo's	1997 thru 2000	N/A	N/A	36"
Quantity - 24	Angelo's	1997 thru 2000	N/A	N/A	24"
Removed the following:					
EU 003-Secondary Crusher	TRIO (impact crusher)	1999	40"-52"	1-I-99-003	200 TPH
EU 004-Tertiary Crusher	Symons (cone crusher)	1970	36"	SN-EB339	60-80 TPH
No engines at facility					

*RICE: Reciprocating Internal Combustion Engine

REVENUE & ACCOUNTING
 FEB 21 AM 9:31
 DEPARTMENT OF
 ENVIRONMENTAL PROTECTION

7775075 – Re-Registration February 2012

Description of Facility

Below, or as an attachment to this form, provide a description of the nonmetallic mineral processing plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe material(s) processed, all air pollutant-emitting processes, and identify any air pollution control measures used. Mobile source equipment information is not needed (eg.: trucks, bulldozers, front-end loaders, etc.)

This facility is a nonmetallic mineral processing (NMMP) plant which may process concrete, recycled asphalt (RAP), or any other type of nonmetallic mineral material/stone.

Particulate emissions from the crushing, screening, and stockpiling operations are controlled by a water spray system.

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2012 FEB 21 AM 9:31
FINANCE & ACCOUNTING
REVENUE

**Visible Emissions Evaluations
February 16, 2011**

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION

2012 FEB 21 AM 9:31

FINANCE & ACCOUNTING
REVENUE

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <i>Angelos Recycled Mat.</i>	
UNIT <i>Apopka Crusher</i>	
ADDRESS <i>2105 Vulcan Rd</i> <i>Apopka, FL</i>	
PERMIT NO. <i>7775075-005-A6</i>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>7775075</i>	EU NO. <i>001 EP (A)</i>
PROCESS RATE <i>~300 TPH</i>	PERMITTED RATE <i>350 TPH</i>
PROCESS EQUIPMENT <i>main Crusher</i>	
CONTROL EQUIPMENT <i>Wetted Mat.</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP (°F) START <i>65°</i> STOP <input checked="" type="checkbox"/>
HEIGHT ABOVE GROUND LEVEL START <i>~10'</i> STOP <input checked="" type="checkbox"/>	HEIGHT RELATIVE TO OBSERVER START <i>~10'</i> STOP <input checked="" type="checkbox"/>
DISTANCE FROM OBSERVER START <i>~75'</i> STOP <input checked="" type="checkbox"/>	DIRECTION FROM OBSERVER START <i>300°</i> STOP <input checked="" type="checkbox"/>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Crusher Area</i> STOP <input checked="" type="checkbox"/>	
DESCRIBE BACKGROUND START <i>sky/clouds</i> STOP <input checked="" type="checkbox"/>	
BACKGROUND COLOR START <i>Blue/WT</i> STOP <input checked="" type="checkbox"/>	SKY CONDITIONS START <i>CBY</i> STOP <input checked="" type="checkbox"/>
WIND SPEED (MPH) START <i>10-15</i> STOP <input checked="" type="checkbox"/>	WIND DIRECTION START <i>S</i> STOP <input checked="" type="checkbox"/>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>
SOURCE LAYOUT SKETCH Draw North Arrow	
<p>The sketch shows an 'Emission Point' at the top, connected by a vertical line to the 'Observer's Position' at the bottom. A dashed line indicates the 'Sun Location' at a 140-degree angle from the observer. A wind direction arrow points from the left, labeled 'Sun Wind Plume and Stack'. A north arrow is drawn in the upper right, and a circled '7' is written next to it.</p>	
COMMENTS	

OBSERVATION DATE					START TIME					STOP TIME				
<i>2-16-12</i>					<i>0850</i>					<i>0920</i>				
SEC					SEC									
MIN	0	15	30	45	MIN	0	15	30	45					
0	0	0	0	0	30									
1	0	0	0	0	31									
2	0	0	0	0	32									
3	0	0	0	0	33									
4	0	0	0	0	34									
5	0	0	0	0	35									
6	0	0	0	0	36									
7	0	0	0	0	37									
8	0	0	0	0	38									
9	0	0	0	0	39									
10	0	0	0	0	40									
11	0	0	0	0	41									
12	0	0	0	0	42									
13	0	0	0	0	43									
14	0	0	0	0	44									
15	0	0	0	0	45									
16	0	0	0	0	46									
17	0	0	0	0	47									
18	0	0	0	0	48									
19	0	0	0	0	49									
20	0	0	0	0	50									
21	0	0	0	0	51									
22	0	0	0	0	52									
23	0	0	0	0	53									
24	0	0	0	0	54									
25	0	0	0	0	55									
26	0	0	0	0	56									
27	0	0	0	0	57									
28	0	0	0	0	58									
29	0	0	0	0	59									

AEROMET ENGINEERING INC. CERTIFIES THAT
Todd Clark

has qualified as a CERTIFIED VISIBLE EMISSIONS READER per Title 40 Part 60 Appendix A USEPA Method 9

Issued: 1/31/12 Expires: 7/31/12

Questions? Call 573-636-6393

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature

Title

[Handwritten Signature]

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <i>Angelos Recycled Mat.</i>	
UNIT <i>Apopka Crusher</i>	
ADDRESS <i>2105 Vulcan Rd Apopka, FL</i>	
PERMIT NO. <i>7775075-005 AB</i>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>7775075</i>	EU NO. <i>001 EP (B)</i>
PROCESS RATE <i>~300 TPH</i>	PERMITTED RATE <i>350 TPH</i>
PROCESS EQUIPMENT <i>screen Feeder Belts</i>	
CONTROL EQUIPMENT <i>wetted Mat.</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP (°F) START <i>65°</i> STOP <input checked="" type="checkbox"/>
HEIGHT ABOVE GROUND LEVEL START <i>~15'</i> STOP <input checked="" type="checkbox"/>	HEIGHT RELATIVE TO OBSERVER START <i>~15'</i> STOP <input checked="" type="checkbox"/>
DISTANCE FROM OBSERVER START <i>~50'</i> STOP <input checked="" type="checkbox"/>	DIRECTION FROM OBSERVER START <i>310°</i> STOP <input checked="" type="checkbox"/>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Drop point</i> STOP <input checked="" type="checkbox"/>	
DESCRIBE BACKGROUND START <i>SKY</i> STOP <input checked="" type="checkbox"/>	
BACKGROUND COLOR START <i>Blue/WT</i> STOP <input checked="" type="checkbox"/>	SKY CONDITIONS START <i>PT CLOUDY</i> STOP <input checked="" type="checkbox"/>
WIND SPEED (MPH) START <i>10-15</i> STOP <input checked="" type="checkbox"/>	WIND DIRECTION START <i>5</i> STOP <input checked="" type="checkbox"/>
AVERAGE OPACITY FOR HIGHEST PERIOD	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>
SOURCE LAYOUT SKETCH <div style="text-align: right;">Draw North Arrow</div> <p>The sketch shows an 'Emission Point' at the top, connected by a vertical line to the 'Observer's Position' at the bottom. A dashed line indicates the 'Sun Location Line' at a 140-degree angle. A legend shows 'Sun' as a circle with a dot, 'Wind' as an arrow, and 'Plume and Stack' as a cloud-like shape. A circled '7' is drawn next to the north arrow.</p>	
COMMENTS	

OBSERVATION DATE <i>2-16-12</i>					START TIME <i>0850</i>					STOP TIME <i>0920</i>				
SEC					SEC									
MIN	0	15	30	45	MIN	0	15	30	45					
0	0	0	0	0	30									
1	0	0	0	0	31									
2	0	0	0	0	32									
3	0	0	0	0	33									
4	0	0	0	0	34									
5	0	0	0	0	35									
6	0	0	0	0	36									
7	0	0	0	0	37									
8	0	0	0	0	38									
9	0	0	0	0	39									
10	0	0	0	0	40									
11	0	0	0	0	41									
12	0	0	0	0	42									
13	0	0	0	0	43									
14	0	0	0	0	44									
15	0	0	0	0	45									
16	0	0	0	0	46									
17	0	0	0	0	47									
18	0	0	0	0	48									
19	0	0	0	0	49									
20	0	0	0	0	50									
21	0	0	0	0	51									
22	0	0	0	0	52									
23	0	0	0	0	53									
24	0	0	0	0	54									
25	0	0	0	0	55									
26	0	0	0	0	56									
27	0	0	0	0	57									
28	0	0	0	0	58									
29	0	0	0	0	59									

AEROMET ENGINEERING INC. CERTIFIES THAT
Todd Clark

has qualified as a CERTIFIED VISIBLE
EMISSIONS READER
per Title 40 Part 60 Appendix A USEPA Method 9

Issued 1/31/12

Expires 7/31/12

Questions? Call 573.636.6393

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *[Signature]* Title

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <i>Angelos Recycled Mat.</i>	
UNIT <i>Apopka Crusher</i>	
ADDRESS <i>2105 Vulcan RD Apopka, FL</i>	
PERMIT NO. <i>7775075-005-AB</i>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>7775075</i>	EU NO. <i>001 EP(C)</i>
PROCESS RATE <i>N 300 TPH</i>	PERMITTED RATE <i>350 TPH</i>
PROCESS EQUIPMENT <i>transfer Belt to MRC 1000 screen</i>	
CONTROL EQUIPMENT <i>wetted material</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP (°F) START <i>68°</i> STOP <input checked="" type="checkbox"/>
HEIGHT ABOVE GROUND LEVEL START <i>~20'</i> STOP <input checked="" type="checkbox"/>	HEIGHT RELATIVE TO OBSERVER START <i>~20'</i> STOP <input checked="" type="checkbox"/>
DISTANCE FROM OBSERVER START <i>~60'</i> STOP <input checked="" type="checkbox"/>	DIRECTION FROM OBSERVER START <i>320°</i> STOP <input checked="" type="checkbox"/>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input checked="" type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input checked="" type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Screen Area</i> STOP <input checked="" type="checkbox"/>	
DESCRIBE BACKGROUND START <i>Equipment</i> STOP <input checked="" type="checkbox"/>	
BACKGROUND COLOR START <i>Blue/Tan</i> STOP <input checked="" type="checkbox"/>	SKY CONDITIONS START <i>BT Cldy</i> STOP <input checked="" type="checkbox"/>
WIND SPEED (MPH) START <i>10-15</i> STOP <input checked="" type="checkbox"/>	WIND DIRECTION START <i>S</i> STOP <input checked="" type="checkbox"/>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>
SOURCE LAYOUT SKETCH <div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p>The sketch shows a rectangular box labeled 'MRC 1000 Crusher' with an arrow pointing to a square labeled 'Emission Point'. Below the emission point is a vertical line leading to a triangle labeled 'Observer's Position'. A dashed line labeled 'Sun Location Line' extends from the emission point towards the bottom right. A north arrow is shown to the right of the emission point, and a larger north arrow is shown below the observer's position.</p> </div> <div style="flex: 0.5; text-align: center;"> <p>Draw North Arrow</p> </div> </div>	
COMMENTS	

OBSERVATION DATE		START TIME				STOP TIME					
<i>2-16-12</i>		<i>0930</i>				<i>1000</i>					
SEC	MIN	0	15	30	45	SEC	MIN	0	15	30	45
0	0	0	0	0	0	30					
1	0	0	0	0	0	31					
2	0	0	0	0	0	32					
3	0	0	0	0	0	33					
4	0	0	0	0	0	34					
5	0	0	0	0	0	35					
6	0	0	0	0	0	36					
7	0	0	0	0	0	37					
8	0	0	0	0	0	38					
9	0	0	0	0	0	39					
10	0	0	0	0	0	40					
11	0	0	0	0	0	41					
12	0	0	0	0	0	42					
13	0	0	0	0	0	43					
14	0	0	0	0	0	44					
15	0	0	0	0	0	45					
16	0	0	0	0	0	46					
17	0	0	0	0	0	47					
18	0	0	0	0	0	48					
19	0	0	0	0	0	49					
20	0	0	0	0	0	50					
21	0	0	0	0	0	51					
22	0	0	0	0	0	52					
23	0	0	0	0	0	53					
24	0	0	0	0	0	54					
25	0	0	0	0	0	55					
26	0	0	0	0	0	56					
27	0	0	0	0	0	57					
28	0	0	0	0	0	58					
29	0	0	0	0	0	59					

AEROMET ENGINEERING, INC. CERTIFIES THAT
Todd Clark
 has qualified as a CERTIFIED VISIBLE EMISSIONS READER
 per Title 40, Part 60, Appendix A USEPA Method 9
 Issued: 1/31/12 Expires: 7/31/12
Todd Clark
 Questions? Call 573-636-6393

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *Senay Jalato* Title: _____

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <i>Angelos Recycled Mat.</i>	
UNIT <i>Apopka Crusher</i>	
ADDRESS <i>2105 Vulcan RD Apopka FL</i>	
PERMIT NO. <i>775075-005-A6</i>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>775075</i>	EU NO. <i>006 EP (D)</i>
PROCESS RATE <i>~300 TPH</i>	PERMITTED RATE <i>350 TPH</i>
PROCESS EQUIPMENT <i>MRC1000 crusher</i>	
CONTROL EQUIPMENT <i>wetted material</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP (°F) START <i>68°</i> STOP <input checked="" type="checkbox"/>
HEIGHT ABOVE GROUND LEVEL START <i>~15'</i> STOP <input checked="" type="checkbox"/>	HEIGHT RELATIVE TO OBSERVER START <i>~15'</i> STOP <input checked="" type="checkbox"/>
DISTANCE FROM OBSERVER START <i>45'</i> STOP <input checked="" type="checkbox"/>	DIRECTION FROM OBSERVER START <i>300°</i> STOP <input checked="" type="checkbox"/>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Crusher Area</i> STOP <input checked="" type="checkbox"/>	
DESCRIBE BACKGROUND START <i>Equipment</i> STOP <input checked="" type="checkbox"/>	
BACKGROUND COLOR START <i>Brown/Tan</i> STOP <input checked="" type="checkbox"/>	SKY CONDITIONS START <i>PT CLOUDY</i> STOP <input checked="" type="checkbox"/>
WIND SPEED (MPH) START <i>10-15</i> STOP <input checked="" type="checkbox"/>	WIND DIRECTION START <i>S</i> STOP <input checked="" type="checkbox"/>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>
SOURCE LAYOUT SKETCH <div style="text-align: right;">Draw North Arrow</div>	
COMMENTS	

OBSERVATION DATE		START TIME				STOP TIME					
<i>8-16-12</i>		<i>0930</i>				<i>1000</i>					
SEC	MIN	0	15	30	45	SEC	MIN	0	15	30	45
0	30	0	0	0	0	30					
1	31	0	0	0	0	31					
2	32	0	0	0	0	32					
3	33	0	0	0	0	33					
4	34	0	0	0	0	34					
5	35	0	0	0	0	35					
6	36	0	0	0	0	36					
7	37	0	0	0	0	37					
8	38	0	0	0	0	38					
9	39	0	0	0	0	39					
10	40	0	0	0	0	40					
11	41	0	0	0	0	41					
12	42	0	0	0	0	42					
13	43	0	0	0	0	43					
14	44	0	0	0	0	44					
15	45	0	0	0	0	45					
16	46	0	0	0	0	46					
17	47	0	0	0	0	47					
18	48	0	0	0	0	48					
19	49	0	0	0	0	49					
20	50	0	0	0	0	50					
21	51	0	0	0	0	51					
22	52	0	0	0	0	52					
23	53	0	0	0	0	53					
24	54	0	0	0	0	54					
25	55	0	0	0	0	55					
26	56	0	0	0	0	56					
27	57	0	0	0	0	57					
28	58	0	0	0	0	58					
29	59	0	0	0	0	59					

AEROMET ENGINEERING INC. CERTIFIES THAT

Todd Clark

has qualified as a CERTIFIED VISIBLE EMISSIONS READER
per Title 40 Part 60 Appendix A USEPA Method 9

Issued: 1/31/12 Expires: 7/31/12

Todd Clark
Questions? Call 573-636-6393

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *[Signature]* Title

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY Angelos Recycled Mat.	
UNIT Apopka Crusher	
ADDRESS 2105 Vulcan RD	
Apopka, FL	
PERMIT NO. 7775075-005-AG	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. 7775075	EU NO. 005 EP (E)
PROCESS RATE ~ 300 TPH	PERMITTED RATE 350 TPH
PROCESS EQUIPMENT MRC 1000 to transfer Belt	
CONTROL EQUIPMENT wetted Mats	
OPERATING MODE Normal	AMBIENT TEMP (°F) START 65° STOP <input checked="" type="checkbox"/>
HEIGHT ABOVE GROUND LEVEL START ~15' STOP <input checked="" type="checkbox"/>	HEIGHT RELATIVE TO OBSERVER START ~15' STOP <input checked="" type="checkbox"/>
DISTANCE FROM OBSERVER START ~45' STOP <input checked="" type="checkbox"/>	DIRECTION FROM OBSERVER START 320° STOP <input checked="" type="checkbox"/>
EMISSION COLOR None	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> NA
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> NA
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START Drop Point STOP <input checked="" type="checkbox"/>	
DESCRIBE BACKGROUND START sky/clouds STOP <input checked="" type="checkbox"/>	
BACKGROUND COLOR START blu/wt STOP <input checked="" type="checkbox"/>	SKY CONDITIONS START PT Cldy STOP <input checked="" type="checkbox"/>
WIND SPEED (MPH) START 10-15 STOP <input checked="" type="checkbox"/>	WIND DIRECTION START S STOP <input checked="" type="checkbox"/>
AVERAGE OPACITY FOR HIGHEST PERIOD 0%	RANGE OF OPACITY READINGS MIN. 0% MAX. 0%
SOURCE LAYOUT SKETCH <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: left;"> <p>Sun → Wind → Plume and Stack</p> </div> <div style="text-align: center;"> <p>Observer's Position</p> <p>140° Sun Location</p> </div> <div style="text-align: right;"> <p>Draw North Arrow</p> </div> </div>	
COMMENTS	

OBSERVATION DATE					START TIME					STOP TIME				
2-16-11					0850					0920				
SEC					SEC					SEC				
MIN	0	15	30	45	MIN	0	15	30	45	MIN	0	15	30	45
0	0	0	0	0	30									
1	0	0	0	0	31									
2	0	0	0	0	32									
3	0	0	0	0	33									
4	0	0	0	0	34									
5	0	0	0	0	35									
6	0	0	0	0	36									
7	0	0	0	0	37									
8	0	0	0	0	38									
9	0	0	0	0	39									
10	0	0	0	0	40									
11	0	0	0	0	41									
12	0	0	0	0	42									
13	0	0	0	0	43									
14	0	0	0	0	44									
15	0	0	0	0	45									
16	0	0	0	0	46									
17	0	0	0	0	47									
18	0	0	0	0	48									
19	0	0	0	0	49									
20	0	0	0	0	50									
21	0	0	0	0	51									
22	0	0	0	0	52									
23	0	0	0	0	53									
24	0	0	0	0	54									
25	0	0	0	0	55									
26	0	0	0	0	56									
27	0	0	0	0	57									
28	0	0	0	0	58									
29	0	0	0	0	59									

AEROMET ENGINEERING, INC. CERTIFIES THAT
Todd Clark
 has qualified as a CERTIFIED VISIBLE EMISSIONS READER
 per Title 40 Part 60 Appendix A USEPA Method 9
 Issued: 1/31/12 Expires: 7/31/12
Todd Clark
 Questions? Call 573-636-6393

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *Jimmy Sogate* Title

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <u>ANGLOS RECYCLED MATERIAL</u>	
UNIT <u>APOPKA CRUSHER</u>	
ADDRESS <u>2105 VULCAN RD.</u> <u>APOPKA FL.</u>	
PERMIT NO. <u>7775075-005-AL6</u>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <u>7775075</u>	EU NO. <u>005 EP(F)</u>
PROCESS RATE <u>N 300 TPH</u>	PERMITTED RATE <u>350 TPH</u>
PROCESS EQUIPMENT <u>TRANSFER BALT TO SGL. SCREEN (F)</u>	
CONTROL EQUIPMENT <u>SPRAY BARS W/ WETTED MATERIAL</u>	
OPERATING MODE <u>NORMAL 300TPH</u>	AMBIENT TEMP (°F) START <u>70</u> STOP <u>70</u>
HEIGHT ABOVE GROUND LEVEL START <u>~15'</u> STOP <u>~15'</u>	HEIGHT RELATIVE TO OBSERVER START <u>-15'</u> STOP <u>-15'</u>
DISTANCE FROM OBSERVER START <u>~70'</u> STOP <u>~70'</u>	DIRECTION FROM OBSERVER START <u>248°</u> STOP <u>248°</u>
EMISSION COLOR <u>NONH</u>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <u>N/A</u>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <u>N/A</u>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <u>DROP POINT</u> STOP <u>SAME</u>	
DESCRIBE BACKGROUND START <u>SKY</u> STOP <u>SKY</u>	
BACKGROUND COLOR START <u>BLUE</u> STOP <u>BLUE</u>	SKY CONDITIONS START <u>PART</u> STOP <u>SCATTERED</u>
WIND SPEED (MPH) START <u>10-15</u> STOP <u>10-15</u>	WIND DIRECTION START <u>5</u> STOP <u>5</u>
AVERAGE OPACITY FOR HIGHEST PERIOD <u>0%</u>	RANGE OF OPACITY READINGS MIN. <u>0%</u> MAX. <u>0%</u>
SOURCE LAYOUT SKETCH Draw North Arrow	
<p>The sketch shows an 'Emission Point' at the top, connected by a vertical line to the 'Observer's Position' below it. A north arrow is drawn to the right. A dashed line labeled 'Sun Location Line' is drawn at a 140-degree angle from the observer's position. A wind arrow labeled 'WIND' points to the right. A legend indicates 'Sun Wind Plume and Stack' with a star symbol.</p>	
COMMENTS	

OBSERVATION DATE		START TIME				STOP TIME					
2-16-12		0925				0955					
SEC	MIN	0	15	30	45	SEC	MIN	0	15	30	45
0	0	0	0	0	0	30					
1	0	0	0	0	0	31					
2	0	0	0	0	0	32					
3	0	0	0	0	0	33					
4	0	0	0	0	0	34					
5	0	0	0	0	0	35					
6	0	0	0	0	0	36					
7	0	0	0	0	0	37					
8	0	0	0	0	0	38					
9	0	0	0	0	0	39					
10	0	0	0	0	0	40					
11	0	0	0	0	0	41					
12	0	0	0	0	0	42					
13	0	0	0	0	0	43					
14	0	0	0	0	0	44					
15	0	0	0	0	0	45					
16	0	0	0	0	0	46					
17	0	0	0	0	0	47					
18	0	0	0	0	0	48					
19	0	0	0	0	0	49					
20	0	0	0	0	0	50					
21	0	0	0	0	0	51					
22	0	0	0	0	0	52					
23	0	0	0	0	0	53					
24	0	0	0	0	0	54					
25	0	0	0	0	0	55					
26	0	0	0	0	0	56					
27	0	0	0	0	0	57					
28	0	0	0	0	0	58					
29	0	0	0	0	0	59					

AEROMET ENGINEERING INC. CERTIFIES THAT

Neil Currie

has qualified as a **CERTIFIED VISIBLE EMISSIONS READER**

per Title 40 Part 60 Appendix A USEPA Method 9

Issued: 1/31/12 Expires: 7/31/12

Questions? Call 573-636-6393

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: Neil Currie Title

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <i>ANGELOS RECYCLED MATERIAL</i>	
UNIT <i>APOPKA CAUSHAR</i>	
ADDRESS <i>2105 VULCAN R.D. APOPKA FL.</i>	
PERMIT NO. <i>7775075-005-AL</i>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>7775075</i>	EU NO. <i>005 EP (G)</i>
PROCESS RATE <i>N 300TPH</i>	PERMITTED RATE <i>350TPH</i>
PROCESS EQUIPMENT <i>SAC. SEPARATOR TO CHARACTER SECT (G)</i>	
CONTROL EQUIPMENT <i>SPRAY BARS W/ WETTED MATERIAL</i>	
OPERATING MODE <i>NORMAL 300TPH</i>	AMBIENT TEMP (°F) START <i>68</i> STOP <i>70</i>
HEIGHT ABOVE GROUND LEVEL START <i>~10'</i> STOP <i>~10'</i>	HEIGHT RELATIVE TO OBSERVER START <i>~10'</i> STOP <i>~10'</i>
DISTANCE FROM OBSERVER START <i>-60'</i> STOP <i>-60'</i>	DIRECTION FROM OBSERVER START <i>270</i> STOP <i>270</i>
EMISSION COLOR <i>NONE</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>DROD POINT</i> STOP <i>SAME</i>	
DESCRIBE BACKGROUND START <i>ROCK/SKY</i> STOP <i>ROCK/SKY</i>	
BACKGROUND COLOR START <i>GRAY/BLUE</i> STOP <i>SAME</i>	SKY CONDITIONS START <i>SCATTERED</i> STOP <input checked="" type="checkbox"/>
WIND SPEED (MPH) START <i>10-15</i> STOP <i>10-15</i>	WIND DIRECTION START <i>S</i> STOP <i>S</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>
SOURCE LAYOUT SKETCH <div style="text-align: right;">Draw North Arrow</div>	
COMMENTS	

OBSERVATION DATE		START TIME				STOP TIME					
<i>2-16-12</i>		<i>0850</i>				<i>0920</i>					
SEC	MIN	0	15	30	45	SEC	MIN	0	15	30	45
0	0	0	0	0	0	30					
1	0	0	0	0	0	31					
2	0	0	0	0	0	32					
3	0	0	0	0	0	33					
4	0	0	0	0	0	34					
5	0	0	0	0	0	35					
6	0	0	0	0	0	36					
7	0	0	0	0	0	37					
8	0	0	0	0	0	38					
9	0	0	0	0	0	39					
10	0	0	0	0	0	40					
11	0	0	0	0	0	41					
12	0	0	0	0	0	42					
13	0	0	0	0	0	43					
14	0	0	0	0	0	44					
15	0	0	0	0	0	45					
16	0	0	0	0	0	46					
17	0	0	0	0	0	47					
18	0	0	0	0	0	48					
19	0	0	0	0	0	49					
20	0	0	0	0	0	50					
21	0	0	0	0	0	51					
22	0	0	0	0	0	52					
23	0	0	0	0	0	53					
24	0	0	0	0	0	54					
25	0	0	0	0	0	55					
26	0	0	0	0	0	56					
27	0	0	0	0	0	57					
28	0	0	0	0	0	58					
29	0	0	0	0	0	59					

AEROMET ENGINEERING INC. CERTIFIES THAT

Neil Currie

has qualified as a **CERTIFIED VISIBLE EMISSIONS READER**

per Title 40 Part 60 Appendix A USEPA Method 9

Issued: 1/31/12 Expires: 7/31/12

Questions? Call 573-636-6393

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *Neil Currie* Title

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <u>ANGELOS RECYCLED MATERIAL</u>	
UNIT <u>APOPKA CRUSHER</u>	
ADDRESS <u>2105 VULCAN RD.</u> <u>APOPKA FL.</u>	
PERMIT NO. <u>7775075-005-AG</u>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <u>7775075</u>	EU NO. <u>005 EP(H)</u>
PROCESS RATE <u>~ 300 TPH</u>	PERMITTED RATE <u>350 TPH</u>
PROCESS EQUIPMENT <u>SGL. SCREEN TO OVER SIZE BELT (H)</u>	
CONTROL EQUIPMENT <u>SPRAY BARS WETTED MATERIAL</u>	
OPERATING MODE <u>Normal 300 TPH</u>	AMBIENT TEMP (°F) START <u>68</u> STOP <u>70</u>
HEIGHT ABOVE GROUND LEVEL START <u>~15'</u> STOP <u>~15'</u>	HEIGHT RELATIVE TO OBSERVER START <u>~15'</u> STOP <u>~15'</u>
DISTANCE FROM OBSERVER START <u>~60'</u> STOP <u>~60'</u>	DIRECTION FROM OBSERVER START <u>254°</u> STOP <u>254°</u>
EMISSION COLOR <u>W/WH</u>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <u>NA</u>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <u>NA</u>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <u>DROP POINT</u> STOP <u>3 AM</u>	
DESCRIBE BACKGROUND START <u>SKY</u> STOP <u>SKY</u>	
BACKGROUND COLOR START <u>Blue/White</u> STOP <input checked="" type="checkbox"/>	SKY CONDITIONS START <u>SLAT</u> STOP <u>SLAT.</u>
WIND SPEED (MPH) START <u>10-15</u> STOP <input checked="" type="checkbox"/>	WIND DIRECTION START <u>South</u> STOP <input checked="" type="checkbox"/>
AVERAGE OPACITY FOR HIGHEST PERIOD <u>0%</u>	RANGE OF OPACITY READINGS MIN. <u>0%</u> MAX. <u>0%</u>
SOURCE LAYOUT SKETCH <div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"> <p>Draw North Arrow</p> </div> <div style="text-align: center;"> </div> </div> <p>Observer's Position</p> <p>140° Sun Location Line</p>	
COMMENTS	

OBSERVATION DATE		START TIME				STOP TIME					
<u>2-16-12</u>		<u>0850</u>				<u>0920</u>					
SEC	MIN	0	15	30	45	SEC	MIN	0	15	30	45
0	30	0	0	0	0	30					
1	31	0	0	0	0	31					
2	32	0	0	0	0	32					
3	33	0	0	0	0	33					
4	34	0	0	0	0	34					
5	35	0	0	0	0	35					
6	36	0	0	0	0	36					
7	37	0	0	0	0	37					
8	38	0	0	0	0	38					
9	39	0	0	0	0	39					
10	40	0	0	0	0	40					
11	41	0	0	0	0	41					
12	42	0	0	0	0	42					
13	43	0	0	0	0	43					
14	44	0	0	0	0	44					
15	45	0	0	0	0	45					
16	46	0	0	0	0	46					
17	47	0	0	0	0	47					
18	48	0	0	0	0	48					
19	49	0	0	0	0	49					
20	50	0	0	0	0	50					
21	51	0	0	0	0	51					
22	52	0	0	0	0	52					
23	53	0	0	0	0	53					
24	54	0	0	0	0	54					
25	55	0	0	0	0	55					
26	56	0	0	0	0	56					
27	57	0	0	0	0	57					
28	58	0	0	0	0	58					
29	59	0	0	0	0	59					

AEROMET ENGINEERING INC CERTIFIES THAT

Neil Currie

has qualified as a **CERTIFIED VISIBLE EMISSIONS READER**

per Title 40, Part 60, Appendix A USEPA Method 9

Issued: 1/31/12 Expires: 1/31/12

Questions? Call 573-636-6394

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: Simon Sefate Title: _____

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY <i>ANGLOS RECYCLED MATERIAL</i>	
UNIT <i>APOPKA CRUSHER</i>	
ADDRESS <i>2105 VULCAN RD. APOPKA FL.</i>	
PERMIT NO. <i>7775075-005-AG</i>	COMPLIANCE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>7775075</i>	EU NO. <i>005 EP(I)</i>
PROCESS RATE <i>N 300TPH</i>	PERMITTED RATE <i>350 TPH</i>
PROCESS EQUIPMENT <i>SEPARATION BELT TO STACK BELT (I)</i>	
CONTROL EQUIPMENT <i>SPRAY BARS W/ WIND MATERIAL</i>	
OPERATING MODE <i>NORMAL 300TPH</i>	AMBIENT TEMP (°F) START <i>65</i> STOP <i>70</i>
HEIGHT ABOVE GROUND LEVEL START <i>~10'</i> STOP <i>~10'</i>	HEIGHT RELATIVE TO OBSERVER START <i>~10'</i> STOP <i>~10'</i>
DISTANCE FROM OBSERVER START <i>~50'</i> STOP <i>~50'</i>	DIRECTION FROM OBSERVER START <i>290</i> STOP <i>290</i>
EMISSION COLOR <i>NONE</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>N/A</i>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>N/A</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>DROP POINT</i> STOP <i>SAME</i>	
DESCRIBE BACKGROUND START <i>SKY TRACKS</i> STOP <input checked="" type="checkbox"/>	
BACKGROUND COLOR START <i>Blue/Gray</i> STOP <input checked="" type="checkbox"/>	SKY CONDITIONS START <i>SCATTERED</i> STOP <input checked="" type="checkbox"/>
WIND SPEED (MPH) START <i>10-15</i> STOP <input checked="" type="checkbox"/>	WIND DIRECTION START <i>S</i> STOP <i>S</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>
SOURCE LAYOUT SKETCH Draw North Arrow	
COMMENTS	

OBSERVATION DATE		START TIME				STOP TIME					
<i>2-16-12</i>		<i>0850</i>				<i>0920</i>					
SEC	MIN	0	15	30	45	SEC	MIN	0	15	30	45
0	0	0	0	0	0	30					
1	0	0	0	0	0	31					
2	0	0	0	0	0	32					
3	0	0	0	0	0	33					
4	0	0	0	0	0	34					
5	0	0	0	0	0	35					
6	0	0	0	0	0	36					
7	0	0	0	0	0	37					
8	0	0	0	0	0	38					
9	0	0	0	0	0	39					
10	0	0	0	0	0	40					
11	0	0	0	0	0	41					
12	0	0	0	0	0	42					
13	0	0	0	0	0	43					
14	0	0	0	0	0	44					
15	0	0	0	0	0	45					
16	0	0	0	0	0	46					
17	0	0	0	0	0	47					
18	0	0	0	0	0	48					
19	0	0	0	0	0	49					
20	0	0	0	0	0	50					
21	0	0	0	0	0	51					
22	0	0	0	0	0	52					
23	0	0	0	0	0	53					
24	0	0	0	0	0	54					
25	0	0	0	0	0	55					
26	0	0	0	0	0	56					
27	0	0	0	0	0	57					
28	0	0	0	0	0	58					
29	0	0	0	0	0	59					

AEROMET ENGINEERING INC. CERTIFIES THAT
Neil Currie
 has qualified as a **CERTIFIED VISIBLE EMISSIONS READER**
 per Title 40 Part 60 Appendix A USEPA Method 9
 Issued: 1/31/12 Expires: 7/31/12
 Questions? Call 573-636-6893

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *[Signature]* Title

Angelos Aggregate Materials dbla
Angelo's Recycled Materials
2105 Vulcan Rd Apopka Fl. 32703
407-290-8010 Fax 407-290-8115


February 20, 2012

Fl Dept. Of Environmental Protection

Att: Receipts

**Please find enclosed our registration renewal and a check
in the amount of \$ 100.00. If you have questions please
contact me at 407 290-8010.**

Sincerely,



Ginny lafrate

Angelo's Aggregate Materials

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2012 FEB 21 AM 9:31
FINANCE & ACCOUNTING
REVENUE