

CONCRETE BATCHING PLANT
AIR GENERAL PERMIT NOTIFICATION FORM

777 5379 - 2/8/12
777 5382 1/31/12

Part III. Notification of Intent to Use General Permit

(Submit this Part to the appropriate permitting office and keep copy of completed form onsite. Instructions follow.)

Instructions to Owner or Operator: To give notice to the Department of an eligible facility's intent to use the concrete batching plant air general permit, the owner or operator of the facility must detach and complete Part III of this Concrete Batching Plant Air General Permit Notification Form and submit it to the appropriate Department of Environmental Protection district office or local air pollution control program office which has been delegated permitting authority. Please type or print clearly all information and enclose the appropriate general permit processing fee pursuant to Rule 62-4.050(4)(o), F.A.C. Please note, the form will not be considered complete unless: 1) the processing fee is attached; 2) if appropriate, the proof of notice publication is attached; and 3) if the facility is existing, visible emissions testing was conducted within 60 days of submitting the form and the test results have already been submitted to the appropriate permitting authority or accompany the form. Also, please refer to the instructions for completing Part III of the notification form at the end of the form.

777 5382-002

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner): MASCHMEYER CONCRETE COMPANY, INC.
Site Name (For example, plant name or number): OKEECHOBEE PLANT
Facility Location: Okeechobee, FL Street Address: 1080 NW 33rd Way//////////previously known as 1651 Hwy 98 N City: Okeechobee County: Okeechobee Zip Code: 34972
Facility Start-Up Date: 1/31/07
Relocatable: YES

Notification Type

Check one: <input checked="" type="checkbox"/> RENEWAL: Notification for permit renewal of an <i>existing</i> concrete batching plant.
--

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
2011 DEC 30 AM 9:24
FINANCE & ACCOUNTING REVENUE

Owner/Authorized Representative

Name and Title:		
ROBERT C. TUCKER		
Owner/Authorized Representative Mailing Address:		
Organization/Firm: Maschmeyer Concrete Company, Inc.		
Street Address: 1142 Water Tower Road		
City: Lake Park, FL	County: Palm Beach	Zip Code: 33403
Owner/Authorized Representative Telephone Number:		
Telephone: (561)848 -9112 ext. 105	Fax: (561)848 -1501	
CELL: (561) 718-0551	e-mail: tucker@maschmeyer.com	

Facility Contact (If different from Owner/Authorized Representative)

Name and Title:		
Facility Contact Mailing Address:		
Organization/Firm:		
Street Address:		
City:	County:	Zip Code:
Facility Contact Telephone Number:		
Telephone: () -	Fax: () -	

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2011 DEC 30 AM 9:24
FINANCE & ACCOUNTING
REVENUE

Facility Comments

- **Portland Cement and Fly Ash Inventory is computer controlled and reconciled daily.**
- **The bag houses on top of the silos allow air to escape through the filters.**
- **The bag houses are required to be inspected at least once a month.**
- **A complete set of bags and cartridges must be kept in stock at all facilities for the bag house and filter vents.**
- **An alarm must be functional and sound in the event of overloading of a silo from a cement bulker truck allowing time to stop the overfill and to prevent a cement or fly ash discharge in to the atmosphere which would cause an environmental hazard and violation.**
- **If any cementitious material is discharged in to the atmosphere, the Environmental Mgr. must be notified immediately.**
- **The Environmental Mgr. will notify the FDEP in the event of a discharge.**

- **In the event of a cementitious material discharge, the material will be allowed to settle and the contained.**
- **The material will either be scooped up in to proper containers, or, if the spillage is large, by providing sufficient water, to create a shell over the dry powder.**
- **The material will be disposed of appropriately, either recycled, removed in containers, or processed through the mixer drum wash out system.**
- **In the event of a bag house failure, the loading will be stopped immediately, until the filter is replaced or cleaned as necessary.**
- **Immediate action is required to stop the flow, and all tanker operators are required to remain at their vehicle during the off loading process.**

2011 DEC 30 AM 9:24
FINANCE & ACCOUNTING
REVENUE
FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION

Emissions Unit(s) Description

The 2 compartment cement silos have a capacity of 782 barrels split in half. There are silo dust filter cartridges mounted on top. The units are equipped with high volume, high pressure reverse pulse jet cleaning mechanisms. The cartridge dimensions are 8' x 39" which provides 304 sq. feet of polyester filter media in each. There are a total of 16 cartridges. The dust collecting enclosure is by C&W CP-35 for cement batcher. It has 2 / 8" x 19" filter cartridges with 88 pleats at 36 sq. feet of 100% polyester filter media. Each side of the silo fill pipes have anti overflow pinch valves. A filter system is used at the point of loading. The vacuum at the point of loading removes any particulates and the material collected is returned to the silo. The bag houses contain 120 bags, and are vibrated to shake out the collected dust and is returned back to the silo.

391 ea

2011 DEC 30 AM 9:24
FINANCE & ACCOUNTING
REVENUE
FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION

Surrender of Existing Air Permit(s) except Air General Permits (do not complete for renewal notifications)


Check one:

- I hereby surrender all existing air permits authorizing operation of the facility indicated on this form; specifically permit number(s) _____.
- No air permits currently exist for the operation of the facility indicated on this form.

Owner/Authorized Representative Statement

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Notification Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the facility and any air pollution control equipment described in this notification so as to comply with all applicable standards and requirements for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this notification.


Signature

12.28.11
Date

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2011 DEC 30 AM 9:24
FINANCE & ACCOUNTING
REVENUE

*ADDENDUM TO 7775382-002

PAGE 10, EMISSION UNITS DESCRIPTION

Dibble, Dickson

From: Bob Tucker [tucker@maschmeyer.com]
Sent: Tuesday, January 24, 2012 2:06 PM
To: Dibble, Dickson
Subject: AGP 7775382 Okeechobee Facility Bag Houses

Good Afternoon Mr. Dibble,

I gave you an incorrect answer in regards to how many silos we have at the Okeechobee Plant. The plant associated with AGP 7775382 has 2 silos. 1 for Cement and 1 for Fly Ash. The 2 bag houses are made from the same manufacturer and have the same model number. The manufacturer is CON-E-CO, and the model numbers they use is 30-250. I hope this helps you. Let me know if you need anything else.

Respectfully,
Bob Tucker,
Maschmeyer Safety, Health & Environmental Mgr.

***2ND ADDENDUM TO 177538Z-002**
DESCRIPTION OF FACILITY

Dibble, Dickson

From: Bob Tucker [tucker@maschmeyer.com]
Sent: Thursday, February 02, 2012 12:04 PM
To: Dibble, Dickson
Subject: Okeechobee Facility 7775382

Good Morning Mr. Dibble,

I received your voice message. I thought it best to respond via email, so you have something of record in regards to the Okeechobee silos.

In January you asked me if the silo(s) at the Okeechobee facility was just one silo or 2 silos. Off the top of my head I thought it was 1 silo with split compartments containing cement in one and fly ash in the other compartment. You sent me an email requesting information on the manufacturer and the model number for the bag houses for that silo. Come to find out after this request that the Okeechobee plant has 2 separate silos and not one split silo. There is a silo for cement and a silo for fly ash. Both silos have bag houses from the same manufacturer and model number.

If you would like me to call you, please let me know.

Thank you very much for your help,

Bob Tucker,
Maschmeyer Safety, Health & Environmental Mgr.

INSTRUCTIONS FOR PUBLISHING PUBLIC NOTICE

PUBLIC NOTICE OF INTENT TO CONSTRUCT A CONCRETE BATCHING PLANT

Below is the "Notice of Air General Permit Notification." The notice must be published in a newspaper having general circulation in the county you intend to operate no more than 21 days prior to submitting a completed Concrete Batching Plant Air General Permit Notification Form to the appropriate Department of Environmental Protection district office or local air pollution control program office to which the Department has delegated its permitting authority. Only air general permit notifications indicating the construction of a new concrete batching plant need publish the following public notice. Proof of publication, i.e., newspaper affidavit, must accompany permit notifications indicating the construction of a new concrete batching plant. Notification forms indicating new plants will not be considered complete unless the proof of notice publication is attached. Failure to publish the notice and provide proof of publication may result in the denial of the air general permit.

Pursuant to Section 403.815, F.S., and Rule 62-103.150, F.A.C., you (the applicant) are required to publish at your own expense the "Notice of Air General Permit Notification" shown below. The notice shall be published one time only in the legal advertisement section of a newspaper of general circulation in the area affected no more than 21 days prior to submitting a Concrete Batching Plant Air General Permit Notification Form which indicates a new concrete batching plant. For the purpose of these rules, "publication in a newspaper of general circulation in the area affected" means publication in a newspaper meeting the requirements of Sections 50.011 and 50.031, F.S., in the county where the activity is to take place. Where there is more than one newspaper of general circulation in the county, the newspaper used must be one with significant circulation in the area that may be affected by the general permit. If you are uncertain that a newspaper meets these requirements, please contact the appropriate Department district office.

Within 21 days after publication of the notice, any person whose substantial interests are affected may request a hearing in accordance with Section 120.57, F.S. Pursuant to Section 403.814, F.S., no person shall begin work pursuant to a general permit until after the time for requesting a hearing has passed or until after a hearing is held and a decision is rendered.

NOTICE TO BE PUBLISHED IN THE NEWSPAPER

NOTICE OF AIR GENERAL PERMIT NOTIFICATION

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

The Department of Environmental Protection gives notice of receipt of an air general permit notification for the construction of a concrete batching operation to **Maschmeyer Concrete Co**, for the **Okeechobee Plant** located at **1640 Highway 98 North, Okeechobee, FL, 34972 Okeechobee County**. The applicant's name and address are: Maschmeyer Concrete Co, 1142 Water Tower Road, Lake Park, FL 33403, Palm Beach County.

The permit will become effective with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to Sections 120.569 and 120.57 of the Florida Statutes before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below.

A person whose substantial interests are affected by the proposed use of the general permit may petition for an administrative proceeding under Sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000, telephone: 850/245-2242, fax: 850/245-2303.

Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes, must be filed within 21 (twenty-one) days of publication of the notice or receipt of the written notice, whichever occurs first. The petitioner shall mail a copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57 of the Florida Statutes, or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts of entitlement to use the air general permit must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial

interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, as well as the rules and statutes which entitle the petitioner to relief and (f) A demand for relief. A petition that does not dispute the material facts of entitlement to use the air general permit shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301 of the Florida Administrative Code.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation is not available in this proceeding.

Any party to this order has the right to seek judicial review of it under section 120.68 of the Florida Statutes, by filing a notice of appeal under rule 9.110 of the Florida rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel, Mail Station 35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.

This notification is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at **Department of Environmental Protection Southeast District Office, 400 N. Congress Avenue, Suite 200, West Palm Beach, Fl 33401.**



1142 Water Tower Road
Lake Park, Florida 33403

AGP Processing Fee
Facility #: 7775382