DRY CLEANER AIR QUALITY GENERAL PERMIT V ANNUAL COMPLIANCE CERTIFICATION FORM 0/12203

FACILITY NAME: One Low	Price	Cleane.	15	DATE	: 12-17-97
FACILITY LOCATION: 8509	Pines	Boulevara	<i></i>	,	
	e Pine		rids 3	3024	
Annual Reporting Period: Oe o	ember	1996	то <u>Ге</u> с	em bel	19 97
Based on each term or condition of the Title	e V general air pe	ermit, my facility b	as remained in	compliance with I	EP Rule
62-213.300, Florida Administrative Code (1	F.A.C.), during th	ne period covered b	y this statemen	at DYES	□ N0
If NO, complete the following:					<i>‡</i>
#1. Term or condition of the general permi	t that has not bee	n in continuous co	ompliance duri	ng the reporting per	iod stated above:
			RFO	CEIVE	}
Exact period of non-compliance: from			to		
Action(s) taken to achieve compliance:			J	AN 2 6 1998	<i>;</i>
Method used to demonstrate compliance:		· · · · · · · · · · · · · · · · · · ·		u of Air Monitorin Mobile Sources	8
#2. Term or condition of the general permi	t that has not bee	n in continuous co	ompliance duri	ng the reporting per	riod stated above:
Exact period of non-compliance: from	:		to		
Action(s) taken to achieve compliance:		·			
Method used to demonstrate compliance:					
As the responsible official, I hereby certify, made in this notification are true, accurate upon rolling averages of purchase receipts, year for transfer or combination facilities. RESPONSIBLE OFFICIAL: No.	and complete. F	further, my connuct	consumption of	of perchloroethylen	e solvent, based
<u> </u>					

Page ____ of ____.

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

INSPECTION SUMMARY REPORT ANNUAL COMPLAINT/DISCOVERY TYPE OF INSPECTION: RE-INSPECTION TIME OUT: 12:30 AIRS ID#: 01/2203 TIME IN: TYPE OF FACILITY: Dry Cleaners FACILITY NAME: One Low Price Cleaners DATE: 12-16-9 FACILITY LOCATION: 8509 Pines Boulevard Pembroke Pines Florida 33024 PHONE NUMBER: 704-7877 Drozco RESPONSIBLE OFFICIAL: Jorge Based on the results of the compliance requirements evaluated during this inspection, the facility is found to be in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.). Based on the results of the compliance requirements evaluated during this inspection, the following compliance discrepancies were noted: COMPLIANCE REQUIREMENT/PROBLEM FOLLOW-UP ACTION REQUIRED COMMENTS: The Annual Compliance Certification form has been properly certified and submitted to the inspector. NOL DATE OF NEXT INSPECTION: (Approximate)

B Thorids

(Please Print)

Sob Thury

PHONE NUMBER: 519-1459 INSPECTION CONDUCTED BY: INSPECTOR'S SIGNATURE:

Revised 10/96

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL RE-INSPECTION	COMPLAINT/DISCOVERY D			
FACILITY NAME: <u>One low Pric</u> FACILITY LOCATION: <u>8509</u> Pin Pembroke RESPONSIBLE OFFICIAL: <u>Jorge</u> O				
PART I: NOTIFICATION	·			
(check appropriate box)				
1. New facility notified DARM 30 days prior to sta	rtup			
2. Facility failed to notify DARM to use general permit				
PART II: CLASSIFICATION				
Facility indicated on notification form that it is: (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 \le x \le 2.100 gal/yr transfer only, 200 \le x \le 1.800 gal/yr both types, 140 \le x \le 1.800 gal/yr	□ No notification form □ Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr			
(constructed before 12/9/91) 5. This is a correct facility classification	(constructed on or after 12/9/91) OY ON OCan not determine			
If no, please check the appropriate classification: facility qualified for a general permit as number above facility exceeds above limits and is not eligible for a general permit B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 1.2 gallons				



Revised 8/11/97

PART III: GENERAL CONTROL REQUIREMENTS	
Is the responsible official of the dry cleaning facility: (check appropriate boxes)	
1. Storing perchloroethylene in tightly scaled and impervious containers?	ZY ON ON/A
2. Examining the containers for leakage?	אואם אם צם
3. Closing and securing machine doors except during loading/unloading?	MY DN
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	DY ON ON/A
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	אואם אם אב.

PART IV: PROCESS VENT CONTROLS				
In Part II-A:				
If classification 1 has been checked, no controls are required. Proceed to Part	· V.			
If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).				
If classification 3 has been checked, the machine should be equipped with either a refriger condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993				
If classification 4 has been checked, the machine should be equipped with a re (complete A and B below).	frigerated condenser			
A. Has the responsible official of all new sources and existing large area sources (check appropriate boxes)	:			
Equipped all machines with the appropriate vent controls?	ØY ON			
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	אוחם אם אם			
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	ØY ON ON/A			
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	MY ON			
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condensor exceeded 45° F?	ØY ON ON/A			
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	AY ON			

В.	. Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	'OY	ПΝ	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩY	ΩИ	□N/A
 }	Is the temperature differential equal to or greater than 20° F?	ΩY	ПΝ	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΩY	□N	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΩX	ПИ	DNA
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	מם	□N/A
3.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	ПИ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ŪΝ	□N/as
			<u>_</u> _	
			<u> </u>	
=	ART V: RECORDKEEPING REQUIREMENTS			
H	ART V: RECORDKEEPING REQUIREMENTS (as the responsible official: theck appropriate boxes)			
H (c	as the responsible official:	ΔŽ	N	
H (c	as the responsible official: check appropriate boxes)	erý prý	_	
H (c 1.	as the responsible official: check appropriate boxes) Maintained receipts for perc purchased?	_	_	
H (c 1.	as the responsible official: check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption?	ΖÝ	ON.	□N/A
H (c 1.	ins the responsible official: check appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following:	pý py	2,007	□N/A
H (c 1. 2.	Inside the responsible official: Theck appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days	pý py py	2 2 2 2	
H (c 1. 2. 3.	As the responsible official: theck appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?		2 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	□N/A
H (c 1. 2. 3.	As the responsible official: theck appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for applicable direct reading instruments)		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ON/A ON/A
H (c 1. 2. 3. 5. 6.	Inside the responsible official: Theck appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for applicable direct reading instruments) Maintained exhaust duct monitoring data on perc concentrations?		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0N/A
H (c 1. 2. 3. 5. 6.	Inside the responsible official: Theck appropriate boxes) Maintained receipts for perc purchased? Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for applicable direct reading instruments) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan?			ON/A ON/A

PART VI: LEAK DETECTION AND REPAIRS						
1. Does	1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair					
inspection?				AY ON		
2. Has	2. Has the facility maintained a leak log?					
3. Doe	s the responsible official check the	following areas for leaks?				
	Hose connections, fittings, couplings, and valves YOUN ON/A Muck cookers					
	couplings, and valves		Muck cookers	OY ON ON/A		
	Door gaskets and seating	ZY ON ON/A	Stills	ØY ON ON/A		
	Filter gaskets and seating	DÝ ON ON/A	Exhaust dampers	ZÝ ON ON/A		
	Pumps	AINO NO YS	Diverter valves	ØÝ □N □N/A		
	Solvent tanks and containers	AVO NO YE	Cartridge filter housings	ØÝ □N □N/A		
	Water separators	ØY ON ON/A				
4. Wh	ich method of detection is used by t	he responsible official?				
. .	Visual examination (condensed s	olvent on exterior surfaces)		D D		
	Physical detection (airflow felt th	rough gaskets)		'		
	Odor (noticeable perc odor)			2		
	Use of direct-reading instrumentation (FID/PID/calorimetric tubes)					
	Halogen leak detector			a		
	If using direct-reading instrumentation, is the equipment:					
a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?				OY ON		
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?				OY ON		
	c. Inspected for leaks and obvious signs of wear on a weekly basis?			DY DN		
	d. Kept in a clean and secure area when not in use?			OY ON		
	e. Verified for accuracy by use of duplicate samples (calorimetric only)?			OY ON		
<u> </u>						
Inspector's Name (Please Print) 12-17-97 Date of Inspection						
	Inspector's traine (clease Finit)					
js	December 98					
7	Inspector's Signature		Approximate Date of	Next Inspection		