

- (n) ~~N.A. Lime kiln means a unit used to calcine lime mud, which consists primarily of calcium carbonate, into quicklime, which is calcium oxide.~~
- (o) ~~N.A. Condensate stripper system means a column, and associated condensers, used to strip, with air or steam, TRS compounds from condensate streams from various processes within a Kraft pulp mill.~~

b. **Section III, Subsection N, Condition N.6.3. 40CFR 60.282 - Standard for Particulate Matter.**

- (a) On and after the date on which the performance test required to be conducted by 40 CFR 60.8 is completed, no owner or operator subject to the provisions of this subpart shall cause to be discharged into the atmosphere:
 - (1) - ~~(2) 3) N.A.~~
 - ~~(3) From any lime kiln any gases which contain particulate matter in excess of:~~
 - ~~(i) 0.15 g/dsem (0.066 gr/dsef) corrected to 10 percent oxygen, when gaseous fossil fuel is burned.~~
 - ~~(ii) 0.30 g/dsem (0.13 gr/dsef) corrected to 10 percent oxygen, when liquid fossil fuel is burned.~~

c. **Section III, Subsection N, Condition N.6.5. 40CFR 60.284 - Monitoring of Emissions and Operations.**


- (a) N.A.
- (b) ~~N.A. Any owner or operator subject to the provisions of this subpart shall install, calibrate, maintain, and operate the following continuous monitoring devices:~~
 - (1) N.A.
 - (2) ~~N.A. For any lime kiln or smelt dissolving tank using a scrubber emission control device:~~
 - ~~(i) A monitoring device for the continuous measurement of the pressure loss of the gas stream through the control equipment. The monitoring device is to be certified by the manufacturer to be accurate to within a gage pressure of ± 500 Pascals (ca. ± 2 inches water gage pressure).~~
 - ~~(ii) A monitoring device for the continuous measurement of the scrubbing liquid supply pressure to the control equipment. The monitoring device is to be certified by the manufacturer to be accurate within ± 15 percent of design scrubbing liquid supply pressure. The pressure sensor or tap is to be located close to the scrubber liquid discharge point. The Administrator may be consulted for approval of alternative locations.~~
- (c) - (f) N.A.

9. Appendices. The attached appendices A, B, C, D, E and F are made a part of this permit.
[Rule 62-4.070(3), F.A.C.]

STATEMENT OF BASIS

This air pollution construction permit is issued under the provisions of: Chapter 403 of the Florida Statutes (F.S.) and Chapters 62-4, 62-204, 62-210, 62-212, 62-296 and 62-297 of the Florida Administrative Code (F.A.C.).

Executed in Pensacola, Florida.



Andrew Joslyn
Permitting Program Administrator

AJ/ha

CERTIFICATE OF SERVICE

The undersigned duly designated agency clerk hereby certifies that this Air Permit package was sent by electronic mail, or a link to these documents made available electronically on a publicly accessible server, with received receipt requested before the close of business on the date indicated below to the following persons.

Mr. Tommy Martin, WestRock CP, LLC, tommy.martin@westrock.com

Mr. Tom Clements, WestRock CP, LLC, tom.clements@westrock.com

Ms. Sheryl Watkins, P.E., AECOM, sheryl.watkins@aecom.com

Mr. Mark Sumner, DEP NWD Panama City, mark.c.sumner@dep.state.fl.us

Mr. Tracy White, DEP NWD Panama City, tracy.a.white@dep.state.fl.us

Ms. Barbara Friday, DEP BAR, barbara.friday@dep.state.fl.us (for posting with U.S. EPA, Region 4)

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to Section 120.52(7), Florida Statutes, with the designated agency clerk, receipt of which is hereby acknowledged.

Martha Zappert

Clerk

July 11, 2016

Date