Florida Department of Environmental Protection

Northeast District
8800 Baymeadows Way West, Suite 100
Jacksonville, Florida 32256

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Noah Valenstein
Secretary

PERMITTEE

Geer Contracting, Inc. dba Middleburg Sitework & Utilities, Inc.
3410 Powerline Road
Middleburg, Florida 32068

Authorized Representative:
Ms. Peggy Geer, Owner

Air Permit No. 0190067-005-AO
Air Operation Permit

Geer Contracting, Inc.
Clay County, Florida

PROJECT

This is the final air operation permit, which authorizes the operation of Geer Contracting, Inc., which operates an Air Curtain Incinerator (Standard Industrial Classification No. 4953). This project authorizes the continued operation of the existing Air Curtain Incinerator. The facility is located in Clay County at 3410 Powerline Road in Middleburg, Florida. The UTM coordinates are Zone 17, 417.1 kilometers (km) East, and 3322.3 km North.

This final permit is organized into the following sections: Section 1 (General Information); Section 2 (Administrative Requirements); Section 3 (Facility-Wide Conditions); Section 4 (Emissions Unit Specific Conditions); and Section 5 (Appendices). Because of the technical nature of the project, the permit contains numerous acronyms and abbreviations, which are defined in Appendix A of Section 5 of this permit.

Permitting Authority: Applications for air operation permits are subject to review in accordance with the provisions of Chapter 403, Florida Statutes (F.S.) and Chapters 62-4 and 62-210 of the Florida Administrative Code (F.A.C.). The Permitting Authority responsible for making a permit determination for this project is the Northeast District Office. The Permitting Authority's physical address is: 8800 Baymeadows Way West, Suite 100, Jacksonville, Florida 32256. The Permitting Authority's mailing address is: 8800 Baymeadows Way West, Suite 100, Jacksonville, Florida 32256. The Permitting Authority's telephone number is 904/256-1700.

Petitions. A person whose substantial interests are affected by the proposed decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed (received) in the Department's Office of General Counsel, MS #35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, Agency_Clerk@dep.state.fl.us. Petitions filed by the applicant or any of the parties listed below must be filed within 14 days of receipt of this notice. Petitions filed by any other person must be filed within 14 days of receipt of this proposed action. A petitioner must mail a copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner; the name, address and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when each petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e)

A concise statement of the ultimate facts alleged, as well as the rules and statutes which entitle the petitioner to relief; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and, (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the permitting authority's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301, F.A.C.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the permitting authority on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation: Mediation is not available in this proceeding.

Effective Date: This permitting decision is final and effective on the date filed with the clerk of the Permitting Authority unless a petition is filed in accordance with the above paragraphs or unless a request for extension of time in which to file a petition is filed within the time specified for filing a petition pursuant to Rule 62-110.106, F.A.C., and the petition conforms to the content requirements of Rules 28-106.201 and 28-106.301, F.A.C. Upon timely filing of a petition or a request for extension of time, this action will not be effective until further order of the Permitting Authority.

Judicial Review: Any party to this permitting decision (order) has the right to seek judicial review of it under Section 120.68, F.S., by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel, Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within 30 days after this order is filed with the clerk of the Department.

0190067-005-AO Effective Date: April 2, 2018
Renewal Application Due Date: February 1, 2023
Expiration Date: April 2, 2023

Executed in Jacksonville, Florida
STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Michelle Neeley
Program Manager
Environmental Permitting

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this final permit was sent on the filing date below to the following listed persons.

Ms. Peggy Geer, Owner, Geer Contracting, Inc. (e-mail: yggep1@att.net)
Ms. Lynsey Nellis, Application Contact, Tageye, Inc. (e-mail: lynsey@tageye.net)
Mr. Lon Dunlap, Interested 3rd Parties Requesting Copies, no e-mail address, mailing AO permit to 3rd party

FILING AND ACKNOWLEDGMENT

FILED, on this date, pursuant to Section 120.52, F. S., with the designated Department Clerk, receipt of which is hereby acknowledged.

Patrick Ryan

Clerk

April 2, 2018

Date

FACILITY DESCRIPTION

The applicant operates an Air Curtain Incinerator with a charging rate of up to 10 tons per hour of the combination of clean lumber, wood waste and yard waste. The Air Curtain Incinerator fan is powered by a 26.2 kW Kubota V1505-E3B diesel engine that is exempt from permitting. The applicant restricted the Air Curtain Incinerator hours of operation to 3120 hours per year. Potential to Emit emissions are less than 65 TPY per criteria pollutant. HAPs emissions are below 10 TPY. No add-on controls are used.

The existing facility consists of the following emissions unit (EU).

EU No.	Emission Unit Description
001	Air Curtain Incinerator
Exempt emission unit from Non-Title V permit as per Rule 62.210.300(3)(a)35. 26.2 kW Kubota V1505-E3B Diesel Engine, Model Year 2015, NSPS IIII (and NESHAP ZZZZ) regulated	

APPLICABLE REGULATIONS

A summary of applicable regulations is shown in the following table.

Regulation	EU No(s).
Federal Rule Citations	
40 CFR 60, Subpart A, NSPS General Provisions	001
40 CFR 60, Subpart CCCC, Standards of Performance for Commercial and Industrial Solid Waste Incineration Units	001
State Rule Citations	
Rule 62-4.070, F.A.C., Standards for Issuing or Denying Permits; Issuance; Denial	001
Rule 62-204.800, F.A.C., Federal Regulations Adopted by Reference	001
Rule 62-210.200, F.A.C., Definitions (PTE)	001
Rule 62-296.401(7) F.A.C., Emissions Standards for Air Curtain Incinerators	001
Rule 62-297.310, F.A.C., Emissions Monitoring	001
Rule 62-256, F.A.C., Open Burning	001
Rule 62-701, F.A.C., Solid Waste Management Facilities	001

FACILITY REGULATORY CLASSIFICATION

- The facility **is not** a major source of hazardous air pollutants (HAP).
- The facility **does not operate** units subject to the acid rain provisions of the Clean Air Act (CAA).
- The facility **is not** a Title V major source of air pollution in accordance with Chapter 62-213, F.A.C.
- The facility **is not** a major stationary source in accordance with Rule 62-212.400, F.A.C. for the Prevention of Significant Deterioration (PSD) of Air Quality.

SECTION 2. ADMINISTRATIVE REQUIREMENTS

1. Permitting Authority: The permitting authority for this project is the Northeast District Office. The Northeast District Office mailing address at: 8800 Baymeadows Way West, Suite 100, Jacksonville, Florida 32256. All documents related to applications for permits to operate an emissions unit shall be submitted to the Northeast District Office.
2. Compliance Authority: All documents related to compliance activities such as reports, tests, and notifications shall be submitted to the Northeast District Office at: 8800 Baymeadows Way West, Suite 100, Jacksonville, Florida 32256.
3. Appendices: The following Appendices are attached as a part of this permit: Appendix A (Citation Formats and Glossary of Common Terms); Appendix B (General Conditions); Appendix C (Common Conditions); Appendix D (Common Testing Requirements); Appendix E (40 CFR 60, Subpart A – General Provisions); and Appendix F (40 CFR 60, Subpart CCCC).
4. Applicable Regulations, Forms and Application Procedures: Unless otherwise specified in this permit, the construction and operation of the subject emissions units shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of: Chapter 403, F.S.; and Chapters 62-4, 62-204, 62-210, 62-212, 62-213, 62-296 and 62-297, F.A.C. Issuance of this permit does not relieve the permittee from compliance with any applicable federal, state, or local permitting or regulations.
5. New or Additional Conditions: For good cause shown and after notice and an administrative hearing, if requested, the Department may require the permittee to conform to new or additional conditions. The Department shall allow the permittee a reasonable time to conform to the new or additional conditions, and on application of the permittee, the Department may grant additional time. [Rule 62-4.080, F.A.C.]
6. Modifications: No new emissions unit shall be constructed and no existing emissions unit shall be modified without obtaining an air construction permit from the Department. Such permit shall be obtained prior to beginning construction or modification. [Rules 62-210.300(1) and 62-212.300(1)(a), F.A.C.]
7. Renewal: Prior to 60 days before the expiration date of this permit, the permittee shall apply for a renewal of the permit. A renewal application shall be timely and sufficient. If the application is submitted prior to 60 days before expiration of the permit, it will be considered timely and sufficient. If the renewal application is submitted at a later date, it will not be considered timely and sufficient unless it is submitted and made complete prior to the expiration of the operation permit. When the application for renewal is timely and sufficient, the existing permit shall remain in effect until the renewal application has been finally acted upon by the Department. [Rule 62-4.090, F.A.C.]

FW.1. Unconfined Particulate Matter Emissions: Unconfined particulate matter emissions from yard operations, loading/unloading and/or materials handling operations will be controlled using reasonable precautions. Reasonable precautions may include, but are not limited to:

a. Paving and maintenance of roads, parking areas and yards.

b. Application of water or chemicals to control emissions from such activities as demolition of buildings, grading roads, construction, and land clearing.

c. Application of asphalt, water, oil, chemicals or other dust suppressants to unpaved roads, yards, open stock piles and similar activities.

d. Removal of particulate matter from roads and other paved areas under the control of the owner or operator of the facility to prevent reentrainment, and from buildings or work areas to prevent particulate from becoming airborne.

e. Landscaping or planting of vegetation.

f. Use of hoods, fans, filters, and similar equipment to contain, capture and/or vent particulate matter.

g. Confining abrasive blasting where possible.

h. Enclosure or covering of conveyor systems.

[Rule 62-296.320(3)(c), F.A.C.]

A. EU001 – Air Curtain Incinerator

This section of the permit addresses the following emissions unit.

EU No.	Emission Unit Description
001	Air Curtain Incinerator

{This Air Curtain Incinerator is a CP2000T unit made by Concept Products Corporation, Paoli, PA. [Application No. 0190067-001-AC]}

PERFORMANCE RESTRICTIONS

A.1. Permitted Capacity: The allowed charging rate is 10 tons per hour. The charging rate is defined as the total amount of material initially in the burn pit in addition to the total amount added over the first 60 minutes period. For each subsequent 60 minutes period, it is the total amount added. [Rule 62-210.200(PTE), F.A.C., and Air Construction Permit No. 0190067-001-AC]

A.2. Authorized Fuel:

a. *Engine*. Only diesel fuel, approximately 2.5 gallons/hour, shall be used in the engine powering the Air Curtain Incinerator fan. [Rules 62-4.070(3) and 62-210.200(PTE), F.A.C.]

b. *Burn Pit*.

i. At most one pint of No. 2 fuel oil (diesel fuel) may be used to start the burning pit for each startup. [Air Construction Permit No. 0190067-001-AC]

ii. Only small amounts of paper and or tin wood tree branches shall be used to start the fire in the air curtain incinerator. Only kerosene, diesel fuel, drip-torch fuel (as used to ignite prescribed fires), untreated wood, virgin oil, natural gas, or liquefied petroleum gas shall be used to start the fire in the air curtain incinerator. The use of used oil, chemicals, gasoline, or tires to start the fire is prohibited. [Rules 62-296.401(7)(b)3. and 62-210.200(PTE), F.A.C.]

A.3. Restricted Operation: The hours of operation are limited to 10 hours a day, 6 days a week, and 3120 hours per calendar year. [Rules 62-4.070(3) and 62-210.200(PTE), F.A.C., and Air Construction Permit No. 0190067-001-AC]

A.4. Material: The unit is authorized to burn 100% wood waste (excluding sawdust), or 100% clean lumber, or a 100% mixture of wood waste, clean lumber and/or yard waste. Definitions are as follows:

a. Clean lumber means wood or wood products that have been cut or shaped and include wet, air-dried, and kiln-dried wood products. Clean lumber does not include wood products that have been painted, pigment-stained, or pressure-treated by compounds such as chromate copper arsenate, pentachlorophenol, and creosote.

b. Wood waste means untreated wood and untreated wood products, including tree stumps (whole or chipped), trees, tree limbs (whole or chipped), bark, chips, scraps, slabs, millings, and shavings. Wood waste does not include:

i. Grass, grass clippings, bushes, shrubs, and clippings from bushes and shrubs from residential, commercial/retail, institutional, or industrial sources as part of maintaining yards or other private or public lands;

ii. Construction, renovation, or demolition wastes; and

iii. Clean lumber.

[Rule 62-204.800(8)(b)79, F.A.C., 40 CFR 60.2265, and Air Construction Permit No. 0190067-001-AC]

WORK PRACTICE STANDARDS

A.5. Earthen Trench: If the air curtain incinerator employs an earthen trench, the pit walls (width and length) shall be vertical, and maintained as such, so that combustion of the waste within the pit is maintained at an adequate temperature and with sufficient air recirculation to provide enough residence time and mixing for proper combustion and control of emission. The following dimensions for the pit must be strictly adhered to: no more than twelve feet (12') wide, between eight feet (8') and fifteen (15') feet deep, and no longer than the length of the manifold. The pit shall not be dug within a previously active portion of a landfill. [Rule 62-296.401(7)(b)2., F.A.C.]

A.6. Materials Burned: Except as provided herein and at **Specific Condition Nos. A.4.** and **A.7.**, the only materials that shall be burned in the air curtain incinerator are vegetative material and untreated wood, excluding sawdust. The air curtain incinerator shall not be used to burn any biological waste, hazardous waste, asbestos-containing materials, mercury-containing devices, pharmaceuticals, tires, rubber material, residual oil, used oil, asphalt, roofing material, tar, treated wood, plastics, garbage, trash or other material prohibited to be open burned as set forth in subsection 62-256.300(2), F.A.C. Only kerosene, diesel fuel, drip-torch fuel (as used to ignite prescribed fires), untreated wood, virgin oil, natural gas, or liquefied petroleum gas shall be used to start the fire in the air curtain incinerator. The use of used oil, chemicals, gasoline, or tires to start the fire is prohibited. [Rule 62-296.401(7)(b)3., F.A.C. and Air Construction Permit No. 0190067-001-AC]

A.7. Animal Carcasses: Notwithstanding the provisions of **Specific Condition No. A.6.**, the air curtain incinerator may be used for the destruction of animal carcasses in accordance with the provisions of Rule 62-256.700(6), F.A.C. When using an air curtain incinerator to burn animal carcasses, untreated wood may also be burned to maintain good combustion. [Rule 62-296.401(7)(b)4., F.A.C.]

A.8. Startup and Charging: In no case shall the air curtain incinerator be started before sunrise. All charging shall end no later than one (1) hour after sunset. After charging ceases, air flow shall be maintained until all material within the air curtain incinerator has been reduced to coals, and flames are no longer visible. A log shall be maintained onsite that documents daily beginning and ending times of charging. [Rule 62-296.401(7)(b)5., F.A.C.]

A.9. Attendance: The air curtain incinerator shall be attended at all times while materials are being burned or flames are visible within the incinerator. [Rule 62-296.401(7)(b)6., F.A.C.]

A.10. Air Curtain Incinerator Setback: The air curtain incinerator shall be located at least fifty (50) feet from any wildlands, brush, combustible structure, or paved public roadway. [Rule 62-296.401(7)(b)7., F.A.C.]

A.11. Height of Loaded Material: The material shall not be loaded into the air curtain incinerator such that it protrudes above the air curtain. [Rule 62-296.401(7)(b)8., F.A.C.]

A.12. Ash: Ash shall not be allowed to build up in the pit of the air curtain incinerator to higher than one third (1/3) the pit depth or to the point where the ash begins to impede combustion, whichever occurs first. [Rule 62-296.401(7)(b)9., F.A.C.]

A.13. Operations and Maintenance Guide and Training: An operation and maintenance guide shall be available to the operators of the air curtain incinerator at all times, and the owner shall provide training to all operators before they work at the incinerator. This guide shall be made available to the Department or for an inspector's onsite review upon request. [Rule 62-296.401(7)(b)10., F.A.C.]

EMISSIONS STANDARDS

A.14. Visible Emissions (VE) – Startup Periods: Visible emissions shall be limited as follows:

a. *NSPS during startup periods:* Maintain opacity to less than or equal to 35 percent opacity (as determined by the average of three 1-hour blocks consisting of ten 6-minute average opacity values) during the

startup period that is within the first 30 minutes of operation. [40 CFR 60.2250(b); and Rule 62-204.800(8)(b)79, F.A.C.]

b. *State Rule during startup periods*: During startup periods, which shall not exceed the first 30 minutes of operation, an opacity of up to 35% shall be allowed. The general excess emissions rule, Rule 62-210.700, F.A.C., shall not apply. [Rule 62-296.401(7)(b)1., F.A.C.]

A.15. Visible Emissions (VE) – Non-Startup Periods: Visible emissions shall be limited as follows:

a. *NSPS during non-startup periods:* Within 60 days after your air curtain incinerator reaches the charge rate at which it will operate, but no later than 180 days after its initial startup, the facility must maintain opacity to less than or equal to 10 percent opacity (as determined by the average of three 1-hour blocks consisting of ten 6-minute average opacity values), except as described in **Specific Condition No. A.14.a.** [40 CFR 60.2250(a); and Rule 62-204.800(8)(b)79, F.A.C.]

b. *State Rule during non-startup period:* Visible emissions shall not exceed 10% opacity, except as stated in **Condition No. A.14.b.** [Rule 62-296.401(7)(b)1., F.A.C.]

{Permitting Note: The state standard is based on an averaging period of six minutes and is more stringent than the requirements of 40 CFR 60, Subpart CCCC (section 60.2250). Compliance of the state standard using Method 9 (as described in **Specific Condition Nos. A.14.** and **A.15.**) satisfies the federal requirement.}

TESTING REQUIREMENTS

A.16. Annual Compliance Tests:

a. *NSPS (CCCC)*: Within 12 calendar months of the previous VE test, the emissions unit shall be tested to determine compliance with the emissions standards for VE listed in **Specific Condition Nos. A.14.** and **A.15.** [40 CFR 60.2255 and Rule 62-204.800(8)(b)79, F.A.C.]

b. *State Rule*: During each calendar year (January 1st to December 31st), the emissions unit shall be tested to demonstrate compliance with the emissions standards for visible emissions. [Rule 62-297.310(8)(a)1., F.A.C.]

A.17. Test Requirements: The permittee shall notify the Compliance Authority in writing at least 15 days prior to any required tests. Tests shall be conducted in accordance with the applicable requirements specified in Appendix D (Common Testing Requirements) of this permit. [Rule 62-297.310(9), F.A.C.]

A.18. Testing Duration: The required minimum period for visible emissions testing is 30 minutes for startup and 30 minutes for normal operation. The test shall start at the beginning of startup. [Rule 62-297.310(5)(b), F.A.C.]

A.19. New Trench: The owner or operator of any air curtain incinerator subject to this subsection and using an earthen trench shall have a performance test conducted for visible emissions no later than thirty (30) days after it commences operation at any new trench location, and annually thereafter. However, if the air curtain incinerator will be operated for less than thirty (30) days at the new trench location, and the owner or operator has demonstrated compliance with the emissions limiting standards of paragraph 62-296.401(7)(b), F.A.C., through a visible emissions test conducted and submitted to the Department within the previous twelve (12) months, the requirement for testing within thirty (30) days of commencing operation at the new trench location shall not apply. [Rule 62-296.401(7)(d)2., F.A.C.]

A.20. Test Methods: Required tests shall be performed in accordance with the following reference methods.

Method	Description of Method and Comments
9	Visual Determination of the Opacity of Emissions from Stationary Sources

The above methods are described in Appendix A of 40 CFR 60 and are adopted by reference in Rule 62-204.800, F.A.C. No other methods may be used unless prior written approval is received from the Department. [Rules 62-204.800(8)(b)79, 62-296.401(7)(c)1., and 62-297.310, F.A.C., 40 CFR 60.2255(a), (b), and Appendix A of 40 CFR 60]

A.21. Special Compliance Tests: When the Department, after investigation, has good reason (such as complaints, increased visible emissions or questionable maintenance of control equipment) to believe that any applicable emission standard contained in a Department rule or in a permit issued pursuant to those rules is being violated, it shall require the owner or operator of the emissions unit to conduct compliance tests which identify the nature and quantity of pollutant emissions from the emissions unit, unless the Department obtains other information sufficient to demonstrate compliance. The owner or operator of the emissions unit shall provide a report on the results of said tests to the Department in accordance with the provisions of subsection 62-297.310(10), F.A.C. [Rule 62-297.310(8)(c), F.A.C.]

RECORDS AND REPORTS

A.22. Test Reports:

a. The Permittee shall submit annual opacity test reports as electronic or paper copy on or before the applicable submittal date. For each test run, the report shall also indicate the total material (tons) charged by hour during the test and the maximum charging rate per hour at which the source operated between the preceding test and the current test. The Permittee shall submit annual opacity test results within 12 months following the previous report. [Rules 62-4.070 and 6-210.200(PTE), F.A.C.; 40 CFR 60.2260(d)-(e) and Rule 62-204.800(8)(b)79, F.A.C.]

b. The Permittee shall keep a copy of the annual test reports onsite for a period of 5 years. [40 CFR 60.2260(f) and Rule 62-204.800(8)(b)79, F.A.C.]

A.23. Operating Records:

a. The Permittee shall maintain a daily operating log that at a minimum shall contain the following:

1. Date;
2. Total charges;
3. Total material (tons) charged;
4. Daily operating hours, which extends from the start of initial combustion to when all flames have been extinguished;
5. Daily average hourly charging rate;
6. Total monthly operating hours;
7. All maintenance that is performed;
8. Operator’s signature;
9. Comments

[Rules 62-296.401(7)(b)5. and 62-210.200 (PTE), F.A.C., and Air Construction Permit No. 0190067-001-AC]

b. The Permittee shall keep all records including results of all annual opacity tests onsite in either paper copy or electronic format, unless the Administrator approves another format, for at least 5 years. [40 CFR 60.2260(b), Rules 62-204.800(8)(b)79 and Rule 62-296.401(7)(c)3., F.A.C.]

c. The Permittee shall make all records available for submittal to the Administrator or for an inspector's onsite review. [40 CFR 60.2260(c) and Rule 62-204.800(8)(b)79, F.A.C.]

SOLID WASTE CONDITIONS

{Permitting Note: Conditions provided by the Department's Solid Waste Section}.

In addition to the rules and regulations that the air portion of the permit is issued under, the solid waste portion of the permit is issued under Chapter 403, Florida Statutes, and Florida Administrative Code (FAC) Chapters 62-4 and 62-701.

A.24. Acceptable Waste: The facility shall be limited to accepting land clearing debris as defined by F.A.C. Rule 62-701.200(56). Any other waste is prohibited waste. [Rule 62-701.200(56)]

A.25. Solid Waste Storage: The permittee shall ensure at all times that storage of the solid waste associated with the operation of the facility does not violate the prohibitions stated in F.A.C. Chapter 62-701.300. [Application No. 7775978-001-AC; Rule 62-701.300, F.A.C.; and Rule 62-4.070(3), F.A.C.]

A.26. General Prohibition: This permit does not authorize any solid waste storage or disposal activities.

a. No person shall store, process, or dispose of solid waste except as authorized at a permitted solid waste management facility or a facility exempt from permitting under this chapter. [Rule 62-701.300(1)(a), F.A.C.]

b. No person shall store, process, or dispose of solid waste in a manner or location that causes air quality standards to be violated or water quality standards or criteria of receiving waters to be violated. [Rule 62-701.300(1)(b), F.A.C.]

c. No person shall ignite, cause to be ignited, or permit to be ignited, any material which will result in any prohibited open burning as regulated by this chapter; nor shall any person suffer, allow, conduct or maintain any prohibited open burning. [Rule 62-256.300(1)]

d. Prohibition on Open Burning During Adverse Conditions. No open burning, including use of any air curtain incinerator exempted from permitting pursuant to Rule 62-210.300, F.A.C., shall be conducted during a National Weather Service Air Stagnation Advisory or Air Pollution Episode, or if the Department of Agriculture and Consumer Services, Florida Forest Service, has determined that weather conditions are unfavorable for safe burning. [Rule 62-256.300(3)]

A.27. General Prohibition Non-Authorized Activities:

a. No person shall store or dispose of solid waste in any natural or artificial body of water including ground water and wetlands within the jurisdiction of the Department. This prohibition also applies to areas where waste may settle into ground water as a result of the maximum expected loads over the waste. This prohibition does not apply to areas of standing water that exist only after storm events, provided that the storage or disposal does not result in objectionable odors or sanitary nuisances. [Rule 62-701.300(2)(d), F.A.C.]

b. Yard Trash. The prohibitions of this section apply to the storage, processing, or disposal of yard trash. No waste shall be placed within 100 feet from off-site potable water wells, no setback required from on-site water wells. [Rule 62-701.300(12)(a), F.A.C.]

c. Yard Trash. The prohibitions of this section apply to the storage, processing, or disposal of yard trash. No waste shall be placed within 50 feet from water bodies. [Rule 62-701.300(12)(b), F.A.C.]

A.28. Hazardous Waste: Any hazardous waste that is received by the facility shall be managed in accordance with the provision of F.A.C. Chapter 62-730. [Rule 62-701.300(4), F.A.C.]

A.29. Handling and Removal of Prohibited Waste: The facility shall remove prohibited waste from the waste being discharged and shall remove it to covered roll-off containers upon discovery. Any containers containing putrescible waste shall have its contents removed within 48 hours. Nonputrescible waste shall be

removed within 30 days or when the storage containers become full, whichever occurs first. The prohibited waste shall be removed to the appropriate authorized facilities. [Rule 62-701.803(3), F.A.C.]

A.30. Access control: Access to the facility shall be controlled by fencing or other effective barriers to prevent the disposal of waste other than authorized waste. [Rule 62-701.803(5), F.A.C.]

A.31. Spotters: At all times the facility is accepting land clearing debris; a trained spotter shall be present to inspect the waste as it is being discharged. The spotter shall inspect the loads for unacceptable materials that may inadvertently be accepted and shall remove from the waste stream and place into appropriate containers for disposal at a permitted facility. [Rule 62-701.803(6), F.A.C.]

A.32. Yard Trash: A facility that employs an air curtain incinerator and that also stores or disposes of yard trash at the site shall meet the permitting requirements of Rule 62-256.700, F.A.C., as well as this section 60.701.803, F.A.C. [Rule 62.701.803(10), F.A.C.]

A.33. Cease Operations: Within 30 days of ceasing operation of the facility, the Permittee shall remove all remaining solid waste for either disposal or processing at an appropriate, permitted facility. The Permittee shall document, in writing, to the Departemnt, the approximate volume of waste removed and name of the disposal facility receiving the waste within 60 days of the date the facility ceased operation.