Permittee:
Diversified Container Services, Inc.
8831 Moncrief Dinsmore Road
Jacksonville, FL 32219

FINAL Permit No.: 0310333-006-AC
Facility ID No.: 0310333
SIC Nos.: 34
Project: Shipping Container Refinishing Operation Modifications

This permit is for the modification of Emissions Unit 002 - Spray Painting Operation and the construction of a Global Paint Booth and Silica Blast Operation. This facility is located at 8831 Moncrief Dinsmore Road, Jacksonville, Duval County, FL; UTM Coordinates: Zone 17, 427.73 km East and 3364.85 km North; Latitude: 30° 24' 34" North and Longitude: 81° 45' 08" West.

This permit is issued under the provisions of Chapter 403, Florida Statutes (FS) and Florida Administrative Code (FAC) Chapters 62-4, 62-204, 62-210, 62-212, 62-213, 62-296, and 62-297. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the Environmental and Compliance Department, Environmental Quality Division (Department) in accordance with the terms and conditions of this permit.

Referenced attachments made a part of this permit:
Appendix B - Table 2 to Subpart MMMM of Part 63

Title V Operation Permit Revision Application Due Date: May 1, 2008
Expiration Date: October 31, 2008

Environmental and Compliance Department
Environmental Quality Division

_____
Robert Steven Pace, P.E., Manager
Air Quality Branch

RSP/RR/ef

S:\PermitV\TVCP\F\0310333-006acf-AC

Section I. Facility Information

Subsection A. Facility/Project Description

The subject of this permit is to modify the existing Emissions Unit (EU) -002 Spray Painting Operation and the construction of a Global Paint Booth and Silica Blast Operation.

This facility refinishes military shipping containers, private roll-off refuse containers, military vehicles and miscellaneous metal parts. The refinishing operations consist of steel shot blasting and spray painting.

The facility is a major source of air pollution because the potential emissions of regulated air pollutants are greater than 100 tons per year and/or the potential emissions of Hazardous Air Pollutants (HAP) are greater than 10 tons per year for a single HAP and/or greater than 25 tons per year for total HAP pursuant to Chapter 62-210, FAC, and Rule 2.301, JEPB.

Subsection B. Summary of Emission Unit (EU) ID Nos. and Brief Descriptions

EU No.	EU Description	Control Device
002	Spray Painting Operation	Low Solvent Coating Technology
004	Global Paint Booth	Low Solvent Coating Technology
005	Silica Blast Operation	Containment Screens

Subsection C. Relevant documents

Application for an Air Pollution Source Construction Permit received September 10, 2007
Title V Air Operation Permit Renewal issued March 14, 2006

Section II. Facility Wide Conditions

Subsection A. General Conditions

1. The terms, conditions, requirements, limitations, and restrictions set forth herein are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.

2. This permit is valid only for the specific process and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.

3. As provided in subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other department permit that may be required for other aspects of the total project which are not addressed in this permit.

4. This permit conveys no title to land or water, does not constitute State recognition or acknowledgement of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.

5. This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore, nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.

6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed and used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.

7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at reasonable times, access to the premises where the permitted activity is located or conducted to:
    a. Have access to and copy any records that must be kept under conditions of the permit;
    b. Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
    c. Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.

    Reasonable time may depend on the nature of the concern being investigated.

8. If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
    a. A description of and cause of noncompliance; and
    b. The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance. The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or revocation of this permit.

9. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.111 and 403.73, Florida Statutes. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

10. The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.

11. This permit is transferable only upon Department approval in accordance with Rules 62-4.120 and 62-730.300, FAC, as applicable. The permittee shall be liable for any noncompliance of the permitted activity until the transfer is approved by the Department.

12. This permit or a copy thereof shall be kept at the work site of the permitted activity.

13. This permit also constitutes:
    ( ) Determination of Best Available Control Technology (BACT)
    ( ) Determination of Prevention of Significant Deterioration (PSD)
    ( ) Certification of Compliance with State Water Quality Standards (Section 401, PL 92-500)
    ( ) Compliance with New Source Performance Standards

14. The permittee shall comply with the following:
    a. Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
    b. The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by this permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
    c. Records of monitoring information shall include:
        1. The date, exact place, and time of sampling or measurements;
        2. The person responsible for performing the sampling or measurements;
        3. The date(s) analyses were performed;
        4. The person responsible for performing the analyses;
        5. The analytical techniques or methods used;
        6. The results of such analyses.

15. When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.
    [Rule 62-4.160, FAC, and Rule 2.1301, Jacksonville Environmental Protection Board (JEPB).]

Subsection B. Specific Conditions

1. Any revision(s) to a permit (and application) shall be submitted to and approved by the Department prior to implementing.
   [Rule 62-4.080(2), FAC, and Rule 2.1301, JEPB.]

2. To obtain a permit to operate, the permittee must demonstrate compliance with the conditions of the construction permit and submit a complete application for a Title V Air Operating Permit with compliance records and test results, to the Department, at least one hundred eighty (180) days prior to the expiration date of the construction permit but no later than 180 days after completion of construction, whichever occurs first. The permittee may continue to operate in compliance with all terms of the construction permit until its expiration date. Operation beyond the construction permit expiration date requires a valid operating permit to operate.
   [Rule 62-210.300(2), FAC, Rule 62-213.420(1)(a)2., FAC, Rule 2.301, JEPB, and Rule 2.501, JEPB]

3. Permittee shall submit an annual operation report to the Department for this (these) emission unit(s) on the form(s) supplied for each calendar year on or before March 1.
   [Rule 62-210.370(3), FAC, and Rule 2.301, JEPB.]

4. The permittee shall submit all compliance related notifications and reports required of this permit to:

Environmental and Compliance Department
Environmental Quality Division
117 West Duval Street, Suite 225
Jacksonville, FL 32202
Telephone: (904) 630-4900
Fax: (904) 630-3638

Section III. Emission Units and Conditions

Emissions Unit No. 002 - Spray Painting Operation

Emissions Unit description - Surface coating of military shipping containers, private roll-off refuse containers and miscellaneous metal parts.

Emissions Limitations and Standards

1. This emissions unit is allowed to operate 2,600 hours per year.
   [Rule 62-4.070(3), FAC, and Rule 2.1301, JEPB]

2. Coatings (as applied) shall not exceed a maximum of 3.5 pounds of volatile organic compounds (VOC) per gallon of coating, excluding water.
   [Rule 62-296.513(2)(a)2., FAC, and Rule 2.1001, JEPB]

3. Diversified Container Services, Inc. shall comply with the provisions of 40 CFR 63, Subpart MMMM – National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products, and 40 CFR 63, Subpart A – General Provisions (as described in Appendix B to Subpart MMMM of Part 63 – General Provisions of Applicability to Subpart MMMM).

4. For an existing affected source, you (Diversified Container Services, Inc.) must limit organic HAP emissions to the atmosphere from the affected source to the applicable limit as follows:
   a. For each existing general use coating affected source, limit organic HAP emissions to no more than 2.6 pound organic HAP per gallon coating solids used during each 12-month compliance period.
   b. For each existing high performance coating affected source, limit organic HAP emissions to no more than 27.5 pounds organic HAP per gallon coating solids used during each 12-month compliance period.
   c. For each existing magnet wire coating affected source, limit organic HAP emissions to no more than 1.0 pound organic HAP per gallon coating solids used during each 12-month compliance period.
   d. For each existing rubber-to-metal coating affected source, limit organic HAP emissions to no more than 37.7 pounds organic HAP per gallon coating solids used during each 12-month compliance period.
   e. For each existing extreme performance fluoropolymer coating affected source, limit organic HAP emissions to no more than 12.4 pounds organic HAP per gallon coating solids used during each 12-month compliance period.

   [40 CFR 63.3890, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

5. General Pollutant Emission Limiting Standards. Objectionable Odor Prohibited. The permittee shall not cause, suffer, allow, or permit the discharge of air pollutants which cause or contribute to an objectionable odor.
   [Rule 62-296.320(2), FAC, and Rule 2.1001, JEPB]

Test Methods and Procedures

6. Testing for demonstration of compliance shall be performed in accordance with Environmental Protection Agency (EPA) Reference Method (RM) 24 (as described in 40 CFR 60, Appendix A) for volatile organic compounds. Manufacturers data sheets with VOC and HAP contents may be substituted with the approval of the Department.
   [Rule 62-296.513(4), FAC, and Rule 2.1001, JEPB]

7. To demonstrate initial compliance using the compliant material option, the coating operation or group of coating operations must use no coating with an organic HAP content that exceeds the applicable emission limits in 40 CFR 63.3890 and must use no thinner and/or other additive, or cleaning material that contains organic HAP as determined according to this section. Any coating operation for which you use the compliant material option is not required to meet the operating limits or work practice standards required in 40 CFR 63.3892 and 63.3893, respectively.

[40 CFR 63.3941, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

8. Calculate the organic HAP content, pounds of organic HAP emitted per gallon coating solids used, of each coating used during the compliance period using the following equation:

$$H_C = \frac{(D_C)(W_C)}{V_S}$$

Where:
H_C = Organic HAP content of the coating, pound organic HAP emitted per gallon coating solids used.
D_C = Density of coating, pound coating per gallon coating, determined according to paragraph 40 CFR 63.3941(c).
W_C = Mass fraction of organic HAP in the coating, pound organic HAP per pound coating, determined according to paragraph 40 CFR 63.3941(a).
V_S = Volume fraction of coating solids, gallon coating solids per gallon coating, determined according to according to paragraph 40 CFR 63.3941(b).
[40 CFR 63.3941, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

9. Diversified Container Services, Inc. must complete the initial compliance demonstration according to the requirements in 40 CFR 63.3941 during the initial compliance period. The initial compliance period begins on the date 3 years after the date of January 2, 2004 and ends on the last day of the 12th month following the compliance date.
[40 CFR 63.3940, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

10. Procedures for demonstration of continuous compliance using the compliant material option shall be in accordance with the requirements in 40 CFR 63.3942.
[40 CFR 63.3942, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

Recordkeeping and Reporting Requirements

11. Records shall be maintained monthly for the following:
    a. Amount of coating applied
    b. VOC content (lbs/gal) of coatings as applied
    c. Amount of surface preparation, clean-up and wash-up solvent / thinner usage
    d. VOC content of solvent / thinner
    e. VOC emissions
    f. Hazardous air pollutants (HAP) content of coatings and solvents
    g. HAP emissions

    Records shall be maintained for a minimum of five (5) years and made available to the Department upon request.
    [Rule 62-296.500(2), FAC, Rule 62-213.440(1)(b), FAC, and Rule 2.1001, JEPB]

12. Quarterly reports shall be submitted to the Department describing the usage of solvents, coatings, and VOC/HAP contents and emissions. The quarterly reports shall be submitted by the 30th day of the following month after the end of each quarter (January - March, April - June, July - September, and October - December). The final report, which is due by the 30th of January for the quarter of October - December, shall include a synopsis of the preceding year.
[Rule 62-213.440(1)(b), FAC, and Rule 2.501, JEPB]

13. Diversified Container Services, Inc. must submit the notification of compliance status no later than 30 calendar days following the end of the initial compliance period. The notification of compliance status must contain the information specified in paragraphs 40 CFR 63.3910(c)(1) through (11) of this section and in 40 CFR 63.9(h).
[40 CFR 63.3910, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

14. Diversified Container Services, Inc. must submit semiannual compliance reports for each affected source as described in 40 CFR 63.3920.
[40 CFR 63.3920, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

15. Diversified Container Services, Inc. must collect and keep records of the data and information specified in 40 CFR 63.3930. Failure to collect and keep these records is a deviation from the applicable standard.
[40 CFR 63.3930, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

Emissions Unit No. 004 – Global Paint Booth

Emissions Unit description - Surface coating of military vehicles.

Emissions Limitations and Standards

1. This emissions unit is allowed to operate 2,600 hours per year.
[Rule 62-4.070(3), FAC, and Rule 2.1301, JEPB]

2. Coatings (as applied) shall not exceed a maximum of 3.5 pounds of volatile organic compounds (VOC) per gallon of coating, excluding water.
[Rule 62-296.513(2)(a)2., FAC, and Rule 2.1001, JEPB]

3. Diversified Container Services, Inc. shall comply with the provisions of 40 CFR 63, Subpart MMMM – National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products, and 40 CFR 63, Subpart A – General Provisions (as described in Appendix B to Subpart MMMM of Part 63 – General Provisions of Applicability to Subpart MMMM).

4. For a new or reconstructed affected source (E.U.-004), you (Diversified Container Services, Inc.) must limit organic HAP emissions to the atmosphere from the affected source to the applicable limit as follows:
    a. For each new general use coating affected source, limit organic HAP emissions to no more than 1.9 pound organic HAP per gallon coating solids used during each 12-month compliance period.
    b. For each new high performance coating affected source, limit organic HAP emissions to no more than 27.5 pounds organic HAP per gallon coating solids used during each 12-month compliance period.
    c. For each new magnet wire coating affected source, limit organic HAP emissions to no more than 0.44 pound organic HAP per gallon coating solids used during each 12-month compliance period.
    d. For each new rubber-to-metal coating affected source, limit organic HAP emissions to no more than 6.8 pounds organic HAP per gallon coating solids used during each 12-month compliance period.

e. For each new extreme performance fluoropolymer coating affected source, limit organic HAP emissions to no more than 12.4 pounds organic HAP per gallon coating solids used during each 12-month compliance period.

[40 CFR 63.3890, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

5. General Pollutant Emission Limiting Standards. Objectionable Odor Prohibited. The permittee shall not cause, suffer, allow, or permit the discharge of air pollutants which cause or contribute to an objectionable odor.
[Rule 62-296.320(2), FAC, and Rule 2.1001, JEPB]

Test Methods and Procedures

6. Testing for demonstration of compliance shall be performed in accordance with Environmental Protection Agency (EPA) Reference Method (RM) 24 (as described in 40 CFR 60, Appendix A) for volatile organic compounds. Manufacturers data sheets with VOC and HAP contents may be substituted with the approval of the Department.
[Rule 62-296.513(4), FAC, and Rule 2.1001, JEPB]

7. To demonstrate initial compliance using the compliant material option, the coating operation or group of coating operations must use no coating with an organic HAP content that exceeds the applicable emission limits in 40 CFR 63.3890 and must use no thinner and/or other additive, or cleaning material that contains organic HAP as determined according to this section. Any coating operation for which you use the compliant material option is not required to meet the operating limits or work practice standards required in 40 CFR 63.3892 and 63.3893, respectively.
[40 CFR 63.3941, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

8. Calculate the organic HAP content, pounds of organic HAP emitted per gallon coating solids used, of each coating used during the compliance period using the following equation:

$$H_C = \frac{(D_C)(W_C)}{V_S}$$

Where:
H_C = Organic HAP content of the coating, pound organic HAP emitted per gallon coating solids used.
D_C = Density of coating, pound coating per gallon coating, determined according to paragraph 40 CFR 63.3941(c).
W_C = Mass fraction of organic HAP in the coating, pound organic HAP per pound coating, determined according to paragraph 40 CFR 63.3941(a).
V_S = Volume fraction of coating solids, gallon coating solids per gallon coating, determined according to according to paragraph 40 CFR 63.3941(b).

[40 CFR 63.3941, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

9. Diversified Container Services, Inc. E.U.-004 must complete the initial compliance demonstration according to the requirements in 40 CFR 63.3941 during the initial compliance period. The compliance date for E.U.-004 is the date of initial startup. The initial compliance period begins on the date of initial startup and ends on the last day of the 12th month following the compliance date.
[40 CFR 63.3940, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

10. Procedures for demonstration of continuous compliance using the compliant material option shall be in accordance with the requirements in 40 CFR 63.3942.
[40 CFR 63.3942, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

Recordkeeping and Reporting Requirements

11. Records shall be maintained monthly for the following:
    a. Amount of coating applied
    b. VOC content (lbs/gal) of coatings as applied
    c. Amount of surface preparation, clean-up and wash-up solvent / thinner usage
    d. VOC content of solvent / thinner
    e. VOC emissions
    f. Hazardous air pollutants (HAP) content of coatings and solvents
    g. HAP emissions

    Records shall be maintained for a minimum of five (5) years and made available to the Department upon request.
    [Rule 62-296.500(2), FAC, Rule 62-213.440(1)(b), FAC, and Rule 2.1001, JEPB]

12. Quarterly reports shall be submitted to the Department describing the usage of solvents, coatings, and VOC/HAP contents and emissions. The quarterly reports shall be submitted by the 30th day of the following month after the end of each quarter (January - March, April - June, July - September, and October - December). The final report, which is due by the 30th of January for the quarter of October - December, shall include a synopsis of the preceding year.
    [Rule 62-213.440(1)(b), FAC, and Rule 2.501, JEPB]

13. Diversified Container Services, Inc. must submit the notification of compliance status no later than 30 calendar days following the end of the initial compliance period. The notification of compliance status must contain the information specified in paragraphs 40 CFR 63.3910(c)(1) through (11) of this section and in 40 CFR 63.9(h).
    [40 CFR 63.3910, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

14. Diversified Container Services, Inc. must submit semiannual compliance reports for each affected source as described in 40 CFR 63.3920.
    [40 CFR 63.3920, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

15. Diversified Container Services, Inc. must collect and keep records of the data and information specified in 40 CFR 63.3930. Failure to collect and keep these records is a deviation from the applicable standard.
    [40 CFR 63.3930, Rule 62-204.800, FAC, and Rule 2.201, JEPB]

Emissions Unit No. 005 – Silica Blast Operation

Emissions Unit Description - An open air silica blasting operation for military vehicles.

PM control device: Containment screens

Emissions Limitations and Standards

1. This emissions unit is allowed to operate 2,600 hours per year.
   [Rule 62-4.070(3), FAC, and Rule 2.1301, JEPB]

2. No person shall cause, let, permit, suffer or allow the emissions of unconfined particulate matter emissions from any activity, including vehicular movement; transportation of materials; construction, alteration, demolition or wrecking; or industrially related activities such as loading, unloading, storing or handling; without taking reasonable precautions to prevent such emissions. Reasonable precautions include the following:
   a. Paving and maintenance of roads, parking areas and yards.

   b. Application of water or chemicals to control emissions from such activities as demolition of buildings, grading roads, construction, and land clearing.

c. Application of asphalt, water, oil, chemicals or other dust suppressants to unpaved roads, yards, open stock piles and similar activities.
d. Removal of particulate matter from roads and other paved areas under the control of the owner or operator of the facility to prevent reentrainment, and from buildings or work areas to prevent particulate from becoming airborne.
e. Landscaping or planting of vegetation.
f. Use of hoods, fans, filters, and similar equipment to contain, capture and/or vent particulate matter.
g. Confining abrasive blasting where possible.
h. Enclosure or covering of conveyor systems.

[Rule 62-296.320(4)(c)2., FAC, and Rule 2.1001, JEPB]

FILING AND ACKNOWLEDGMENT

FILED, on this date, pursuant to S.120.52(7), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

_____ _____
Clerk Date