COMMISSION

Kevin Beckner
Victor D. Crist
Ken Hagan
Al Higginbotham
Lesley "Les" Miller, Jr.
Sandra L. Murman
Stacy White

EXECUTIVE DIRECTOR
Janet Dougherty

DIVISION DIRECTORS

Legal & Admin. — Richard Tschantz, Esq.
Air Management — Jerry Campbell, P.E.
Waste Management — Hooshang Boostani, P.E.
Water Management — Sam Elrabi, P.E.
Wetlands Management — Scott Emery, Ph.D.

ENVIRONMENTAL PROTECTION COMMISSION OF
HILLSBOROUGH COUNTY, as Delegated by

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

NOTICE OF PERMIT ISSUANCE

CERTIFIED MAIL

Matthew Hogan
Director of Operations
Nexeo Solutions, LLC
4550 Northeast Expressway
Atlanta, GA 30340

File No.: 0570096-009-AF
County: Hillsborough

Enclosed is Permit Number 0570096-009-AF for your chemical blending and packaging facility, issued pursuant to Section 403.087, Florida Statutes. Please read this new permit thoroughly as there are changes from the previous permit.

The EPC will issue the final permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to Section 120.569 and 120.57 F.S. before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed (received) in the Legal Department of the EPC at 3629 Queen Palm Dr, Tampa, Florida 33619, Phone 813-627-2600, Fax 813-627-2602. Petitions filed by the permit applicant or any of the parties listed below must be filed within 14 (fourteen) days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under Section 120.60(3), F.S. must be filed within 14 (fourteen) days of receipt of this permit. Under Section 120.60(3), however, any person who asked the EPC for notice of agency action may file a petition within 14 (fourteen) days of receipt of that notice, regardless of the date of publication.

A petitioner shall mail a copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing)

under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion

in compliance with Rule 28-106.205 of the F.A.C.

A petition that disputes the material facts on which the EPC's action is based must contain the following information:

(a) The name and address of each agency affected and each agency's file or identification number if known;

(b) The name, address, and telephone number of the petitioner and the name, address, and telephone number of each petitioner's representative, if any, which shall be the address for service purposes during the course of the proceedings; and an explanation of how the petitioner's substantial interests will be affected by the EPC's determination;

(c) A statement of how and when the petitioner received notice of the EPC action;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;

(e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the EPC's proposed action;

(f) A statement of specific rules or statutes the petitioner contends requires reversal or modification of the EPC's proposed action, including an explanation of how the alleged facts relate to the specific rules or statutes; and

(g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the EPC to take with respect to the EPC's proposed action.

A petition that does not dispute the material facts upon which the EPC's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above as required by Rule 28-106.301.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the EPC's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the EPC on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation under section 120.573, F.S. is not available in this proceeding.

This action is final and effective on the date filed with the Clerk of the EPC unless a petition is filed in accordance with above. Upon the timely filing of a petition, this order will not be effective until further order of the EPC.

Any person listed below may request to obtain additional information, a copy of the application (except for information entitled to confidential treatment pursuant to Section 403.111, F.S.), all relevant supporting materials, and all other materials available to the EPC that are relevant to the permit decision. Interested persons may contact Diana M. Lee, P.E., at the above address or call (813) 627-2600, for additional information.

Any party to this order has the right to seek judicial review of it under Section 120.68 of the Florida Statues, by filing a notice of appeal under rule 9.110 of the Florida rules of Appellate Procedure with the

EPC's Legal Office at 3629 Queen Palm Dr, Tampa, Florida 33619 and with the clerk of the Department of Environmental Protection in the Office of General Counsel, Mail Station 35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.

Executed in Tampa, Florida

ENVIRONMENTAL PROTECTION COMMISSION
OF HILLSBOROUGH COUNTY

Janet L. Dougherty

Janet L. Dougherty
Executive Director

Attachment

cc: Florida Department of Environmental Protection, Southwest District (posting online)
Roberta Boyer – Nexeo Solutions, LLC (via e-mail)

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Air Permit package was sent by electronic mail, or a link to these documents made available electronically on a publicly accessible server, with received receipt requested before the close of business on the date indicated below to the following persons.

Matthew Hogan – Nexeo Solutions, LLC mjhogan@nexeosolutions.com
Florida Department of Environmental Protection, Southwest District (posting online)
Roberta Boyer – Nexeo Solutions, LLC RBoyer@nexeosolutions.com
John Lawrence – Nexeo Solutions, LLC JLawrence@nexeosolutions.com

Clerk Stamp
FILED, on this date, pursuant to Section 120.52(7), Florida Statutes, with the designated clerk, receipt of which is hereby acknowledged.

Clerk _____ Date 11/5/2015

COMMISSION

Kevin Beckner
Victor D. Crist
Ken Hagan
Al Higginbotham
Lesley "Les" Miller, Jr.
Sandra L. Murman
Stacy White

EXECUTIVE DIRECTOR
Janet Dougherty

DIVISION DIRECTORS

Legal & Admin. — Richard Tschantz, Esq.
Air Management — Jerry Campbell, P.E.
Waste Management — Hooshang Boostani, P.E.
Water Management — Sam Elrabi, P.E.
Wetlands Management — Scott Emery, Ph.D.

PERMITTEE:
Nexeo Solutions, LLC
5125 West Hanna Ave.
Tampa, FL 33634

PERMIT/CERTIFICATION
Permit No.: 0570096-009-AF
County: Hillsborough
Expiration Date: November 6, 2020
Project: Chemical Blending and Packaging

This permit is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Rules 62-204, 62-210, 62-212, 62-296, 62-297, and 62-4. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the EPC and made a part hereof and specifically described as follows:

This permit authorizes operation of a chemical blending and packaging facility. The facility blends and packages liquid chemicals, which may contain volatile organic compounds (VOC) and/or hazardous air pollutants (HAPs), for wholesale distribution. No chemical reaction takes place during the blending and packaging operation.

All chemicals that are handled are received by tanker truck and are blended and repackaged into smaller containers. The chemicals are stored in the truck until needed. There are no permanent storage tanks on-site. The facility has one truck loading/unloading bay with two truck loading/unloading arms. If the chemicals that are being stored in the truck do not require blending prior to packaging, they are pumped from the truck in the truck loading/unloading bay to the process building to be packaged into smaller containers.

When the chemicals require blending prior to packaging, an empty truck is moved into the truck bay. The two loading/unloading arms are used to transfer the chemicals from the full truck(s) to the empty truck in the quantities required. A metering skid will be used in order to accurately determine the amount of chemicals transferred from truck to truck or from the truck to the process building.

The tanker truck loading operation uses bottom loading methods. Once the chemicals are blended, they are pumped from the truck in the truck loading/unloading bay to the process building to be packaged into smaller containers. Alternatively, the truck could be sent offsite to deliver the chemical directly to a customer. Fugitive emissions from the truck loading operation will be vented to a height of 45 feet by natural draft using a flexible three inch pipe that is bolted to the truck tank vent during truck filling. No fan or blower is used.

The process building contains a drum filling line, a tote filling line, and a pail filling operation. Splash filling is used during the filling operations. The drum filling line has two filling spouts that are inserted into

the spout opening on the 55-gallon drums. Each spout is equipped with a ventilation sleeve around the spout that captures the vapors displaced. A small fan provides the induced draft and the vapors are vented to a stack through the roof of the building.

The tote filling line has one spout that is inserted through the tote container opening. Displaced vapors are collected by a flexible duct placed near the tote opening. A small fan provides the induced draft and vapors are vented to a stack through the roof of the building. The pail filling operation is done on a small, portable turn-table that holds five, 5-gallon pails. Chemicals are poured from a 55-gallon drum into the pail lid opening using a funnel. Fugitive vapors escape through the lid opening.

Included in this permit is Attachment A, which includes a list of chemicals that the facility may handle, each having a different VOC and/or HAP content. Due to the extensive list of materials that the facility may handle, this permit includes a limit on the overall VOC PTE but does not include a limit on the throughput. The VOC and HAP emissions generated during the transfer operations are minimized by inserting the dispensing spout(s) into the container, directing the displaced vapors to a stack, bottom loading of tanker trucks, and the use of best management practices at the facility.

The facility may also store sealed drums on-site with materials with higher VOC and HAPs content or HAPs with lower PEL. The sealed drum will ship out unopened. No notification will be required for this mode of operation.

Emission Unit ID No.: 003 – Container Filling/Blending
006 – Truck Loading/Unloading Racks

Location: 5125 West Hanna Avenue, Tampa, FL 33634 Hillsborough County

UTM Coordinates: 17-349.44 E and 3098.65 N

Replaces Permit No.: 0570096-008-AF

References Permit No.: N/A

SPECIFIC CONDITIONS:

1. A part of this permit is the attached General Conditions. [Rule 62-4.160, F.A.C.]

2. Issuance of this permit does not relieve the permittee from complying with applicable emission limiting standards or other requirements of Chapters 62-204, 62-210, 62-212, 62-296 and 62-297, F.A.C., or any other requirements under federal, state, or local law. [Rule 62-210.300, F.A.C.]

3. All applicable rules of the Environmental Protection Commission of Hillsborough County including design discharge limitations specified in the application shall be adhered to. The permit holder may also need to comply with county, municipal, federal, or other state regulations prior to construction. [Rule 62-4.070(7), F.A.C.]

4. The use of property, facilities, equipment, processes, products, or compounds, or any other act that causes or materially contributes to a public nuisance is prohibited, pursuant to the Hillsborough County Environmental Protection Act, Section 16, Chapter 84-446, Laws of Florida, as Amended.

5. As requested by the permittee, in order to limit the potential to emit and establish the facility as a Synthetic Non-Title V Source for criteria and Hazardous Air Pollutants (HAPs), the following emission limitations shall apply: [Rules 62-4.070(3), 62-210.200(225) – "Potential to Emit", and 62-296.320, F.A.C., and Permit No. 0570096-002-AC]

A) The maximum VOC emissions from the entire facility shall not exceed 24.9 tons per any 12 consecutive month period;
B) The HAP, as defined in Rule 62-213.200, F.A.C., emissions shall be less than 10 tons in any 12 consecutive month period for any individual HAP, and less than 25 tons in any 12 consecutive month period for the total of all HAPs combined.

6. In order to limit the potential to emit and establish the facility as a Synthetic Non-Title V Source for VOC emissions and Hazardous Air Pollutants (HAPs), the following restrictions and limitations shall apply: [Rule 62-4.070(3), F.A.C. and Permit No. 0570096-002-AC]

A) The permittee is authorized to blend chemicals with no chemical reaction;
B) The permittee is not authorized to construct or use storage tanks;
C) The permittee may use trucks or tractor trailers to perform any liquid chemical handling operation;
D) The permittee is authorized to handle the liquids (Title III and Non-Title III) listed in Attachment A - Chemicals Handled, using reasonable precautions and utilizing bottom-loading, submerged, or splash filling methods.
E) The permittee shall take necessary precautions to ensure that each container is rid completely of the previous material prior to filling with a different material.

7. The permittee shall not store, handle, process, or use in any process the volatile organic compounds or organic solvents without applying known and existing vapor emission control devices or systems as follows and as deemed necessary and ordered by the Environmental Protection Commission of Hillsborough County. In addition, the permittee shall: [Rules 62-4.070(3) and 62-296.320, F.A.C. and Permit Nos. 0570096-002-AC and 0570096-007-AC]

SPECIFIC CONDITIONS:

A) Annually, perform a visual inspection of the containers, loading racks, associated piping system and pump(s) for rust, cracks, or leaks. The permittee shall document the findings and the corrective action(s) taken and shall retain the records for at least three years.
B) Maintain tightly fitting cover, lids, etc. on all containers when they are not being handled, tapped, etc.
C) Where possible and practical, procure/fabricate a tightly fitting cover for any open trough, basin, etc. of VOC so that it can be covered when not in use.
D) Immediately attend to all spills/waste as appropriate.
E) Promptly report, by telephone, any abnormal event which occurs at the facility. Within thirty days of the verbal report, the permittee shall submit a written report. The written report shall include a description of the abnormal event and corrective actions taken.

8. The facility is permitted to operate continuously; 8,760 hours per consecutive 12 month period. [Rule 62-210.200(225) (Potential to Emit), F.A.C. and Permit No. 0570096-007-AC]

9. The permittee shall not cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor. An objectionable odor is any odor present in the outdoor atmosphere which by itself or in combination with other odors, is or may be harmful or injurious to human health or welfare, which unreasonably interferes with the comfortable use and enjoyment of life or property, or which creates a nuisance. [Rules 62 210.200 (Definitions) and 62-296.320(2), F.A.C.]

10. When the Environmental Protection Commission of Hillsborough County (EPC) after investigation, has good reason (such as complaints, increased visible emissions, or questionable maintenance of control equipment) to believe that any applicable emission standard contained in Rules 62-204, 62-210, 62-212, 62-296, or 62-297, F.A.C., or in a permit issued pursuant to those rules is being violated, it shall require the owner or operator of the source to conduct compliance tests which identify the nature and quantity of pollutant emissions from the source and to provide a report on the results of said tests to the EPC. [Rule 62-297.310(8)(c), F.A.C.]

11. In order to demonstrate compliance with Specific Condition No. 5, the permittee shall maintain monthly records of the amount of chemicals processed and the emissions generated. The records shall be maintained onsite for three years and shall be made available to any local, state, or federal air pollution agency upon request. The records shall include, but are not limited to, the following: [Rules 62-4.070(3) and 62-4.160(14), F.A.C. and Permit No. 0570096-002-AC]

A) Month and Year
B) Monthly amount and 12-month rolling total, in gallons, of each chemical processed
C) Monthly and 12-month rolling total of VOC, individual HAP species, and total combined HAP emissions

12. The permittee shall notify the Environmental Protection Commission of Hillsborough County within 15 days of handling any new materials which contain VOC or HAPs. The permittee shall notify the EPC 15 days in advance of handling any HAP with a lower permissible exposure limit (PEL), as described in 29 CFR Subpart Z, than the lowest currently listed and any VOC with a vapor pressure higher than the highest

SPECIFIC CONDITIONS:

currently listed. The notification shall include an analysis of the impact on emissions and on ambient air concentrations in the area. [Rule 62-4.070(3), F.A.C. and Permit No. 0570096-002-AC]

13. If the permittee wishes to transfer this permit to another owner, an "Application for Transfer of Permit" (DEP Form 62-210.900(7)) shall be submitted, in duplicate, to the Environmental Protection Commission of Hillsborough County within 30 days after the sale or legal transfer of the permitted facility. [Rule 62-4.120, F.A.C.]

14. The permittee shall provide timely notification to the Environmental Protection Commission of Hillsborough County prior to implementing any changes that may result in a modification to this permit pursuant to Rule 62-210.200, F.A.C., Modification. The changes do not include normal maintenance, but may include, and are not limited to, the following, and may also require prior authorization before implementation: [Rules 62-210.300 and 62-4.070(3), F.A.C.

A) Alteration or replacement of any equipment or major component of such equipment.
B) Installation or addition of any equipment which is a source of air pollution.

Note: Items A and B are not applicable to routine maintenance, repair, or replacement of component parts of an air emissions unit.

15. Submit to the Environmental Protection Commission of Hillsborough County each calendar year on or before April 1, completed DEP Form 62-210.900(5), "Annual Operating Report for Air Pollutant Emitting Facility", for the preceding calendar year. [Rule 62-210.370(3)(c)., F.A.C.]

16. Prior to 60 days before the expiration of this operating permit, the permittee shall apply for a renewal of the permit using the current version of the permit renewal application form and submit the most recent 3 months of records required by this permit. A renewal application shall be timely and sufficient. If the application is submitted prior to sixty days before the expiration of the permit, it will be considered timely and sufficient. If the renewal application is submitted at a later date, it will not be considered timely and sufficient unless it is submitted and made complete prior to the expiration of the operation permit. When the application for renewal is timely and sufficient, the existing permit shall remain in effect until the renewal application has been finally acted upon by the EPC or, if there is court review of the final agency action, until a later date is required by Section 120.60, Florida Statutes. [Rules 62-4.090, F.A.C. and 62-4.070(3), F.A.C.]

ENVIRONMENTAL PROTECTION COMMISSION
OF HILLSBOROUGH COUNTY

Janet L. Dougherty

Janet L. Dougherty
Executive Director

ATTACHMENT A

Chemical Name	CAS	Pvap @ 70 F (psia)	Molecular Weight	Title III HAP
1,1,1-TRICHLOROETHANE	00071-55-6	2.0264	133.4	
1,2-DIETHOXYETHANE	00629-14-1	0.1937	118.18	
1,2-PROPYLENE GLYCOL	00057-55-6	0.0017	76.095	
1,3-BUTANEDIOL	00107-88-0	0.0004	90.122	
1-BUTANOL	00071-36-3	0.1020	74.123	
1-PROPANOL	00071-23-8	0.3085	60.096	
2-(2-METHOXYETHOXY)ETHANOL	00111-77-3	0.0035	120.15	yes
2-BUTANOL	00078-92-2	0.2720	74.123	
2-ETHOXYETHANOL	00110-80-5	0.0796	90.122	yes
2-ETHOXYETHYL ACETATE	00111-15-9	0.0345	132.16	
2-HEPTANONE	00110-43-0	0.0569	114.19	
2-METHYL-1-PROPANOL	00078-83-1	0.1516	74.123	
4-METHYL-2-PENTANOL	00108-11-2	0.0781	102.18	
5-METHYL-2-HEXANONE	00110-12-3	0.0784	114.19	
ACETIC ACID	00064-19-7	0.2411	60.053	
ACETONE	00067-64-1	3.7651	58.08	
Acrylic Resin BM66	(mixture)	0.01	242.31	Yes
Alpha Methyl Styrene (AMS)	98-83-9	0.04	118.18	No
A-Methyl styrene	98-83-9	0.253	-	
Beckosol	(mixture)	0.17	1000.00	Yes
Butanol, normal	00071-36-3	0.1020	74.123	
Butanol, secondary	00078-92-2	0.2720	74.123	
Butylated Hydroxy Toluene	128-37-0	0.0002	220.35	No
Butyl-N Acetate 98	00123-86-4	0.1763	116.16	
Caustic Soda 50%	01310-73-2	0.3633	18.02	
CE-1618 Methyl Ester	67762-38-3	0.0920	298	
CUMENE	00098-82-8	0.0691	120.19	yes
CYCLOHEXANE	00110-82-7	1.6193	84.161	
CYCLOHEXANONE	00108-94-1	0.0649	98.145	
DIACETONE ALCOHOL	00123-42-2	0.0211	116.16	
Dibasic Ester	01119-40-0	0.0050	190	
DICHLOROMETHANE	00075-09-2	7.2367	84.932	yes
Diethylene Glycol	00111-46-4	0.0001	106.12	
DIETHYLENE GLYCOL MONOBUTYL ETHER	00112-34-5	0.0003	162.23	
DIETHYLENE GLYCOL MONOBUTYL ETHER ACETAT	00124-17-4	0.0002	204.27	yes
DIISOBUTYL KETONE	00108-83-8	0.0248	142.24	
Dimethylformamide	68-12-2	0.614	73.1	
Dimethyl Phthalate	131-11-3	0.0000	194.19	yes
DIMETHYLETHANOLAMINE	00108-01-0	0.0458	89.137	
Dimethyle Sulfoxide	67-68-5	1.33	78.13	
Dinonylphenol Polyethoxylate	9014-93-1	0.0008	346.59	No

DIOCTYL PHTHALATE	00117-81-7	0.0000	390.56	
DIPROPYLENE GLYCOL	25265-71-8	0.0004	134.18	
Dipropylene Glycol Mono Butyl Ether	29911282	.001	190.3	
DIPROPYLENE GLYCOL MONOMETHYL ETHER	34590-94-8	0.0077	148.2	yes
DIPROPYLENE GLYCOL MONOMETHYL ETHER ACET	88917-22-0	0.0018	190.24	
d-LIMONENE	05989-27-5	0.0250	136.24	
Envirez 6934-83				
Epotuf 38-694	(mixture)	0.34	222.32	Yes
Ester Solvent EEP	00763-69-9	0.0186	146.19	
ETHANOL	00064-17-5	0.9148	46.069	
ETHYL ACETATE	00141-78-6	1.4860	88.106	
Ethyl Benzene	100-41-4	0.1478	106.17	
ETHYL-3-ETHOXYPROPIONATE	00763-69-9	0.0186	146.19	
Ethylhexyl-2 Nitrate	27247-96-7	0.00039	175.23	
ETHYLENE GLYCOL	00107-21-1	0.0013	62.068	
ETHYLENE GLYCOL MONOPROPYL ETHER	02807-30-9	0.0335	104.15	yes
Ethylene Oxide	75-21-8	20.7	44.05	yes
Glycerine	0005-68-15	0.000	92.095	
Glyceryl Monooleate	25496-72-4	0.3633	239	
Glycol Ether DB Acetate	00124-17-4	0.0002	204.27	yes
Glycol Ether DE	00629-14-1	0.1937	118.18	
Glycol Ether DE LGV	111-90-0	0.0024	134.17	yes
Glycol Ether DM	00111-77-3	0.0035	120.15	yes
Glycol Ether DPM	34590-94-8	0.0077	148.2	yes
Glycol Ether DPM Acetate	88917-22-0	0.0018	190.24	
Glycol Ether DPNB	29911-28-2	0.0011		NOT HAP
Glycol Ether EB	00111-76-2	0.0142	118.18	
Glycol Ether EB Acetate	00112-07-2	0.0050	160	yes
Glycol Ether EE	00110-80-5	0.0796	90.122	yes
Glycol Ether EE Acetate	00111-15-9	0.0345	132.16	
Glycol Ether EP	02807-30-9	0.0335	104.15	yes
Glycol Ether PB	05131-66-8	0.0126	74	yes
Glycol Ether PM	00107-98-2	0.1888	90.122	yes
Glycol Ether PM Acetate	00108-65-6	0.0586	132.16	
Glycol Ether PP	00469-62-5	0.0367	118	yes
Glycol Ether TPM	25498-49-1	0.0001	206.28	yes
Heptane	00110-54-3	0.7224	100.2	
Hexane	0011-05-43	2.4751	86.177	yes
Hexasol	64742-89-8	2.7950	88	
Hexyl Acetate Isomer	00142-92-7	0.0193	144.21	
HEXYLENE GLYCOL	00107-41-5	0.0008	118.18	
Hi Sol 10	64742-95-6	0.0328	120	

Hi Sol 15	64742-95-6	0.0328	134	
Hi Sol 4-3N	64742-95-6	0.0029	124	
Hitec 8888				
IGEPAL CO 430				
IGEPAL CO 520				
IGEPAL CA 630 (Ethoxylated Octyphenol, Branched)	68987-90-6	0.0002	?	
Isobutonal	0007-88-31	0.1516	74.123	
ISOBUTYL ACETATE	00110-19-0	0.2767	116.16	
ISOPROPANOL	00067-63-0	0.6912	60.096	
ISOPROPYL ACETATE	00108-21-4	0.9603	102.13	
Kerosene	08008-20-6	0.1000	185	
Kwik Dri	08052-41-3	0.0243	132	
Lacolene	6474-28-98	0.7928	100	yes
METHANOL	00067-56-1	1.9858	32.042	yes
Methyl Amyl Alcohol	0010-81-12	0.0781	102.18	
Methyl Amyl Ketone	00110-43-0	0.0569	114.19	
Methylene Chloride	0007-50-92	7.2367	84.932	yes
METHYL ETHYL KETONE	00078-93-3	1.4830	72.107	yes
METHYL ISOBUTYL KETONE	00108-10-1	0.3067	100.16	yes
Methyl Methacrylate	80-62-6	0.7735	100.13	yes
Methyl-2 n-Pyrrolidone	00872-50-4	0.0050	99.133	
Mineral Seal Oil	64741-44-2	0.0002	190	
Mineral Spirits 66	08052-41-3	0.0243	131	
Mineral Spirits Nonexempt	08052-41-3	0.0243	138	
Mineral Spirits Odorless	08052-41-3	0.0243	132	
MONOETHANOLAMINE	00141-43-5	0.0051	61.084	
MORPHOLINE	00110-91-8	0.1544	87.122	
n-BUTYL ACETATE	00123-86-4	0.1763	116.16	
n-HEPTANE	00142-82-5	0.7224	100.2	
n-HEXANE	00110-54-3	2.4751	86.177	yes
n-HEXYL ACETATE	00142-92-7	0.0193	144.21	
N-METHYL-2-PYRROLIDONE	00872-50-4	0.0050	99.133	
n-PROPYL ACETATE	00109-60-4	0.5213	102.13	
Naphthalene Depleted	91-20-3	0.00155	128.18	
Nonylphenol Surfacant		.0002		
Para-chlorobenztriflouride (PCBTF)	98-56-6	0.109	180.56	
Perchloroethylene	00127-18-4	0.2908	165.83	yes
Polyethylene Glycol	25322-68-3	0.0002	300.00	No
Propanol normal	00071-23-8	0.3085	60.096	
PROPIONIC ACID	00079-09-4	0.0554	74.079	
Propyl Acetate	00109-60-4	0.5213	102.13	
PROPYLENE CARBONATE	00108-32-7	0.0006	102.09	
Propylene Glycol	00057-55-6	0.0017	76.095	
PROPYLENE GLYCOL MONOMETHYL ETHER	00107-98-2	0.1888	90.122	yes

PROPYLENE GLYCOL MONOMETHYL ETHER ACETAT	00108-65-6	0.0586	132.16	
Rubber Solvent	64742-89-8	0.0244	90	
Sorbitan Monooleate	1338-48-8	0.0020	300	
Solvent 140 3% Aromatics	64742-88-7	0.0082	161	
Solvent 140-66	64742-88-7	0.0082	161	
Solvent 529-66 Low Odor	64742-96-7	0.0001	174	
STYRENE	00100-42-5	0.0932	104.15	
Super Lacolene	64742-89-8	0.7560	99	
Tetraethylene Glycol Dimethyl Ether (Tetraglyme)	143-24-8	.00019	222.28	
Tergitol NP-4	09016-45-9	0.0002	436	
Tergitol NP-9	09016-45-9	0.0193	625	
Texanol Ester Alcohol	25265-77-4	0.0001	216.3	
Texanol Isobutyrate	06846-500	0.0190	302	
Tiona Titanium Dioxide	(mixture)	0.01	79.90	No
Toluene	00108-88-3	0.4503	92.141	yes
TRICHLOROETHYLENE	00079-01-6	1.1863	131.39	
Triethanolamine 99%	0010-27-16	0.0000	149.19	
Vinyl Toluene	25013-15-4	0.0000	118	
1,2,4-Trimethylbenzene	95-63-6	0.0319	120.2	
2,2,4-Trimethylpentane	540-84-1	0.7903	114.23	yes
VM&P Naphtha	64742-89-8	0.2020	118	
White Mineral Oil 70 NF	08042-47-5	0.0058	190	
Xylene	01330-20-7	0.1257	106.17	yes

Note: The facility may handle additional materials in accordance with Specific Condition No. 12.

ATTACHMENT - GENERAL CONDITIONS

(1) The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, F.S. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.

(2) This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.

(3) As provided in subsections 403.987(6) and 403.722(5), F.S., the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other department permit that may be required for other aspects of the total project which are not addressed in this permit.

(4) This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.

(5) This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.

(6) The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed and used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.

(7) The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at reasonable times, access to the premises where the permitted activity is located or conducted to:

(a) Have access to and copy any records that must be kept under conditions of the permit;
(b) Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
(c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules. Reasonable time may depend on the nature of the concern being investigated.

(8) If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:

(a) A description of and cause of noncompliance; and
(b) The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance. The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.

(9) In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.111 and 403.73, F.S. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

(10) The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules. A reasonable time for compliance with a new or amended surface water quality standard, other than those standards addressed in Rule 62-302.500, F.A.C., shall include a reasonable time to obtain or be denied a mixing zone for the new or amended standard.

(11) This permit is transferable only upon Department approval in accordance with Rules 62-4.120 and 62-730.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.

(12) This permit or a copy thereof shall be kept at the work site of the permitted activity.

(13) This permit also constitutes:

( ) Determination of Best Available Control Technology (BACT)
( ) Determination of Prevention of Significant Deterioration (PSD)
( ) Compliance with New Source Performance Standards

(14) The permittee shall comply with the following:

(a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
(b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring

instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.

(c) Records of monitoring information shall include:

1. The date, exact place, and time of sampling or measurements;
2. The person responsible for performing the sampling or measurements;
3. The dates analyses were performed;
4. The person responsible for performing the analyses;
5. The analytical techniques or methods used;
6. The results of such analyses.

(15) When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware the relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.