DEERHAVEN GENERATION STATION

UNIT 2 LOW-NO_x BURNER PROJECT

APPLICATION FOR AIR CONSTRUCTION PERMIT

Prepared for:



Prepared by:

RECEIVED

ECT

JAN 13 2011 BUREAU OF

AIR REGULATION

Environmental Consulting & Technology, Inc. 3701 Northwest 98th Street Gainesville, Florida 32606

ECT No. 110033-0100

January 2011



STRATEGIC PLANNING

January 12, 2011

BY OVERNIGHT DELIVERY

Mr. Jeff Koerner, P.E.
Professional Engineer Administrator
Florida Department of Environmental Protection
Division of Air Resource Management
111 South Magnolia Drive, Suite 23
Tallahassee, Florida 32301

Re: Gainesville Regional Utilities
Deerhaven Generating Station (DGS)
Unit 2 Construction Permit Application
Low NO_X Burners (LNB)
File 001000e - 014-AC

Dear Mr. Koerner:

RECEIVED

JAN 13 2011

BUREAU OF
AIR REGULATION

The purpose of this letter is to transmit to the Department a Construction Permit Application for installation of LNB on Unit 2 at the DGS as discussed during our phone conversation of January 4, 2011. Therefore, please find attached three copies of the permit application package and as requested one copy is being sent to Mr. Chris Kirts, P.E., at the Northeast District Office in Jacksonville. Our current plan is to install these new burners during the Spring 2011 outage the starts in late March.

GRU greatly appreciates the Department's assistance with the processing of this application. If you have any questions, please contact me by phone at (352) 393-1283, by e-mail at klemansrw@gru.com or at the address at the bottom of this letter.

Sincerely.

Robert W. Klemans, P.E. Supervising Utility Engineer

RWK

cc (w/attach.):

C. Kirts (FDEP - Jax)

E. Regan (email)

J. Stanton (email)

R. Casserleigh (email)

M. Jones (email)

C. Brew (email)

file: DHNSR

A 4.2 – Air Correspondence

C:\Documents and Settings\klemansrwMy Documents\WINWORD\LETTERS\tr to J Koerner trans const permit applic for DH2 LNB.docx

TABLE OF CONTENTS

Section		Page
1.0	INTRODUCTION	1
2.0	REGULATORY STATUS OF UNIT 2	3
	2.1 <u>AIR PERMITS</u> 2.2 NEW SOURCE REVIEW	3 3
	2.2 <u>NEW SOURCE REVIEW</u>2.3 <u>NEW SOURCE PERFORMANCE STANDARDS</u>	4
	2.4 <u>ACID RAIN PROGRAM/CLEAN AIR INTERSTATE</u> <u>RULE /CLEAN AIR VISIBILITY RULE</u>	4
3.0	DESCRIPTION OF LOW-NO _X BURNER SYSTEM	5
	3.1 OPTI-FLOW TM FUEL INJECTORS	5
	3.2 <u>SECONDARY AIR NOZZLES</u>	. 5
	3.3 <u>WINDBOX COMPARTMENT MODIFICATIONS</u>	5
	3.4 <u>IGNITERS</u>	6
	3.5 BURNER FURNACE WALL PANELS	6
	3.6 OVER-FIRE AIR MODIFICATIONS	6
	3.7 <u>AUXILIARY AIR PORTS MODIFICATIONS</u>	6
	3.8 <u>COAL PIPING</u>	6
4.0	NEW SOURCE REVIEW APPLICABILITY	7
	4.1 BASELINE ACTUAL EMISSIONS	8
	4.2 PROJECTED ACTUAL EMISSIONS	11

APPENDIX—FDEP APPLICATION FOR AIR PERMIT—LONG FORM

LIST OF TABLES

<u>Table</u>		Page
4-1	Unit 2 CO and NO _x CEMS Monthly Data—Baseline Actual Emissions	9
4-2	Unit 2 CO Process CEMS Monthly Data—Baseline Actual Emissions	10
4-3	Unit 2 LNB Project—Projected Actual Emissions	12

1.0 INTRODUCTION

The City of Gainesville, Gainesville Regional Utilities (GRU), operates a nominal 251-megawatt (MW) coal-fired steam electrical generating unit (EGU) at its Deerhaven Generating Station (DGS) located in Gainesville, Alachua County, Florida. Operation of DGS Unit 2 is currently authorized by Florida Department of Environmental Protection (FDEP) Title V Final Permit No. 0010006-010-AV, which was issued with an effective date of January 1, 2010, and an expiration date of December 31, 2014.

In 2009, GRU installed the following air emission control systems in response to the Clean Air Interstate Rule (CAIR):

- Selective catalytic reduction (SCR) system to reduce nitrogen oxide (NO_x) emissions.
- A circulating dry scrubber (CDS) to reduce sulfur dioxide (SO₂) emissions.
- Baghouse (fabric filter) to reduce particulate matter (PM) emissions. The baghouse is an integral part of the CDS.
- Ancillary support equipment including new material (urea, lime, and CDS byproduct) handling and storage.

GRU plans to replace the existing original Unit 2 coal burners with a state-of-the-art low-NO_x burner (LNB) system. The Unit 2 LNB system will reduce the formation of NO_x and also provide improved control of the coal combustion process. The primary purpose of the LNB project is to reduce the cost of operating the recently installed NO_x SCR control system by reducing the SCR inlet NO_x loading rate, which will allow for a reduction in urea reagent consumption. There will be no changes in operation of the Unit 2 air emission control equipment other than a reduction in urea consumption; i.e., the controlled emission rates of NO_x, SO₂, PM, and sulfuric acid (H₂SO₄) mist will remain at approximately their current levels. Based on extensive modeling of the LNB combustion process, no significant changes in carbon monoxide (CO) are expected, and therefore no significant changes in volatile organic compounds (VOCs) emission rates are anticipated since the formation mechanisms for these two pollutants are similar. Maximum Unit 2 heat input and coal combustion rates will also remain unchanged. GRU is not requesting

any changes in the current allowable emission rates specified for Unit 2 in Title V Final Permit No. 0010006-010-AV or in any active air construction permit.

This air construction permit application constitutes GRU's request for FDEP approval to install the DGS Unit 2 LNB system. GRU plans to commence installation of the Unit 2 LNB system in March 2011 and complete the installation in approximately 4 weeks. To attain the project schedule, expeditious processing of this air construction permit application will be appreciated.

In the remainder of this air construction permit application, the regulatory status of Unit 2 is described in Section 2.0. Section 3.0 provides a detailed description of the proposed Unit 2 LNB system. Section 4.0 presents a discussion of New Source Review (NSR) applicability for the LNB project. The Appendix provides FDEP's Application for Air Permit—Long Form (FDEP Form No. 62-210.900[1] Effective March 11, 2010).

2.0 REGULATORY STATUS OF UNIT 2

Key air quality related regulatory requirements applicable to DGS Unit 2 are briefly described in the following subsections.

2.1 AIR PERMITS

DGS Unit 2 was initially constructed and operated under the authority of Florida Electrical Power Plant Siting Act (PPSA) Certification No. PA 74-04 dated May 16, 1978. Initial Title V Air Operation Permit No. 0010006-01-AV, issued with an effective date of January 1, 2000, and an expiration date of December 31, 2004, authorized continued operation of the DGS, including Unit 2. This air operation permit was subsequently revised in June 2002, and renewed in 2005 and again in 2010. The current DGS Title V Air Operation Permit, Permit No. 0010006-010-AV, was issued with an effective date of January 1, 2010, and an expiration date of December 31, 2014.

FDEP Air Construction Permit No. 0010006-005-AC authorizing installation of the Unit 2 air quality control system project was issued on August 13, 2007. This permit was subsequently revised on March 3, 2009, by Air Permit No. 0010006-009-AC to authorize replacement of the existing Unit 2 superheater. Air Permit No. 0010006-009-AC expires on September 30, 2011.

On July 9, 2010, FDEP issued Construction Permit No. 0010006-012-AC, which established annual NO_x and SO₂ emission caps for Unit 2. These emission caps become effective beginning with the calendar year that the Gainesville Renewable Energy Center (GREC) establishes commercial operation.

2.2 NEW SOURCE REVIEW

DGS Unit 2 commenced initial operation after December 27, 1977, and therefore consumes increment under the Prevention of Significant Deterioration (PSD) NSR regulatory program.

2.3 <u>NEW SOURCE PERFORMANCE STANDARDS</u>

DGS Unit 2 is subject to NSPS Subpart D, Standards of Performance for Fossil-Fuel-Fired Steam Generators for Which Construction is Commenced After August 17, 1971. As required by NSPS Subpart D, the unit is equipped with continuous emissions monitoring systems (CEMS) for measuring NO_x and opacity.

2.4 <u>ACID RAIN PROGRAM/CLEAN AIR INTERSTATE RULE /CLEAN AIR VISIBILITY RULE</u>

DGS Unit 2 is regulated by the Acid Rain Program (ARP) under Phase I (NO_x Early Election) and Phase II (NO_x Compliance Plan). As required by the ARP, DGS Unit 2 is equipped with CEMSs for measuring SO₂, NO_x, carbon dioxide (CO₂), and opacity. Other Unit 2 parameters monitored under the ARP program include operating hours and heat input.

In addition to the above requirements, DGS Unit 2 is subject to the CAIR and will be subject to the future Transport Rule.

DGS Unit 2 is not subject to the requirements of the Regional Haze Rule (a/k/a the Clean Air Visibility Rule [CAVR]).

3.0 DESCRIPTION OF LOW-NO_X BURNER SYSTEM

The Unit 2 LNB system, supplied by Siemens Energy, Inc., consists of LNBs, enlarged auxiliary air ports, and a modified overfire air system. There are adjustment controls on each of these components to allow tuning of the entire combustion system. Major components of the Unit 2 LNB system are described in the following paragraphs.

3.1 OPTI-FLOWIM FUEL INJECTORS

The site contains 18 Opti-Flow[™] low-NO_x fuel injector assemblies, each consisting of the following:

- Six segmented coal nozzles, cast stainless steel, with integral stabilizers and axial secondary air vanes. Axial vanes inside the nozzle will be used to maintain uniform coal distribution around the circumference of the nozzle as it is tilted.
- A coal elbow, to be installed. Coal distribution devices will be installed inside the elbow.
- A circular fuel barrel attached to the new coal elbow.
- A fixed swirler located around the nozzle that provides flame stability with the secondary air in the coal compartment with manual inner air zone damper.

3.2 **SECONDARY AIR NOZZLES**

Two new secondary air nozzles per burner assembly will be provided. These will be integral and linked with the tiltable coal nozzles. The tiltable secondary air nozzles will supply combustion air. The secondary air nozzle system will include a windbox closure plate and burner support system. All nozzles will be made of cast stainless steel and/or 309 stainless steel plate. The system will include new tilt linkage and manual operators.

3.3 WINDBOX COMPARTMENT MODIFICATIONS

The following modifications to the existing windbox compartments will be supplied:

 Individual burner windbox division plates to separate/redirect the secondary air flow between fuel nozzle and air buckets.

- Channels for supporting the tilting burner nozzle assembly.
- Secondary air flow correcting devices (i.e. turning vanes, perforated plates, etc.), for improving air distribution to individual burner windboxes; may be included based on secondary air flow computational fluid dynamics (CFD) model results.

3.4 **IGNITERS**

The existing gas/oil-fired igniters will be reused in a side-fire/under-fire arrangement with the tiltable burners. Minor modifications to this equipment will be required due to their new locations.

3.5 BURNER FURNACE WALL PANELS

Eighteen burner panels will be installed.

3.6 OVER-FIRE AIR MODIFICATIONS

The following equipment will be provided for each over-fire air port:

- Existing over-fire air ports will be modified to provide air velocity and flow dictated by the CFD model.
- New pneumatic/electric on/off drives will be supplied for the existing overfire air 2/3 damper.
- Differential pressure flow sensor will be installed.

3.7 AUXILIARY AIR PORTS MODIFICATIONS

New secondary air ducts for enlarged auxiliary air ports with integrated dampers and differential pressure flow sensor with a local gauge will be provided for all four ports. New bent tube panels will also be supplied to enlarge the auxiliary air opening.

3.8 **COAL PIPING**

Coal piping modifications will be supplied to connect the new burners to the existing coal pipes.

4.0 NEW SOURCE REVIEW APPLICABILITY

The existing DGS is located in an attainment area and is classified as a *major* facility. A modification to an existing major facility located in an attainment area that has a net emissions increase equal to or exceeding the significant emission rates listed in Rule 62-210.200(277), Florida Administrative Code (F.A.C.), will be subject to PSD NSR.

For changes to existing emission units, such as the DGS Unit 2 LNB project, the determination of a net emission increase is based on a comparison of actual-to-projected actual emission rates. A significant emissions increase of a PSD pollutant will occur if the difference between the *baseline* actual emissions and *projected* actual emissions equals or exceeds the significant emissions rate for that pollutant. As defined by Rule 62-210.200(36), F.A.C., baseline actual emissions for an existing electric utility steam-generating unit means the average rate, in tons per year (tpy), at which the unit actually emitted the pollutant during any consecutive 24-month period selected by the owner or operator within the 5-year period immediately preceding the date a complete permit application is received by FDEP. Baseline actual emissions include fugitive emissions, to the extent quantifiable, as well as emissions associated with startups and shutdowns.

Projected actual emissions, as defined by Rule 62-210.200(247), F.A.C., means the maximum annual rate, in tons per year, at which an existing emissions unit is projected to emit a PSD pollutant in any one of the 5 years following the date the unit resumes regular operation after the project, or in any one of the 10 years following that date, if the project involves increasing the emissions unit's design capacity or its potential to emit that PSD pollutant and full utilization of the unit would result in a significant emissions increase or a significant net emissions increase at the major stationary source. Emissions that the unit could have accommodated during the 24-month baseline period and that are unrelated to the modification are excluded. As noted previously in Section 3.1, there will be no increase in maximum heat input to the boiler. Since DGS Unit 2 is a base load unit, there will also be no change in Unit 2 utilization (i.e., capacity factor) due to the LNB project.

Accordingly, the applicable period for determining projected actual emissions for the DGS Unit 2 LNB project is the 5 years following installation of the LNB system.

As previously discussed in the Section 1.0, Introduction, no significant change in actual CO emissions is expected due to the LNB project. Since the formation of VOC and CO are both related to the same combustion parameters (i.e., time, temperature, and turbulence), no significant change in VOC emissions is expected. There will also be no changes in operation of the Unit 2 air emission control equipment other than a reduction in urea consumption; i.e., the controlled emission rates of NO_x, SO₂, PM, and H₂SO₄ mist will remain at approximately their current levels. Accordingly, the evaluation of NSR applicability for the Unit 2 LNB project focused on potential changes in CO and NO_x emissions.

Discussions of baseline and projected actual emissions are provided in the following subsections.

4.1 BASELINE ACTUAL EMISSIONS

As an ARP-affected emission unit, DGS Unit 2 is equipped with CEMS for measuring SO₂, NO_x, CO₂, and opacity, as well as heat input and operating hours. The ARP CEMS data was used to develop baseline actual emissions for NO_x.

AP-42 emission factors have been used for the purpose of developing estimates of actual annual CO emission rates for the Unit 2 Annual Operating Reports. Unit 2 is also equipped with a process CO CEMS with data available for the March 2005 through August 2008 timeframe. The process CO CEMS baseline emission rate of 0.013 pound per million British thermal units (lb/MMBtu) is somewhat lower than the 2005 to 2009 average rate of 0.022 lb/MMBtu based on application of the AP-42 emission factors. Conservatively, the process CO CEMS was used to develop baseline actual emissions for the Unit 2 LNB project PSD netting analysis.

Table 4-1 provides a summary of the baseline CO and NO_x emission rates. Table 4-2 presents details of the Unit 2 process CO CEMS data.

Table 4-1. Unit 2 CO and NO $_{\rm x}$ CEMS Monthly Data—Baseline Actual Emissions

		_		CO-				NO,		
			Monthly	Monthly		24-Month	Monthly	Monthly	_	24-Month
Year	Month .	Heat Input* (MMBtu)	Total (tons)	Average (lb/MMBtu)	tpy	lb/MMBtu	Total (tons)	Average – (lb/MMBtu)	tpy	rages Ib/MM E
					<u>.</u>					
2005	March	1,342,894	3.0	0.0045						
	April	1,260,018	1.9	0.0029						
	May	1,290,897	4.3	0.0067						
	June July	1,271,370 1,444,141	3,6 8,0	0.0057 0.0110						·
	August	1,472,508	6.1	0.0082			•			
	September	1,473,486	3.7	0.0051						
	October	1,161,461	9.8	0.0168						
	November	1,327,656	30.9	0.0465						
	December	1,273,487	16.2	0.0254						
2006	January	1,145,398	4.0	0.0069			273.1	0.477		
	February	1,391,334	5.6	0.0081			321.0	0.461		
	March	1,174,234	8.0	0.0136			274.2	0.467		
	April	54,033	0.5	0.0185			10,1	0.375		
	May	1,322,591	3.2	0.0048			327.9	0.496		
	June	1,108,191	4.7	0.0085			288.9	0.521		
	July August	1,6 8 9,774 1,762,629	3.8 4.6	0.0045 0,0052			438.9 435.9	0.519 0.495		
	September	1,550,581	4.9	0.0063			364.8	0.470		
	October	1,602,552	4.5	0.0057			372.8	0.465		
	November	1,466,645	3.4	0.0047			357.1	0.487		
	December	1,442,391	4.0	0.0055			352.7	0.489		
2007	January	1,479,064	4.9	0.0067			372.5	0.504		
	February	1,351,496	4.5	0.0067	74.0	0.0099	337.2	0.499		
	March	1,073,973	4.8	0.0089	74.9	0.0101	257.0	0.479		
	April	429,474	9.7	0.0451	78.8	0.0119	89.7	0.418		
	May	1,304,678	9.8	0.0150	81.6	0.0122	304.1	0,466		
	June	1,449,022	16.8	0,0231	88.1	0.0130	338.0	0.467		
	July	1,360,491	7.5	0.0110	87.9 92.7	0.0130	322.4	0.474		
	August September	1,701,740 1,133,75 8	17.6 12.3	0.0207 0.0217	93.7 97.9	0,0135 0,0142	405.4 257.4	0.476 0.454		
	October	1,196,316	7.9	0.0117	97.9	0.0142	268.6	0.449		
	November	1,506,993	7.2	0.0096	85.2	0.0125	359.9	0.478		
	December	1,351,408	6.9	0.0102	80.6	0.0118	312,5	0.462	3,721.2	0.47
2008	January	1,688,602	12.6	0.0149	84.9	0.0122	396.9	0.470	3,783.1	0.47
	February	1,513,958	7.0	0.0093	85.6	0.0122	353.3	0.467	3,799.2	0.47
	March	371,872	6.0	0.0321	84.6	0.0130	80.5	0.433	3,702.3	0.47
	April	395,794	2.5	0.0128	85.6	0.0128	91.3	0.461	3,742.9	0.47
	May	1,606,351	10.6	0.0132	89.3	0.0131	377.0	0.469	3,767.5	0.47
	June	1,260,688	6.3	0.0100	90.1	0.0132	290.0	0.460	3,768.0	0.47
	July	1,451,458	6.3	0.0087	91.4	0.0134	339.4	0.468	3,718.3	0.46
	August September	1,505,776 1,357,023	21.7	0.0289	100.0	0.0143	341.0 304.3	0.453 0.448	3,670.8	0.46
	October	1,301,077					295.8	0.446	3.640.6 3.602.1	0.46 0.46
	November	1,105,498					240.3	0.435	3,543.7	0.46
	December	1,135,462					253,0	0.446	3,493.8	0.46
2009	Јапиагу	1,304,526					298.9	0.458	3,457.0	0.46
	February	1,277,787					305.9	0.479	3,441.3	0.45
	March	557,014					132.4	0.476	3,379.0	0.45
	April	0					0.0	N/A	3,334.2	0.46
	May	1,321,723					135.4	0.205	3,249.8	0.45
	June	1,482,076					61.3	0.083	3,111.5	0.43
	July	1,534,566					84.1	0.110	2,992.3	0.41
	August	1,572,117					78.7	0.100	2,829.0	0.40
	September	1,376,839					75.4	0.110	2,738.0	0.38
	October November	1,494,965 1,239,240					47.9 33.8	0.064 0.055	2,627.6 2,464.5	0.36 0.35
	December	1,416,099					47.6	0.067	2,332.0	0.33
2010	January	1,322,388					52.5	0.079	2,159.8	0.33
	February	968,884					35.7	0.074	2,001.0	0.29
	March	961,954					39.6	0.082	1.980.6	0.28
	April	143,240					11.7	0.163	1,940.8	0.27
	May	1,305,520					48.8	0.075	1.776.7	0.25
	June	1,634,371					42.5	0.052	1,652,9	0.23
	July	1,667,508					46.6	0.056	1,506.5	0.21
	August	1,655,651					50.1	160.0	1,361.1	0.20
	September	1,472,431					42.0	0.057	1,229.9	0.18
	-									

^{*}EPA Clean Air Market Web site.

Sources: EPA Clean Air Markets Website, 2011. GRU, 2011. ECT, 2011.

[†]GRU CO Process CEMS.

Table 4-2. Unit 2 CO Process CEMS Monthly Data—Baseline Actual Emissions

Month Year March 2005	CO* (ppmvw)	Flow Rate*	verage Data	Operating	Cal	culated Mon	thly
	(ppmvw)		Heat Input†	Time†	CO	Emission Ra	ates
March 2005		(wscf/hr)	(MMBtu)	(hours)	lb	tons	lb/MMBtu
March 2005		· · · · · · · · · · · · · · · · · · ·					
	4.30	25,761,531	1,342,894	743.50	5,987.4	2.99	0.0045
April 2005	2.84	24,995,510	1,260,018	720.00	3,715.6	1.86	0.0029
May 2005	6.48	24,666,722	1,290,897	742.25	8,624.8	4.31	0.0067
June 2005	5.55	27,133,100	1,271,370	661.50	7,241.6	3.62	0.0057
July 2005	11.08	26,533,545	1,444,141	744.00	15,900.9	7.95	0.0110
August 2005	8.14	27,586,961	1,472,508	744.00	12,145.5	6.07	0.0082
September 2005	5.27	27,109,689	1,473,486	720.00	7,477.9	3.74	0.0051
October 2005	16.05	26,078,289	1,161,461	642.25	19,542.2	9.77	0.0168
November 2005	46.46	25,391,104	1,327,656	720.00	61,745.8	30.87	0.0465
December 2005	25.59	25,746,617	1,273,487	675.50	32,354.1	16.18	0.0254
January 2006	6.98	25,585,936	1,145,398	610.00	7,919.6	3.96	0.0069
February 2006	8.56	26,988,488	1,391,334	672.00	11,285.9	5.64	0.0081
March 2006	14.24	26,711,377	1,174,234	576.25	15,934.2	7.97	0.0136
April 2006	10.31	20,299,932	54,033	65.75	1,000.4	0.50	0.0185
May 2006	5.34	26,641,421	1,322,591	616.00	6,370.8	3.19	0.0048
June 2006	8.51	26,420,866	1,108,191	575.00	9,398.5	4.70	0.0085
July 2006	4.66	30,038,424	1,689,774	744.00	7,570.9	3.79	0.0045
August 2006	5.66	29,880,908	1,762,629	744.00	9,147.4	4.57	0.0052
September 2006	6.73	27,849,226	1,550,581	720.00	9,810.1	4.91	0.0063
October 2006	5.97	28,159,302	1,602,552	744.00	9,092.5	4.55	0.0057
November 2006	4.69	27,887,652	1,466,645	720.00	6,845.9	3.42	0.0047
December 2006	5.43	27,249,101	1,442,391	744.00	8,002.7	4.00	0.0055
January 2007	6.43	28,298,706	1,479,064	744.00	9,841.6	4.92	0.0067
February 2007	6.53	28,471,273	1,351,496	672.00	9,082.5	4.54	0.0067
March 2007	8.65	27,463,416	1,073,973	553.00	9,550.1	4.78	0.0089
April 2007	48.58	23,284,231	429,474	235.75	19,385.9	9.69	0.0451
May 2007	16.99	26,381,430	1,304,678	601.00	19,583.0	9.79	0.0150
June 2007	27.18	26,388,205	1,449,022	643.25	33,539.2	16.77	0.0130
July 2007	12.77	27,041,948	1,360,491	594.00	14,911.8	7.46	0.0231
August 2007	23.89	29,216,160			35,226.5	17.61	0.0110
September 2007	25.89		1,701,740	694.25	24,577.4	12.29	0.0207
October 2007	13.92	25,913,822 24,115,277	1,133,758	504.50 650.75	15,880.3	7.94	0.0217
November 2007			1,196,316	650.75		7.94 7.25	0.0133
	10.16	28,044,468	1,506,993	700.00	14,499.5		
December 2007	10.79	25,631,591	1,351,408	688.50	13,842.5	6.92	0.0102
January 2008	16.29	28,540,409	1,688,602	744.00	25,146.0	12.57	0.0149
February 2008	9.65	28,774,301	1,513,958	696.00	14,049.3	7.02	0.0093
March 2008	30.19	24,496,771	371,872	222.00	11,935.5	5.97	0.0321
April 2008	11.75	24,438,709	395,794	242.00	5,051.8	2.53	0.0128
May 2008	13.71	28,577,081	1,606,351	744.00	21,190.6	10.60	0.0132
June 2008	10.00	26,394,165	1,260,688	660.00	12,663.9	6.33	0.0100
July 2008	8.96	26,586,534	1,451,458	729.00	12,624.4	6.31	0.0087
August 2008	30.02	27,028,257	1,505,776	737.25	43,486.8	21.74	0.0289
					Average	7.66	0.0130
					Maximum	30.87	0.0465
					Minimum	0.50	0.0029

^{*}Unit 2 Process CO CEMS.

Sources: EPA Clean Air Markets Website, 2011. GRU, 2011. ECT, 2011.

[†]EPA Clean Air Markets Web site.

4.2 PROJECTED ACTUAL EMISSIONS

As noted previously, there will be no change in Unit 2 utilization due to the LNB project. Projected Unit 2 actual annual emissions during the 5 year period following installation of the LNB system for CO and NO_x were estimated using projected emission rates of 0.0143 lb/MMBtu (for CO) and 0.10 lb/MMBtu (for NO_x), and expected future Unit 2 heat input rates. The projected actual CO emission rate is based on the process CO CEMS data (see Table 4-1). The projected actual NO_x emission rate reflects GRU's estimate based on CAIR and future Transport Rule requirements.

Table 4-3 provides a summary of projected actual emission rates, baseline actual emission rates, and the net change in emissions for CO and NO_x . As shown in Table 4-3, the net increases in CO emissions will be well below the PSD significant emission rate of 100 tpy. The Table 4-3 analysis also indicates that there will be a net decrease in actual CO emissions in the later years (i.e., 2014 and 2015) due to reductions in Unit 2 utilization. In addition, there will be a substantial reduction in actual NO_x emissions due to the SCR control system that was recently installed on Unit 2.

As noted previously, there will be no changes in operation of the Unit 2 air emission control equipment other than a reduction in urea consumption; i.e., the controlled emission rates of NO_x, SO₂, PM, and H₂SO₄ mist will remain approximately at their current levels. Based on the analysis of CO emissions, no significant change in VOC emissions is expected since the formation of VOC and CO are both related to the same combustion parameters. Accordingly, the DGS Unit 2 LNB project is not subject to PSD NSR.

GRU proposes to verify the estimates of projected actual CO emissions using the process CO CEMS to provide a consistent basis for comparing baseline and projected actual emission rates. Following installation and shakedown of the Unit 2 LNB system, the process CO CEMS data, based on a minimum of 144 hours of operations, will be used to determine the actual Unit 2 CO emission rate. The Unit 2 ARP NO_x CEMS will be used to monitor future actual NO_x emission rates.

Table 4-3. Unit 2 LNB Project—Projected Actual Emissions

A. Projected Actual Emission Rates (lb/MMBtu)

Pollutant (lb/MMBtu)

CO 0.0143
NO_x 0.1000

B. Projected Actual Emission Rates (tpy)

		Projected Emiss		2	e Actual sions		nange in
Year	Heat Input (MMBtu/yr)	CO (tpy)	NO _x (tpy)	CO (tpy)	NO _x (tpy)	CO (tpy)	NO _x (tpy)
2011	13,698,489	97.9	684.9	100.0	3,799.2	-2.0	-3,114.3
2012	15,071,369	107.8	753.6	100.0	3,799.2	7.8	-3,045.6
2013	15,649,883	111.9	782.5	100.0	3,799.2	11.9	-3,016.7
2014	7,198,402	51.5	359.9	100.0	3,799.2	-48.5	-3,439.
2015	7,099,003	50.8	355.0	100.0	3,799.2	-49.2	-3,444.2

Sources: GRU, 2011. ECT, 2011.

APPENDIX FDEP APPLICATION FOR AIR PERMIT—LONG FORM





Department of Environmental Protection

Division of Air Resource Management

APPLICATION FOR AIR PERMIT - LONG FORM

I. APPLICATION INFORMATION

Air Construction Permit – Use this form to apply for an air construc	tion	perm	iit:
--	------	------	------

- For any required purpose at a facility operating under a federally enforceable state air operation permit (FESOP) or Title V air operation permit;
- For a proposed project subject to prevention of significant deterioration (PSD) review, nonattainment new source review, or maximum achievable control technology (MACT);
- To assume a restriction on the potential emissions of one or more pollutants to escape a requirement such as PSD review, nonattainment new source review, MACT, or Title V: or
- such as PSD review, nonattainment new source review, MACT, or Title V: or
 To establish, revise, or renew a plantwide applicability limit (PAL).

Air Operation Permit – Use this form to apply for:

• An initial federally enforceable state air operation permit (FESOP); or

JAN 13 2011

• An initial, revised, or renewal Title V air operation permit.

Facility Owner/Company Name: City of Gainesville

BUREAU OF

To ensure accuracy, please see form instructionsREGULATION

Identification of Facility

	Gainesville Regional Utilities (GRU)						
2.	Site Name: Deerhaven Generating Station						
3.	3. Facility Identification Number: 0010006						
4.							
}	Street Address or Other Locator: 10001 NW 13 th Street						
	City: Gainesville County: Alachua Zip Code: 33653						
5.	Relocatable Facility? 6. Existing Title V Permitted Facility?						
_	☐ Yes ☐ No ☐ Yes ☐ No						
Ap	plication Contact						
1.	1. Application Contact Name: Robert W. Klemans, P.E., Supervising Utility Engineer						
2.							
	Organization/Firm: City of Gainesville, GRU						
	Street Address: P.O. Box 147117 (A136)						
	City: Gainesville State: FL Zip Code: 32614-7117						
3.	Application Contact Telephone Numbers						
	Telephone: (352) 393-1283 ext. Fax: (352) 334-3151						
4.	4. Application Contact Email Address: klemansrw@gru.com						
<u>Ap</u>	plication Processing Information (DEP Use)						
1.	Date of Receipt of Application:						
2.	Project Number(s): 60000 Siting Number (if applicable):						

Scope of Application

Emissions Unit ID Number	Description of Emissions Unit	Air Permit Type	Air Permit Processing Fee	
005	Steam Boiler No. 2	N/A	N/A	
<u> </u>				
		-		

Application Processing Fee	
Check one: Attached - Amount: \$	
Note: The GRU Deerhaven Generating Station has bee 0010006-010-AV. An application processing fee is not r 213.205(4), F.A.C.	

Owner/Authorized Representative Statement

Complete if applying for an air construction permit or an initial FESOP.

1. Owner/Authorized Representative Name:

John W. Stanton, Assistant General Manager - Energy Supply

2. Owner/Authorized Representative Mailing Address...

Organization/Firm: City of Gainesville, Gainesville Regional Utilities (GRU)

Street Address: P.O. Box 147117 (A132)

City: Gainesville

State: Florida

Zip Code: 32614-7117

3. Owner/Authorized Representative Telephone Numbers...

Telephone: (352) 393-1789

е

ext. Fax: (352) 334-2786

4. Owner/Authorized Representative E-mail Address: stantonjw@gru.com

5. Owner/Authorized Representative Statement:

I, the undersigned, am the owner or authorized representative of the corporation, partnership, or other legal entity submitting this air permit application. To the best of my knowledge, the statements made in this application are true, accurate and complete, and any estimates of emissions reported in this application are based upon reasonable techniques for calculating emissions. I understand that a permit, if granted by the department, cannot be transferred without authorization from the department.

Signature

1-11-15

Date

DEP Form No. 62-210.900(1) - Form

Effective: 03/11/2010

Application Responsible Official Certification NOT APPLICABLE

Complete if applying for an initial, revised, or renewal Title V air operation permit or concurrent processing of an air construction permit and revised or renewal Title V air operation permit. If there are multiple responsible officials, the "application responsible official" need not be the "primary responsible official."

1. Application Responsible Official Name:				
 Application Responsible Official Qualification (Check one or more of the following options, as applicable): 				
For a corporation, the president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C.				
For a partnership or sole proprietorship, a general partner or the proprietor, respectively.				
For a municipality, county, state, federal, or other public agency, either a principal executive officer or ranking elected official.				
The designated representative at an Acid Rain source, CAIR source, or Hg Budget source.				
3. Application Responsible Official Mailing Address Organization/Firm: Street Address:				
City: State: Zip Code:				
4. Application Responsible Official Telephone Numbers Telephone: () ext. Fax: ()				
5. Application Responsible Official E-mail Address:				
6. Application Responsible Official Certification:				
I, the undersigned, am a responsible official of the Title V source addressed in this air permit application. I hereby certify, based on information and belief formed after reasonable inquiry that the statements made in this application are true, accurate and complete and that, to the best of my knowledge, any estimates of emissions reported in this application are based upon reasonable techniques for calculating emissions. The air pollutant emissions units and air pollution control equipment described in this application will be operated and maintained so to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof and all other applicable requirements identified in this application to which the Title V source is subject. I understand that a permit, if granted by the department, cannot be transferred without authorization from the department, and I will promptly notify the department upon sale or legal transfer of the facility or any permitted emissions unit. Finally certify that the facility and each emissions unit are in compliance with all applicable requirements to which they are subject, except as identified in compliance plan(s) submitted with this application.				
Signature Date				

1.	Professional Engineer Name: Thomas W. Davis
	Registration Number: 36777
2.	Professional Engineer Mailing Address
	Organization/Firm: Environmental Consulting & Technology, Inc.
	Street Address: 3701 Northwest 98th Street
	City: Gainesville State: Florida Zip Code: 32606-5004
3.	Professional Engineer Telephone Numbers
	Telephone: (352) 248 – 3351 ext. Fax: (352) 332 - 6722
4.	Professional Engineer Email Address: tdavis@ectinc.com
5.	Professional Engineer Statement:
	I, the undersigned, hereby certify, except as particularly noted herein*, that:
	(1) To the best of my knowledge, there is reasonable assurance that the air pollutant emissions unit(s) and the air pollution control equipment described in this application for air permit, when properly operated and maintained, will comply with all applicable standards for control of air pollutant emissions found in the Florida Statutes and rules of the Department of Environmental Protection; and
	(2) To the best of my knowledge, any emission estimates reported or relied on in this application are true, accurate, and complete and are either based upon reasonable techniques available for calculating emissions or, for emission estimates of hazardous air pollutants not regulated for an emissions unit addressed in this application, based solely upon the materials, information and calculations submitted with this application.
	(3) If the purpose of this application is to obtain a Title V air operation permit (check here, if so), I further certify that each emissions unit described in this application for air permit, when properly operated and maintained, will comply with the applicable requirements identified in this application to which the unit is subject, except those emissions units for which a compliance plan and schedule is submitted with this application.
	(4) If the purpose of this application is to obtain an air construction permit (check here \boxtimes , if so) or concurrently process and obtain an air construction permit and a Title V air operation permit revision or renewal for one or more proposed new or modified emissions units (check here \square , if so), I further certify that the engineering features of each such emissions unit described in this application have been designed or examined by me or individuals under my direct supervision and found to be in conformity with sound engineering principles applicable to the control of emissions of the air pollutants characterized in this application.
	(5) If the purpose of this application is to obtain an initial air operation permit or operation permit revision or renewal for one or more newly constructed or modified emissions units (check here if so), I further certify that, with the exception of any changes detailed as part of this application, each such emissions unit has been constructed or modified in substantial accordance with the information given in the corresponding application for air construction permit and with all positions confdiped in such permit.
1	1/2/11
•	Signature 777 Date
*	(seal)
DE	trach any exception to continuous statement. OR VONAL ONAL P Form Y:\GDP-11\GRU\DGS\UNIT2LNB-AIRPRM-APP.DOCX— ective: 03/11/2010 6

A. GENERAL FACILITY INFORMATION

Facility Location and Type

1.		dinates (km) 365.70 th (km) 3,292.60	2. Facility Latitude/Longitude Latitude (DD/MM/SS) Longitude (DD/MM/SS)		
3.	Governmental	4. Facility Status	5. Facility Major	6. Facility SIC(s):	
	Facility Code:	Code:	Group SIC Code:		
	_ 4 ·	A	49	4911	
7.	Facility Comment:				
L					

Facility Contact

1.	Facility Contact Name: Robert W. I	Klemans, P.E., Supervisi	ng Utility Engineer				
2.	Facility Contact Mailing Address						
	Organization/Firm: City of Gainesville, GRU						
	Street Address: P.O. Box 147117 (A136)						
	City: Gainesville	State: FL	Zip Code: 32614-7117				
3.	Application Contact Telephone Num	bers					
	Telephone:(352) 393-1283 ext.	Fax: (352) 334-3151					

Facility Primary Responsible Official NOT APPLICABLE

Complete if an "application responsible official" is identified in Section I that is not the facility "primary responsible official."

	and bringing appoint					_
1.	Facility Primary Responsi	ble Official	Name:			
2.	Facility Primary Responsi	ble Official	Mailing Addre	SS		
	Organization/Firm:		&			
	Street Address:					
	City:		State:		Zip Code:	
3.	Facility Primary Responsi	ble Official	Telephone Nur	mbers		
	Telephone: () -	ext. I	Fax: () -			
4.	Facility Primary Responsi	ble Official	E-mail Address	s:		

Facility Regulatory Classifications

Check all that would apply *following* completion of all projects and implementation of all other changes proposed in this application for air permit. Refer to instructions to distinguish between a "major source" and a "synthetic minor source."

1. Small Business Stationary Source	☐ Unknown
2. Synthetic Non-Title V Source	
3. X Title V Source	
4. Major Source of Air Pollutants, Other tha	n Hazardous Air Pollutants (HAPs)
5. Synthetic Minor Source of Air Pollutants,	Other than HAPs
6. Major Source of Hazardous Air Pollutants	s (HAPs)
7. Synthetic Minor Source of HAPs	
8. One or More Emissions Units Subject to	NSPS (40 CFR 60)
9. One or More Emissions Units Subject to E	Emission Guidelines (40 CFR 60)
10. One or More Emissions Units Subject to N	NESHAP (40 CFR 61 or Part 63)
11. Title V Source Solely by EPA Designatio	n (40 CFR 70.3(a)(5))
12. Facility Regulatory Classifications Comment:	
Unit 2 is subject to NSPS Subpart D. Combustion Turbine No. 3 is subject to NS	PS Subpart GG.
The coal handling and storage activities (ex and CH-008) are subject to NSPS Subpart	scluding Emission Points CH-006, CH-007,
The emergency diesel engines are subject to	o NESHAPS Subpart ZZZZ.

List of Pollutants Emitted by Facility

1. Pollutant Emitted	2. Pollutant Classification	3. Emissions Cap [Y or N]?
NOX	A	N
SO2	A	N
PM	В	N
PM10	A	N
СО	A	N
Sulfuric Acid Mist (SAM)	В	N
Hydrochloric acid (H106)	A	N
Hydrofluoric acid (H107)	A	N
Total HAPs (HAPs)	A	N

B. EMISSIONS CAPS

Facility-Wide or Multi-Unit Emissions Caps NOT APPLICABLE

racinty-wide	or Multi-Unit Er	nissions Caps INC	JI APPLICA	BLL	
Pollutant Subject to Emissions Cap	2. Facility- Wide Cap [Y or N]? (all units)	3. Emissions Unit ID's Under Cap (if not all units)	4. Hourly Cap (lb/hr)	5. Annual Cap (ton/yr)	6. Basis for Emissions Cap
7. Facility-Wi	de or Multi-Unit I	Emissions Cap Con	iment:		

C. FACILITY ADDITIONAL INFORMATION

Additional Requirements for All Applications, Except as Otherwise Stated

1.	Facility Plot Plan: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Previously Submitted, Date: May 2009
2.	Process Flow Diagram(s): (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Previously Submitted, Date: May 2009
3.	Precautions to Prevent Emissions of Unconfined Particulate Matter: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Previously Submitted, Date: May 2009
Ac	dditional Requirements for Air Construction Permit Applications (Unit 2 LNB Project)
1.	Area Map Showing Facility Location: Attached, Document ID: Not Applicable (existing permitted facility)
2.	Description of Proposed Construction, Modification, or Plantwide Applicability Limit (PAL): Attached, Document ID: See Section 3.0
3.	Rule Applicability Analysis: Attached, Document ID: See Section 4.0 (PSD NSR Applicability)
4.	List of Exempt Emissions Units: Attached, Document ID: Not Applicable
5.	Fugitive Emissions Identification: Attached, Document ID: Not Applicable
6.	Air Quality Analysis (Rule 62-212.400(7), F.A.C.): Attached, Document ID: Not Applicable
7.	Source Impact Analysis (Rule 62-212.400(5), F.A.C.): Attached, Document ID: Not Applicable
8.	Air Quality Impact since 1977 (Rule 62-212.400(4)(e), F.A.C.): Attached, Document ID: Not Applicable
9.	Additional Impact Analyses (Rules 62-212.400(8) and 62-212.500(4)(e), F.A.C.): Attached, Document ID: Not Applicable
10	. Alternative Analysis Requirement (Rule 62-212.500(4)(g), F.A.C.): Attached, Document ID: Not Applicable

C. FACILITY ADDITIONAL INFORMATION (CONTINUED)

NOT APPLICABLE

	of Milbertobb
Ad	Iditional Requirements for FESOP Applications
1.	List of Exempt Emissions Units: Attached, Document ID: Not Applicable (no exempt units at facility)
A	Iditional Description ante for Title V Air Or anation Descrit Applications
	Iditional Requirements for Title V Air Operation Permit Applications OT APPLICABLE
1.	List of Insignificant Activities: (Required for initial/renewal applications only) Attached, Document ID: Not Applicable (revision application)
2.	Identification of Applicable Requirements: (Required for initial/renewal applications, and for revision applications if this information would be changed as a result of the revision being sought) Attached, Document ID:
	Not Applicable (revision application with no change in applicable requirements)
3.	Compliance Report and Plan: (Required for all initial/revision/renewal applications) Attached, Document ID:
	Note: A compliance plan must be submitted for each emissions unit that is not in compliance with all applicable requirements at the time of application and/or at any time during application processing. The department must be notified of any changes in compliance status during application processing.
4.	List of Equipment/Activities Regulated under Title VI: (If applicable, required for initial/renewal applications only) Attached, Document ID: Equipment/Activities Onsite but Not Required to be Individually Listed
	☐ Not Applicable
5.	Verification of Risk Management Plan Submission to EPA: (If applicable, required for initial/renewal applications only) Attached, Document ID: Not Applicable

6. Requested Changes to Current Title V Air Operation Permit:

Attached, Document ID: _____ Not Applicable

C. FACILITY ADDITIONAL INFORMATION (CONTINUED)

Additional Requirements for Facilities Subject to Acid Rain, CAIR, or Hg Budget Progra
1. Acid Rain Program Forms:
Acid Rain Part Application (DEP Form No. 62-210.900(1)(a)): Attached, Document ID: Previously Submitted, Date: May 2009 Not Applicable (not an Acid Rain source)
Phase II NO _X Averaging Plan (DEP Form No. 62-210.900(1)(a)1.): Attached, Document ID: Previously Submitted, Date: Not Applicable
New Unit Exemption (DEP Form No. 62-210.900(1)(a)2.): Attached, Document ID: Previously Submitted, Date: Not Applicable
2. CAIR Part (DEP Form No. 62-210.900(1)(b)): Attached, Document ID: Previously Submitted, Date: May 2009 Not Applicable (not a CAIR source)
Additional Requirements Comment

A. GENERAL EMISSIONS UNIT INFORMATION

Title V Air Operation Permit Emissions Unit Classification

or renewal	. Regulated or Unregulated Emissions Unit? (Check one, if applying for an initial, revised or renewal Title V air operation permit. Skip this item if applying for an air construction permit or FESOP only.)							
emissi	 The emissions unit addressed in this Emissions Unit Information Section is a regulated emissions unit. The emissions unit addressed in this Emissions Unit Information Section is an unregulated emissions unit. 							
Emissions Ur	it Descrip	otion and Status		,				
1. Type of E	nissions L	Init Addressed in thi	s Sec	tion: (Check one)				
single polluta	process or ints and w	Jnit Information Sec production unit, or hich has at least one	activi defin	ty, which produce able emission poin	s one nt (sta	or more air ck or vent).		
of proc	ess or pro		tivitie	s which has at lea	st one	nissions unit, a group definable emission		
		Unit Information Sec production units and		· ·	-	nissions unit, one or itive emissions only.		
2. Description of Emissions Unit Addressed in this Section: Fossil Fuel-Fired Steam Boiler Unit No. 2								
3. Emissions	Unit Iden	tification Number:	005 (Internal ID: DH-	2)			
4. Emissions	1	5. Commence	6.	Initial Startup	7.			
Status Coo	le:	Construction		Date:		Major Group		
A		Date: N/A		N/A		SIC Code: 49		
8. Federal Pr	ogram Ap	plicability: (Check a	all tha	t apply)				
		` `						
⊠ CAIR	☐ CAIR Unit							
☐ Hg Bu	Hg Budget Unit							
9. Package Unit: Model Number:								
Manufacturer:								
		te Rating: 251 MW		II Guad Dation				
11. Emission	s Unit Cor	mment: Dry Botton	n, Wa	III-fired Boiler				
Field 10 is based on : 295,000 kVA @ 1.0 power factor 250.75 MW @ 0.85 power factor								

EMISSIONS UNIT INFORMATION Section [1] of [1]

Emissions Unit Control Equipment/Method: Control 1 of

1. Control Equipment/Method Description:

High Efficiency Hot-Side Electrostatic Precipitator (ESP)

2. Control Device or Method Code: 010

Emissions Unit Control Equipment/Method: Control 2 of 4

1. Control Equipment/Method Description:

Selective Catalytic Reduction (SCR)

2. Control Device or Method Code: 139

Emissions Unit Control Equipment/Method: Control 3 of 4

1. Control Equipment/Method Description:

Dry Circulating Scrubber (CDS)

2. Control Device or Method Code: 119

Emissions Unit Control Equipment/Method: Control 4 of 4

1. Control Equipment/Method Description:

Medium Temperature (180°F <T <250°F) Fabric Filter (FF)

2. Control Device or Method Code: 017

EMISSIONS UNIT INFORMATION Section [1] of [1]

B. EMISSIONS UNIT CAPACITY INFORMATION

(Optional for unregulated emissions units.)

Emissions Unit Operating Capacity and Schedule

	ghput Rate:	
2. Maximum Production Rate:		
3. Maximum Heat Input Rate:	2,428 million Btu/hr	
4. Maximum Incineration Rate	: pounds/hr	
	tons/day	
5. Requested Maximum Opera	ting Schedule:	
	24 hours/day	7 days/week
	52 weeks/year	8,760 hours/year
6. Operating Capacity/Schedul	e Comment:	
	is based on coal-firing. Maxir	

EMISSIONS UNIT INFORMATION Section [1] of [1]

C. EMISSION POINT (STACK/VENT) INFORMATION (Optional for unregulated emissions units.)

Emission Point Description and Type

1.	Identification of Point on Flow Diagram: DH-2	Plot Plan or	2. Emission Point	Гуре Code: 1
3.	Descriptions of Emission N/A	Points Comprising	g this Emissions Unit	for VE Tracking:
1	ID Numbers or Descriptio	ns of Emission U	nite with this Emission	n Point in Common:
т.	N/A	ns of Emission Of	into with this Emission	if I diff in Common.
5.	Discharge Type Code: V	6. Stack Height	: 60 feet	7. Exit Diameter: 18.5 feet
8.	Exit Temperature: 178 °F		netric Flow Rate: 139 acfm	10. Water Vapor: N/A %
11.	Maximum Dry Standard F N/A dscfm	low Rate:	12. Nonstack Emissi	on Point Height: I/A feet
13.	Emission Point UTM Coo Zone: East (km):	rdinates	14. Emission Point I Latitude (DD/M	Latitude/Longitude M/SS)
15	North (km)		Longitude (DD/I	MM/SS)
15.	Emission Point Comment:			

EMISSIONS UNIT INFORMATION

Section [1] of [1]

D. SEGMENT (PROCESS/FUEL) INFORMATION

<u>Se</u>	gment Description and Ra	ite: Segment 1	of 3		
1.	. Segment Description (Process/Fuel Type):				
	Bituminous Coal Burned				
			· · · · · · · · · · · · · · · · · · ·		
2.	2. Source Classification Code (SCC): 1-01-002-02		3. SCC Units:	Tons Burned	
4.	Maximum Hourly Rate: 93.4	5. Maximum 818	Annual Rate: ,049	6. Estimated Annual Activity Factor:	
7.	Maximum % Sulfur: 2.50	8. Maximum % Ash: 17.0		9. Million Btu per SCC Unit: 26	
10	. Segment Comment:				
	Unit 2 can co-fire coal, n nominal coal heat conten	– .		el oil. Field 9 value based on	
Se	gment Description and Ra	ate: Segment 2	of 3		
1.	Segment Description (Pro-	cess/Fuel Type):			
	Natural Gas Burned				
2.	Source Classification Cod 1-01-006-01	e (SCC):	3. SCC Units: Millio	on Cubic Feet Burned	
4.	Maximum Hourly Rate: 0.57	5. Maximum 4,9	Annual Rate:	6. Estimated Annual Activity Factor:	

10. Segment Comment:

7. Maximum % Sulfur:

N/A

Unit 2 can co-fire coal, natural gas, and Nos. 1 and 2 fuel oil. Field 4 maximum hourly rate based on 591 MMBtu/hr heat input and nominal natural gas heat content of 1,040 Btu/ft³.

8. Maximum % Ash:

N/A

9. Million Btu per SCC Unit:

1,040

D. SEGMENT (PROCESS/FUEL) INFORMATION (CONTINUED)

Segment Description and Rate: Segment 3 of 3

1. Segment Description (Process/Fuel Type):

Distillate Fuel Oils Burned					
2 Compaction Co.	1- (800).	2 50011-2-			
2. Source Classification Cool 1-01-005-01	2. Source Classification Code (SCC): 1-01-005-01		3. SCC Units: Thousand Gallons Burned		
4. Maximum Hourly Rate: 6.43	5. Maximum 56 ,	Annual Rate:	6. Estimated Annual Activity Factor:		
7. Maximum % Sulfur: 0.05	8. Maximum % Ash: 0.05		9. Million Btu per SCC Unit: 140		
10. Segment Comment:					
	Unit 2 can co-fire coal, natural gas, and Nos. 1 and 2 fuel oil. Field 4 maximum hourly rate based on 900 MMBtu/hr heat input and nominal distillate fuel oil heat content of 140,000 Btu/gal.				
Segment Description and Rate: Segment _ of _					
1. Segment Description (Pro	cess/Fuel Type):				
2. Source Classification Coc	le (SCC):	3. SCC Units:			
4. Maximum Hourly Rate:	5. Maximum	Annual Rate:	6. Estimated Annual Activity Factor:		
7. Maximum % Sulfur:	8. Maximum	% Ash:	9. Million Btu per SCC Unit:		
10. Segment Comment:					
					

E. EMISSIONS UNIT POLLUTANTS

List of Pollutants Emitted by Emissions Unit

1. Pollutant Emitted	2. Primary Control Device Code	3. Secondary Control Device Code	4. Pollutant Regulatory Code
NOX	139		EL
SO2	119		EL
PM	010	017	EL
PM10	010	017	NS
СО			NS
VOC			NS
H106			NS
H107			NS
HAPS			NS
Note: Pollutant Detai Title V permit applic	l Information is provid ation for the remaining	ed for NO _x and CO. Ple Unit 2 pollutants.	ease see the May 2009

POLLUTANT DETAIL INFORMATION Page [1] of [5]

F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION -POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Note: Pollutant detailed information is pro

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

Potential, Estimated Fugitive, and Baseline &	z Projected Actual Emi	<u>ssions</u>
1. Pollutant Emitted:	2. Total Percent Effici	*
NOX	90	%
3. Potential Emissions: 1,699.6 lb/hour 4,891.9	1 -	hetically Limited? Yes 🛛 No
5. Range of Estimated Fugitive Emissions (as to tons/year		
6. Emission Factor:		7. Emissions Method Code:
Reference:		0
8.a. Baseline Actual Emissions (if required):	8.b. Baseline 24-month	n Period:
3,799.2 tons/year	From: 1/2006	To: 12/2010
9.a. Projected Actual Emissions (if required): 684.9 tons/year (2011)	9.b. Projected Monitor	ing Period: years
10. Calculation of Emissions: 0.7 lb/MMBtu (NSPS Subpart D) x 2,428 0.46 lb/MMBtu (Phase II NO _x Complianc [(1,116.9 lb/hr x 8,760 hr/yr) / 2,000 lb/ton	e Plan) x 2,428 MMBtu n] = 4,891.9 tons/yr	
11. Potential, Fugitive, and Actual Emissions Co	omment:	

POLLUTANT DETAIL INFORMATION
Page [2] of [5]

F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions 1 of 4

1.	Basis for Allowable Emissions Code: RULE	2.	Future Effective Date of Allowable Emissions: N/A
3.	Allowable Emissions and Units: 0.7 lb/MMBtu (3-Hour Average)	4.	Equivalent Allowable Emissions: 1,699.6 lb/hour N/A tons/year
5.	5. Method of Compliance: Annual stack test using EPA Reference Method 7, 7A, 7C, 7D, 7E or CEMS		
6.			

Allowable Emissions 2 of 4

1.	Basis for Allowable Emissions Code: RULE	2.	Future Effective Da Emissions: N/A	te of Allowable
3.	Allowable Emissions and Units: 0.46 lb/MMBtu (Annual Average)	4.	Equivalent Allowab N/A lb/hour	
5.	Method of Compliance: CEMS			
6.	Allowable Emissions Comment (Description	on of (Operating Method):	
	Acid Rain Program Phase II Compliance	e Plan	limit.	

F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions 3 of 4

1.	Basis for Allowable Emissions Code: RULE	2.	Future Effective Date of Allowable Emissions: N/A
3.	Allowable Emissions and Units: 0.3 lb/MMBtu (3-Hour Average)	4.	Equivalent Allowable Emissions: 728.4 lb/hour N/A tons/year
5.	Method of Compliance: Annual stack test using EPA Reference Method 7, 7A, 7C, 7D, 7E or CEMS		
6.	6. Allowable Emissions Comment (Description of Operating Method): 40 CFR Part 60, Subpart D, 50.44(a)(2) – Liquid Fuels Title V Permit 0010006-010-AV, Condition B.9.(a)(2). Allowable emission rate will be prorated when different fuels are burned simultaneously.		

Allowable Emissions 4 of 4

1.	Basis for Allowable Emissions Code: RULE	2.	Future Effective Date of Allowable Emissions: N/A
3.	Allowable Emissions and Units: 0.2 lb/MMBtu (3-Hour Average)	4.	Equivalent Allowable Emissions: 485.6 lb/hour N/A tons/year
5.	Method of Compliance: Annual stack test using EPA Reference Me	etho	od 7, 7A, 7C, 7D, 7E or CEMS
6.	6. Allowable Emissions Comment (Description of Operating Method): 40 CFR Part 60, Subpart D, 60.44(a)(1) – Gaseous fuels Title V Permit 0010006-010-AV, Condition B.9.(a)(1). Allowable emission rate will be prorated when different fuels are burned simultaneously.		

POLLUTANT DETAIL INFORMATION
Page [4] of [5]

F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

1 Otential, Estimated Fugitive, and Dasenne of	t I Iujecieu Ac	tuai Einis	510115	
1. Pollutant Emitted:	2. Total Perc	ent Efficie	ency of Control:	
CO		N /2	A [
3. Potential Emissions:		4. Synth	netically Limited?	
l	tons/year	☐ Y	es 🖄 No	
5. Range of Estimated Fugitive Emissions (as		J/A		
to tons/year	appiredoie).	1/2 k		
6. Emission Factor:			7. Emissions	
S. Emission I dotor.			Method Code:	
Reference:			2	
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:	
100.0 tons/year	From: 1/2006	7	Γο: 12/2010	
9.a. Projected Actual Emissions (if required):	9.b. Projected	Monitori	ng Period:	
97.9 tons/year (2011)	5 years	☐ 10 ye	ears	
	See Cor	mment in	Field 11 Below	
10. Calculation of Emissions:			· · · · · · · · · · · · · · · · · · ·	
0.0143 lb/MMBtu (Unit 2 Process CEMS	Data) x 2,428 I	MMBtu/b	r = 34.7 lb/hr	
[/247 H.J 9 7 (0 L /) / 2 000 H // . L . 152 0 / . /				
[(34.7 lb/hr x 8,760 hr/yr) / 2,000 lb/ton] = 152.0 tons/yr				
11. Potential, Fugitive, and Actual Emissions Co	omment:			
GRU proposes to verify the estimates of projected actual CO emissions using the				
process CO CEMS to provide a consistent basis for comparing baseline and projected				
actual emission rates. Following installation and shakedown of the Unit 2 LNB system, the process CO CEMS data, based on a minimum of 144 hours of operations, will be				
used to determine the actual Unit 2 CO emission rate.				
used to determine the actual Unit 2 CO emission rate.				
	_			

POLLUTANT DETAIL INFORMATION
Page [5] of [5]

F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation. NOT APPLICABLE

Allowable Emissions Allowable Emissions	of
Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3. Allowable Emissions and Units:	4. Equivalent Allowable Emissions: lb/hour tons/year
5. Method of Compliance:	
6. Allowable Emissions Comment (Description	on of Operating Method):
Allowable Emissions Allowable Emissions	of
1. Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3. Allowable Emissions and Units:	4. Equivalent Allowable Emissions: lb/hour tons/year
5. Method of Compliance:	
6. Allowable Emissions Comment (Description	n of Operating Method):

G. VISIBLE EMISSIONS INFORMATION

Complete Subsection G if this emissions unit is or would be subject to a unit-specific visible emissions limitation.

Visible Emissions Limitation: Visible Emissions Limitation 1 of 1

1.	Visible Emissions Subtype: VE20	2. Basis for Allowable Opacity: ☐ Rule ☐ Other	
3.	Allowable Opacity:		
	Normal Conditions: 20 % Ex	cceptional Conditions: 27 %	
	Maximum Period of Excess Opacity Allowe		
1	Method of Compliance: DEP Method 9 or		_
т.	We mod of Comphance. DET Without 7 01	COMS	
5.	Visible Emissions Comment:		┪
	40 CFR Part 60, Subpart D, 60.42(a)(2).		
	Title V Permit 0010006-010-AV, Condition	on B.7.	1
		artup, shutdown, and malfunction per 40	
	CFR Part 60, Subpart A, 60.11(c).	• •	
	•		ļ
¥7.2.	ible Emissions Limitation. Visible Emission	Timitation of	
	sible Emissions Limitation: Visible Emissi		
1.	Visible Emissions Subtype:	2. Basis for Allowable Opacity:	
		Rule Other	
3.	Allowable Opacity:		
	Normal Conditions: % Ex	ceptional Conditions: %	
	Maximum Period of Excess Opacity Allowe	ed: min/hour	
4.	Method of Compliance:		٦
••			
5.	Visible Emissions Comment:		٦
			

EMISSIONS UNIT INFORMATION

Section [1]

of [1]

H. CONTINUOUS MONITOR INFORMATION

Complete Subsection H if this emissions unit is or would be subject to continuous monitoring.

Continuous Monitoring System: Continuous Monitor 1 of 5

1.	Parameter Code:	2. Pollutant(s):
	VE	N/A
3.	CMS Requirement:	⊠ Rule ☐ Other
4.	Monitor Information Manufacturer: Spectrum	
	Model Number: Spectrum 41	Serial Number: 0347-8005
5.	Installation Date: 11/25/04	6. Performance Specification Test Date: 12/07/04
7.	Continuous Monitor Comment:	
	40 CFR Part 75 and 40 CFR Part 60, Sub	part D.
<u>Co</u>	ontinuous Monitoring System: Continuous	Monitor <u>2</u> of <u>5</u>
1.	Parameter Code:	2. Pollutant(s):
	CO2	N/A
3.	CMS Requirement:	⊠ Rule ☐ Other
4.	Monitor Information Manufacturer: Siemens	1- 1 -1-1
	Model Number: Ultramat 6E	Serial Number: NI-S8-0790
5.	Installation Date: 11/25/04	6. Performance Specification Test Date: 12/16/04
7.	Continuous Monitor Comment:	
	40 CFR Part 75 and 40 CFR Part 60, Sub	part D.

EMISSIONS UNIT INFORMATION

Section [1] of [1]

H. CONTINUOUS MONITOR INFORMATION (Continued)

Complete Subsection H if this emissions unit is or would be subject to continuous monitoring.

Continuous Monitoring System: Continuous Monitor 3 of 5

1. Parameter Code:	2. Pollutant(s):
FLOW	N/A
3. CMS Requirement:	⊠ Rule ☐ Other
4. Monitor Information	
Manufacturer: Monitor Labs	
Model Number: Ultraflow 150	Serial Number: 1500232
5. Installation Date:	6. Performance Specification Test Date:
11/25/04	12/16/04
7. Continuous Monitor Comment:	
40 CFR Part 75.	
TO CERTAIL 13.	
Continuous Monitoring System: Continuous	Monitor <u>4</u> of <u>5</u>
	· · · · · · · · · · · · · · · · · · ·
Continuous Monitoring System: Continuous 1. Parameter Code: EM	Monitor 4 of 5 2. Pollutant(s): NOX
1. Parameter Code:	2. Pollutant(s):
1. Parameter Code: EM	2. Pollutant(s): NOX
Parameter Code: EM 3. CMS Requirement:	2. Pollutant(s): NOX
1. Parameter Code: EM 3. CMS Requirement: 4. Monitor Information	2. Pollutant(s): NOX
1. Parameter Code: EM 2. CMS Requirement: 4. Monitor Information Manufacturer: TECO Model Number: 42C 5. Installation Date:	2. Pollutant(s): NOX Rule Other Serial Number: 0427508531 6. Performance Specification Test Date:
1. Parameter Code: EM 3. CMS Requirement: 4. Monitor Information Manufacturer: TECO Model Number: 42C	2. Pollutant(s): NOX Rule
1. Parameter Code: EM 2. CMS Requirement: 4. Monitor Information Manufacturer: TECO Model Number: 42C 5. Installation Date:	2. Pollutant(s): NOX Rule Other Serial Number: 0427508531 6. Performance Specification Test Date:
1. Parameter Code: EM 2. CMS Requirement: 4. Monitor Information Manufacturer: TECO Model Number: 42C 5. Installation Date: 11/25/04 7. Continuous Monitor Comment:	2. Pollutant(s): NOX Rule Other Serial Number: 0427508531 6. Performance Specification Test Date: 12/16/04
1. Parameter Code: EM 3. CMS Requirement: 4. Monitor Information Manufacturer: TECO Model Number: 42C 5. Installation Date: 11/25/04	2. Pollutant(s): NOX Rule Other Serial Number: 0427508531 6. Performance Specification Test Date: 12/16/04
1. Parameter Code: EM 3. CMS Requirement: 4. Monitor Information Manufacturer: TECO Model Number: 42C 5. Installation Date: 11/25/04 7. Continuous Monitor Comment:	2. Pollutant(s): NOX Rule Other Serial Number: 0427508531 6. Performance Specification Test Date: 12/16/04
1. Parameter Code: EM 3. CMS Requirement: 4. Monitor Information Manufacturer: TECO Model Number: 42C 5. Installation Date: 11/25/04 7. Continuous Monitor Comment:	2. Pollutant(s): NOX Rule Other Serial Number: 0427508531 6. Performance Specification Test Date: 12/16/04

H. CONTINUOUS MONITOR INFORMATION (Continued)

Complete Subsection H if this emissions unit is or would be subject to continuous monitoring.

Continuous Monitoring System: Continuous Monitor 5 of 5

1.	Parameter Code:	2. Pollutant(s):
	EM	SO2
3.	CMS Requirement:	⊠ Rule ☐ Other
4.	Monitor Information Manufacturer: TECO	
	Model Number: 43C	Serial Number: 0425408089
5.	Installation Date:	6. Performance Specification Test Date:
	11/25/04	12/16/04
7.	Continuous Monitor Comment:	
	40 CFR Part 75 and 40 CFR Part 60, Sub	part D.

I. EMISSIONS UNIT ADDITIONAL INFORMATION

Additional Requirements for All Applications, Except as Otherwise Stated

1.	Process Flow Diagram: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Previously Submitted, Date: May 2009
2.	Fuel Analysis or Specification: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Previously Submitted, Date: May 2009
3.	Detailed Description of Control Equipment: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Section 3.0 Not Applicable
4.	Procedures for Startup and Shutdown: (Required for all operation permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Previously Submitted, Date: Not Applicable (construction application)
5.	Operation and Maintenance Plan: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought) Attached, Document ID: Previously Submitted, Date Not Applicable
6.	Compliance Demonstration Reports/Records: Attached, Document ID: Test Date(s)/Pollutant(s) Tested:
	Previously Submitted, Date: Test Date(s)/Pollutant(s) Tested:
	To be Submitted, Date (if known): Test Date(s)/Pollutant(s) Tested:
	Not Applicable Note: For FESOP applications, all required compliance demonstration records/reports must be submitted at the time of application. For Title V air operation permit applications, all required compliance demonstration reports/records must be submitted at the time of application, or a compliance plan must be submitted at the time of application.
7.	Other Information Required by Rule or Statute: Attached, Document ID: Not Applicable

I. EMISSIONS UNIT ADDITIONAL INFORMATION (CONTINUED)

Additional Requirements for Air Construction Permit Applications

1. Control Technology Review and Analysis (Rules 62-212.400(10) and 62-212.500(7),			
F.A.C.; 40 CFR 63.43(d) and (e)):			
Attached, Document ID:	Not Applicable		
2. Good Engineering Practice Stack Heigh	nt Analysis (Rules 62-212.400(4)(d) and 62-		
212.500(4)(f), F.A.C.):			
Attached, Document ID:	Not Applicable		
3. Description of Stack Sampling Facilities: (Required for proposed new stack sampling facilities			
only)			
Attached, Document ID:	Not Applicable		
Additional Requirements for Title V Air Operation Permit Applications			
Polymonia requirements			
NOT APPLICABLE			
1. Identification of Applicable Require	ements:		
Attached, Document ID:			
2. Compliance Assurance Monitoring: Attached, Document ID:	: 		
	Not Applicable		
3. Alternative Methods of Operation:			
Attached, Document ID:	Not Applicable		
4. Alternative Modes of Operation (Emissions Trading):			
Attached, Document ID:	Not Applicable		
Additional Requirements Comment			