


December 2001 - Daily 30 Day Rolling Avg. NOx Lbs./Ton of Clinker



—◆— 30 Day Rolling Avg. NOx Lbs./Ton of Clinker

RECEIVED

APR 11 2002

BUREAU OF AIR REGULATION

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/01/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
02:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
03:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
04:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
05:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
06:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
07:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
08:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
09:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
10:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
11:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
12:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
13:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
14:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
15:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
16:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
17:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
18:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
19:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
20:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
21:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
22:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
23:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
24:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
Total	MNR	161.45	ND	MNR	MNR	MNR	MNR
Average	MNR	6.73	ND	MNR	MNR	MNR	MNR
Maximum	MNR	21.54	ND	MNR	MNR	MNR	MNR
Minimum	MNR	0.00	ND	MNR	MNR	MNR	MNR
Rolling Excess	40.31	8.79		88.68	2.26	9.71	0.41
		0		0	0	0	0
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	24	0		24	24	24	24
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/01/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	4.58	2.78	0.15	33858	31967	27171	84	65
02:00	3.64	2.76	0.22	33361	33445	28429	83	64
03:00	3.41	2.29	0.16	35682	37297	31704	80	63
04:00	0.16	0.70	0.16	36786	37476	31856	76	63
05:00	0.01	0.34	0.36	37165	37363	31759	76	64
06:00	0.01	0.19	0.49	36791	36151	30730	77	64
07:00	0.01	0.90	0.78	35760	33423	28410	77	63
08:00	0.31	3.04	0.13	34019	33321	28324	82	63
09:00	2.51	3.18	0.13	34235	30762	26148	81	66
10:00	7.50	4.46	0.13	106944	135048	114792	93	68
11:00	9.50	5.30	0.13	150384	125220	106436	131	72
12:00	13.17	6.49	0.13	148508	129142	109770	150	75
13:00	15.29	7.25	0.13	152516	130122	110604	163	76
14:00	18.27	7.49	0.15	164808	116140	98716	171	77
15:00	15.67	5.32	0.14	132408	122354	104000	124	77
16:00	13.25	4.84	0.14	133672	121890	103608	110	78
17:00	11.06	4.59	0.14	124514	116644	99148	104	77
18:00	10.22	4.51	0.14	125638	117428	99814	101	74
19:00	9.21	4.18	0.14	124426	115534	98204	98	71
20:00	4.89	2.83	0.14	122514	113538	96508	95	71
21:00	2.90	3.05	0.14	120990	117718	100060	94	70
22:00	4.98	3.62	0.14	118862	114732	97518	91	67
23:00	6.73	3.68	0.13	118964	116090	98674	88	66
24:00	6.99	3.53	0.13	119146	116280	98836	88	66
Average	6.84	3.64	0.19	95081	88295	75051	101	69
Maximum	18.27	7.49	0.78	164808	135048	114792	171	78
Minimum	0.01	0.19	0.13	33361	30762	26148	76	63
Rolling	14.22	81.15	7.38	101290	86812	77368	102	90
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	0	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/02/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
02:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
03:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
04:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
05:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
06:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
07:00	MNR	MNR	MNR	MNR	MNR	ERROR	MNR
08:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
09:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
10:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
11:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
12:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
13:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
14:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
15:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
16:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
17:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
18:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
19:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
20:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
21:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
22:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
23:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
24:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
Total	MNR	56.82	ND	MNR	MNR	MNR	MNR
Average	MNR	2.37	ND	MNR	MNR	MNR	MNR
Maximum	MNR	6.72	ND	MNR	MNR	MNR	MNR
Minimum	MNR	0.01	ND	MNR	MNR	MNR	MNR
Rolling Excess	40.31	8.73		88.68	2.26	9.71	0.41
		0		0	0	0	0
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	24	0		24	24	24	24
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/02/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	6.56	3.70	0.13	118450	114102	96986	86	65
02:00	5.49	3.17	0.13	117956	117822	100148	86	65
03:00	3.33	2.99	0.13	117974	117948	100256	85	64
04:00	1.57	2.12	0.16	119012	116952	99410	84	63
05:00	0.01	1.19	0.14	118228	116298	98852	83	61
06:00	0.01	1.66	0.13	117520	113868	96788	82	60
07:00	0.01	1.51	0.13	118690	115338	98038	81	59
08:00	0.01	0.30	OC	118848	116464	98994	80	59
09:00	0.28	0.36	OC	116840	114760	97544	81	60
10:00	0.04	0.49	OC	117422	114066	96956	84	64
11:00	2.50	1.38	OC	118598	109658	93206	87	69
12:00	6.87	1.78	OC	112450	106872	90840	91	73
13:00	9.10	2.07	OC	68078	50023	42520	96	75
14:00	9.68	2.09	OC	51230	42722	36313	100	77
15:00	9.99	2.31	OC	50066	49705	42249	102	78
16:00	9.07	2.57	OC	85250	85624	72780	113	80
17:00	9.60	3.91	OC	94086	81924	69636	146	79
18:00	5.23	2.68	0.00	97212	87746	74584	163	76
19:00	1.97	3.30	0.00	101100	81744	69482	174	73
20:00	0.19	5.28	0.00	96818	74534	63354	195	70
21:00	0.01	5.28	0.00	114568	78994	67146	214	67
22:00	0.01	4.48	0.00	95588	73924	62837	214	64
23:00	0.01	5.36	0.00	95526	73046	62088	229	62
24:00	0.21	6.47	0.00	122204	111628	94884	226	59
Average	3.41	2.77	0.07	103488	94407	80245	124	68
Maximum	9.99	6.47	0.16	122204	117948	100256	229	80
Minimum	0.01	0.30	0.00	50066	42722	36313	80	59
Rolling	14.22	75.13	6.55	96925	83752	74456	99	86
Uptm %	100.00	100.00	58.33	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	10	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	79.17	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	10	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/03/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
02:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
03:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
04:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
05:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
06:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
07:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
08:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
09:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
10:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
11:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
12:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
13:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
14:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
15:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
16:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
17:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
18:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
19:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
20:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
21:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
22:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
23:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
24:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
Total	MNR	1.21	ND	MNR	MNR	MNR	MNR
Average	MNR	0.05	ND	MNR	MNR	MNR	MNR
Maximum	MNR	0.55	ND	MNR	MNR	MNR	MNR
Minimum	MNR	0.01	ND	MNR	MNR	MNR	MNR
Rolling Excess	40.31	8.71		88.68	2.26	9.71	0.41
		0		0	0	0	0
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	24	0		24	24	24	24
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/03/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.19	7.00	0.00	130692	104238	88604	194	57
02:00	0.01	6.74	0.00	128908	103620	88074	186	57
03:00	0.01	7.49	0.00	122970	99600	84660	185	56
04:00	0.01	7.81	0.00	121766	101556	86324	186	56
05:00	0.01	7.81	0.00	122766	100430	85366	186	55
06:00	0.01	8.17	0.00	122492	98420	83658	186	54
07:00	0.01	7.77	0.00	120964	99534	84606	186	53
08:00	0.01	8.46	OC	121320	100608	85516	185	69
09:00	0.01	8.63	0.04	118070	94344	80192	186	121
10:00	0.01	9.12	0.14	116196	95580	81242	186	74
11:00	0.01	8.99	0.14	124622	99338	84438	186	69
12:00	0.01	9.40	0.14	119762	96250	81812	187	71
13:00	0.01	9.44	0.14	116314	93294	79298	189	71
14:00	0.01	10.31	0.14	114494	89666	76214	195	72
15:00	0.02	10.37	0.14	117132	95172	80898	196	73
16:00	0.33	10.39	0.17	118896	95974	81576	195	73
17:00	0.67	10.42	0.00	118982	93994	79896	196	73
18:00	0.06	9.40	0.00	117762	94882	80650	196	71
19:00	0.01	7.63	0.00	113228	74378	63220	192	68
20:00	0.01	5.40	0.00	90994	69090	58727	197	67
21:00	0.01	8.74	0.00	115682	97840	83164	219	65
22:00	0.01	8.68	0.00	120640	95464	81146	200	63
23:00	0.01	8.38	0.00	122336	99120	84252	190	61
24:00	0.01	8.41	0.00	118732	94244	80106	188	60
Average	0.06	8.54	0.05	118988	95277	80985	191	67
Maximum	0.67	10.42	0.17	130692	104238	88604	219	121
Minimum	0.01	5.40	0.00	90994	69090	58727	185	53
Rolling	14.21	71.07	5.94	93209	80813	71652	98	82
Uptm %	100.00	100.00	95.83	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	1	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	84.72	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	11	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/04/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
02:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
03:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
04:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
05:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
06:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
07:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
08:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
09:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
10:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
11:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
12:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
13:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
14:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
15:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
16:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
17:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
18:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
19:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
20:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
21:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
22:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
23:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
24:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
Total	MNR	9.28	ND	MNR	MNR	MNR	MNR
Average	MNR	0.39	ND	MNR	MNR	MNR	MNR
Maximum	MNR	2.67	ND	MNR	MNR	MNR	MNR
Minimum	MNR	0.00	ND	MNR	MNR	MNR	MNR
Rolling Excess	40.31	8.66		88.68	2.26	9.71	0.41
		0		0	0	0	0
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	24	0		24	24	24	24
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/04/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.01	8.54	0.00	114318	90252	76714	187	59
02:00	0.01	8.74	0.00	113674	92334	78484	186	58
03:00	0.01	8.68	0.00	116098	97526	82898	185	57
04:00	0.01	8.83	0.00	117494	96606	82114	185	57
05:00	0.01	9.39	0.00	117048	98616	83822	185	57
06:00	0.01	9.43	0.00	117502	95768	81404	185	57
07:00	0.01	9.24	0.00	117930	97832	83156	184	56
08:00	0.01	10.47	OC	118358	94808	80586	183	57
09:00	0.01	10.03	0.00	117470	97214	82632	182	58
10:00	0.01	10.51	0.00	115942	93926	79836	181	60
11:00	0.01	10.82	0.00	113452	96522	82046	183	63
12:00	0.01	10.83	0.00	104272	71882	61101	185	67
13:00	0.29	8.12	0.00	104358	95734	81372	193	70
14:00	1.27	10.41	0.00	116296	98010	83306	191	72
15:00	1.36	10.42	0.00	117178	95950	81558	189	74
16:00	1.93	10.85	0.13	117496	95822	81450	190	76
17:00	2.21	9.87	0.19	133860	130494	110920	190	75
18:00	2.39	8.89	5.16	160356	130880	111246	187	74
19:00	0.37	8.83	0.44	158788	131704	111950	188	71
20:00	0.01	9.38	0.14	158060	130534	110954	188	69
21:00	0.01	8.15	0.13	142828	69728	59269	188	67
22:00	0.21	6.96	7.41	80220	67334	57234	173	66
23:00	0.08	6.37	7.19	77532	62288	52945	176	65
24:00	0.01	6.89	3.26	76650	61715	52457	183	65
Average	0.43	9.19	1.05	117799	95562	81227	185	65
Maximum	2.39	10.85	7.41	160356	131704	111950	193	76
Minimum	0.01	6.37	0.00	76650	61715	52457	173	56
Rolling	14.18	67.25	5.48	91467	78738	69625	101	79
Uptm %	100.00	100.00	95.83	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	1	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	87.50	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/05/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
02:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
03:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
04:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
05:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
06:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
07:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
08:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
09:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
10:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
11:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
12:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
13:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
14:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
15:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
16:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
17:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
18:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
19:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
20:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
21:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
22:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
23:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
24:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
Total	MNR	1.85	ND	MNR	MNR	MNR	MNR
Average	MNR	0.08	ND	MNR	MNR	MNR	MNR
Maximum	MNR	1.41	ND	MNR	MNR	MNR	MNR
Minimum	MNR	0.00	ND	MNR	MNR	MNR	MNR
Rolling	40.31	8.64		88.68	2.26	9.71	0.41
Excess		0		0	0	0	0
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	24	0		24	24	24	24
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/05/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.01	6.34	2.35	75404	61930	52640	191	64
02:00	0.01	6.87	1.60	74172	58540	49758	197	63
03:00	0.01	6.93	2.48	76840	62216	52883	202	63
04:00	0.01	7.87	2.23	76590	62572	53186	206	64
05:00	0.01	8.75	1.10	77180	57866	49186	214	64
06:00	0.01	8.25	0.62	91630	70960	60317	222	64
07:00	0.02	8.72	0.08	90562	74274	63135	226	64
08:00	0.01	6.63	0.04	111080	100008	85006	215	64
09:00	0.01	8.14	0.00	147084	123826	105250	207	65
10:00	0.17	10.34	0.36	162452	125336	106536	202	66
11:00	1.32	10.49	0.13	155344	122384	104028	200	70
12:00	0.01	11.07	0.14	155612	126178	107250	200	75
13:00	0.01	11.42	0.90	153188	125580	106742	200	77
14:00	0.01	11.43	1.60	155148	129896	110408	198	69
15:00	0.01	12.07	0.14	154556	123030	104574	196	78
16:00	0.01	12.51	0.14	151988	123724	105166	197	78
17:00	0.01	11.94	0.14	151788	124650	105950	197	95
18:00	0.01	11.45	0.14	154776	126442	107476	195	104
19:00	0.04	11.97	0.14	152956	125284	106490	195	85
20:00	0.07	11.09	0.14	127016	61543	52313	199	73
21:00	0.01	11.94	0.14	91130	77158	65584	226	69
22:00	0.01	11.36	0.14	98950	77136	65566	241	67
23:00	0.01	11.64	0.14	102048	73938	62849	247	65
24:00	0.01	11.98	0.13	101088	73616	62574	251	64
Average	0.08	10.05	0.63	120358	95337	81036	209	71
Maximum	1.32	12.51	2.48	162452	129896	110408	251	104
Minimum	0.01	6.34	0.00	74172	57866	49186	191	63
Rolling	14.17	63.38	5.05	88417	73741	64969	108	76
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	90.00	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid Valid Data W, Warning Drift Warning

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report**

Daily Report for 12/06/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	MNR	7.49	MNR	12.18	MNR	0.54	MNR
02:00	MNR	32.84X	MNR	18.45	MNR	0.06	MNR
03:00	MNR	49.85X	MNR	17.46	MNR	0.06	MNR
04:00	MNR	46.79X	MNR	18.21	MNR	0.06	MNR
05:00	MNR	64.16X	MNR	18.26	MNR	0.06	MNR
06:00	MNR	69.38X	MNR	18.87	MNR	0.07	MNR
07:00	MNR	87.91X	MNR	17.12	MNR	0.07	MNR
08:00	MNR	89.28X	MNR	39.90	MNR	0.05	MNR
09:00	MNR	90.66X	MNR	28.67	MNR	0.07	MNR
10:00	MNR	88.57X	MNR	28.14	MNR	0.07	MNR
11:00	MNR	28.02	MNR	31.73	MNR	1.42	MNR
12:00	20.90	3.55	MNR	70.58	MNR	4.37	MNR
13:00	36.88	0.68	MNR	78.01	0.48	3.73	0.02
14:00	33.51	8.93	0.266	70.39	2.10M	6.00	0.18X
15:00	28.45	0.20	0.007	49.12	1.73	1.10	0.04
16:00	10.80	6.13	0.570X	48.51	4.51X	2.84	0.26X
17:00	17.57	47.13X	2.679X	69.11	3.94X	11.88	0.68X
18:00	33.42	76.13X	2.272X	40.63	1.23	7.26	0.22X
19:00	39.72	51.50X	1.300X	207.09	5.21X	5.18	0.13
20:00	41.53	0.01	0.000	189.78	4.57X	0.99	0.02
21:00	47.14	0.00	0.000	221.65	4.70X	1.09	0.02
22:00	50.05	0.01	0.000	210.79	4.21X	1.71	0.03
23:00	53.43	0.00	0.000	178.55	3.34X	1.60	0.03
24:00	52.31	0.18	MNR	175.12	3.35X	2.09	0.04
Total	465.71	849.38	ND	1182.98	39.37	45.47	1.68
Average	35.82	35.39	ND	197.16	3.28	3.79	0.14
Maximum	53.43	90.66	ND	221.65	5.21	11.88	0.68
Minimum	10.80	0.00	ND	175.12	0.48	0.99	0.02
Rolling	38.28	9.82		88.02	2.28	8.74	0.41
Excess		12		0	8	0	4
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	11	0		18	12	12	12
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/06/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	13.94	31.03	1.28	87846	63302	53806	249	74
02:00	59.01	46.33	0.14	86824	68326	58077	245	102
03:00	88.69	43.24	0.14	88958	65958	56063	253	103
04:00	82.59	44.80	0.14	90092	65804	55933	257	104
05:00	111.97	44.32	0.14	91370	64833	55107	258	104
06:00	116.13	43.99	0.14	95454	68296	58051	260	105
07:00	147.68	40.06	0.14	95270	71884	61102	261	105
08:00	149.67	94.52	0.10	95212	68616	58325	260	105
09:00	149.02	67.52	0.15	96528	85280	72488	255	106
10:00	144.19	64.03	0.14	97810	77160	65586	256	110
11:00	45.58	64.51	2.45	108162	87190	74112	265	115
12:00	4.69	128.75	7.07	123750	85008	72258	275	114
13:00	0.90	141.97	6.02	125488	89120	75754	281	140
14:00	12.16	132.08	9.79	119412	62418	53055	284	162
15:00	0.25	103.86	1.80	101626	80862	68732	271	144
16:00	8.21	95.06	4.72	109752	81966	69672	265	143
17:00	67.98	136.07	20.94	115788	83154	70680	281	164
18:00	102.33	76.47	12.05	122778	94850	80624	286	172
19:00	68.16	365.50	8.23	131072	99180	84304	291	173
20:00	0.01	302.84	1.40	146340	103328	87828	296	175
21:00	0.00	344.48	1.51	150616	105770	89904	298	175
22:00	0.01	323.02	2.34	152800	104866	89136	298	176
23:00	0.00	275.97	2.19	151756	109066	92704	299	177
24:00	0.20	271.09	2.88	151556	106396	90436	299	176
Average	57.22	136.73	3.58	114011	83026	70572	273	134
Maximum	149.67	365.50	20.94	152800	109066	92704	299	177
Minimum	0.00	31.03	0.10	86824	62418	53055	245	74
Rolling	16.08	61.93	4.71	85477	68685	60280	117	74
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	91.67	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/07/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	52.31	0.00	0.000	184.57	3.53X	1.72	0.03
02:00	52.31	0.00	0.000	199.08	3.81X	2.09	0.04
03:00	53.44	0.00	0.000	203.30	3.80X	2.79	0.05
04:00	54.55	0.00	0.000	208.20	3.82X	1.47	0.03
05:00	54.56	0.00	0.000	208.70	3.83X	0.65	0.01
06:00	55.19	0.00	0.000	209.94	3.80X	2.20	0.04
07:00	54.56	0.00	0.000	212.07	3.89X	1.14	0.02
08:00	54.00	0.00	0.000	207.00	3.83X	0.46	0.01
09:00	51.18	0.00	0.000	216.31	4.23X	2.36	0.05
10:00	52.30	0.04	0.001	232.06	4.44X	0.88	0.02
11:00	53.42	0.96	0.018	242.75	4.54X	2.22	0.04
12:00	55.73	0.05	0.001	236.27	4.24X	2.03	0.04
13:00	57.44	0.00	0.000	239.71	4.17X	0.00	0.00
14:00	58.56	1.12	0.019	145.22	2.48	1.91	0.03
15:00	26.74	2.69	0.101	20.42	0.76	0.13	0.01
16:00	0.15	11.87	0.101	95.88	0.76	6.22	0.01
17:00	28.29	133.50X	0.000	120.93	0.00	41.40X	0.00
18:00	34.67	8.03	0.230	257.16	5.41X	8.67	0.17X
19:00	40.94	4.59	0.113	188.26	4.60X	8.93	0.22X
20:00	57.35	3.30	0.058	198.11	3.46X	8.94	0.16
21:00	70.55	0.92	0.013	236.16	3.35X	6.08	0.09
22:00	81.86	1.30	0.016	179.82	2.20	8.81	0.11
23:00	88.67	0.00	0.000	175.76	1.98	5.60	0.06
24:00	67.14	0.00	0.000	44.20	0.66	0.06	0.00
Total	1255.91	168.38	ND	4461.88	77.59	116.76	1.21
Average	52.33	7.02	ND	185.91	3.23	4.86	0.05
Maximum	88.67	133.50	ND	257.16	5.41	41.40	0.22
Minimum	0.15	0.00	ND	20.42	0.00	0.00	0.00
Rolling	36.87	9.69		87.58	2.30	7.84	0.41
Excess		1		0	17	1	2
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/07/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	284.77	2.35	152024	105436	89620	299	177
02:00	0.00	307.41	2.86	151904	110776	94158	299	176
03:00	0.00	314.92	3.81	151384	108106	91888	299	175
04:00	0.00	324.53	2.02	150480	104636	88940	299	174
05:00	0.00	320.93	0.89	152524	106396	90436	299	178
06:00	0.00	325.89	3.02	151084	105540	89710	299	176
07:00	0.00	330.16	1.57	150684	106396	90436	299	176
08:00	0.00	265.58	0.64	177592	141564	120334	263	175
09:00	0.00	252.71	2.45	190112	135304	115006	259	175
10:00	0.03	270.79	0.92	194004	148436	126170	273	177
11:00	0.83	293.87	2.40	186988	130544	110962	271	179
12:00	0.04	296.23	2.26	178288	134356	114204	263	179
13:00	0.00	297.66	0.00	179648	141324	120122	262	179
14:00	0.95	169.35	1.97	189268	136424	115962	258	176
15:00	2.27	23.98	0.14	183724	138376	117622	237	124
16:00	8.89	100.57	5.65	200596	165120	140352	232	144
17:00	103.80	146.24	40.88	192596	116562	99078	236	178
18:00	9.43	416.23	12.11	138816	107594	91458	268	175
19:00	4.74	275.59	11.46	157476	152060	129248	280	169
20:00	2.47	201.69	8.08	213416	180556	153472	241	170
21:00	0.61	214.84	4.91	231780	176420	149956	223	169
22:00	0.85	164.91	7.16	228040	172416	146552	217	169
23:00	0.00	170.96	4.37	210544	63644	54096	223	169
24:00	0.00	118.44	0.14	81204	60063	51052	246	137
Average	5.62	245.34	5.09	174757	127002	107951	264	170
Maximum	103.80	416.23	40.88	231780	180556	153472	299	179
Minimum	0.00	23.98	0.00	81204	60063	51052	217	124
Rolling	16.05	65.71	4.53	84791	66657	58243	123	74
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	92.86	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W. Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/08/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	0.37	0.00	0.000	48.38	4.32X	0.06	2.17X
02:00	0.00	1.16	0.000	55.97	4.32X	0.06	2.17X
03:00	1.10	34.70X	0.000	127.44	4.32X	8.56	2.17X
04:00	42.42	45.30X	0.000	152.88	4.32X	14.65	0.36X
05:00	53.39	0.24	0.005	168.46	3.16X	8.81	0.17X
06:00	65.88	0.00	0.000	212.15	3.22X	5.57	0.08
07:00	76.69	0.00	0.000	219.73	2.87X	8.15	0.11
08:00	84.17	0.00	0.000	249.43	2.96X	6.87	0.08
09:00	88.11	0.00	0.000	219.59	2.49	16.03X	0.18X
10:00	89.26	0.00	0.000	192.24	2.15	20.03X	0.22X
11:00	92.70	0.00	0.000	195.53	2.11	20.58X	0.22X
12:00	92.18	15.73	0.171	113.64	1.23	65.75X	0.71X
13:00	91.61	22.60	0.247	120.85	1.32	55.33X	0.60X
14:00	91.59	18.21	0.199	162.05	1.77	29.41X	0.32X
15:00	93.28	28.02	0.300X	203.80	2.18	23.33X	0.25X
16:00	83.03	39.23X	0.472X	89.13	1.07	13.47	0.16X
17:00	17.19	49.14X	2.890X	37.09	2.17	0.08	0.16X
18:00	0.09	50.16X	2.890X	34.19	2.17	0.10	0.16X
19:00	0.00	48.38X	2.890X	36.76	2.17	0.10	0.16X
20:00	0.00	1.22	2.890X	35.63	2.17	0.09	0.16X
21:00	0.00	0.00	0.000	27.83	2.17	0.10	0.16X
22:00	0.00	0.00	0.000	25.45	2.17	0.10	0.16X
23:00	0.00	0.06	0.000	20.82	2.17	0.11	0.16X
24:00	0.00	0.66	0.000	19.55	2.17	0.10	0.16X
Total	1063.06	354.81	ND	2768.59	61.17	297.44	11.30
Average	44.29	14.78	ND	115.36	2.55	12.39	0.47
Maximum	93.28	50.16	ND	249.43	4.32	65.75	2.17
Minimum	0.00	0.00	ND	19.55	1.07	0.06	0.08
Rolling	35.35	9.49		86.14	2.31	7.47	0.43
Excess		6		0	8	7	21
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	100.00	100.00
MDT Per	0	0		0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/08/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	134.80	0.14	78722	60854	51725	249	123
02:00	2.12	146.43	0.14	83616	85258	72470	248	117
03:00	44.03	224.50	13.35	126442	94022	79918	261	128
04:00	54.02	245.38	21.51	139724	104518	88840	273	162
05:00	0.26	224.77	10.61	170976	147304	125210	270	168
06:00	0.00	203.16	4.71	224096	196772	167252	230	171
07:00	0.00	185.29	6.10	247868	195816	166440	217	171
08:00	0.00	211.39	5.17	247692	195396	166084	219	173
09:00	0.00	184.40	11.94	250000	195708	166356	219	175
10:00	0.00	161.33	14.90	250000	195396	166084	219	171
11:00	0.00	163.82	15.28	250000	196184	166756	218	171
12:00	9.46	95.16	48.83	250000	195816	166440	218	170
13:00	13.65	101.56	41.26	250000	195028	165772	220	169
14:00	11.00	136.28	21.93	249996	195396	166084	220	168
15:00	21.70	216.90	22.14	211888	152156	129334	261	167
16:00	34.23	127.35	13.56	160988	92146	78324	275	168
17:00	58.40	73.26	0.14	120768	100734	85622	255	160
18:00	57.33	54.95	0.14	136760	105500	89676	246	161
19:00	54.89	58.12	0.14	137344	98314	83566	242	162
20:00	1.43	57.66	0.14	133676	106466	90496	239	161
21:00	0.00	42.30	0.14	141572	109486	93064	236	160
22:00	0.00	39.23	0.14	139228	102776	87360	236	160
23:00	0.07	30.44	0.14	146836	115744	98380	234	160
24:00	0.71	28.64	0.14	146072	106290	90346	233	160
Average	15.14	131.13	10.53	178928	139295	118400	239	161
Maximum	58.40	245.38	48.83	250000	196772	167252	275	175
Minimum	0.00	28.64	0.14	78722	60854	51725	217	117
Rolling	15.56	65.18	4.50	82864	65009	56528	124	74
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	93.75	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/09/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	0.00	1.82	2.200X	19.11	3.98X	0.10	0.00
02:00	0.00	8.00	2.200X	37.44	3.98X	0.08	0.00
03:00	0.00	4.37	2.200X	41.54	3.98X	0.06	0.00
04:00	0.00	0.51	2.200X	61.41	3.98X	0.13	0.00
05:00	0.00	15.98	2.200X	79.46	3.98X	0.16	0.00
06:00	0.00	22.75	2.200X	60.26	3.98X	0.10	0.00
07:00	0.00	11.19	2.200X	26.35	3.98X	0.06	0.00
08:00	0.00	0.03	2.200X	13.28	3.98X	OC	OC
09:00	0.00	0.21	2.200X	27.22	3.98X	OC	OC
10:00	0.00	1.62	2.200X	22.61	3.98X	OC	OC
11:00	0.00	9.89	2.200X	28.68	3.98X	OC	OC
12:00	0.00	69.84X	2.200X	39.63	3.98X	OC	OC
13:00	0.00	111.95X	2.200X	287.09X	3.98X	OC	OC
14:00	0.00	105.96X	2.200X	44.83	3.98X	OC	OC
15:00	0.00	51.59X	2.200X	41.56	3.98X	OC	OC
16:00	0.00	32.66X	2.200X	43.99	3.98X	OC	OC
17:00	10.76	151.15X	2.200X	211.25	3.98X	OC	OC
18:00	42.56	91.99X	2.200X	314.16X	7.51X	OC	OC
19:00	39.77	91.99X	2.313X	148.45	3.73X	OC	OC
20:00	55.14	20.99	0.385X	219.80	3.98X	OC	OC
21:00	54.00	0.00	0.000	210.67	3.90X	OC	OC
22:00	57.99	0.00	0.000	274.88X	4.74X	OC	OC
23:00	65.91	0.00	0.000	286.93X	4.35X	OC	OC
24:00	68.76	0.00	0.000	277.57X	4.04X	OC	OC
Total	394.89	804.49	ND	2818.17	99.91	0.69	0.00
Average	16.45	33.52	ND	117.42	4.16	0.10	0.00
Maximum	68.76	151.15	ND	314.16	7.51	0.16	0.00
Minimum	0.00	0.00	ND	13.28	3.73	0.06	0.00
Rolling Excess	33.87	9.92		85.11	2.34	6.80	0.42
		8		5	24	0	0
Uptm %	100.00	100.00		100.00	100.00	29.17	29.17
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	17	17
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	79.76	79.76
MDT Per	0	0		0	0	17	17

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/09/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	1.91	28.02	0.14	145944	112148	95326	232	160
02:00	11.85	76.29	0.14	107330	70082	59570	215	148
03:00	7.73	101.73	0.14	82984	61967	52672	199	146
04:00	0.36	75.39	0.14	176972	171684	145932	209	144
05:00	10.89	75.09	0.14	219900	178564	151776	213	108
06:00	29.03	93.76	0.14	136380	61163	51988	214	120
07:00	21.42	69.55	0.14	79126	64793	55072	216	113
08:00	0.06	30.49	OC	88570	102226	86894	219	83
09:00	0.25	45.70	OC	125576	97754	83092	222	76
10:00	2.48	47.43	OC	101154	78182	66454	227	75
11:00	14.67	60.38	OC	100774	88694	75392	230	116
12:00	96.06	75.67	OC	112738	83536	71006	238	127
13:00	149.74	532.94	OC	115940	91144	77474	239	125
14:00	142.63	84.19	OC	114854	81082	68918	238	124
15:00	75.09	84.30	OC	105528	79812	67840	233	126
16:00	48.39	84.96	OC	110344	102284	86940	233	128
17:00	108.49	204.05	OC	212524	182328	154976	260	139
18:00	59.70	284.19	OC	249908	181252	154060	272	159
19:00	59.86	134.55	OC	249824	181072	153908	273	159
20:00	13.68	200.06	OC	249948	187852	159672	276	161
21:00	0.00	181.09	OC	249944	187560	159424	235	160
22:00	0.00	235.18	OC	249960	193208	164224	232	161
23:00	0.00	243.30	OC	249988	193620	164572	226	162
24:00	0.00	235.03	OC	250000	193828	164752	225	165
Average	35.60	136.81	0.14	161925	126076	107164	232	133
Maximum	149.74	532.94	0.14	250000	193828	164752	276	165
Minimum	0.00	28.02	0.14	79126	61163	51988	199	75
Rolling	15.10	64.19	4.23	80596	63107	54606	125	72
Uptm %	100.00	100.00	29.17	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	17	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	86.57	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	29	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/10/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	70.54	0.00	0.000	304.59X	4.32X	OC	OC
02:00	75.59	0.00	0.000	234.57	3.10X	OC	OC
03:00	80.76	0.00	0.000	201.63	2.50	OC	OC
04:00	82.99	0.00	0.000	205.78	2.48	OC	OC
05:00	84.20	0.00	0.000	147.32	1.75	OC	OC
06:00	85.88	0.00	0.000	167.18	1.95	OC	OC
07:00	89.83	0.00	0.000	165.11	1.84	OC	OC
08:00	94.39	0.00	0.000	174.42	1.85	20.77X	0.22X
09:00	93.85	0.00	0.000	220.75	2.35	8.20	0.09
10:00	93.85	0.00	0.000	213.03	2.27	13.83	0.15
11:00	93.85	0.00	0.000	219.33	2.34	8.47	0.09
12:00	94.41	0.00	0.000	208.29	2.21	9.03	0.10
13:00	93.85	0.00	0.000	205.61	2.19	11.01	0.12
14:00	94.41	0.00	0.000	197.01	2.09	10.96	0.12
15:00	93.85	0.77	0.008	201.08	2.14	12.41	0.13
16:00	93.86	7.71	0.082	222.73	2.37	9.92	0.11
17:00	94.41	9.03	0.096	211.59	2.24	12.21	0.13
18:00	94.41	6.18	0.065	216.19	2.29	10.23	0.11
19:00	93.28	4.72	0.051	215.20	2.31	7.48	0.08
20:00	94.41	8.31	0.088	195.28	2.07	13.06	0.14
21:00	93.85	11.64	0.124	203.42	2.17	11.61	0.12
22:00	94.42	8.49	0.090	177.86	1.88	22.42X	0.24X
23:00	93.86	2.12	0.023	82.65	0.88	18.14X	0.19X
24:00	48.47	3.28	0.068	46.36	0.96	0.56	0.01
Total	2123.22	62.23	ND	4636.98	52.55	200.31	2.13
Average	88.47	2.59	ND	193.21	2.19	11.78	0.13
Maximum	94.42	11.64	ND	304.59	4.32	22.42	0.24
Minimum	48.47	0.00	ND	46.36	0.88	0.56	0.01
Rolling	33.77	9.32		86.61	2.28	6.44	0.33
Excess		0		1	2	3	3
Uptm %	100.00	100.00		100.00	100.00	70.83	70.83
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	7	7
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	77.78	77.78
MDT Per	0	0		0	0	24	24

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/10/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	258.34	OC	250000	193412	164400	226	166
02:00	0.00	197.85	OC	250000	194608	165416	222	161
03:00	0.00	169.67	OC	250000	195628	166284	221	164
04:00	0.00	173.23	OC	250000	194188	165060	222	164
05:00	0.00	124.50	OC	250000	194188	165060	224	165
06:00	0.00	141.27	OC	250000	194188	165060	224	165
07:00	0.00	139.76	OC	250000	193828	164752	225	165
08:00	0.00	151.19	15.94	244072	190468	161892	225	166
09:00	0.00	191.29	6.30	245248	192996	164044	228	170
10:00	0.00	183.25	10.59	246784	181468	154244	227	172
11:00	0.00	197.13	6.75	235328	185080	157316	225	171
12:00	0.00	186.58	7.17	235836	182132	154812	224	172
13:00	0.00	185.92	8.83	234480	177348	150744	226	171
14:00	0.00	171.83	8.48	243144	193412	164400	227	170
15:00	0.47	170.03	9.31	250000	194396	165240	224	170
16:00	4.68	188.36	7.44	249980	193208	164224	224	171
17:00	5.52	180.02	9.21	249976	192844	163916	228	172
18:00	3.77	183.88	7.72	249980	192996	164044	228	171
19:00	3.03	190.52	5.89	239708	177044	150484	228	172
20:00	5.31	174.37	10.30	238008	193208	164224	227	173
21:00	7.25	176.21	8.91	245584	184404	156744	229	173
22:00	5.88	181.43	22.15	215300	136120	115700	249	173
23:00	3.19	118.35	22.27	129144	86918	73880	265	173
24:00	4.27	77.40	0.77	126656	98290	83546	267	129
Average	1.81	171.35	9.88	234551	179682	152729	230	167
Maximum	7.25	258.34	22.27	250000	195628	166284	267	173
Minimum	0.00	77.40	0.77	126656	86918	73880	221	129
Rolling	13.46	63.26	4.36	81059	63275	54458	126	72
Uptm %	100.00	100.00	70.83	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	7	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	85.00	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	36	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/11/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	11.33	0.33	0.030	139.98	12.36X	1.44	0.13
02:00	37.43	0.00	0.000	128.18	3.44X	0.56	0.02
03:00	29.54	0.00	0.000	184.28	6.24X	0.60	0.02
04:00	34.67	0.00	0.000	198.60	5.73X	0.95	0.03
05:00	38.61	0.00	0.000	195.75	5.07X	1.81	0.05
06:00	47.72	0.00	0.000	216.29	4.53X	3.41	0.07
07:00	55.71	0.00	0.000	208.73	3.75X	5.07	0.09
08:00	59.67	0.00	0.000	181.74	3.04X	OC	OC
09:00	63.13	0.00	0.000	188.06	2.98X	7.30	0.12
10:00	64.83	0.00	0.000	132.75	2.05	12.74	0.20X
11:00	64.84	0.00	0.000	138.44	2.13	13.79	0.21X
12:00	66.52	2.59	0.039	96.06	1.44	8.60	0.13
13:00	26.66	12.28	0.461X	60.88	2.28	3.11	0.12
14:00	8.56	74.18X	8.356X	113.29	5.00X	22.84X	1.95X
15:00	49.25	7.87	0.149	149.43	2.78	15.47	0.25X
16:00	58.01	1.03	0.018	122.28	2.11	27.70X	0.48X
17:00	64.82	0.01	0.000	179.68	2.77	5.69	0.09
18:00	71.66	0.00	0.000	218.33	3.05X	4.29	0.06
19:00	73.93	0.00	0.000	271.00X	3.67X	2.06	0.03
20:00	71.12	0.00	0.000	250.45	3.52X	2.48	0.03
21:00	67.09	0.00	0.000	265.77	3.96X	2.15	0.03
22:00	63.73	0.00	0.000	266.29	4.18X	2.30	0.04
23:00	62.59	0.00	0.000	291.20X	4.65X	2.59	0.04
24:00	63.15	0.00	0.000	189.19	3.00X	24.14X	0.38X
Total	1254.57	98.30	ND	4386.65	93.73	171.09	4.54
Average	52.27	4.10	ND	182.78	3.91	7.44	0.20
Maximum	73.93	74.18	ND	291.20	12.36	27.70	1.95
Minimum	8.56	0.00	ND	60.88	1.44	0.56	0.01
Rolling	32.65	8.77		86.18	2.31	6.00	0.31
Excess		1		2	17	3	6
Uptm %	100.00	100.00		100.00	100.00	95.83	95.83
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	1	1
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	81.06	81.06
MDT Per	0	0		0	0	25	25

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/11/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.38	214.32	1.96	147880	113896	96810	273	132
02:00	0.00	174.22	0.71	162292	138448	117682	257	172
03:00	0.00	171.82	0.48	236684	173508	147480	253	172
04:00	0.00	252.88	1.08	174748	115180	97902	260	173
05:00	0.00	285.87	2.34	153060	113384	96374	263	172
06:00	0.00	320.98	4.49	150468	109066	92706	263	173
07:00	0.00	314.19	6.79	148388	108954	92614	264	172
08:00	0.00	274.05	OC	149560	108930	92590	270	170
09:00	0.00	280.14	9.67	153000	110296	93752	278	171
10:00	0.00	196.67	16.76	154220	109898	93414	280	172
11:00	0.00	165.61	15.41	192372	152192	129362	285	172
12:00	2.73	113.91	8.51	177316	109334	92930	278	154
13:00	12.66	91.36	3.64	146156	124920	106182	260	143
14:00	66.58	136.10	25.25	186736	134336	114186	275	172
15:00	5.78	156.43	14.28	214156	171916	146128	264	174
16:00	0.68	107.63	22.14	242396	197576	167936	234	172
17:00	0.01	151.91	4.26	247260	189212	160828	217	173
18:00	0.00	184.82	3.22	247776	195816	166440	219	173
19:00	0.00	231.06	1.56	244940	190976	162332	216	174
20:00	0.00	216.47	1.90	241188	187220	159132	215	174
21:00	0.00	228.59	1.64	242572	191852	163068	215	174
22:00	0.00	229.85	1.76	242736	193180	164204	218	177
23:00	0.00	250.86	1.98	243204	195816	166440	218	177
24:00	0.00	161.97	18.30	245008	190792	162172	219	178
Average	3.70	204.65	7.31	197672	151112	128444	250	169
Maximum	66.58	320.98	25.25	247776	197576	167936	285	178
Minimum	0.00	91.36	0.48	146156	108930	92590	215	132
Rolling	11.92	63.69	4.45	80309	62434	53448	127	72
Uptm %	100.00	100.00	95.83	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	1	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	85.98	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	37	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report**

Daily Report for 12/12/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	69.99	0.00	0.000	138.81	1.98	50.42X	0.72X
02:00	71.67	0.00	0.000	163.60	2.28	28.88X	0.40X
03:00	76.75	0.00	0.000	195.23	2.54	10.76	0.14
04:00	81.89	0.00	0.000	196.53	2.40	11.81	0.14
05:00	82.99	0.00	0.000	212.05	2.55	9.13	0.11
06:00	84.20	0.00	0.000	173.71	2.06	27.86X	0.33X
07:00	89.27	19.82	0.222	161.14	1.81	34.16X	0.38X
08:00	88.16	120.89X	1.371X	165.21	1.87	35.61X	0.40X
09:00	71.14	0.00	0.000	48.78	0.68	0.32	0.00
10:00	1.10	0.00	0.000	164.87	3.52X	1.64	1.49X
11:00	41.96	0.00	0.000	130.40	3.52X	18.68X	0.45X
12:00	51.70	0.00	0.000	114.48	2.21	20.07X	0.39X
13:00	59.13	0.00	0.000	214.02	3.62X	2.89	0.05
14:00	63.70	0.00	0.000	231.15	3.63X	1.55	0.02
15:00	68.78	0.00	0.000	197.94	2.88X	3.93	0.06
16:00	75.62	0.00	0.000	158.99	2.10	21.38X	0.28X
17:00	81.88	0.00	0.000	186.88	2.28	8.97	0.11
18:00	86.44	0.02	0.000	270.49X	3.13X	3.90	0.05
19:00	85.88	0.00	0.000	329.73X	3.84X	3.13	0.04
20:00	85.89	0.00	0.000	346.21X	4.03X	2.10	0.02
21:00	82.46	0.00	0.000	330.84X	4.01X	1.50	0.02
22:00	81.33	0.00	0.000	306.71X	3.77X	1.31	0.02
23:00	81.88	0.00	0.000	297.36X	3.63X	1.39	0.02
24:00	84.20	0.00	0.000	227.63	2.70	0.90	0.01
Total	1748.01	140.73	ND	4962.76	67.04	302.29	5.66
Average	72.83	5.86	ND	206.78	2.79	12.60	0.24
Maximum	89.27	120.89	ND	346.21	4.03	50.42	1.49
Minimum	1.10	0.00	ND	48.78	0.68	0.32	0.00
Rolling	32.56	8.42		87.66	2.34	5.90	0.29
Excess		1		6	11	8	9
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	100.00	100.00		100.00	100.00	83.97	83.97
MDT Per	0	0		0	0	25	25

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/12/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	118.21	38.16	244868	192324	163476	215	178
02:00	0.00	138.64	21.71	246508	194608	165416	216	178
03:00	0.00	166.58	8.12	248352	182316	154968	226	178
04:00	0.00	166.95	8.88	248664	194816	165592	224	177
05:00	0.00	180.26	6.89	249964	192436	163568	228	178
06:00	0.00	148.57	21.16	250000	191676	162924	232	178
07:00	19.25	148.49	29.87	230440	117470	99846	242	177
08:00	123.31	235.87	44.70	158344	109756	93296	271	177
09:00	0.00	116.09	0.49	86256	60311	51264	255	165
10:00	0.00	272.28	2.37	134036	103866	88286	265	159
11:00	0.00	203.15	23.56	149436	102206	86876	275	166
12:00	0.00	164.55	22.59	164552	145876	123996	266	169
13:00	0.00	182.47	2.48	243180	196924	167388	216	168
14:00	0.00	195.07	1.16	246848	195924	166532	214	169
15:00	0.00	165.96	2.92	249776	195572	166236	218	170
16:00	0.00	133.00	15.86	249924	196184	166756	217	170
17:00	0.00	156.92	6.67	249904	194520	165336	219	170
18:00	0.01	226.95	2.90	249884	195816	166440	219	167
19:00	0.00	280.74	2.36	244636	196772	167252	214	166
20:00	0.00	289.00	1.55	249792	195224	165940	215	169
21:00	0.00	275.08	1.11	249712	198608	168812	212	178
22:00	0.00	253.79	0.96	249568	198608	168812	209	180
23:00	0.00	245.80	1.02	249776	198984	169140	208	179
24:00	0.00	188.31	0.66	248416	195464	166148	206	179
Average	5.94	193.86	11.17	224702	172761	146846	228	173
Maximum	123.31	289.00	44.70	250000	198984	169140	275	180
Minimum	0.00	116.09	0.49	86256	60311	51264	206	159
Rolling	10.76	66.63	4.44	82972	64431	54957	129	72
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	87.15	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	37	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/13/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	75.61	0.00	0.000	230.18	3.04X	0.14	0.00
02:00	65.99	0.00	0.000	267.09	4.05X	0.82	0.01
03:00	69.97	0.00	0.000	274.13X	3.92X	1.74	0.02
04:00	75.59	0.00	0.000	220.20	2.91X	3.75	0.05
05:00	83.60	0.00	0.000	286.33X	3.42X	2.15	0.03
06:00	85.89	0.00	0.000	281.45X	3.28X	2.40	0.03
07:00	88.13	0.00	0.000	276.54X	3.14X	2.43	0.03
08:00	91.04	0.00	0.000	274.44X	3.01X	4.26	0.05
09:00	91.03	0.00	0.000	256.81	2.82X	4.79	0.05
10:00	91.03	0.00	0.000	245.73	2.70	6.05	0.07
11:00	91.58	0.00	0.000	266.51	2.91X	5.41	0.06
12:00	92.71	0.00	0.000	305.97X	3.30X	4.96	0.05
13:00	91.05	0.00	0.000	249.31	2.74	28.51X	0.31X
14:00	ND	ND	ND	ND	ND	ND	ND
15:00	93.82	1.58	0.017	156.28	1.67	49.91X	0.53X
16:00	93.86	0.00	0.000	236.94	2.52	32.26X	0.34X
17:00	93.95	63.68X	0.677X	89.05	0.95	66.15X	0.70X
18:00	93.84	5.24	0.056	117.51	1.25	65.50X	0.70X
19:00	93.91	1.56	0.017	161.86	1.72	60.56X	0.64X
20:00	93.87	33.61X	0.358X	133.78	1.43	63.35X	0.67X
21:00	93.97	4.11	0.044	190.13	2.02	61.04X	0.65X
22:00	95.24	0.00	0.000	197.61	2.08	57.54X	0.60X
23:00	96.79	0.00	0.000	176.82	1.83	61.66X	0.64X
24:00	24.15	6.04	0.000	69.48	1.83	17.37X	0.64X
Total	1966.62	115.83	ND	4964.15	58.54	602.75	6.89
Average	85.51	5.04	ND	215.83	2.55	26.21	0.30
Maximum	96.79	63.68	ND	305.97	4.05	66.15	0.70
Minimum	24.15	0.00	ND	69.48	0.95	0.14	0.00
Rolling	32.16	8.55		88.89	2.36	6.30	0.29
Excess		3		6	11	12	12
Uptm %	95.83	95.83		95.83	95.83	95.83	95.83
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	1	1		1	1	1	1
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.45	99.68		99.43	99.44	85.56	85.56
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/13/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	194.11	0.11	246940	193668	164616	214	182
02:00	0.00	224.54	0.61	247992	196008	166604	215	183
03:00	0.00	230.21	1.30	247064	197408	167792	212	183
04:00	0.00	183.05	2.76	249016	198824	168996	210	183
05:00	0.00	236.72	1.58	248976	197560	167924	206	182
06:00	0.00	232.89	1.76	249128	196076	166660	208	182
07:00	0.00	230.34	1.80	249384	197416	167800	212	179
08:00	0.00	239.85	3.30	237552	184036	156428	212	178
09:00	0.00	224.74	3.71	237204	187368	159264	212	181
10:00	0.00	204.62	4.46	249028	197576	167936	211	183
11:00	0.00	221.86	3.99	249720	197604	167964	213	178
12:00	0.00	253.47	3.64	249912	197492	167868	210	173
13:00	0.00	206.56	20.99	249888	197200	167620	211	176
14:00	ND	ND	ND	ND	197576	167936	ND	ND
15:00	0.95	131.80	38.92	239316	204256	173616	205	182
16:00	0.00	192.42	23.32	250984	199772	169808	200	183
17:00	37.81	73.26	48.30	247400	199832	169852	199	184
18:00	3.10	97.78	48.30	244372	197724	168064	198	183
19:00	0.94	136.75	45.29	242656	192576	163688	203	185
20:00	20.61	114.38	48.02	241616	189176	160796	209	183
21:00	2.48	158.70	45.16	249180	198852	169024	213	181
22:00	0.00	164.08	42.40	251788	198852	169024	217	180
23:00	0.00	146.43	45.29	251192	199284	169392	213	181
24:00	8.32	79.22	12.78	163988	86396	73436	231	175
Average	3.23	181.64	19.47	243230	191772	163005	210	181
Maximum	37.81	253.47	48.30	251788	204256	173616	231	185
Minimum	0.00	73.26	0.11	163988	86396	73436	198	173
Rolling	10.38	72.37	5.09	90165	69970	59623	132	76
Uptm %	95.83	95.83	95.83	95.83	100.00	100.00	95.83	95.83
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	1	1	1	1	0	0	1	1
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.68	99.68	87.82	99.68	100.00	100.00	99.68	99.68
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/14/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	43.84	49.33X	0.000	85.97	1.89	12.33	0.27X
02:00	62.34	0.00	0.000	117.65	1.89	4.32	0.07
03:00	71.78	0.00	0.000	133.88	1.87	4.59	0.06
04:00	78.75	0.00	0.000	180.34	2.29	5.13	0.06
05:00	86.01	0.00	0.000	294.38X	3.41X	10.14	0.12
06:00	89.31	0.00	0.000	373.55X	4.20X	8.83	0.10
07:00	80.00	0.00	0.000	427.66X	5.35X	4.58	0.06
08:00	14.18	66.09X	0.000	133.37	5.35X	0.91	0.06
09:00	42.66	0.00	0.000	301.22X	6.71X	5.97	0.13
10:00	53.09	0.00	0.000	342.57X	6.47X	9.99	0.19X
11:00	61.00	0.00	0.000	384.90X	6.30X	11.67	0.19X
12:00	67.92	0.00	0.000	394.23X	5.81X	12.47	0.18X
13:00	70.05	2.96	0.041	318.78X	4.56X	7.87	0.11
14:00	73.97	3.00	0.041	298.20X	4.03X	6.65	0.09
15:00	77.78	15.53	0.196	230.49	2.98X	6.90	0.09
16:00	78.78	9.19	0.116	295.98X	3.75X	6.99	0.09
17:00	70.29	5.25	0.075	232.54	3.31X	4.64	0.07
18:00	71.07	5.00	0.070	206.52	2.91X	3.80	0.05
19:00	71.08	4.31	0.061	220.20	3.10X	4.17	0.06
20:00	72.90	3.58	0.049	230.19	3.16X	4.87	0.07
21:00	73.98	2.06	0.028	241.80	3.27X	5.43	0.07
22:00	73.97	1.16	0.016	246.32	3.33X	4.82	0.07
23:00	74.54	0.19	0.003	239.82	3.22X	5.08	0.07
24:00	74.89	0.03	0.000	246.73	3.29X	5.34	0.07
Total	1634.18	167.66	ND	6177.29	92.45	157.49	2.40
Average	68.09	6.99	ND	257.39	3.85	6.56	0.10
Maximum	89.31	66.09	ND	427.66	6.71	12.47	0.27
Minimum	14.18	0.00	ND	85.97	1.87	0.91	0.05
Rolling	31.15	7.82		90.99	2.43	6.17	0.29
Excess		2		10	20	0	4
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.51	99.70		99.49	99.51	87.25	87.25
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/14/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	50.40	101.31	15.39	171732	167220	142136	231	144
02:00	0.00	114.55	3.73	211460	169636	144188	207	171
03:00	0.00	126.68	3.85	218208	174960	148712	208	178
04:00	0.00	163.28	4.06	228120	238904	203072	208	180
05:00	0.00	202.37	6.18	299992	237860	202180	208	178
06:00	0.00	258.45	5.41	299984	236112	200696	212	181
07:00	0.00	306.31	2.96	292680	179576	152640	218	181
08:00	69.93	173.76	1.26	179268	177680	151028	286	152
09:00	0.00	241.45	4.23	290864	212176	180348	296	140
10:00	0.00	270.55	7.01	286608	200468	170396	273	165
11:00	0.00	306.06	8.23	288168	208132	176916	281	181
12:00	0.00	312.03	8.75	296536	213856	181780	299	179
13:00	1.50	231.37	5.10	299952	235412	200100	244	177
14:00	1.51	208.63	4.13	299904	235160	199888	219	177
15:00	7.78	160.95	4.27	299992	235160	199888	218	178
16:00	4.61	206.78	4.33	299992	233520	198496	219	179
17:00	2.65	163.86	2.90	299976	233268	198280	224	179
18:00	2.90	166.14	2.71	263056	209040	177684	225	179
19:00	2.34	166.64	2.80	280376	214652	182452	227	179
20:00	1.92	171.91	3.23	283064	226908	192876	224	179
21:00	1.08	176.59	3.52	288264	219260	186372	221	178
22:00	0.62	181.86	3.15	282512	223100	189636	215	179
23:00	0.10	176.82	3.32	281968	222760	189340	213	179
24:00	0.02	180.07	3.46	284192	223080	189616	211	179
Average	6.14	198.68	4.75	271953	213663	181613	233	174
Maximum	69.93	312.03	15.39	299992	238904	203072	299	181
Minimum	0.00	101.31	1.26	171732	167220	142136	207	140
Rolling	8.56	73.55	5.17	96393	74946	63745	132	78
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.70	99.70	88.69	99.70	100.00	100.00	99.70	99.70
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/15/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	75.20	0.02	0.000	239.87	3.19X	6.11	0.08
02:00	80.42	0.01	0.000	188.13	2.34	14.33	0.18X
03:00	83.73	0.00	0.000	196.10	2.34	12.20	0.15
04:00	85.17	0.00	0.000	181.05	2.13	17.18X	0.20X
05:00	88.24	0.00	0.000	179.15	2.03	25.22X	0.29X
06:00	88.54	0.00	0.000	200.14	2.26	10.90	0.12
07:00	86.59	0.00	0.000	122.01	1.41	24.88X	0.29X
08:00	85.33	0.00	0.000	162.88	1.91	10.62	0.12
09:00	85.34	0.00	0.000	199.09	2.33	10.11	0.12
10:00	86.05	0.00	0.000	206.21	2.40	6.92	0.08
11:00	89.64	0.00	0.000	164.49	1.84	7.49	0.08
12:00	92.09	0.00	0.000	120.51	1.31	32.04X	0.35X
13:00	92.99	0.00	0.000	99.49	1.07	48.54X	0.52X
14:00	93.85	0.00	0.000	167.70	1.79	21.44X	0.23X
15:00	93.95	0.00	0.000	176.22	1.88	22.17X	0.24X
16:00	93.82	0.00	0.000	191.97	2.05	11.77	0.13
17:00	93.83	0.00	0.000	196.30	2.09	12.52	0.13
18:00	93.81	0.00	0.000	210.23	2.24	9.26	0.10
19:00	93.62	0.00	0.000	206.06	2.20	8.25	0.09
20:00	93.66	0.00	0.000	192.16	2.05	9.16	0.10
21:00	94.75	0.00	0.000	167.97	1.77	20.55X	0.22X
22:00	95.85	0.00	0.000	126.25	1.32	41.79X	0.44X
23:00	95.61	0.00	0.000	150.69	1.58	23.55X	0.25X
24:00	95.05	0.00	0.000	177.13	1.86	12.11	0.13
Total	2157.13	0.03	ND	4221.80	47.39	419.11	4.61
Average	89.88	0.00	ND	175.91	1.97	17.46	0.19
Maximum	95.85	0.02	ND	239.87	3.19	48.54	0.52
Minimum	75.20	0.00	ND	99.49	1.07	6.11	0.08
Rolling	31.04	7.40		89.35	2.41	6.50	0.30
Excess		0		0	1	10	11
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.56	99.72		99.55	99.56	88.60	88.60
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/15/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.01	174.20	3.93	285928	234296	199156	212	179
02:00	0.00	136.07	9.18	286360	224560	190876	211	180
03:00	0.00	142.38	7.85	286168	220908	187768	213	182
04:00	0.00	130.77	11.00	289200	234764	199552	216	181
05:00	0.00	126.12	15.78	297704	232784	197864	219	182
06:00	0.00	183.91	9.12	243908	144688	122984	265	182
07:00	0.00	138.76	25.14	205020	148220	125988	295	182
08:00	0.00	187.82	10.89	202712	141776	120512	297	182
09:00	0.00	193.67	8.97	229784	182924	155488	266	181
10:00	0.00	181.08	5.39	240424	190748	162132	223	180
11:00	0.00	172.35	7.03	199640	154164	131038	219	178
12:00	0.00	127.83	30.05	196940	155028	131772	216	177
13:00	0.00	105.37	45.63	196604	154892	131656	214	178
14:00	0.00	176.42	20.06	199144	154396	131236	218	179
15:00	0.00	188.14	20.96	197504	150688	128088	222	177
16:00	0.00	203.79	11.08	198824	150628	128036	223	176
17:00	0.00	211.42	11.96	196856	155628	132280	226	175
18:00	0.00	228.75	8.94	194600	148292	126050	226	175
19:00	0.00	223.85	7.95	195032	153072	130108	226	175
20:00	0.00	208.45	8.82	193416	147284	125192	219	173
21:00	0.00	182.05	19.75	192064	150428	127862	214	173
22:00	0.00	136.42	40.07	191496	153348	130344	210	173
23:00	0.00	162.26	22.47	192792	153104	130136	212	171
24:00	0.00	191.25	11.58	193080	154312	131164	215	172
Average	0.00	171.38	15.57	221050	170456	144887	228	178
Maximum	0.01	228.75	45.63	297704	234764	199552	297	182
Minimum	0.00	105.37	3.93	191496	141776	120512	210	171
Rolling	8.00	75.08	5.35	99940	77823	66149	131	79
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.72	99.72	89.44	99.72	100.00	100.00	99.72	99.72
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/16/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	95.50	0.00	0.000	176.79	1.85	12.51	0.13
02:00	96.47	0.00	0.000	168.41	1.75	14.62	0.15
03:00	96.44	0.00	0.000	179.50	1.86	10.47	0.11
04:00	96.71	0.00	0.000	178.56	1.85	13.72	0.14
05:00	95.22	0.00	0.000	178.16	1.87	17.11X	0.18X
06:00	93.07	0.00	0.000	204.84	2.20	11.05	0.12
07:00	92.98	0.00	0.000	202.31	2.18	10.17	0.11
08:00	93.04	0.00	0.000	214.14	2.30	8.90	0.10
09:00	93.86	0.00	0.000	208.75	2.22	13.02	0.14
10:00	93.88	0.00	0.000	195.82	2.09	15.84X	0.17X
11:00	93.88	0.00	0.000	177.15	1.89	17.33X	0.18X
12:00	93.88	0.00	0.000	170.75	1.82	12.05	0.13
13:00	93.92	0.00	0.000	164.05	1.75	11.80	0.13
14:00	93.84	0.00	0.000	163.63	1.74	12.60	0.13
15:00	93.83	0.00	0.000	152.98	1.63	13.10	0.14
16:00	93.86	0.00	0.000	156.46	1.67	13.32	0.14
17:00	93.84	0.00	0.000	169.97	1.81	9.00	0.10
18:00	93.86	0.00	0.000	155.07	1.65	13.42	0.14
19:00	93.87	0.00	0.000	160.84	1.71	16.87X	0.18X
20:00	93.93	0.00	0.000	153.93	1.64	20.12X	0.21X
21:00	93.88	0.00	0.000	177.82	1.89	10.44	0.11
22:00	93.88	0.00	0.000	176.26	1.88	11.49	0.12
23:00	93.89	0.00	0.000	158.11	1.68	21.37X	0.23X
24:00	93.84	0.00	0.000	165.24	1.76	15.39	0.16X
Total	2261.37	0.00	ND	4209.54	44.69	325.71	3.46
Average	94.22	0.00	ND	175.40	1.86	13.57	0.14
Maximum	96.71	0.00	ND	214.14	2.30	21.37	0.23
Minimum	92.98	0.00	ND	152.98	1.63	8.90	0.10
Rolling	30.98	6.13		87.90	2.41	6.77	0.30
Excess		0		0	0	6	7
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.60	99.74		99.59	99.60	89.68	89.68
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/16/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	190.23	11.93	193372	148744	126432	213	172
02:00	0.00	180.73	13.93	193292	149372	126966	211	172
03:00	0.00	191.43	9.90	193960	154236	131100	209	172
04:00	0.00	190.95	13.00	193640	151912	129130	210	173
05:00	0.00	192.52	16.40	191252	154168	131042	209	172
06:00	0.00	218.84	10.47	194036	155180	131904	211	171
07:00	0.00	216.13	9.63	193804	153756	130692	210	172
08:00	0.00	226.01	8.33	198300	153416	130404	218	171
09:00	0.00	220.71	12.22	198780	157436	133820	220	167
10:00	0.00	206.76	14.83	199308	149560	127124	221	171
11:00	0.00	189.14	16.42	199060	147508	125380	228	177
12:00	0.00	186.77	11.66	195216	148236	126000	231	177
13:00	0.00	175.39	11.17	198332	157756	134092	226	176
14:00	0.00	175.04	11.97	197840	149176	126802	225	176
15:00	0.00	168.20	12.76	193364	152160	129338	228	175
16:00	0.00	167.46	12.63	199640	153328	130330	232	174
17:00	0.00	181.15	8.51	199292	153612	130570	228	171
18:00	0.00	165.30	12.67	198772	152996	130046	226	170
19:00	0.00	170.80	15.87	199164	153972	130876	224	170
20:00	0.00	162.46	18.82	200380	155628	132280	224	171
21:00	0.00	187.16	9.74	201032	158516	134740	225	174
22:00	0.00	185.51	10.74	200900	156672	133172	224	174
23:00	0.00	166.34	19.93	201012	154468	131296	224	176
24:00	0.00	174.20	14.39	200864	156448	132980	225	177
Average	0.00	187.05	12.83	197276	153261	130272	221	173
Maximum	0.00	226.01	19.93	201032	158516	134740	232	177
Minimum	0.00	162.46	8.33	191252	147508	125380	209	167
Rolling	6.82	75.00	4.43	100616	78711	66904	129	79
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.74	99.74	90.10	99.74	100.00	100.00	99.74	99.74
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/17/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.84	0.00	0.000	164.06	1.75	13.42	0.14
02:00	93.88	0.00	0.000	158.63	1.69	16.27X	0.17X
03:00	93.79	0.00	0.000	153.71	1.64	19.05X	0.20X
04:00	93.85	0.00	0.000	143.95	1.53	25.49X	0.27X
05:00	93.88	0.00	0.000	162.25	1.73	16.98X	0.18X
06:00	93.91	0.00	0.000	154.06	1.64	22.04X	0.23X
07:00	93.87	0.00	0.000	172.34	1.84	13.75	0.15
08:00	93.88	0.00	0.000	153.61	1.64	27.70X	0.29X
09:00	93.86	0.00	0.000	152.03	1.62	23.06X	0.25X
10:00	93.87	0.00	0.000	146.20	1.56	29.49X	0.31X
11:00	93.87	0.00	0.000	143.65	1.53	27.10X	0.29X
12:00	93.87	0.00	0.000	129.72	1.38	23.35X	0.25X
13:00	93.85	0.00	0.000	138.67	1.48	22.06X	0.24X
14:00	93.86	0.00	0.000	124.18	1.32	49.56X	0.53X
15:00	93.87	0.00	0.000	111.61	1.19	52.86X	0.56X
16:00	93.84	0.00	0.000	125.39	1.34	29.82X	0.32X
17:00	93.80	0.00	0.000	127.13	1.36	31.16X	0.33X
18:00	93.90	0.00	0.000	146.16	1.56	29.16X	0.31X
19:00	93.88	0.00	0.000	140.82	1.50	35.67X	0.38X
20:00	93.89	0.00	0.000	122.58	1.31	44.07X	0.47X
21:00	93.90	0.00	0.000	113.86	1.21	45.78X	0.49X
22:00	93.86	0.00	0.000	160.21	1.71	27.80X	0.30X
23:00	93.87	0.00	0.000	165.70	1.77	32.70X	0.35X
24:00	93.82	0.00	0.000	187.52	2.00	30.35X	0.32X
Total	2252.71	0.00	ND	3498.04	37.30	688.69	7.34
Average	93.86	0.00	ND	145.75	1.55	28.70	0.31
Maximum	93.91	0.00	ND	187.52	2.00	52.86	0.56
Minimum	93.79	0.00	ND	111.61	1.19	13.42	0.14
Rolling	32.07	4.30		88.91	2.38	7.27	0.31
Excess		0		0	0	22	22
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.64	99.75		99.63	99.64	90.58	90.58
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/17/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	172.69	12.54	201036	154724	131520	225	179
02:00	0.00	166.11	15.10	201612	156624	133128	223	179
03:00	0.00	161.55	17.75	200936	154692	131492	224	177
04:00	0.00	152.00	23.88	200724	159208	135324	226	178
05:00	0.00	170.22	15.81	201340	160136	136112	224	176
06:00	0.00	161.66	20.51	200620	155540	132208	221	176
07:00	0.00	180.62	12.78	201116	159208	135324	222	177
08:00	0.00	160.13	25.63	202840	157056	133500	225	177
09:00	0.00	159.23	21.42	202124	157032	133476	225	177
10:00	0.00	153.33	27.43	201236	157032	133476	223	177
11:00	0.00	150.42	25.12	201888	153872	130792	224	178
12:00	0.00	136.64	21.77	201284	159556	135620	225	178
13:00	0.00	137.86	18.82	212468	189256	160868	220	177
14:00	0.00	109.68	38.91	238000	183768	156200	221	175
15:00	0.00	99.27	41.65	238072	181648	154396	225	177
16:00	0.00	120.91	24.71	223492	154880	131648	232	176
17:00	0.00	122.36	26.40	222380	185844	157964	232	176
18:00	0.00	126.82	22.42	246788	192312	163472	233	176
19:00	0.00	121.48	27.27	249144	186608	158612	236	176
20:00	0.00	105.34	33.53	250096	193460	164440	235	176
21:00	0.00	96.50	34.42	252116	192544	163660	232	175
22:00	0.00	136.14	20.96	251012	194328	165180	230	174
23:00	0.00	140.54	24.59	251312	196020	166620	230	174
24:00	0.00	159.50	22.89	250884	194536	165352	231	172
Average	0.00	141.71	24.01	220938	172079	146266	227	176
Maximum	0.00	180.62	41.65	252116	196020	166620	236	179
Minimum	0.00	96.50	12.54	200620	153872	130792	220	172
Rolling	5.10	71.26	4.22	102809	80649	68551	128	80
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.75	99.75	90.69	99.75	100.00	100.00	99.75	99.75
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/18/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.91	0.00	0.000	198.10	2.11	28.45X	0.30X
02:00	93.88	0.00	0.000	174.98	1.86	27.73X	0.30X
03:00	93.89	0.00	0.000	159.33	1.70	21.89X	0.23X
04:00	93.87	0.00	0.000	155.82	1.66	24.52X	0.26X
05:00	93.87	0.00	0.000	155.62	1.66	24.51X	0.26X
06:00	89.08	33.81X	0.412X	136.39	1.51	30.99X	0.36X
07:00	72.74	142.43X	1.959X	289.71X	4.05X	39.83X	0.55X
08:00	71.09	132.57X	1.865X	341.70X	4.80X	40.15X	0.56X
09:00	72.18	75.17X	1.057X	227.76	3.16X	35.38X	0.49X
10:00	74.62	0.00	0.000	178.80	2.40	18.28X	0.25X
11:00	75.10	0.00	0.000	178.02	2.37	19.48X	0.26X
12:00	75.20	0.00	0.000	185.15	2.46	15.45	0.21X
13:00	75.58	0.00	0.000	168.04	2.22	21.19X	0.28X
14:00	75.72	0.00	0.000	188.31	2.49	13.40	0.18X
15:00	74.52	0.00	0.000	187.05	2.51	14.26	0.19X
16:00	73.99	0.00	0.000	180.38	2.44	15.02	0.20X
17:00	74.01	0.00	0.000	171.81	2.32	13.95	0.19X
18:00	75.66	9.25	0.121	132.67	1.76	32.84X	0.43X
19:00	26.62	0.06	0.001	75.29	1.76	4.34	0.43X
20:00	50.25	7.31	0.150	114.18	2.26	8.76	0.18X
21:00	57.99	0.00	0.000	155.11	2.68	5.36	0.09
22:00	66.43	0.00	0.000	145.53	2.19	10.05	0.15
23:00	71.70	0.00	0.000	172.27	2.40	27.25X	0.38X
24:00	75.71	0.00	0.000	207.04	2.74	28.24X	0.37X
Total	1797.61	400.60	ND	4279.06	57.51	521.32	7.10
Average	74.90	16.69	ND	178.29	2.40	21.72	0.30
Maximum	93.91	142.43	ND	341.70	4.80	40.15	0.56
Minimum	26.62	0.00	ND	75.29	1.51	4.34	0.09
Rolling	34.57	4.78		94.79	2.40	7.99	0.30
Excess		4		2	3	15	22
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.67	99.77		99.66	99.67	91.33	91.33
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/18/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	168.98	21.52	249340	194548	165364	228	173
02:00	0.00	165.29	23.06	225440	161304	137108	229	177
03:00	0.00	166.32	20.26	203736	158896	135060	228	174
04:00	0.00	159.95	22.33	205724	158648	134852	224	172
05:00	0.00	158.41	22.11	206900	164476	139804	222	171
06:00	33.15	160.82	35.20	181288	119224	101340	246	172
07:00	149.79	431.45	51.73	152540	108860	92532	263	174
08:00	147.87	529.34	55.24	143980	104530	88852	264	173
09:00	83.53	347.65	48.01	148584	117028	99472	273	173
10:00	0.00	250.28	22.68	163244	119500	101572	279	172
11:00	0.00	248.67	24.10	163380	118448	100678	279	172
12:00	0.00	256.55	19.00	164964	119132	101258	280	174
13:00	0.00	235.66	26.31	162840	117196	99614	279	175
14:00	0.00	258.09	16.27	166508	116258	98816	279	176
15:00	0.00	262.02	17.72	162768	115330	98030	278	171
16:00	0.00	252.32	18.58	163176	113114	96142	279	168
17:00	0.00	245.18	17.61	160020	111918	95130	279	166
18:00	8.13	165.02	35.54	181044	131340	111636	261	168
19:00	0.06	132.41	5.74	112738	88200	74966	262	168
20:00	9.74	207.82	14.27	124526	92768	78852	277	165
21:00	0.00	224.76	6.89	154288	127310	108214	259	163
22:00	0.00	175.17	10.65	177536	120848	102720	226	162
23:00	0.00	256.90	36.28	153216	97244	82654	275	164
24:00	0.00	349.48	42.30	138928	98530	83750	299	166
Average	18.01	242.02	25.56	169446	123944	105351	261	170
Maximum	149.79	529.34	55.24	249340	194548	165364	299	177
Minimum	0.00	132.41	5.74	112738	88200	74966	222	162
Rolling	5.53	79.29	5.07	106923	83683	71130	133	84
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.77	99.77	91.20	99.77	100.00	100.00	99.77	99.77
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/19/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	76.88	0.00	0.000	217.54	2.83X	24.62X	0.32X
02:00	77.46	0.00	0.000	189.19	2.44	30.06X	0.39X
03:00	80.62	0.00	0.000	148.69	1.85	42.60X	0.53X
04:00	86.80	0.55	0.006	118.62	1.37	53.86X	0.62X
05:00	91.90	0.00	0.000	145.33	1.58	46.11X	0.50X
06:00	94.34	0.00	0.000	163.47	1.73	27.29X	0.29X
07:00	94.52	0.00	0.000	165.78	1.75	19.44X	0.21X
08:00	92.76	0.00	0.000	160.57	1.73	23.17X	0.25X
09:00	91.21	0.00	0.000	203.05	2.23	11.18	0.12
10:00	93.87	0.00	0.000	179.75	1.91	13.08	0.14
11:00	93.82	0.00	0.000	195.23	2.08	11.16	0.12
12:00	51.93	0.00	0.000	153.84	2.08	4.76	2.91X
13:00	53.32	3.20	0.056	105.05	2.03	11.13	0.20X
14:00	73.58	0.00	0.000	160.48	2.18	15.91X	0.21X
15:00	82.68	0.00	0.000	198.25	2.40	32.43X	0.39X
16:00	88.65	0.00	0.000	198.97	2.24	32.31X	0.37X
17:00	93.47	0.00	0.000	196.37	2.10	17.36X	0.19X
18:00	93.84	0.00	0.000	178.25	1.90	13.20	0.14
19:00	93.89	0.00	0.000	189.85	2.02	12.62	0.13
20:00	94.39	0.00	0.000	224.05	2.37	18.39X	0.19X
21:00	94.18	0.00	0.000	231.36	2.46	19.35X	0.21X
22:00	95.24	0.00	0.000	200.54	2.11	33.88X	0.36X
23:00	90.64	0.00	0.000	287.90X	3.18X	7.22	0.08
24:00	89.43	0.00	0.000	326.54X	3.65X	6.52	0.07
Total	2069.42	3.74	ND	4538.67	52.22	527.65	8.93
Average	86.23	0.16	ND	189.11	2.18	21.99	0.37
Maximum	95.24	3.20	ND	326.54	3.65	53.86	2.91
Minimum	51.93	0.00	ND	105.05	1.37	4.76	0.07
Rolling Excess	37.17	4.78		98.73	2.41	8.66	0.31
		0		2	3	15	17
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.69	99.78		99.69	99.69	91.98	91.98
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/19/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	365.22	36.63	139824	96286	81844	300	166
02:00	0.00	316.94	44.72	140080	97502	82878	300	166
03:00	0.00	178.34	43.36	188620	157208	133628	251	166
04:00	0.42	123.47	49.82	199100	159100	135236	212	165
05:00	0.00	146.00	41.07	206768	162972	138528	212	165
06:00	0.00	161.89	24.01	209180	167204	142124	211	165
07:00	0.00	163.75	17.04	210160	168024	142816	212	165
08:00	0.00	163.98	20.98	206508	161224	137036	223	167
09:00	0.00	208.48	10.19	206716	160164	136140	227	169
10:00	0.00	184.40	11.89	207672	163972	139376	229	170
11:00	0.00	181.35	9.40	226944	188928	160588	226	171
12:00	0.00	141.91	3.83	219424	170208	144676	218	176
13:00	2.64	113.97	11.12	191076	148844	126516	214	172
14:00	0.00	158.50	13.68	213048	184452	156776	220	172
15:00	0.00	172.92	24.89	242472	193964	164868	224	173
16:00	0.00	169.96	24.45	246812	194284	165140	222	173
17:00	0.00	188.09	14.94	219724	165056	140296	224	174
18:00	0.00	183.41	12.06	205044	160592	136500	223	177
19:00	0.00	193.89	11.40	207636	191432	162716	226	178
20:00	0.00	190.32	13.85	249640	197952	168260	226	178
21:00	0.00	191.40	14.19	255292	195252	165964	224	179
22:00	0.00	165.33	24.78	255376	198684	168880	221	178
23:00	0.00	234.89	5.23	256956	203552	173016	219	176
24:00	0.00	265.26	4.70	257780	198420	168664	218	173
Average	0.13	190.15	20.34	215077	170220	144686	228	171
Maximum	2.64	365.22	49.82	257780	203552	173016	300	179
Minimum	0.00	113.97	3.83	139824	96286	81844	211	165
Rolling	5.53	85.63	5.74	114092	89357	75953	140	90
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.78	99.78	91.67	99.78	100.00	100.00	99.78	99.78
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report**

Daily Report for 12/20/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	86.59	0.00	0.000	351.92X	4.06X	7.05	0.08
02:00	88.34	0.00	0.000	374.02X	4.24X	7.47	0.08
03:00	85.28	0.00	0.000	387.01X	4.54X	6.38	0.07
04:00	85.75	0.00	0.000	392.69X	4.58X	6.72	0.08
05:00	86.22	0.00	0.000	389.16X	4.52X	6.91	0.08
06:00	86.30	0.00	0.000	334.45X	3.87X	6.68	0.08
07:00	85.90	0.00	0.000	272.60X	3.18X	5.65	0.07
08:00	87.29	0.00	0.000	255.38	2.93X	4.13	0.05
09:00	92.07	0.00	0.000	249.91	2.71	6.00	0.07
10:00	93.86	0.00	0.000	251.90	2.68	6.84	0.07
11:00	93.82	0.00	0.000	256.98	2.74	7.48	0.08
12:00	93.87	0.00	0.000	299.40X	3.19X	7.47	0.08
13:00	93.83	0.00	0.000	386.65X	4.12X	9.89	0.11
14:00	93.85	0.00	0.000	332.51X	3.54X	7.45	0.08
15:00	93.84	0.00	0.000	283.45X	3.02X	8.59	0.09
16:00	92.68	0.00	0.000	261.75	2.83X	9.24	0.10
17:00	91.59	0.00	0.000	252.67	2.77	11.64	0.13
18:00	93.89	0.00	0.000	219.13	2.33	18.26X	0.19X
19:00	93.86	0.00	0.000	236.98	2.53	14.48	0.15
20:00	93.37	0.00	0.000	270.77X	2.90X	7.06	0.08
21:00	94.79	0.00	0.000	266.26	2.81X	7.72	0.08
22:00	94.96	0.00	0.000	271.15X	2.86X	9.14	0.10
23:00	95.23	0.00	0.000	277.65X	2.92X	8.00	0.08
24:00	93.78	0.00	0.000	276.09X	2.94X	4.90	0.05
Total	2190.96	0.00	ND	7150.48	78.81	195.15	2.13
Average	91.29	0.00	ND	297.94	3.28	8.13	0.09
Maximum	95.23	0.00	ND	392.69	4.58	18.26	0.19
Minimum	85.28	0.00	ND	219.13	2.33	4.13	0.05
Rolling	39.27	4.78		105.86	2.42	8.65	0.30
Excess		0		15	18	1	1
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.71	99.79		99.71	99.71	92.53	92.53
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/20/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	290.46	5.16	253476	198848	169020	217	174
02:00	0.00	307.65	5.45	254692	199052	169196	218	173
03:00	0.00	318.34	4.65	254484	199416	169504	218	172
04:00	0.00	322.68	4.90	254772	202572	172184	218	175
05:00	0.00	317.32	5.00	256392	203228	172744	217	173
06:00	0.00	306.20	5.42	227564	154188	131060	216	172
07:00	0.00	290.63	5.34	195436	156736	133228	214	172
08:00	0.00	273.73	3.93	194052	153032	130076	213	173
09:00	0.00	266.20	5.66	196116	154976	131728	216	172
10:00	0.00	265.77	6.40	198836	154776	131556	219	172
11:00	0.00	275.03	7.10	197136	151512	128784	223	174
12:00	0.00	280.13	6.35	224640	218456	185692	220	174
13:00	0.00	281.45	6.37	288584	234272	199132	220	176
14:00	0.00	303.56	6.12	229384	152424	129560	220	175
15:00	0.00	304.73	8.19	195000	152756	129842	219	175
16:00	0.00	281.46	8.81	194636	153824	130752	217	175
17:00	0.00	272.39	11.20	193868	147748	125586	217	175
18:00	0.00	237.27	17.51	192948	150564	127982	216	177
19:00	0.00	254.59	13.79	194000	148272	126030	215	175
20:00	0.00	290.92	6.73	193996	150444	127878	215	176
21:00	0.00	288.30	7.40	193064	153728	130670	217	177
22:00	0.00	293.21	8.76	193452	153640	130590	217	177
23:00	0.00	300.99	7.69	193064	154876	131644	217	174
24:00	0.00	297.17	4.68	194160	149056	126700	216	175
Average	0.00	288.34	7.19	215156	168683	143381	217	174
Maximum	0.00	322.68	17.51	288584	234272	199132	223	177
Minimum	0.00	237.27	3.93	192948	147748	125586	213	172
Rolling	5.53	95.24	5.98	121264	94980	80733	148	96
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.79	99.79	92.08	99.79	100.00	100.00	99.79	99.79
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report**

Daily Report for 12/21/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	94.54	0.00	0.000	282.44X	2.99X	6.24	0.07
02:00	96.62	0.00	0.000	284.17X	2.94X	12.03	0.12
03:00	91.55	0.00	0.000	271.23X	2.94X	9.03	0.10
04:00	82.79	0.00	0.000	249.23	3.00X	6.71	0.08
05:00	92.88	0.00	0.000	284.05X	3.06X	6.54	0.07
06:00	85.33	0.00	0.000	251.03	2.93X	15.86X	0.19X
07:00	75.49	0.00	0.000	218.95	2.90X	8.32	0.11
08:00	73.88	0.00	0.000	218.16	2.95X	9.39	0.13
09:00	74.25	0.00	0.000	179.55	2.42	7.53	0.10
10:00	77.94	0.00	0.000	192.31	2.46	11.07	0.14
11:00	9.92	0.00	0.000	49.95	2.46	1.66	0.14
12:00	29.85	0.00	0.000	102.29	2.46	1.41	0.14
13:00	50.88	0.00	0.000	155.58	2.98X	2.58	0.05
14:00	74.29	0.00	0.000	231.04	3.12X	9.93	0.13
15:00	91.96	0.00	0.000	199.85	2.18	18.36X	0.20X
16:00	93.87	0.00	0.000	202.85	2.16	25.26X	0.27X
17:00	93.83	0.00	0.000	246.47	2.63	10.82	0.12
18:00	92.78	0.00	0.000	257.98	2.78	8.05	0.09
19:00	93.82	0.00	0.000	257.30	2.74	8.72	0.09
20:00	94.03	0.00	0.000	228.31	2.43	10.81	0.11
21:00	94.18	0.00	0.000	226.29	2.40	14.53	0.15
22:00	95.40	0.00	0.000	229.78	2.41	12.20	0.13
23:00	93.02	0.00	0.000	243.85	2.62	9.49	0.10
24:00	86.86	0.00	0.000	252.91	2.91X	5.20	0.06
Total	1939.96	0.00	ND	5315.57	64.87	231.74	2.90
Average	80.83	0.00	ND	221.48	2.70	9.66	0.12
Maximum	96.62	0.00	ND	284.17	3.12	25.26	0.27
Minimum	9.92	0.00	ND	49.95	2.16	1.41	0.05
Rolling	39.60	4.78		108.38	2.42	7.79	0.22
Excess		0		4	11	3	3
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.73	99.80		99.73	99.73	93.01	93.01
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/21/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	304.64	5.96	193680	152668	129770	216	173
02:00	0.00	305.68	11.47	194156	152668	129770	216	173
03:00	0.00	291.84	8.61	193756	152024	129222	215	173
04:00	0.00	272.52	6.50	190484	148912	126576	214	172
05:00	0.00	308.02	6.30	192796	151284	128592	217	173
06:00	0.00	349.47	22.73	156856	96010	81608	245	174
07:00	0.00	402.02	13.49	125632	92100	78286	286	175
08:00	0.00	395.83	15.11	126464	88848	75520	283	175
09:00	0.00	324.10	12.05	127436	87822	74646	285	176
10:00	0.00	262.20	14.13	163552	138504	117730	259	173
11:00	0.00	74.68	1.82	123604	94538	80356	197	173
12:00	0.00	139.09	1.63	144764	131324	111626	205	115
13:00	0.00	187.81	2.76	174544	144056	122450	223	134
14:00	0.00	262.01	9.99	187536	144704	122994	228	173
15:00	0.00	225.64	18.45	190032	152896	123528	235	174
16:00	0.00	216.12	23.86	201544	153564	130934	235	170
17:00	0.00	259.82	10.11	202488	157496	132312	231	173
18:00	0.00	272.99	7.56	202152	155552	131796	233	177
19:00	0.00	272.95	8.20	202604	151412	131448	236	176
20:00	0.00	246.09	10.35	199892	151020	129416	237	172
21:00	0.00	243.99	13.87	198360	148972	129378	232	172
22:00	0.00	252.25	11.86	192836	150136	127046	225	172
23:00	0.00	268.65	9.26	190620	149632	126632	220	169
24:00	0.00	280.95	5.13	188704	150604	125542	219	159
Average	0.00	267.47	10.47	177687	137364	116549	233	169
Maximum	0.00	402.02	23.86	202604	157496	132312	286	177
Minimum	0.00	74.68	1.63	123604	87822	74646	197	115
Rolling	5.53	104.16	6.33	127187	99559	84618	155	102
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.80	99.80	92.46	99.80	100.00	100.00	99.80	99.80
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/22/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	88.09	0.00	0.000	261.80	2.97X	5.93	0.07
02:00	87.01	0.00	0.000	263.74	3.03X	6.24	0.07
03:00	93.04	0.00	0.000	263.41	2.83X	6.59	0.07
04:00	89.28	0.00	0.000	264.34	2.96X	6.02	0.07
05:00	88.22	0.00	0.000	262.13	2.97X	6.03	0.07
06:00	88.20	0.00	0.000	262.21	2.97X	6.43	0.07
07:00	88.20	0.00	0.000	268.05	3.04X	6.57	0.07
08:00	87.84	0.00	0.000	273.88X	3.12X	4.65	0.05
09:00	76.64	0.00	0.000	242.86	3.17X	3.25	0.04
10:00	73.88	0.00	0.000	251.68	3.41X	3.04	0.04
11:00	75.85	0.00	0.000	246.31	3.25X	2.95	0.04
12:00	76.73	0.00	0.000	226.32	2.95X	3.02	0.04
13:00	71.82	0.00	0.000	231.92	3.23X	2.58	0.04
14:00	69.77	0.00	0.000	223.64	3.20X	1.96	0.03
15:00	68.21	0.00	0.000	224.21	3.29X	1.76	0.03
16:00	68.18	0.00	0.000	227.55	3.34X	2.21	0.03
17:00	70.52	0.00	0.000	236.42	3.35X	2.69	0.04
18:00	71.49	0.00	0.000	235.71	3.30X	2.76	0.04
19:00	72.22	0.00	0.000	242.36	3.36X	2.77	0.04
20:00	72.32	0.00	0.000	252.82	3.50X	2.43	0.03
21:00	72.94	0.00	0.000	251.68	3.45X	2.24	0.03
22:00	74.70	0.00	0.000	254.45	3.41X	2.81	0.04
23:00	75.59	0.00	0.000	248.81	3.29X	3.35	0.04
24:00	75.79	0.00	0.000	243.07	3.21X	3.19	0.04
Total	1876.53	0.00	ND	5959.37	76.60	91.47	1.13
Average	78.19	0.00	ND	248.31	3.19	3.81	0.05
Maximum	93.04	0.00	ND	273.88	3.50	6.59	0.07
Minimum	68.18	0.00	ND	223.64	2.83	1.76	0.03
Rolling Excess	40.23	4.78		110.18	2.45	7.03	0.22
		0		1	24	0	0
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.75	99.81		99.74	99.75	93.43	93.43
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/22/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	286.35	5.76	189016	149464	127540	209	156
02:00	0.00	300.62	6.31	185724	148804	122368	225	160
03:00	0.00	289.51	6.42	188412	150896	126908	210	166
04:00	0.00	287.46	5.81	190032	152428	128284	209	158
05:00	0.00	287.60	5.86	189296	147516	127104	212	158
06:00	0.00	287.90	6.26	189444	147376	127032	213	162
07:00	0.00	294.17	6.39	189664	149360	127082	214	169
08:00	0.00	296.20	4.46	192944	153660	128986	215	173
09:00	0.00	267.35	3.17	190584	150456	126660	219	176
10:00	0.00	279.72	2.99	189648	152168	125482	222	178
11:00	0.00	276.23	2.94	188268	145052	124316	224	178
12:00	0.00	254.43	3.01	187772	145352	124084	223	178
13:00	0.00	261.34	2.58	187356	143376	123798	223	178
14:00	0.00	253.49	1.97	185764	143084	123042	222	179
15:00	0.00	247.48	1.72	190764	149228	126316	222	182
16:00	0.00	247.77	2.13	193376	149228	128106	222	181
17:00	0.00	257.61	2.60	193252	146800	128016	222	181
18:00	0.00	254.91	2.64	194736	152732	128998	222	181
19:00	0.00	265.16	2.69	192444	150440	127484	222	179
20:00	0.00	278.02	2.37	191188	145020	126870	220	178
21:00	0.00	287.66	2.27	183392	143940	122040	218	179
22:00	0.00	289.50	2.83	183892	146596	122596	217	180
23:00	0.00	283.66	3.39	183444	142160	122338	217	178
24:00	0.00	277.34	3.23	183072	147036	122250	216	179
Average	0.00	275.48	3.74	188895	148007	125738	218	174
Maximum	0.00	300.62	6.42	194736	153660	128998	225	182
Minimum	0.00	247.48	1.72	183072	142160	122040	209	156
Rolling	5.53	113.34	6.46	133483	104493	88809	163	107
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.81	99.81	92.80	99.81	100.00	100.00	99.81	99.81
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/23/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	78.50	0.00	0.000	245.81	3.13X	3.65	0.05
02:00	80.87	0.00	0.000	240.73	2.98X	4.38	0.05
03:00	82.42	0.00	0.000	238.70	2.90X	4.28	0.05
04:00	82.49	0.00	0.000	242.18	2.94X	4.42	0.05
05:00	82.66	0.00	0.000	242.90	2.94X	5.73	0.07
06:00	83.89	0.00	0.000	243.74	2.91X	5.63	0.07
07:00	84.21	0.00	0.000	246.16	2.92X	5.22	0.06
08:00	83.82	0.00	0.000	239.44	2.86X	3.93	0.05
09:00	84.92	0.00	0.000	230.27	2.71	5.37	0.06
10:00	87.63	0.00	0.000	225.04	2.57	6.26	0.07
11:00	85.32	0.00	0.000	223.50	2.62	4.09	0.05
12:00	82.84	0.00	0.000	224.15	2.71	3.51	0.04
13:00	35.77	0.00	0.000	123.61	2.71	2.12	0.04
14:00	40.91	0.00	0.000	112.24	2.73	0.61	0.02
15:00	44.95	0.00	0.000	118.79	2.64	2.58	0.06
16:00	46.47	0.00	0.000	126.61	2.73	3.12	0.07
17:00	49.50	0.00	0.000	140.22	2.84X	3.03	0.06
18:00	54.53	0.00	0.000	125.39	2.30	9.08	0.17X
19:00	59.42	0.00	0.000	161.69	2.72	2.99	0.05
20:00	62.48	0.00	0.000	150.76	2.42	13.08	0.21X
21:00	64.86	0.00	0.000	168.41	2.59	9.46	0.15
22:00	65.88	0.00	0.000	195.72	2.97X	3.09	0.05
23:00	63.90	0.00	0.000	202.46	3.17X	2.69	0.04
24:00	62.49	0.00	0.000	198.87	3.18X	2.72	0.04
Total	1650.73	0.00	ND	4667.39	67.19	111.04	1.62
Average	68.78	0.00	ND	194.47	2.80	4.63	0.07
Maximum	87.63	0.00	ND	246.16	3.18	13.08	0.21
Minimum	35.77	0.00	ND	112.24	2.30	0.61	0.01
Rolling Excess	42.51	4.78		116.65	2.49	7.18	0.21
		0		0	12	0	2
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.76	99.82		99.76	99.76	93.81	93.81
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data**

Daily Report for 12/23/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	278.84	3.67	183740	144816	122938	215	180
02:00	0.00	271.80	4.39	184612	143592	123524	215	180
03:00	0.00	269.20	4.28	184976	149268	123700	215	181
04:00	0.00	271.92	4.40	185848	148112	124212	215	181
05:00	0.00	273.42	5.72	185468	147832	123900	216	181
06:00	0.00	274.50	5.62	185652	147832	123854	217	181
07:00	0.00	276.59	5.21	186036	143164	124104	217	181
08:00	0.00	267.35	3.89	187204	146408	124856	217	179
09:00	0.00	257.88	5.33	187880	146416	124536	221	177
10:00	0.00	253.04	6.25	187832	144056	124030	224	177
11:00	0.00	251.75	4.09	187624	144852	123828	224	180
12:00	0.00	249.74	3.48	190340	151324	125196	226	182
13:00	0.00	145.05	2.52	166212	117858	109654	224	183
14:00	0.00	144.51	0.69	162180	130198	108224	217	182
15:00	0.00	151.14	2.92	164428	129078	109582	217	183
16:00	0.00	162.01	3.54	162956	132520	108996	215	182
17:00	0.00	177.78	3.39	163748	131046	110022	212	182
18:00	0.00	154.73	9.95	168292	135888	112966	213	182
19:00	0.00	200.12	3.27	168292	137676	112754	214	179
20:00	0.00	177.73	13.64	176660	137156	118350	214	181
21:00	0.00	196.85	9.82	177476	137232	119278	212	181
22:00	0.00	230.17	3.23	177328	141940	118598	215	181
23:00	0.00	232.44	2.74	182120	143152	121494	217	183
24:00	0.00	229.62	2.78	181620	139960	120772	219	186
Average	0.00	224.92	4.78	178689	140474	119140	217	181
Maximum	0.00	278.84	13.64	190340	151324	125196	226	186
Minimum	0.00	144.51	0.69	162180	117858	108224	212	177
Rolling	5.53	120.84	6.62	139439	109175	92780	170	113
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.82	99.82	93.12	99.82	100.00	100.00	99.82	99.82
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/24/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	62.48	0.00	0.000	193.36	3.09X	2.28	0.04
02:00	62.48	0.00	0.000	197.59	3.16X	1.73	0.03
03:00	62.52	0.00	0.000	197.72	3.16X	1.87	0.03
04:00	62.50	0.00	0.000	197.60	3.16X	1.81	0.03
05:00	62.53	0.00	0.000	194.03	3.10X	1.94	0.03
06:00	62.51	0.00	0.000	185.12	2.96X	2.24	0.04
07:00	59.90	0.00	0.000	184.82	3.09X	2.14	0.04
08:00	29.82	0.00	0.000	116.51	3.09X	0.73	0.01
09:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
10:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
11:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
12:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
13:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
14:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
15:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
16:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
17:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
18:00	MNR	MNR	MNR	MNR	MNR	MNR	MNR
19:00	9.35	0.00	0.000	37.78	0.00	0.02	0.00
20:00	51.71	0.00	0.000	120.27	2.35	1.29	0.02
21:00	74.54	0.00	0.000	146.29	1.97	6.82	0.09
22:00	87.08	0.00	0.000	201.73	2.31	7.02	0.08
23:00	85.38	0.00	0.000	233.94	2.74	3.27	0.04
24:00	85.34	0.00	0.000	231.05	2.71	4.24	0.05
Total	858.14	0.00	0.000	2437.81	36.89	37.40	0.53
Average	61.30	0.00	0.000	174.13	2.63	2.67	0.04
Maximum	87.08	0.00	0.000	233.94	3.16	7.02	0.09
Minimum	9.35	0.00	0.000	37.78	0.00	0.02	0.00
Rolling Excess	42.27	12.58	0.000	187.37	2.46	7.12	0.27
		0	0	0	9	0	0
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	10	10	10	10	10	10	10
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	99.77	99.82	100.00	99.77	99.77	94.01	94.01
MDT Per	1	1	0	1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/24/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	223.89	2.34	181300	140784	120460	219	182
02:00	0.00	227.38	1.77	181956	144028	121216	218	179
03:00	0.00	228.01	1.91	181968	145084	120970	219	181
04:00	0.00	227.98	1.85	181396	144456	120878	217	179
05:00	0.00	222.80	1.98	181920	142512	121478	216	180
06:00	0.00	220.26	2.36	174688	140940	117208	213	179
07:00	0.00	220.47	2.26	173236	137800	116928	209	177
08:00	0.00	146.91	0.77	149840	100866	101394	207	171
09:00	0.00	37.95	0.00	119730	92502	83340	189	194
10:00	0.00	35.76	0.00	118068	96308	82528	186	199
11:00	0.00	34.27	0.00	117818	96816	82174	187	203
12:00	0.00	22.07	0.00	117084	96102	81382	190	204
13:00	0.00	20.97	0.00	117608	96116	81994	188	199
14:00	0.00	21.62	0.00	117622	96182	82080	187	198
15:00	0.00	20.68	0.00	117078	95176	81498	189	198
16:00	0.00	20.17	0.00	115848	95920	79790	196	188
17:00	0.00	24.51	0.00	118386	94534	81476	196	146
18:00	0.00	25.83	0.00	118710	95810	82894	187	132
19:00	0.00	57.55	0.02	128882	127962	88126	200	103
20:00	0.00	144.51	1.36	173848	141512	115964	217	134
21:00	0.00	165.17	6.78	186400	146200	123380	222	163
22:00	0.00	220.65	6.80	193264	149512	127428	225	167
23:00	0.00	254.27	3.15	194540	148588	128322	224	167
24:00	0.00	251.05	4.09	194932	150052	128354	226	172
Average	0.00	128.11	1.56	152338	121490	102969	205	175
Maximum	0.00	254.27	6.80	194932	150052	128354	226	204
Minimum	0.00	20.17	0.00	115848	92502	79790	186	103
Rolling	5.53	125.11	6.67	144517	113225	96213	177	119
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.83	99.83	93.40	99.83	100.00	100.00	99.83	99.83
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/25/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	88.98	0.00	0.000	235.77	2.65	15.10	0.17X
02:00	93.15	0.00	0.000	246.95	2.65	15.95X	0.17X
03:00	93.57	0.00	0.000	195.34	2.09	27.24X	0.29X
04:00	95.17	0.00	0.000	195.41	2.05	31.74X	0.33X
05:00	96.15	0.51	0.005	178.02	1.85	36.57X	0.38X
06:00	96.67	2.55	0.026	150.20	1.55	44.82X	0.46X
07:00	96.71	0.00	0.000	249.21	2.58	11.50	0.12
08:00	96.68	0.00	0.000	213.12	2.20	19.40X	0.20X
09:00	96.67	0.00	0.000	216.72	2.24	15.14	0.16
10:00	96.67	0.00	0.000	233.46	2.41	8.81	0.09
11:00	96.66	0.00	0.000	223.04	2.31	21.22X	0.22X
12:00	96.75	0.00	0.000	262.93	2.72	29.32X	0.30X
13:00	96.68	0.00	0.000	285.91X	2.96X	8.39	0.09
14:00	96.66	0.00	0.000	277.97X	2.88X	7.37	0.08
15:00	96.67	0.00	0.000	276.68X	2.86X	8.87	0.09
16:00	71.45	0.00	0.000	225.55	3.20X	4.42	0.05
17:00	43.89	0.00	0.000	144.04	3.29X	0.14	0.00
18:00	64.39	0.00	0.000	202.79	3.16X	2.16	0.03
19:00	76.65	0.00	0.000	215.55	2.81X	4.56	0.06
20:00	79.10	0.00	0.000	220.76	2.79	7.02	0.09
21:00	84.51	0.00	0.000	225.86	2.68	11.48	0.13
22:00	90.53	0.00	0.000	196.62	2.17	32.11X	0.36X
23:00	94.86	0.00	0.000	232.03	2.45	9.93	0.10
24:00	96.41	0.00	0.000	228.31	2.37	13.51	0.14
Total	2135.63	3.06	ND	5332.24	60.92	386.77	4.12
Average	88.98	0.13	ND	222.18	2.54	16.12	0.17
Maximum	96.75	2.55	ND	285.91	3.29	44.82	0.46
Minimum	43.89	0.00	ND	144.04	1.55	0.14	0.00
Rolling	46.67	4.79		127.66	2.52	7.77	0.21
Excess		0		3	7	9	10
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.79	99.83		99.78	99.79	94.44	94.44
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/25/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	258.04	14.60	194908	152080	127478	230	176
02:00	0.00	266.10	15.23	197040	151716	129450	227	174
03:00	0.00	210.54	26.00	196604	155124	129436	226	175
04:00	0.00	210.11	30.24	197624	153300	129764	228	174
05:00	0.39	191.35	34.87	197712	152664	129744	228	174
06:00	1.97	161.70	42.78	197604	154268	129572	229	174
07:00	0.00	269.02	11.00	197572	150472	129226	230	170
08:00	0.00	234.18	18.91	194120	151848	126932	230	173
09:00	0.00	233.98	14.49	197376	146432	129192	230	172
10:00	0.00	252.61	8.45	196848	154408	128946	229	168
11:00	0.00	239.25	20.17	198836	149364	130026	230	173
12:00	0.00	282.68	27.91	198524	155044	129766	231	172
13:00	0.00	294.78	7.68	207572	158832	135308	233	170
14:00	0.00	287.59	6.76	208240	159156	134804	237	173
15:00	0.00	284.87	8.09	208992	162208	135488	236	177
16:00	0.00	232.85	4.02	207324	156104	134804	234	166
17:00	0.00	153.18	0.13	199532	153984	131132	227	169
18:00	0.00	219.07	2.07	196032	150792	129168	225	175
19:00	0.00	240.48	4.51	189460	144144	125002	224	178
20:00	0.00	246.07	6.94	189284	147944	125144	223	181
21:00	0.00	248.07	11.17	191756	147792	126982	222	180
22:00	0.00	213.37	30.99	193268	153728	128468	219	182
23:00	0.00	249.44	9.47	194204	153056	129738	216	180
24:00	0.00	245.28	12.87	193832	151900	129834	214	177
Average	0.10	238.53	15.39	197678	152765	129809	227	174
Maximum	1.97	294.78	42.78	208992	162208	135488	237	182
Minimum	0.00	153.18	0.13	189284	144144	125002	214	166
Rolling	5.53	133.06	7.18	151107	118317	100540	184	125
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.83	99.83	93.67	99.83	100.00	100.00	99.83	99.83
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/26/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.66	0.00	0.000	236.73	2.45	8.50	0.09
02:00	96.71	0.00	0.000	238.99	2.47	9.55	0.10
03:00	91.53	1.74	0.025	238.75	2.61	13.21	0.15
04:00	75.03	82.78X	1.117X	105.71	1.40	39.11X	0.52X
05:00	76.76	4.68	0.061	165.53	2.16	31.31X	0.41X
06:00	76.72	0.00	0.000	173.15	2.26	23.29X	0.30X
07:00	76.71	0.00	0.000	202.39	2.64	8.03	0.10
08:00	79.84	0.00	0.000	235.88	2.95X	4.07	0.05
09:00	88.63	0.00	0.000	239.74	2.72	8.13	0.09
10:00	93.84	0.00	0.000	263.67	2.81X	5.17	0.05
11:00	93.79	0.00	0.000	226.57	2.42	11.68	0.12
12:00	93.79	0.00	0.000	201.23	2.15	8.06	0.09
13:00	93.85	0.00	0.000	219.85	2.34	7.42	0.08
14:00	93.84	0.00	0.000	207.20	2.21	6.55	0.07
15:00	81.27	0.00	0.000	192.44	2.47	3.75	0.04
16:00	71.90	6.76	0.086	140.12	2.01	24.28X	0.32X
17:00	88.24	0.00	0.000	199.72	2.27	18.54X	0.21X
18:00	89.38	0.00	0.000	256.10	2.86X	3.74	0.04
19:00	88.24	32.15X	0.390X	191.11	2.12	17.04X	0.20X
20:00	86.34	5.92	0.072	219.06	2.53	13.60	0.16X
21:00	91.80	0.00	0.000	256.77	2.80X	5.78	0.06
22:00	92.14	0.00	0.000	270.65X	2.94X	3.19	0.03
23:00	93.28	0.00	0.000	265.46	2.85X	3.63	0.04
24:00	93.70	0.00	0.000	259.22	2.77	5.71	0.06
Total	2103.99	134.03	ND	5206.04	59.21	283.34	3.41
Average	87.67	5.58	ND	216.92	2.47	11.81	0.14
Maximum	96.71	82.78	ND	270.65	2.95	39.11	0.52
Minimum	71.90	0.00	ND	105.71	1.40	3.19	0.04
Rolling	49.58	4.97		134.89	2.53	8.16	0.21
Excess		2		1	6	6	7
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.80	99.84		99.79	99.80	94.72	94.72
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/26/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	251.59	8.01	195984	154120	131236	214	174
02:00	0.00	253.70	8.98	196492	157620	131396	215	173
03:00	2.19	263.64	14.25	188664	95650	125848	218	174
04:00	97.83	174.16	57.18	138504	103066	84594	279	176
05:00	5.52	264.20	44.43	143300	126412	87452	280	177
06:00	0.00	221.29	26.39	168892	125242	109160	239	163
07:00	0.00	230.93	8.17	183348	146832	122292	217	170
08:00	0.00	260.79	3.99	188148	150116	126206	213	176
09:00	0.00	254.86	7.65	198420	156788	131256	223	173
10:00	0.00	270.50	4.72	206740	156264	135828	227	173
11:00	0.00	241.33	11.17	199688	153368	130586	230	173
12:00	0.00	216.20	7.68	197384	151256	129864	226	175
13:00	0.00	235.84	7.06	197144	153072	130024	225	173
14:00	0.00	218.80	6.20	199712	159064	131964	223	170
15:00	0.00	199.37	3.40	203484	150228	134296	224	172
16:00	5.28	154.15	23.49	191468	153348	127086	220	169
17:00	0.00	207.02	17.24	201536	160804	134352	217	171
18:00	0.00	267.95	3.47	199648	153032	133408	216	170
19:00	34.06	220.64	21.50	177412	129464	115094	240	173
20:00	5.32	236.61	13.64	196980	156956	128256	234	175
21:00	0.00	274.28	5.49	194460	158916	130556	212	173
22:00	0.00	285.59	2.99	195912	154844	132172	209	176
23:00	0.00	281.11	3.41	196024	152524	131696	212	176
24:00	0.00	272.92	5.33	196372	157880	132492	209	176
Average	6.26	239.89	13.16	189822	146536	125296	226	173
Maximum	97.83	285.59	57.18	206740	160804	135828	280	177
Minimum	0.00	154.15	2.99	138504	95650	84594	209	163
Rolling	5.74	141.05	7.62	157434	123201	104716	192	131
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	1	0	0	0	0	0	0	0
MUT %	99.84	99.84	93.91	99.84	100.00	100.00	99.84	99.84
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/27/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.86	0.00	0.000	260.67	2.78	6.88	0.07
02:00	93.84	0.00	0.000	265.60	2.83X	5.31	0.06
03:00	93.82	0.00	0.000	263.82	2.81X	4.95	0.05
04:00	93.83	0.00	0.000	264.06	2.81X	4.82	0.05
05:00	89.22	0.00	0.000	266.47	2.99X	5.74	0.06
06:00	90.98	0.00	0.000	260.03	2.86X	7.44	0.08
07:00	91.22	0.00	0.000	261.43	2.87X	5.24	0.06
08:00	90.95	0.00	0.000	246.16	2.71	7.36	0.08
09:00	90.95	0.00	0.000	224.89	2.47	19.44X	0.21X
10:00	90.95	0.00	0.000	206.55	2.27	17.63X	0.19X
11:00	91.87	0.00	0.000	207.44	2.26	15.32	0.17X
12:00	94.94	0.00	0.000	214.69	2.26	14.16	0.15
13:00	96.73	0.00	0.000	243.85	2.52	8.42	0.09
14:00	96.64	0.00	0.000	240.55	2.49	7.00	0.07
15:00	96.69	0.00	0.000	247.08	2.56	8.05	0.08
16:00	96.66	0.00	0.000	240.62	2.49	7.65	0.08
17:00	88.11	0.00	0.000	227.18	2.57	12.67	0.15
18:00	76.88	28.41	0.370X	98.70	1.28	38.68X	0.50X
19:00	82.85	0.00	0.000	177.93	2.13	18.68X	0.23X
20:00	93.93	0.00	0.000	242.08	2.58	6.72	0.07
21:00	94.24	0.00	0.000	265.19	2.81X	4.64	0.05
22:00	95.65	0.00	0.000	255.88	2.68	4.72	0.05
23:00	96.25	0.00	0.000	274.79X	2.86X	5.36	0.06
24:00	94.70	0.00	0.000	279.63X	2.95X	3.87	0.04
Total	2215.76	28.41	ND	5735.29	61.84	240.75	2.72
Average	92.32	1.18	ND	238.97	2.58	10.03	0.11
Maximum	96.73	28.41	ND	279.63	2.99	38.68	0.50
Minimum	76.88	0.00	ND	98.70	1.28	3.87	0.04
Rolling	52.66	5.01		142.86	2.56	8.50	0.21
Excess		0		2	9	4	5
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.81	99.85		99.80	99.81	94.96	94.96
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/27/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	274.12	6.41	196716	153728	132604	210	176
02:00	0.00	279.70	4.96	196860	151620	132444	211	173
03:00	0.00	278.87	4.65	195452	155280	131964	209	170
04:00	0.00	278.07	4.51	196728	156080	132444	211	173
05:00	0.00	282.37	5.40	195992	155196	131620	212	174
06:00	0.00	277.72	7.04	195084	158296	130596	214	175
07:00	0.00	277.58	4.94	195072	154168	131340	211	173
08:00	0.00	267.83	7.10	191360	146572	128370	213	174
09:00	0.00	248.88	18.65	195536	152944	126746	237	173
10:00	0.00	218.12	16.51	203356	154520	132080	235	172
11:00	0.00	215.70	14.11	207756	160448	134140	239	177
12:00	0.00	226.54	13.17	205240	148212	132288	240	177
13:00	0.00	248.91	7.73	204172	159864	136340	216	176
14:00	0.00	245.71	6.35	201132	161936	136540	205	176
15:00	0.00	248.60	7.19	205320	169608	138656	209	176
16:00	0.00	241.54	6.91	205696	158916	138792	209	175
17:00	0.00	279.71	15.47	176692	110248	114330	244	174
18:00	26.84	135.21	46.26	165656	121780	103382	264	177
19:00	0.00	201.95	19.70	188024	153956	122012	237	177
20:00	0.00	262.98	6.44	192212	155848	128488	215	175
21:00	0.00	285.65	4.43	193268	156396	129488	214	176
22:00	0.00	278.59	4.56	191652	148112	128096	215	176
23:00	0.00	298.81	5.17	191564	152356	128254	214	174
24:00	0.00	302.43	3.71	192396	156884	128972	214	175
Average	1.12	256.48	10.06	195122	152207	129583	221	175
Maximum	26.84	302.43	46.26	207756	169608	138792	264	177
Minimum	0.00	135.21	3.71	165656	110248	103382	205	170
Rolling	5.78	149.60	7.96	163938	128275	109036	199	137
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.85	99.85	94.14	99.85	100.00	100.00	99.85	99.85
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report**

Daily Report for 12/28/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.63	0.00	0.000	282.41X	3.02X	4.10	0.04
02:00	92.15	0.00	0.000	291.64X	3.16X	4.61	0.05
03:00	89.32	0.00	0.000	288.34X	3.23X	4.99	0.06
04:00	90.73	0.00	0.000	268.20	2.96X	6.46	0.07
05:00	90.95	0.00	0.000	276.34X	3.04X	5.27	0.06
06:00	92.03	0.00	0.000	268.60X	2.92X	6.82	0.07
07:00	93.80	0.00	0.000	272.55X	2.91X	6.18	0.07
08:00	93.82	0.00	0.000	269.84X	2.88X	6.34	0.07
09:00	64.80	0.00	0.000	197.62	2.88X	7.96	0.07
10:00	0.29	0.00	0.000	4.49	2.88X	0.00	0.00
11:00	0.03	0.00	0.000	13.96	2.88X	0.00	0.07
12:00	38.40	0.00	0.000	114.19	2.88X	1.63	0.07
13:00	68.61	15.02	0.246	185.95	2.68	11.78	0.18X
14:00	92.99	0.00	0.000	265.15	2.85X	8.34	0.09
15:00	96.66	0.00	0.000	280.71X	2.90X	12.91	0.13
16:00	96.66	0.00	0.000	258.43	2.67	16.83X	0.17X
17:00	96.77	0.00	0.000	237.69	2.46	19.28X	0.20X
18:00	96.71	0.00	0.000	243.92	2.52	7.48	0.08
19:00	96.63	0.00	0.000	226.93	2.35	18.05X	0.19X
20:00	96.70	0.00	0.000	229.48	2.37	9.51	0.10
21:00	96.67	0.00	0.000	224.52	2.32	10.23	0.11
22:00	96.74	0.00	0.000	222.62	2.30	17.17X	0.18X
23:00	96.73	0.00	0.000	234.67	2.43	11.21	0.12
24:00	96.73	0.00	0.000	223.46	2.31	18.98X	0.20X
Total	1968.55	15.02	ND	5381.71	65.80	216.13	2.43
Average	82.02	0.63	ND	224.24	2.74	9.01	0.10
Maximum	96.77	15.02	ND	291.64	3.23	19.28	0.20
Minimum	0.03	0.00	ND	4.49	2.30	0.00	0.00
Rolling	55.39	5.03		150.33	2.59	8.80	0.21
Excess		0		8	14	5	6
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.82	99.85		99.81	99.81	95.19	95.19
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/28/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	301.90	3.88	195848	151284	130458	218	176
02:00	0.00	310.38	4.35	197140	153036	131068	219	176
03:00	0.00	307.92	4.72	196516	151000	130596	219	177
04:00	0.00	290.49	6.21	193132	155956	128800	217	176
05:00	0.00	299.39	5.06	192968	154976	128744	217	177
06:00	0.00	292.38	6.58	191864	152340	128114	216	177
07:00	0.00	297.30	5.98	191600	147920	127852	217	176
08:00	0.00	290.51	6.05	193860	154100	129572	215	177
09:00	0.00	218.40	7.59	178668	105738	119050	217	176
10:00	0.00	14.04	0.00	65406	44378	43923	214	168
11:00	0.00	46.96	0.00	63024	50456	41621	224	162
12:00	0.00	196.29	2.43	120956	131004	77508	243	161
13:00	14.15	215.89	13.09	180040	149760	118322	228	174
14:00	0.00	278.10	7.73	199864	162548	133044	218	176
15:00	0.00	287.55	11.73	206516	156852	136148	225	176
16:00	0.00	272.93	15.75	201216	156908	131940	228	176
17:00	0.00	245.17	17.67	206244	161324	135240	229	178
18:00	0.00	254.23	6.91	203580	161728	133800	227	178
19:00	0.00	233.88	16.48	204920	157996	135348	224	177
20:00	0.00	234.93	8.59	206240	155940	136424	222	176
21:00	0.00	235.10	9.51	201144	159648	133200	222	177
22:00	0.00	228.42	15.63	206072	155556	135980	224	178
23:00	0.00	243.05	10.28	203204	156856	134680	221	178
24:00	0.00	232.95	17.52	201420	155032	133848	219	178
Average	0.59	242.84	8.49	183393	143431	121470	222	175
Maximum	14.15	310.38	17.67	206516	162548	136424	243	178
Minimum	0.00	14.04	0.00	63024	44378	41621	214	161
Rolling	5.80	157.70	8.24	170051	133056	113085	207	142
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	1	0	0	0	0	0	0	0
MUT %	99.85	99.85	94.35	99.85	100.00	100.00	99.85	99.85
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/29/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.69	0.00	0.000	210.09	2.17	17.43X	0.18X
02:00	96.72	0.00	0.000	219.62	2.27	8.59	0.09
03:00	96.74	0.00	0.000	219.08	2.26	9.19	0.09
04:00	96.68	0.00	0.000	226.61	2.34	11.70	0.12
05:00	96.66	0.00	0.000	254.98	2.64	16.28X	0.17X
06:00	96.74	0.00	0.000	295.20X	3.05X	12.93	0.13
07:00	96.71	0.00	0.000	310.59X	3.21X	15.49	0.16X
08:00	96.71	0.00	0.000	294.06X	3.04X	13.44	0.14
09:00	96.65	0.00	0.000	245.76	2.54	12.29	0.13
10:00	96.71	0.00	0.000	219.60	2.27	6.80	0.07
11:00	96.72	0.00	0.000	216.31	2.24	5.77	0.06
12:00	96.66	0.00	0.000	215.76	2.23	4.42	0.05
13:00	96.72	0.00	0.000	217.72	2.25	5.39	0.06
14:00	96.65	0.00	0.000	209.40	2.17	5.83	0.06
15:00	96.68	0.00	0.000	199.27	2.06	4.99	0.05
16:00	94.70	0.00	0.000	233.49	2.47	5.06	0.05
17:00	96.27	0.00	0.000	247.56	2.57	10.39	0.11
18:00	96.66	0.00	0.000	245.05	2.54	8.36	0.09
19:00	96.75	0.00	0.000	230.98	2.39	5.89	0.06
20:00	96.74	0.00	0.000	222.16	2.30	5.73	0.06
21:00	96.98	0.00	0.000	213.13	2.20	10.60	0.11
22:00	97.33	0.00	0.000	204.76	2.10	10.43	0.11
23:00	96.71	0.00	0.000	209.55	2.17	7.42	0.08
24:00	96.71	0.00	0.000	209.82	2.17	6.81	0.07
Total	2319.29	0.00	ND	5570.55	57.65	221.23	2.29
Average	96.64	0.00	ND	232.11	2.40	9.22	0.09
Maximum	97.33	0.00	ND	310.59	3.21	17.43	0.18
Minimum	94.70	0.00	ND	199.27	2.06	4.42	0.05
Rolling	58.61	5.03		158.07	2.61	9.11	0.21
Excess		0		3	3	2	3
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.82	99.86		99.82	99.82	95.39	95.39
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/29/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	222.10	16.33	198976	155032	131960	221	178
02:00	0.00	233.72	8.11	197480	150820	131040	220	178
03:00	0.00	234.05	8.71	196520	153180	130574	220	177
04:00	0.00	242.46	11.08	196300	152028	130428	220	178
05:00	0.00	271.02	15.41	197824	161812	131192	221	178
06:00	0.00	305.66	11.87	203596	158268	134720	222	179
07:00	0.00	321.64	14.23	203768	161556	134704	223	179
08:00	0.00	305.68	12.39	203356	158068	134276	224	179
09:00	0.00	255.29	11.32	203876	157364	134284	226	179
10:00	0.00	229.79	6.31	202688	159568	133300	226	178
11:00	0.00	225.41	5.34	203420	156188	133824	226	176
12:00	0.00	224.46	4.08	204024	159532	134080	227	173
13:00	0.00	227.21	5.00	203440	159592	133656	227	174
14:00	0.00	218.63	5.39	203164	158284	133588	227	173
15:00	0.00	208.27	4.63	203080	154676	133428	227	170
16:00	0.00	241.12	4.63	204120	158192	135068	222	171
17:00	0.00	256.51	9.54	203888	158972	134624	224	175
18:00	0.00	250.52	7.58	206532	158364	136432	223	175
19:00	0.00	239.05	5.39	203260	154560	134760	221	170
20:00	0.00	223.58	5.07	208964	159448	138984	219	170
21:00	0.00	219.81	9.71	203760	157860	135208	220	169
22:00	0.00	211.48	9.56	203952	160268	135044	222	170
23:00	0.00	216.30	6.79	203388	158544	135128	220	171
24:00	0.00	216.17	6.22	202972	161020	135380	217	170
Average	0.00	241.66	8.53	202598	157633	133987	223	175
Maximum	0.00	321.64	16.33	208964	161812	138984	227	179
Minimum	0.00	208.27	4.08	196300	150820	130428	217	169
Rolling	5.80	165.75	8.52	176804	138310	117551	214	148
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.86	99.86	94.54	99.86	100.00	100.00	99.86	99.86
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/30/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.70	0.00	0.000	212.02	2.19	9.50	0.10
02:00	96.71	0.00	0.000	209.65	2.17	13.42	0.14
03:00	96.71	0.00	0.000	214.83	2.22	9.33	0.10
04:00	96.69	0.00	0.000	214.00	2.21	9.08	0.09
05:00	96.72	0.00	0.000	208.69	2.16	8.09	0.08
06:00	94.94	0.00	0.000	247.27	2.61	9.33	0.10
07:00	94.05	0.00	0.000	238.13	2.53	15.00	0.16
08:00	94.46	0.00	0.000	238.58	2.53	12.16	0.13
09:00	94.35	0.00	0.000	269.23X	2.85X	12.03	0.13
10:00	80.38	0.00	0.000	271.42X	2.85X	7.16	0.13
11:00	17.65	0.00	0.000	40.88	2.85X	2.79	0.13
12:00	62.18	0.02	0.000	72.67	1.19	31.77X	0.50X
13:00	76.40	7.42	0.099	100.78	1.30	39.62X	0.52X
14:00	90.21	0.00	0.000	226.41	2.51	15.08	0.17X
15:00	94.94	0.00	0.000	218.72	2.30	15.53	0.16X
16:00	94.40	0.00	0.000	224.78	2.38	11.09	0.12
17:00	93.68	0.00	0.000	219.52	2.34	8.57	0.09
18:00	96.66	0.00	0.000	219.43	2.27	8.55	0.09
19:00	96.67	0.00	0.000	213.64	2.21	7.41	0.08
20:00	96.71	0.00	0.000	220.44	2.28	5.62	0.06
21:00	96.74	0.00	0.000	219.91	2.27	6.82	0.07
22:00	96.75	0.00	0.000	220.98	2.28	6.09	0.06
23:00	96.70	0.00	0.000	228.27	2.36	5.84	0.06
24:00	96.67	0.00	0.000	217.77	2.25	9.07	0.09
Total	2148.07	7.43	ND	4968.02	55.11	278.95	3.36
Average	89.50	0.31	ND	207.00	2.30	11.62	0.14
Maximum	96.75	7.42	ND	271.42	2.85	39.62	0.52
Minimum	17.65	0.00	ND	40.88	1.19	2.79	0.06
Rolling	61.59	4.99		164.97	2.60	9.49	0.20
Excess		0		2	3	2	4
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.83	99.86		99.83	99.83	95.58	95.58
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/30/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	217.64	8.66	203748	157096	135856	217	170
02:00	0.00	216.44	12.28	203152	157832	135116	219	170
03:00	0.00	221.29	8.52	203552	159520	135408	219	171
04:00	0.00	221.29	8.35	202436	154856	134844	218	170
05:00	0.00	221.11	7.60	196712	157960	131648	215	167
06:00	0.00	260.61	8.72	197704	153948	132340	214	166
07:00	0.00	252.84	14.14	197224	152472	131280	218	167
08:00	0.00	256.73	11.64	196552	146360	129594	225	167
09:00	0.00	293.33	11.62	195680	149980	128032	230	166
10:00	0.00	297.93	7.11	187976	99064	123880	225	166
11:00	0.00	58.92	3.43	135572	131536	92226	204	168
12:00	0.01	89.84	34.52	167916	138132	113250	209	164
13:00	6.27	117.64	41.15	178732	144364	119226	217	170
14:00	0.00	255.29	15.12	188268	149520	123676	227	169
15:00	0.00	230.35	14.52	202868	152884	132432	232	170
16:00	0.00	237.39	10.39	203172	157656	132068	235	170
17:00	0.00	231.45	8.01	203628	156212	132300	235	171
18:00	0.00	230.70	7.98	202160	156188	132676	228	169
19:00	0.00	228.78	7.04	197248	150156	130232	224	169
20:00	0.00	236.09	5.34	196060	154184	130238	220	169
21:00	0.00	234.45	6.44	196792	152372	130826	219	168
22:00	0.00	234.10	5.72	197424	154952	131664	217	168
23:00	0.00	240.75	5.46	198192	155044	132256	217	168
24:00	0.00	230.25	8.51	197308	157960	131912	215	168
Average	0.26	221.47	11.34	193753	150010	128458	221	168
Maximum	6.27	297.93	41.15	203748	159520	135856	235	171
Minimum	0.00	58.92	3.43	135572	99064	92226	204	164
Rolling	5.72	173.06	8.90	181879	142061	120770	219	153
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.86	99.86	94.72	99.86	100.00	100.00	99.86	99.86
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 12/31/2001

Time	Clinker Prod. Tons/Hr. Avg.	Kiln SO2 SO2 Lbs./Hr. Avg.	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.72	0.00	0.000	209.59	2.17	8.56	0.09
02:00	96.64	0.00	0.000	217.11	2.25	7.13	0.07
03:00	96.71	0.00	0.000	216.73	2.24	7.23	0.07
04:00	96.67	0.00	0.000	221.04	2.29	7.00	0.07
05:00	96.63	0.00	0.000	216.03	2.24	7.25	0.08
06:00	96.66	0.00	0.000	207.57	2.15	11.12	0.12
07:00	96.72	0.00	0.000	213.39	2.21	9.69	0.10
08:00	96.66	0.00	0.000	213.14	2.21	7.26	0.08
09:00	96.68	0.00	0.000	210.23	2.17	14.10	0.15
10:00	96.67	0.00	0.000	199.66	2.07	15.99X	0.17X
11:00	96.32	0.00	0.000	211.37	2.19	9.78	0.10
12:00	94.13	0.00	0.000	210.38	2.24	7.22	0.08
13:00	91.23	0.00	0.000	212.04	2.32	4.86	0.05
14:00	90.52	0.00	0.000	220.75	2.44	3.58	0.04
15:00	93.08	0.00	0.000	220.24	2.37	6.50	0.07
16:00	93.86	0.00	0.000	213.65	2.28	6.39	0.07
17:00	93.81	0.00	0.000	222.42	2.37	5.73	0.06
18:00	93.86	0.00	0.000	209.14	2.23	6.17	0.07
19:00	93.85	0.00	0.000	214.84	2.29	7.18	0.08
20:00	93.85	0.00	0.000	222.28	2.37	7.87	0.08
21:00	93.87	0.00	0.000	231.93	2.47	7.29	0.08
22:00	93.80	0.00	0.000	237.23	2.53	8.49	0.09
23:00	94.76	0.00	0.000	227.72	2.40	12.50	0.13
24:00	96.69	0.00	0.000	218.58	2.26	14.48	0.15
Total	2280.39	0.00	ND	5197.06	54.76	203.37	2.13
Average	95.02	0.00	ND	216.54	2.28	8.47	0.09
Maximum	96.72	0.00	ND	237.23	2.53	15.99	0.17
Minimum	90.52	0.00	ND	199.66	2.07	3.58	0.04
Rolling	64.75	4.76		172.19	2.60	9.78	0.19
Excess		0		0	0	1	1
Uptm %	100.00	100.00		100.00	100.00	100.00	100.00
# Per	24	24		24	24	24	24
MNR	0	0		0	0	0	0
ND	0	0		0	0	0	0
OC		0		0	0	0	0
CAL		0		0	0	0	0
Bad Per		0		0	0	0	0
MUT %	99.84	99.87		99.83	99.84	95.75	95.75
MDT Per	1	1		1	1	26	26

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 12/31/2001

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	221.40	8.04	197000	154452	132024	214	167
02:00	0.00	229.19	6.68	197152	154896	132136	214	168
03:00	0.00	226.05	6.69	198536	157968	133732	210	168
04:00	0.00	230.16	6.46	198564	159628	133936	209	167
05:00	0.00	225.80	6.72	198704	155444	133424	212	167
06:00	0.00	217.00	10.30	199208	161280	133448	214	168
07:00	0.00	223.86	8.99	198808	158696	132964	215	167
08:00	0.00	223.12	6.72	199236	155272	133256	215	168
09:00	0.00	220.64	13.13	198624	156564	132900	215	167
10:00	0.00	209.72	14.92	198788	157180	132804	216	168
11:00	0.00	223.76	9.18	198056	154252	131744	219	167
12:00	0.00	223.19	6.79	197784	154892	131480	219	168
13:00	0.00	223.73	4.57	199764	157484	132208	222	168
14:00	0.00	234.87	3.38	197932	153632	131092	222	168
15:00	0.00	235.95	6.19	196952	156892	130200	223	168
16:00	0.00	226.57	5.98	198760	152348	131508	222	168
17:00	0.00	234.50	5.39	199692	155564	132300	221	167
18:00	0.00	221.92	5.80	197440	159144	131444	218	166
19:00	0.00	226.64	6.73	198356	154732	132160	218	167
20:00	0.00	236.32	7.44	197692	153956	131192	220	167
21:00	0.00	246.08	6.86	198036	154252	131460	220	167
22:00	0.00	251.53	7.98	198044	157392	131560	220	167
23:00	0.00	241.45	11.73	198372	159008	131588	221	169
24:00	0.00	228.80	13.47	198912	157552	133244	214	169
Average	0.00	228.43	7.92	198351	156353	132242	217	168
Maximum	0.00	251.53	14.92	199764	161280	133936	223	169
Minimum	0.00	209.72	3.38	196952	152348	130200	209	166
Rolling	5.49	180.56	9.16	185321	144330	122677	223	156
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	99.87	99.87	94.89	99.87	100.00	100.00	99.87	99.87
MDT Per	1	1	38	1	0	0	1	1

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required