


January 2002 - Daily 30 Day Rolling Avg. NOx Lbs./Ton of Clinker



◆ 30 Day Rolling Avg. NOx Lbs./Ton of Clinker

RECEIVED

APR 11 2002

BUREAU OF AIR REGULATION

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/01/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.66	0.00	0.000	221.08	2.29	14.75	0.15
02:00	96.68	0.00	0.000	222.53	2.30	13.77	0.14
03:00	96.68	0.00	0.000	216.38	2.24	18.92X	0.20X
04:00	96.68	0.00	0.000	208.99	2.16	24.61X	0.25X
05:00	96.68	0.00	0.000	215.14	2.23	20.02X	0.21X
06:00	96.63	0.00	0.000	219.04	2.27	11.81	0.12
07:00	96.67	0.00	0.000	219.71	2.27	10.70	0.11
08:00	96.67	0.00	0.000	218.07	2.26	OC	OC
09:00	96.63	0.00	0.000	214.91	2.22	OC	OC
10:00	96.64	0.00	0.000	221.89	2.30	7.62	0.08
11:00	96.63	0.00	0.000	225.05	2.33	6.77	0.07
12:00	96.65	0.00	0.000	215.35	2.23	7.31	0.08
13:00	96.71	0.00	0.000	213.11	2.20	9.07	0.09
14:00	96.71	0.00	0.000	212.81	2.20	9.85	0.10
15:00	96.71	0.00	0.000	230.84	2.39	6.20	0.06
16:00	96.69	0.00	0.000	215.92	2.23	7.56	0.08
17:00	96.72	0.00	0.000	195.09	2.02	11.12	0.12
18:00	96.67	0.00	0.000	216.98	2.24	5.21	0.05
19:00	96.68	0.00	0.000	222.31	2.30	4.46	0.05
20:00	96.68	0.00	0.000	222.75	2.30	4.90	0.05
21:00	96.63	0.00	0.000	222.04	2.30	4.93	0.05
22:00	96.71	0.00	0.000	210.86	2.18	8.46	0.09
23:00	96.67	0.00	0.000	200.19	2.07	10.10	0.10
24:00	96.66	0.00	0.000	218.09	2.26	6.21	0.06
Total	2320.14	0.00	0.000	5199.13	53.79	224.35	2.31
Average	96.67	0.00	0.000	216.63	2.24	10.20	0.10
Maximum	96.72	0.00	0.000	230.84	2.39	24.61	0.25
Minimum	96.63	0.00	0.000	195.09	2.02	4.46	0.05
Rolling	64.26	4.76	0.117	168.77	2.46	9.81	0.14
Excess		0	0	0	0	3	3
Uptm %	100.00	100.00	100.00	100.00	100.00	91.67	91.67
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	2	2
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	91.67	91.67
MDT Per	0	0	0	0	0	2	2

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/01/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	230.14	13.61	198588	155940	133980	209	168
02:00	0.00	229.91	12.61	200040	158392	135016	209	165
03:00	0.00	223.79	17.36	200544	157132	134852	211	165
04:00	0.00	216.62	22.63	201192	159552	134584	215	167
05:00	0.00	223.30	18.43	201420	160624	134368	217	165
06:00	0.00	227.96	10.91	200880	157104	134000	217	165
07:00	0.00	228.20	9.83	201100	158632	134332	216	164
08:00	0.00	226.92	OC	201772	156712	134012	220	164
09:00	0.00	225.17	OC	200300	154252	133104	219	165
10:00	0.00	234.49	7.14	198948	156420	131996	220	164
11:00	0.00	238.47	6.36	198160	154252	131632	220	165
12:00	0.00	229.46	6.90	196960	154348	130906	219	166
13:00	0.00	227.05	8.58	196492	154516	130910	218	168
14:00	0.00	229.94	9.41	194072	138296	129096	219	168
15:00	0.00	272.77	6.51	177824	142460	118030	220	168
16:00	0.00	258.19	8.01	176148	139808	116648	222	168
17:00	0.00	235.05	11.87	174148	134956	115748	219	168
18:00	0.00	262.16	5.57	175208	135956	115456	225	168
19:00	0.00	268.00	4.78	176960	135844	115694	231	169
20:00	0.00	268.66	5.24	175876	136936	115650	226	167
21:00	0.00	268.88	5.29	174488	137120	115174	224	168
22:00	0.00	251.78	8.94	175668	138568	116838	219	167
23:00	0.00	239.04	10.70	174736	135304	116800	215	165
24:00	0.00	260.48	6.58	174312	134512	116780	214	166
Average	0.00	240.68	9.88	189410	147818	126067	219	166
Maximum	0.00	272.77	22.63	201772	160624	135016	231	169
Minimum	0.00	216.62	4.78	174148	134512	115174	209	164
Rolling	5.49	180.96	9.22	185023	144045	122471	223	156
Uptm %	100.00	100.00	91.67	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	2	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	91.67	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	2	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/02/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.70	0.00	0.000	213.97	2.21	6.40	0.07
02:00	96.69	0.00	0.000	220.45	2.28	6.12	0.06
03:00	96.65	0.00	0.000	247.51	2.56	9.71	0.10
04:00	96.64	0.00	0.000	257.79	2.67	10.94	0.11
05:00	96.69	0.00	0.000	245.90	2.54	10.12	0.10
06:00	85.77	0.00	0.000	223.84	2.61	13.89	0.17X
07:00	75.99	52.80X	0.703X	96.32	1.27	34.75X	0.46X
08:00	75.05	27.27	0.363X	129.01	1.72	32.27X	0.43X
09:00	75.03	2.86	0.038	164.97	2.20	18.99X	0.25X
10:00	73.27	82.52X	1.145X	101.42	1.38	34.68X	0.47X
11:00	73.91	118.83X	1.608X	130.12	1.76	37.36X	0.51X
12:00	72.59	23.25	0.317X	182.88	2.53	22.09X	0.31X
13:00	74.96	0.17	0.002	137.77	1.84	18.34X	0.25X
14:00	72.15	40.35X	0.570X	108.90	1.51	34.32X	0.48X
15:00	73.36	38.73X	0.532X	123.53	1.68	22.44X	0.31X
16:00	73.21	59.18X	0.816X	106.89	1.45	33.90X	0.46X
17:00	70.99	0.00	0.000	174.48	2.46	14.36	0.20X
18:00	71.04	0.00	0.000	160.56	2.26	11.01	0.16X
19:00	71.68	0.00	0.000	188.20	2.63	7.41	0.10
20:00	72.86	13.78	0.183	146.51	2.02	21.49X	0.29X
21:00	76.47	97.41X	1.278X	100.88	1.32	33.99X	0.44X
22:00	79.34	28.99X	0.368X	165.14	2.08	32.01X	0.40X
23:00	87.88	0.00	0.000	200.54	2.29	21.15X	0.24X
24:00	96.62	0.00	0.000	212.95	2.20	17.11X	0.18X
Total	1935.54	586.14	7.923	4040.53	49.47	504.85	6.55
Average	80.65	24.42	0.330	168.36	2.06	21.04	0.27
Maximum	96.70	118.83	1.608	257.79	2.67	37.36	0.51
Minimum	70.99	0.00	0.000	96.32	1.27	6.12	0.06
Rolling	66.89	5.50	0.128	174.33	2.53	10.45	0.14
Excess		8	10	0	0	15	18
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	95.83	95.83
MDT Per	0	0	0	0	0	2	2

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/02/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	254.88	6.76	174080	137612	117108	211	164
02:00	0.00	261.31	6.43	174560	137468	117668	210	165
03:00	0.00	290.45	10.10	176708	137048	118870	211	162
04:00	0.00	301.37	11.34	176772	143848	119326	209	162
05:00	0.00	284.73	10.40	176932	143528	120460	203	161
06:00	0.00	270.77	17.17	166624	102926	113646	203	159
07:00	60.25	153.51	49.13	142016	105072	87502	273	162
08:00	30.88	202.07	44.89	146532	105988	89026	283	163
09:00	3.05	250.88	25.50	150904	108394	91874	281	164
10:00	89.39	153.20	46.43	151300	111808	92406	279	164
11:00	128.76	196.16	50.00	150580	108048	92414	276	160
12:00	25.08	275.95	29.55	150668	105698	92438	276	162
13:00	0.19	208.83	24.64	150388	109918	92036	278	165
14:00	43.51	164.10	45.90	150564	109286	92544	275	161
15:00	41.77	185.54	29.92	150988	106146	92850	274	162
16:00	64.00	160.87	45.26	150376	112760	92654	273	162
17:00	0.00	262.69	19.14	150416	110458	92630	273	163
18:00	0.00	220.06	13.50	158636	119890	101892	243	159
19:00	0.00	271.76	9.93	153896	98242	97954	251	149
20:00	17.70	257.01	33.64	129986	94006	79350	279	162
21:00	115.95	166.80	49.99	139196	101122	84108	287	163
22:00	28.44	218.36	37.74	171508	151412	105754	273	162
23:00	0.00	216.09	20.13	194964	153244	129566	220	161
24:00	0.00	221.36	15.80	197376	161160	134156	204	162
Average	27.04	227.03	27.22	159832	119795	102010	252	162
Maximum	128.76	301.37	50.00	197376	161160	134156	287	165
Minimum	0.00	153.20	6.43	129986	94006	79350	203	149
Rolling	6.28	188.03	10.06	187199	145176	123402	227	159
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	95.83	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	2	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/03/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.66	0.00	0.000	236.66	2.45	7.08	0.07
02:00	96.69	0.00	0.000	229.30	2.37	10.56	0.11
03:00	96.67	0.00	0.000	228.25	2.36	11.80	0.12
04:00	96.70	0.00	0.000	227.16	2.35	10.03	0.10
05:00	96.66	0.00	0.000	221.17	2.29	16.09X	0.17X
06:00	96.70	0.00	0.000	238.76	2.47	12.57	0.13
07:00	96.68	0.00	0.000	229.65	2.38	12.25	0.13
08:00	97.66	0.00	0.000	196.04	2.01	19.26X	0.20X
09:00	100.23	0.00	0.000	199.88	1.99	11.34	0.11
10:00	96.92	0.00	0.000	198.16	2.04	13.69	0.14
11:00	97.49	0.00	0.000	207.51	2.13	10.14	0.10
12:00	84.43	0.00	0.000	210.73	2.50	8.04	0.09
13:00	95.34	0.00	0.000	186.64	1.96	20.51X	0.21X
14:00	96.66	0.00	0.000	192.71	1.99	17.15X	0.18X
15:00	96.66	0.00	0.000	200.18	2.07	12.37	0.13
16:00	96.65	0.00	0.000	179.21	1.85	15.82X	0.16X
17:00	95.20	0.00	0.000	168.24	1.77	13.36	0.14
18:00	94.45	0.00	0.000	184.77	1.96	14.79	0.16X
19:00	95.07	0.00	0.000	194.98	2.05	15.97X	0.17X
20:00	96.63	0.00	0.000	212.63	2.20	11.47	0.12
21:00	96.70	0.00	0.000	210.07	2.17	11.51	0.12
22:00	96.66	0.00	0.000	189.79	1.96	19.28X	0.20X
23:00	96.71	0.00	0.000	195.70	2.02	17.37X	0.18X
24:00	96.67	0.00	0.000	184.33	1.91	21.60X	0.22X
Total	2306.89	0.00	0.000	4922.52	51.25	334.05	3.46
Average	96.12	0.00	0.000	205.10	2.14	13.92	0.14
Maximum	100.23	0.00	0.000	238.76	2.50	21.60	0.22
Minimum	84.43	0.00	0.000	168.24	1.77	7.08	0.07
Rolling Excess	70.63	4.68	0.117	182.60	2.60	10.56	0.15
		0	0	0	0	9	10
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	97.22	97.22
MDT Per	0	0	0	0	0	2	2

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/03/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	242.22	6.43	199928	161816	136268	202	162
02:00	0.00	234.23	9.57	200488	156720	136508	203	161
03:00	0.00	233.23	10.68	200516	161492	136500	203	163
04:00	0.00	232.38	9.10	200452	159472	136332	204	163
05:00	0.00	226.16	14.57	200076	162272	136416	202	163
06:00	0.00	243.62	11.39	199940	160912	136692	200	163
07:00	0.00	235.36	11.14	199352	159488	136096	201	163
08:00	0.00	202.07	17.66	198256	155492	135208	202	163
09:00	0.00	207.30	10.43	197516	159068	134468	203	162
10:00	0.00	206.26	12.65	198252	159308	134016	208	161
11:00	0.00	217.66	9.44	198568	157652	132972	214	160
12:00	0.00	224.33	7.57	197452	155444	131048	220	161
13:00	0.00	199.54	19.47	196496	152668	130440	220	161
14:00	0.00	205.71	16.26	195480	154020	130650	216	160
15:00	0.00	213.08	11.67	196468	155804	131032	217	160
16:00	0.00	191.40	14.97	197308	150156	130576	222	161
17:00	0.00	200.18	14.37	187320	148616	117476	262	160
18:00	0.00	200.43	14.00	199092	153676	128904	238	160
19:00	0.00	203.46	14.83	203700	157316	133620	228	161
20:00	0.00	221.96	10.61	202968	159736	133628	226	162
21:00	0.00	222.97	10.86	199140	149332	131344	224	161
22:00	0.00	204.55	18.41	194244	152364	129426	218	160
23:00	0.00	210.13	16.53	194576	156196	129912	216	162
24:00	0.00	198.01	20.57	194332	153156	129834	216	161
Average	0.00	215.68	13.05	197997	156341	132474	215	161
Maximum	0.00	243.62	20.57	203700	162272	136692	262	163
Minimum	0.00	191.40	6.43	187320	148616	117476	200	160
Rolling	5.38	195.39	9.92	190819	148145	125920	227	162
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	97.22	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	2	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/04/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	92.95	0.00	0.000	157.70	1.70	31.02X	0.33X
02:00	93.40	0.00	0.000	160.39	1.72	33.46X	0.36X
03:00	96.79	0.00	0.000	220.74	2.28	15.78X	0.16X
04:00	96.68	0.00	0.000	221.96	2.30	13.04	0.13
05:00	96.62	0.00	0.000	204.58	2.12	14.75	0.15
06:00	96.68	0.00	0.000	195.57	2.02	15.83X	0.16X
07:00	96.68	0.00	0.000	198.44	2.05	13.92	0.14
08:00	96.67	0.00	0.000	201.85	2.09	8.58	0.09
09:00	96.67	0.00	0.000	193.04	2.00	1.47	0.02
10:00	96.62	0.00	0.000	198.86	2.06	4.13	0.04
11:00	96.66	0.00	0.000	195.26	2.02	16.46X	0.17X
12:00	96.65	0.00	0.000	192.45	1.99	17.53X	0.18X
13:00	96.70	0.00	0.000	180.73	1.87	30.66X	0.32X
14:00	96.70	6.27	0.065	150.39	1.56	36.09X	0.37X
15:00	98.30	0.00	0.000	172.87	1.76	18.91X	0.19X
16:00	64.84	0.00	0.000	159.14	2.54	3.58	0.05
17:00	66.26	0.00	0.000	174.65	2.64	2.69	0.04
18:00	83.25	0.00	0.000	204.83	2.46	5.31	0.06
19:00	95.76	0.00	0.000	182.14	1.90	9.22	0.10
20:00	96.71	0.00	0.000	184.49	1.91	11.68	0.12
21:00	96.63	0.00	0.000	184.84	1.91	12.62	0.13
22:00	97.00	0.00	0.000	183.64	1.89	12.63	0.13
23:00	96.96	0.00	0.000	136.14	1.40	35.14X	0.36X
24:00	93.57	0.00	0.000	163.51	1.75	20.07X	0.21X
Total	2235.75	6.27	0.065	4418.21	47.94	384.57	4.01
Average	93.16	0.26	0.003	184.09	2.00	16.02	0.17
Maximum	98.30	6.27	0.065	221.96	2.64	36.09	0.37
Minimum	64.84	0.00	0.000	136.14	1.40	1.47	0.02
Rolling	73.21	5.49	0.128	187.33	2.67	11.31	0.16
Excess		0	0	0	0	11	11
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	97.92	97.92
MDT Per	0	0	0	0	0	2	2

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/04/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	169.37	29.63	192468	154244	129770	210	162
02:00	0.00	171.93	31.83	192648	155556	130106	209	162
03:00	0.00	235.76	14.91	195072	154640	130674	214	163
04:00	0.00	238.34	12.40	194920	154640	129886	217	162
05:00	0.00	220.05	14.07	194568	153824	129670	217	162
06:00	0.00	209.79	15.06	194556	152724	130022	216	162
07:00	0.00	211.75	13.17	195488	151736	130712	215	163
08:00	0.00	215.73	8.12	194952	151880	130436	215	163
09:00	0.00	206.53	1.39	194984	152904	130380	215	161
10:00	0.00	217.84	4.08	192944	147352	127318	224	161
11:00	0.00	218.59	16.32	190912	145680	124584	232	163
12:00	0.00	217.50	17.56	189228	143260	123416	232	164
13:00	0.00	204.54	30.74	189372	142256	123244	234	166
14:00	5.14	170.29	36.25	188380	144892	123150	231	167
15:00	0.00	193.89	18.87	190064	146896	124344	230	161
16:00	0.00	175.25	3.51	193936	142888	126944	230	157
17:00	0.00	193.46	2.64	193328	146728	125914	233	166
18:00	0.00	233.73	5.38	187992	142416	122254	234	168
19:00	0.00	204.89	9.17	190064	156984	124094	231	169
20:00	0.00	197.16	11.07	198620	154536	130512	227	168
21:00	0.00	197.43	11.96	197624	145916	130550	223	168
22:00	0.00	203.25	12.38	189880	148828	126076	220	169
23:00	0.00	149.68	34.19	190052	148520	126908	216	168
24:00	0.00	184.86	20.15	187516	144896	123372	226	168
Average	0.21	201.73	15.62	192482	149342	127264	223	164
Maximum	5.14	238.34	36.25	198620	156984	130712	234	169
Minimum	0.00	149.68	1.39	187516	142256	122254	209	157
Rolling	6.27	202.19	10.87	192036	148720	126440	229	166
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	97.92	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	2	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/05/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	90.93	0.00	0.000	199.43	2.19	8.62	0.09
02:00	81.02	0.00	0.000	204.61	2.54	7.19	0.09
03:00	86.43	0.00	0.000	213.11	2.47	8.40	0.10
04:00	90.10	0.00	0.000	196.20	2.18	9.91	0.11
05:00	93.97	0.00	0.000	166.87	1.78	14.34	0.15
06:00	93.83	0.00	0.000	162.31	1.73	13.36	0.14
07:00	94.06	0.00	0.000	153.16	1.63	13.61	0.14
08:00	92.35	17.35	0.185	156.94	1.70	16.75X	0.18X
09:00	93.79	0.00	0.000	196.63	2.10	5.44	0.06
10:00	93.79	0.00	0.000	206.80	2.21	5.88	0.06
11:00	93.84	0.00	0.000	217.87	2.32	5.96	0.06
12:00	93.96	0.00	0.000	209.36	2.23	6.26	0.07
13:00	94.01	0.00	0.000	215.45	2.29	7.00	0.07
14:00	93.81	0.00	0.000	188.19	2.01	6.75	0.07
15:00	94.06	0.00	0.000	195.12	2.07	6.73	0.07
16:00	93.94	0.00	0.000	184.21	1.96	6.07	0.06
17:00	94.06	0.00	0.000	174.57	1.86	7.24	0.08
18:00	94.07	0.00	0.000	173.65	1.85	7.23	0.08
19:00	93.89	0.00	0.000	177.75	1.89	7.92	0.08
20:00	93.84	0.00	0.000	194.44	2.07	7.01	0.07
21:00	93.93	0.00	0.000	177.37	1.89	8.39	0.09
22:00	95.94	0.00	0.000	165.63	1.73	9.59	0.10
23:00	96.71	0.00	0.000	136.50	1.41	18.38X	0.19X
24:00	94.64	0.00	0.000	166.75	1.76	8.13	0.09
Total	2230.97	17.35	0.185	4432.92	47.87	216.16	2.30
Average	92.96	0.72	0.008	184.71	1.99	9.01	0.10
Maximum	96.71	17.35	0.185	217.87	2.54	18.38	0.19
Minimum	81.02	0.00	0.000	136.50	1.41	5.44	0.06
Rolling	76.41	5.50	0.128	193.99	2.74	11.53	0.16
Excess		0	0	0	0	2	2
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	98.33	98.33
MDT Per	0	0	0	0	0	2	2

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/05/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	224.00	8.59	188260	143644	124172	225	167
02:00	0.00	232.61	7.25	186068	143328	122650	225	146
03:00	0.00	239.63	8.38	188804	149584	124084	227	164
04:00	0.00	218.08	9.76	189676	146800	125490	222	168
05:00	0.00	183.62	14.00	190700	151188	126772	219	166
06:00	0.00	177.83	12.98	190940	149972	127314	217	167
07:00	0.00	168.45	13.27	190496	145192	126812	218	167
08:00	14.00	174.60	16.63	190536	147936	125320	226	167
09:00	0.00	217.86	5.35	192168	149592	125866	229	167
10:00	0.00	230.18	5.80	191680	144316	125330	231	168
11:00	0.00	245.70	5.96	190444	150536	123692	235	168
12:00	0.00	239.73	6.34	187660	148524	121802	236	168
13:00	0.00	231.66	6.67	199276	149512	129722	234	169
14:00	0.00	202.57	6.45	199164	153688	129578	234	170
15:00	0.00	210.33	6.44	198692	153476	129382	233	170
16:00	0.00	199.08	5.82	197524	155636	129082	231	169
17:00	0.00	187.89	6.92	197528	153140	129582	228	169
18:00	0.00	187.66	6.93	197092	150864	129068	229	169
19:00	0.00	191.72	7.57	197736	148304	129314	230	170
20:00	0.00	209.38	6.70	198160	151756	129532	231	167
21:00	0.00	190.91	8.01	197832	147836	129544	229	165
22:00	0.00	178.60	9.17	196852	152996	129360	227	165
23:00	0.00	149.31	17.85	192616	148384	127476	222	166
24:00	0.00	184.79	7.99	189516	149316	125902	220	166
Average	0.58	203.17	8.78	193309	149397	126952	227	167
Maximum	14.00	245.70	17.85	199276	155636	129722	236	170
Minimum	0.00	149.31	5.35	186068	143328	121802	217	146
Rolling	6.28	209.09	11.06	194652	150755	128144	229	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	98.33	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	2	0	0	0	0	0

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/06/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.98	0.00	0.000	185.93	1.98	8.08	0.09
02:00	94.94	0.00	0.000	190.77	2.01	7.93	0.08
03:00	95.98	0.00	0.000	176.67	1.84	8.83	0.09
04:00	96.04	0.00	0.000	166.76	1.74	9.30	0.10
05:00	96.53	0.00	0.000	160.53	1.66	10.33	0.11
06:00	95.31	0.00	0.000	154.98	1.63	10.04	0.11
07:00	93.79	0.00	0.000	149.68	1.60	17.41X	0.19X
08:00	92.67	0.00	0.000	163.57	1.76	OC	OC
09:00	93.04	0.00	0.000	180.40	1.94	OC	OC
10:00	93.43	0.00	0.000	186.30	1.99	OC	OC
11:00	93.83	0.00	0.000	199.10	2.12	OC	OC
12:00	94.14	0.00	0.000	205.05	2.18	OC	OC
13:00	95.32	0.00	0.000	217.02	2.28	OC	OC
14:00	93.90	0.00	0.000	222.95	2.37	OC	OC
15:00	93.85	0.00	0.000	233.65	2.49	OC	OC
16:00	93.84	0.00	0.000	243.01	2.59	OC	OC
17:00	93.89	0.00	0.000	225.80	2.41	OC	OC
18:00	93.85	0.00	0.000	220.00	2.34	30.87X	0.33X
19:00	93.80	0.00	0.000	197.10	2.10	32.98X	0.35X
20:00	93.90	0.00	0.000	191.18	2.04	37.53X	0.40X
21:00	94.13	0.00	0.000	203.08	2.16	30.10X	0.32X
22:00	96.27	0.00	0.000	185.54	1.93	0.00	0.00
23:00	96.71	0.16	0.002	153.42	1.59	4.89	0.05
24:00	96.76	5.95	0.061	131.18	1.36	0.00	0.00
Total	2269.90	6.11	0.063	4543.67	48.11	208.29	2.22
Average	94.58	0.25	0.003	189.32	2.00	14.88	0.16
Maximum	96.76	5.95	0.061	243.01	2.59	37.53	0.40
Minimum	92.67	0.00	0.000	131.18	1.36	0.00	0.00
Rolling	78.92	4.32	0.119	197.69	2.75	12.18	0.16
Excess		0	0	0	0	5	5
Uptm %	100.00	100.00	100.00	100.00	100.00	58.33	58.33
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	10	10
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	91.67	91.67
MDT Per	0	0	0	0	0	12	12

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/06/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	205.67	7.93	190120	150532	126076	221	167
02:00	0.00	211.13	7.78	189896	147164	126020	220	165
03:00	0.00	195.89	8.69	189276	146408	125778	219	164
04:00	0.00	184.72	9.13	188964	146688	125926	217	165
05:00	0.00	177.00	10.10	189500	147124	126514	216	166
06:00	0.00	171.26	9.84	188460	148524	126214	214	162
07:00	0.00	165.29	17.08	188256	151124	126276	213	154
08:00	0.00	178.25	OC	191016	148752	128016	214	155
09:00	0.00	192.53	OC	197268	154440	130718	221	158
10:00	0.00	198.98	OC	198860	153140	130598	228	161
11:00	0.00	213.55	OC	198728	151896	130076	230	162
12:00	0.00	221.14	OC	197688	155448	129342	230	167
13:00	0.00	229.76	OC	200500	163516	131732	227	163
14:00	0.00	237.29	OC	197992	151028	131040	222	161
15:00	0.00	247.44	OC	199824	152436	131740	225	161
16:00	0.00	259.45	OC	199004	152436	130628	228	161
17:00	0.00	241.71	OC	198560	153208	130308	228	159
18:00	0.00	234.34	29.10	199132	153728	130966	226	160
19:00	0.00	207.79	30.85	199904	158240	132284	222	159
20:00	0.00	200.42	34.88	201380	154004	133036	223	159
21:00	0.00	213.16	27.97	201644	157876	132924	225	160
22:00	0.00	193.32	0.00	202872	153496	133820	224	160
23:00	0.12	160.47	4.54	203760	156172	133368	230	164
24:00	4.43	136.71	0.00	204452	158108	133868	230	164
Average	0.19	203.22	14.14	196544	152729	129886	223	162
Maximum	4.43	259.45	34.88	204452	163516	133868	230	167
Minimum	0.00	136.71	0.00	188256	146408	125778	213	154
Rolling	4.37	211.26	11.64	197375	153077	130131	228	170
Uptm %	100.00	100.00	58.33	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	10	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	91.67	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/07/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.63	1.15	0.012	140.53	1.45	0.00	0.00
02:00	96.71	0.00	0.000	172.00	1.78	0.00	0.00
03:00	96.64	0.00	0.000	175.12	1.81	16.01X	0.17X
04:00	96.70	0.00	0.000	170.71	1.77	22.01X	0.23X
05:00	96.63	0.00	0.000	176.46	1.83	0.00	0.00
06:00	96.67	0.00	0.000	169.35	1.75	0.00	0.00
07:00	96.70	0.00	0.000	163.77	1.69	36.46X	0.38X
08:00	95.10	0.00	0.000	156.13	1.65	33.10X	0.34X
09:00	79.85	44.41X	0.558X	114.72	1.44	3.97	0.05
10:00	76.85	100.31X	1.293X	225.63	2.87X	-0.08	0.05
11:00	79.16	43.83X	0.559X	92.52	1.17	-0.10	0.05
12:00	88.53	3.75	0.040	129.56	1.17	-0.11	0.05
13:00	16.16	0.04	0.001	24.58	3.36X	1.82	17.25X
14:00	63.08	42.24X	0.662X	64.54	1.08	0.02	0.00
15:00	39.18	0.00	0.000	86.22	2.19	0.03	0.00
16:00	53.48	0.00	0.000	178.19	3.36X	0.03	0.00
17:00	77.21	92.53X	1.173X	99.27	1.30	0.03	0.00
18:00	87.00	33.08X	0.378X	86.05	0.99	0.03	0.00
19:00	92.20	30.67X	0.344X	107.03	1.16	0.03	0.00
20:00	96.61	26.11	0.270	105.69	1.09	0.03	0.00
21:00	96.66	31.08X	0.322X	103.63	1.07	0.02	0.00
22:00	96.72	34.91X	0.361X	101.38	1.05	0.06	0.00
23:00	96.61	14.29	0.148	106.35	1.10	0.02	0.00
24:00	96.69	0.00	0.000	104.98	1.09	0.02	0.00
Total	2007.77	498.40	6.121	3054.41	39.22	113.40	18.57
Average	83.66	20.77	0.255	127.27	1.63	4.72	0.77
Maximum	96.72	100.31	1.293	225.63	3.36	36.46	17.25
Minimum	16.16	0.00	0.000	24.58	0.99	-0.11	0.00
Rolling	79.91	4.79	0.126	195.59	2.50	11.98	0.19
Excess		9	9	0	3	4	5
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	92.86	92.86
MDT Per	0	0	0	0	0	12	12

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/07/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.86	146.35	0.00	204836	157368	133920	231	163
02:00	0.00	179.20	0.00	204844	159100	133884	231	163
03:00	0.00	182.08	14.81	204436	160228	134128	228	163
04:00	0.00	178.76	20.40	203588	153776	133216	230	164
05:00	0.00	184.99	0.00	204220	158620	133064	233	164
06:00	0.00	177.66	0.00	204144	158988	132968	233	164
07:00	0.00	171.91	33.94	204276	156668	132844	234	167
08:00	0.00	163.96	30.40	205412	126610	133164	236	167
09:00	52.27	180.78	5.40	143056	102574	87580	278	167
10:00	112.67	358.33	-0.11	152904	131064	94480	272	164
11:00	36.33	106.63	-0.11	186708	148256	121520	234	165
12:00	2.87	138.58	-0.11	198064	149356	130408	226	165
13:00	0.04	32.53	2.21	152580	138032	103322	206	125
14:00	35.24	72.21	0.02	182988	144948	122646	213	160
15:00	0.00	95.06	0.03	190596	145176	126540	220	159
16:00	0.00	196.34	0.03	191180	149012	126680	221	152
17:00	73.12	109.44	0.03	191144	149156	126626	222	159
18:00	25.55	92.48	0.03	195348	155032	129754	220	158
19:00	23.38	113.39	0.03	198832	153776	131628	222	163
20:00	19.63	111.13	0.03	200052	157536	132700	221	163
21:00	23.88	109.89	0.02	198024	153108	131488	220	162
22:00	26.52	107.46	0.05	198056	156544	131588	220	163
23:00	10.78	111.60	0.02	200704	150068	132880	222	162
24:00	0.00	112.11	0.02	197888	153300	130688	224	162
Average	18.46	143.04	4.46	192245	148679	126155	229	161
Maximum	112.67	358.33	33.94	205412	160228	134128	278	167
Minimum	0.00	32.53	-0.11	143056	102574	87580	206	125
Rolling	4.81	207.85	11.44	197850	153688	130640	227	170
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	92.86	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/08/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.69	0.96	0.010	107.63	1.11	0.02	0.00
02:00	96.73	0.05	0.000	131.54	1.36	0.02	0.00
03:00	96.68	0.00	0.000	127.55	1.32	0.01	0.00
04:00	96.68	0.00	0.000	173.03	1.79	0.00	0.00
05:00	96.68	0.00	0.000	167.61	1.73	0.00	0.00
06:00	96.63	0.00	0.000	177.12	1.83	0.00	0.00
07:00	96.62	0.00	0.000	210.47	2.18	0.00	0.00
08:00	96.71	0.00	0.000	164.48	1.70	0.01	0.00
09:00	96.64	0.00	0.000	175.56	1.82	0.00	0.00
10:00	96.66	0.00	0.000	188.89	1.95	0.00	0.00
11:00	96.77	0.00	0.000	138.00	1.43	0.00	0.00
12:00	96.35	0.00	0.000	139.49	1.45	0.89	0.01
13:00	96.67	0.00	0.000	129.26	1.34	0.01	0.00
14:00	95.04	0.00	0.000	125.72	1.32	0.02	0.00
15:00	95.71	0.00	0.000	160.05	1.67	0.02	0.00
16:00	95.67	0.00	0.000	201.63	2.11	0.03	0.00
17:00	96.69	0.00	0.000	206.64	2.14	0.03	0.00
18:00	96.24	0.00	0.000	210.41	2.19	0.03	0.00
19:00	96.51	0.00	0.000	215.42	2.23	0.03	0.00
20:00	96.67	0.00	0.000	189.96	1.97	0.03	0.00
21:00	96.68	0.00	0.000	160.72	1.66	0.03	0.00
22:00	96.68	0.00	0.000	160.71	1.66	0.03	0.00
23:00	96.65	0.00	0.000	165.50	1.71	0.02	0.00
24:00	96.63	0.00	0.000	154.84	1.60	0.02	0.00
Total	2315.68	1.01	0.010	3982.23	41.27	1.25	0.01
Average	96.49	0.04	0.000	165.93	1.72	0.05	0.00
Maximum	96.77	0.96	0.010	215.42	2.23	0.89	0.01
Minimum	95.04	0.00	0.000	107.63	1.11	0.00	0.00
Rolling	82.01	3.62	0.100	199.34	2.48	11.91	0.15
Excess		0	0	0	0	0	0
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	93.75	93.75
MDT Per	0	0	0	0	0	12	12

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/08/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.74	116.60	0.02	194808	151188	128768	223	162
02:00	0.03	139.30	0.02	199264	154512	131624	223	163
03:00	0.00	136.69	0.01	197104	154884	130120	224	163
04:00	0.00	187.15	0.00	195952	152784	128980	226	161
05:00	0.00	180.94	0.00	196304	151536	129210	226	162
06:00	0.00	191.61	0.00	196248	151508	128944	227	163
07:00	0.00	227.20	0.00	195984	152184	129236	225	160
08:00	0.00	174.20	0.01	200940	162860	132200	226	166
09:00	0.00	180.63	0.00	207336	159012	135632	230	165
10:00	0.00	200.29	0.00	200808	150100	131560	229	164
11:00	0.00	149.44	0.00	196396	155924	128832	228	165
12:00	0.00	149.52	0.85	197736	150508	130108	226	167
13:00	0.00	140.80	0.01	194716	151576	128016	227	167
14:00	0.00	136.57	0.01	194544	149452	128362	224	166
15:00	0.00	171.41	0.02	198576	157892	130286	228	166
16:00	0.00	206.89	0.03	207120	161500	135808	228	167
17:00	0.00	211.21	0.03	207832	161724	136472	228	167
18:00	0.00	215.77	0.03	207244	157032	135968	228	168
19:00	0.00	221.76	0.03	206508	159716	135484	228	166
20:00	0.00	196.42	0.03	207224	161128	134888	234	166
21:00	0.00	166.79	0.03	206776	157072	134408	235	167
22:00	0.00	166.54	0.03	206208	158932	134560	232	167
23:00	0.00	172.66	0.02	203268	157392	133676	226	168
24:00	0.00	160.80	0.02	204108	157892	134296	226	167
Average	0.03	175.05	0.05	200959	155763	131977	227	165
Maximum	0.74	227.20	0.85	207832	162860	136472	235	168
Minimum	0.00	116.60	0.00	194544	149452	128016	223	160
Rolling	3.70	211.32	11.41	198728	154372	131217	226	170
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	93.75	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/09/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.70	0.00	0.000	189.82	1.96	0.02	0.00
02:00	96.66	0.00	0.000	163.11	1.69	0.03	0.00
03:00	96.67	0.00	0.000	178.06	1.84	0.02	0.00
04:00	96.63	0.00	0.000	173.02	1.79	0.02	0.00
05:00	96.70	0.00	0.000	177.65	1.84	0.02	0.00
06:00	96.67	0.00	0.000	186.82	1.93	0.02	0.00
07:00	96.67	0.00	0.000	164.21	1.70	0.01	0.00
08:00	96.64	0.00	0.000	141.85	1.47	0.01	0.00
09:00	95.44	0.00	0.000	143.13	1.50	0.01	0.00
10:00	96.35	0.00	0.000	166.28	1.73	0.09	0.00
11:00	96.72	0.00	0.000	137.77	1.42	0.02	0.00
12:00	95.73	0.00	0.000	133.94	1.40	0.02	0.00
13:00	93.56	0.00	0.000	171.55	1.84	0.03	0.00
14:00	93.85	0.00	0.000	192.62	2.05	0.03	0.00
15:00	93.83	0.00	0.000	221.70	2.36	0.03	0.00
16:00	94.95	0.00	0.000	180.96	1.91	0.04	0.00
17:00	94.28	0.00	0.000	172.02	1.82	0.04	0.00
18:00	90.07	0.00	0.000	181.68	2.03	0.04	0.00
19:00	91.81	0.00	0.000	196.68	2.15	0.04	0.00
20:00	93.86	0.00	0.000	200.11	2.13	0.04	0.00
21:00	93.83	0.00	0.000	196.34	2.09	0.04	0.00
22:00	93.88	0.00	0.000	197.84	2.11	0.04	0.00
23:00	91.13	0.00	0.000	207.98	2.28	0.03	0.00
24:00	89.34	0.00	0.000	206.89	2.32	0.03	0.00
Total	2271.97	0.00	0.000	4282.03	45.36	0.72	0.00
Average	94.67	0.00	0.000	178.42	1.89	0.03	0.00
Maximum	96.72	0.00	0.000	221.70	2.36	0.09	0.00
Minimum	89.34	0.00	0.000	133.94	1.40	0.01	0.00
Rolling Excess	84.19	3.19	0.050	200.09	2.40	12.06	0.17
		0	0	0	0	0	0
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	94.44	94.44
MDT Per	0	0	0	0	0	12	12

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/09/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	194.87	0.01	205780	157060	135800	224	168
02:00	0.00	171.29	0.03	200220	156712	132768	221	168
03:00	0.00	185.27	0.02	202224	161932	134164	221	168
04:00	0.00	182.93	0.02	198512	153516	131924	219	167
05:00	0.00	186.96	0.01	198772	155184	132524	217	168
06:00	0.00	196.03	0.01	199968	154396	132928	219	168
07:00	0.00	174.03	0.01	198632	153940	131532	222	167
08:00	0.00	152.00	0.01	198388	154340	130198	228	167
09:00	0.00	150.39	0.00	202840	160636	132728	230	167
10:00	0.00	169.68	0.08	209512	160240	136672	232	168
11:00	0.00	142.89	0.02	205692	159408	134396	231	169
12:00	0.00	139.48	0.02	204924	154980	133860	231	170
13:00	0.00	185.09	0.03	198276	154036	129304	232	169
14:00	0.00	224.07	0.03	184192	137884	120084	232	168
15:00	0.00	250.80	0.03	188676	144704	123298	231	170
16:00	0.00	199.71	0.03	192608	152168	126676	227	170
17:00	0.00	184.07	0.03	198608	153796	130358	228	169
18:00	0.00	194.39	0.03	198468	153200	130400	227	166
19:00	0.00	212.06	0.04	197244	153280	129370	228	164
20:00	0.00	212.83	0.03	197560	151336	131132	220	163
21:00	0.00	209.17	0.03	196524	151144	130932	218	163
22:00	0.00	209.35	0.03	198060	155540	131772	219	162
23:00	0.00	221.00	0.03	197824	152492	131228	221	162
24:00	0.00	221.15	0.03	198024	150004	130480	225	161
Average	0.00	190.40	0.03	198814	153830	131022	225	167
Maximum	0.00	250.80	0.08	209512	161932	136672	232	170
Minimum	0.00	139.48	0.00	184192	137884	120084	217	161
Rolling	3.13	212.04	11.56	199667	155061	131818	226	171
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	94.44	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	12	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/10/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	89.66	0.00	0.000	201.11	2.24	0.03	0.00
02:00	90.90	0.00	0.000	202.61	2.23	0.03	0.00
03:00	91.93	0.00	0.000	195.71	2.13	0.03	0.00
04:00	92.45	0.00	0.000	172.18	1.86	0.03	0.00
05:00	92.68	0.00	0.000	167.13	1.80	0.02	0.00
06:00	91.19	0.00	0.000	185.98	2.04	0.02	0.00
07:00	82.26	0.00	0.000	194.49	2.36	0.02	0.00
08:00	49.22	25.03	0.000	87.36	2.36	0.00	0.00
09:00	24.14	0.00	0.000	86.53	2.36	0.00	0.00
10:00	44.42	27.86	0.577X	80.33	1.84	0.01	0.00
11:00	50.63	36.87X	0.800X	106.51	2.11	OC	ERROR
12:00	57.30	51.42X	0.925X	81.25	1.40	OC	ERROR
13:00	57.61	115.83X	2.011X	91.03	1.56	31.47X	0.55X
14:00	62.50	118.75X	1.900X	110.47	1.77	32.16X	0.51X
15:00	62.51	119.10X	1.905X	113.54	1.82	32.23X	0.52X
16:00	64.54	141.39X	2.191X	67.95	1.06	48.06X	0.74X
17:00	70.41	27.28	0.414X	122.80	1.73	30.89X	0.44X
18:00	73.91	0.00	0.000	133.70	1.81	32.78X	0.44X
19:00	75.80	0.00	0.000	150.01	1.98	21.21X	0.28X
20:00	80.35	0.00	0.000	185.25	2.31	8.87	0.11
21:00	87.15	0.00	0.000	213.34	2.45	6.66	0.08
22:00	88.98	0.00	0.000	236.83	2.67	6.31	0.07
23:00	85.28	0.00	0.000	254.35	2.98X	5.72	0.07
24:00	85.28	0.00	0.000	240.45	2.82X	5.76	0.07
Total	1751.10	663.53	10.723	3680.91	49.69	262.31	3.88
Average	72.96	27.65	0.447	153.37	2.07	11.92	0.18
Maximum	92.68	141.39	2.191	254.35	2.98	48.06	0.74
Minimum	24.14	0.00	0.000	67.95	1.06	0.00	0.00
Rolling	83.73	4.03	0.064	198.34	2.40	12.07	0.17
Excess		6	8	0	2	7	7
Uptm %	100.00	100.00	100.00	100.00	100.00	91.67	91.67
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	2	0
CAL	0	0	0	0	0	0	0
Bad Per		0	0	0	0	0	2
MUT %	100.00	100.00	100.00	100.00	100.00	94.17	94.17
MDT Per	0	0	0	0	0	14	14

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/10/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	216.36	0.03	197636	152360	129702	228	161
02:00	0.00	218.99	0.03	196744	150884	129044	228	162
03:00	0.00	210.36	0.03	197884	151396	129774	228	162
04:00	0.00	184.14	0.03	197640	150296	130412	224	163
05:00	0.00	179.63	0.02	196544	152928	129780	224	162
06:00	0.00	198.91	0.02	197824	149332	130394	225	162
07:00	0.00	244.87	0.02	172668	103406	112904	234	163
08:00	32.53	147.80	0.00	124248	61753	77324	263	160
09:00	0.00	178.26	0.00	102194	85820	66420	235	119
10:00	36.27	149.93	0.01	116678	92032	75052	242	156
11:00	47.40	196.60	OC	120134	88928	75754	256	157
12:00	66.58	142.17	OC	125724	93100	78956	259	167
13:00	148.99	161.97	50.00	124128	92736	77860	260	167
14:00	149.48	193.83	50.00	127640	92058	79562	264	166
15:00	149.61	198.36	50.00	128684	93960	79736	269	165
16:00	120.53	84.10	50.00	184188	133944	118900	241	164
17:00	24.19	140.49	31.89	185036	145508	121076	230	167
18:00	0.00	151.30	32.89	187088	144032	123256	225	165
19:00	0.00	168.37	21.12	190164	144908	124260	231	164
20:00	0.00	203.40	8.64	193224	149380	127034	227	164
21:00	0.00	228.56	6.34	198996	152060	130154	230	163
22:00	0.00	251.95	5.95	200072	151184	131108	229	164
23:00	0.00	270.21	5.39	200580	154104	131304	230	164
24:00	0.00	255.46	5.43	200648	152652	131268	230	169
Average	32.32	190.67	14.45	169432	126615	110043	238	162
Maximum	149.61	270.21	50.00	200648	154104	131304	269	169
Minimum	0.00	84.10	0.00	102194	61753	66420	224	119
Rolling	4.14	212.17	11.71	197568	153357	130427	226	171
Uptm %	100.00	100.00	91.67	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	2	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	94.17	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	14	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/11/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	87.20	0.00	0.000	240.41	2.76	6.06	0.07
02:00	89.42	0.00	0.000	234.29	2.62	6.38	0.07
03:00	93.48	0.00	0.000	228.45	2.44	6.73	0.07
04:00	92.94	0.00	0.000	230.52	2.48	7.20	0.08
05:00	91.24	0.00	0.000	235.64	2.58	7.56	0.08
06:00	92.01	0.00	0.000	230.34	2.51	8.43	0.09
07:00	93.04	0.00	0.000	224.75	2.42	8.65	0.09
08:00	92.73	0.00	0.000	234.95	2.53	5.19	0.06
09:00	95.72	0.00	0.000	220.98	2.31	10.77	0.11
10:00	97.32	0.00	0.000	201.96	2.08	16.69X	0.17X
11:00	99.24	0.00	0.000	145.07	1.46	33.83X	0.34X
12:00	97.86	5.20	0.055	135.55	1.38	42.44X	0.43X
13:00	94.07	3.26	0.035	180.31	1.92	16.36X	0.18X
14:00	92.62	0.00	0.000	209.64	2.26	7.86	0.08
15:00	93.29	0.00	0.000	193.43	2.08	19.71X	0.21X
16:00	85.94	0.00	0.000	246.94	2.87X	10.88	0.13
17:00	86.68	0.00	0.000	240.32	2.77	7.34	0.08
18:00	93.68	0.00	0.000	245.41	2.62	8.71	0.09
19:00	93.74	0.00	0.000	249.66	2.66	9.15	0.10
20:00	91.07	0.00	0.000	244.09	2.68	15.10	0.17X
21:00	90.94	0.00	0.000	224.35	2.47	22.75X	0.25X
22:00	89.95	0.00	0.000	226.52	2.52	7.60	0.08
23:00	92.11	0.00	0.000	196.63	2.14	16.38X	0.18X
24:00	92.45	0.00	0.000	193.68	2.10	10.01	0.11
Total	2218.74	8.46	0.090	5213.89	56.66	311.78	3.32
Average	92.45	0.35	0.004	217.25	2.36	12.99	0.14
Maximum	99.24	5.20	0.055	249.66	2.87	42.44	0.43
Minimum	85.94	0.00	0.000	135.55	1.38	5.19	0.06
Rolling	85.80	2.98	0.036	200.33	2.34	11.86	0.17
Excess		0	0	0	1	7	8
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	94.70	94.70
MDT Per	0	0	0	0	0	14	14

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/11/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	256.09	5.73	200216	153636	130948	230	171
02:00	0.00	248.81	6.01	199428	154276	131340	225	168
03:00	0.00	241.08	6.29	200136	154604	132176	224	170
04:00	0.00	242.40	6.71	200676	154440	132624	223	173
05:00	0.00	246.36	7.01	202176	153984	133400	224	174
06:00	0.00	241.16	7.83	202472	157364	133240	226	173
07:00	0.00	236.05	8.06	202020	157100	132776	227	174
08:00	0.00	246.66	4.84	202148	156304	132836	227	170
09:00	0.00	231.10	9.98	203004	155924	133372	227	173
10:00	0.00	210.90	15.46	202740	157828	133588	225	174
11:00	0.00	152.39	31.62	201064	158996	132716	224	173
12:00	3.96	141.77	39.28	203364	159392	133444	228	169
13:00	2.44	190.29	15.21	203760	152028	132300	235	174
14:00	0.00	221.75	7.37	203048	151796	131844	235	176
15:00	0.00	217.08	19.33	197332	144948	125792	249	179
16:00	0.00	274.38	10.64	197044	143960	125698	248	178
17:00	0.00	267.16	7.23	195336	150004	125476	243	171
18:00	0.00	263.78	8.31	198608	151836	129768	231	173
19:00	0.00	265.16	8.62	199208	154272	131328	225	177
20:00	0.00	262.09	14.40	197636	154108	129878	227	176
21:00	0.00	239.48	21.50	198140	153136	130672	225	177
22:00	0.00	243.28	7.24	196760	153868	129866	224	172
23:00	0.00	210.44	15.54	196204	154456	130342	220	175
24:00	0.00	205.75	9.42	196392	153248	131296	215	172
Average	0.27	231.48	12.23	199955	153813	131113	229	173
Maximum	3.96	274.38	39.28	203760	159392	133588	249	179
Minimum	0.00	141.77	4.84	195336	143960	125476	215	168
Rolling	2.95	213.05	11.39	198623	154354	131216	225	171
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	94.70	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	14	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/12/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.38	0.00	0.000	182.04	1.95	11.80	0.13
02:00	93.32	0.00	0.000	175.64	1.88	15.09	0.16X
03:00	93.32	0.00	0.000	174.25	1.87	19.28X	0.21X
04:00	91.38	0.00	0.000	192.56	2.11	7.85	0.09
05:00	93.57	0.00	0.000	173.76	1.86	20.09X	0.21X
06:00	93.60	0.00	0.000	193.17	2.06	13.45	0.14
07:00	93.21	0.00	0.000	209.89	2.25	19.63X	0.21X
08:00	91.74	0.00	0.000	204.55	2.23	14.20	0.15
09:00	89.21	0.00	0.000	189.05	2.12	7.60	0.09
10:00	93.19	0.00	0.000	177.79	1.91	10.70	0.11
11:00	92.35	0.00	0.000	200.31	2.17	8.75	0.09
12:00	92.47	0.00	0.000	187.83	2.03	25.05X	0.27X
13:00	93.85	0.00	0.000	200.98	2.14	13.47	0.14
14:00	93.84	0.00	0.000	191.11	2.04	9.17	0.10
15:00	93.89	0.00	0.000	177.14	1.89	5.04	0.05
16:00	93.19	0.00	0.000	198.16	2.13	16.10X	0.17X
17:00	92.46	0.00	0.000	254.98	2.76	4.71	0.05
18:00	93.84	0.00	0.000	255.47	2.72	5.32	0.06
19:00	91.14	0.00	0.000	253.18	2.78	0.94	0.01
20:00	88.41	0.00	0.000	240.99	2.73	1.53	0.02
21:00	90.90	0.00	0.000	235.46	2.59	2.17	0.02
22:00	89.77	0.00	0.000	246.51	2.75	0.17	0.00
23:00	90.71	0.00	0.000	228.13	2.52	4.47	0.05
24:00	91.09	0.00	0.000	238.34	2.62	2.11	0.02
Total	2213.83	0.00	0.000	4981.29	54.11	238.69	2.55
Average	92.24	0.00	0.000	207.55	2.25	9.95	0.11
Maximum	93.89	0.00	0.000	255.47	2.78	25.05	0.27
Minimum	88.41	0.00	0.000	173.76	1.86	0.17	0.00
Rolling	85.80	3.69	0.049	198.22	2.31	11.73	0.16
Excess		0	0	0	0	5	6
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	95.14	95.14
MDT Per	0	0	0	0	0	14	14

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/12/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	192.41	11.04	196708	153660	131992	213	173
02:00	0.00	186.45	14.18	195820	154432	131404	213	175
03:00	0.00	184.59	18.11	196364	153364	131668	213	178
04:00	0.00	204.82	7.40	195576	155756	131144	213	176
05:00	0.00	184.28	18.89	196140	151968	131516	213	179
06:00	0.00	205.00	12.67	196392	155488	131428	215	177
07:00	0.00	222.80	18.48	196564	153728	131396	215	180
08:00	0.00	214.36	13.18	199920	156096	133192	218	176
09:00	0.00	197.49	7.05	203824	159100	133520	229	178
10:00	0.00	185.16	9.89	204500	157700	133936	229	178
11:00	0.00	211.51	8.20	203012	153744	132068	234	173
12:00	0.00	196.83	23.31	201320	158716	133136	223	173
13:00	0.00	212.48	12.60	199136	158100	131948	221	171
14:00	0.00	203.79	8.64	197264	156760	130856	221	169
15:00	0.00	185.11	4.68	201420	156556	133448	221	170
16:00	0.00	207.34	14.90	200448	158156	133360	219	168
17:00	0.00	269.48	4.42	198640	157608	131940	220	170
18:00	0.00	270.00	5.00	199112	153756	131976	221	171
19:00	0.00	267.60	0.88	199284	154628	131940	222	171
20:00	0.00	255.66	1.44	198664	151208	131468	222	171
21:00	0.00	250.13	2.05	198308	154936	131308	222	172
22:00	0.00	262.49	0.16	197408	152012	130968	220	167
23:00	0.00	243.07	4.23	197268	155176	130908	220	170
24:00	0.00	253.12	1.99	198016	153776	131308	221	167
Average	0.00	219.42	9.31	198796	155268	131993	220	173
Maximum	0.00	270.00	23.31	204500	159100	133936	234	180
Minimum	0.00	184.28	0.16	195576	151208	130856	213	167
Rolling	3.82	212.54	11.40	196742	152864	130018	225	170
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	95.14	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	14	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/13/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	90.58	0.00	0.000	228.24	2.52	1.11	0.01
02:00	89.55	0.00	0.000	237.80	2.66	2.88	0.03
03:00	70.58	0.00	0.000	225.78	2.66	0.11	0.03
04:00	0.04	0.00	0.000	22.15	2.66	0.00	0.03
05:00	0.07	0.00	0.000	9.93	2.66	0.00	0.00
06:00	0.10	0.00	0.000	12.64	2.66	0.00	0.00
07:00	0.10	0.00	0.000	12.95	2.66	0.00	0.00
08:00	0.10	0.00	0.000	12.98	2.66	OC	OC
09:00	7.51	0.00	0.000	33.55	2.66	OC	OC
10:00	55.53	14.23	0.284X	45.30	0.81	OC	OC
11:00	73.78	0.99	0.013	93.19	1.27	OC	OC
12:00	59.27	0.73	0.546X	97.77	1.27	OC	OC
13:00	46.52	3.18	0.045	89.31	1.27	OC	OC
14:00	81.27	9.74	0.131	141.80	1.71	OC	OC
15:00	86.16	0.00	0.000	217.27	2.52	OC	OC
16:00	89.79	0.00	0.000	251.23	2.80X	7.91	0.09
17:00	92.55	0.00	0.000	265.98	2.87X	8.66	0.09
18:00	91.81	0.00	0.000	264.81	2.89X	7.99	0.09
19:00	90.74	0.00	0.000	264.42	2.91X	8.76	0.10
20:00	87.56	0.00	0.000	272.86X	3.12X	6.83	0.08
21:00	85.35	0.00	0.000	276.07X	3.23X	6.67	0.08
22:00	88.01	0.00	0.000	275.73X	3.14X	7.37	0.08
23:00	88.52	0.00	0.000	272.84X	3.08X	7.40	0.08
24:00	93.39	3.40	0.036	160.94	1.73	38.93X	0.41X
Total	1468.88	32.27	1.055	3785.54	58.42	104.62	1.20
Average	61.20	1.34	0.044	157.73	2.43	6.54	0.07
Maximum	93.39	14.23	0.546	276.07	3.23	38.93	0.41
Minimum	0.04	0.00	0.000	9.93	0.81	0.00	0.00
Rolling Excess	84.99	3.58	0.049	196.61	2.31	11.18	0.16
		0	2	4	8	1	1
Uptm %	100.00	100.00	100.00	100.00	100.00	66.67	66.67
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	8	8
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	92.95	92.95
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/13/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	245.70	1.06	195336	150668	129560	221	165
02:00	0.00	254.65	2.77	196208	153632	130236	220	168
03:00	0.00	256.88	0.11	182484	62399	121228	220	166
04:00	0.00	59.74	0.00	80528	58373	51527	246	99
05:00	0.00	23.76	0.00	93112	80908	59905	243	62
06:00	0.00	21.36	0.00	128408	100510	82692	241	93
07:00	0.00	20.76	0.00	127164	102914	87000	200	98
08:00	0.00	20.19	OC	128642	108590	89688	188	95
09:00	0.00	49.31	OC	134212	127020	92758	193	120
10:00	12.53	54.76	OC	172132	144624	115022	216	155
11:00	0.83	109.91	OC	179916	140348	118530	225	171
12:00	0.62	113.73	OC	180464	111638	118604	227	172
13:00	2.60	106.75	OC	173120	147700	114044	225	176
14:00	7.79	154.59	OC	194700	153988	127448	230	173
15:00	0.00	235.66	OC	197756	154896	128596	234	174
16:00	0.00	271.27	7.63	198792	152640	129164	235	178
17:00	0.00	288.19	8.32	198404	150472	128716	236	177
18:00	0.00	284.63	7.61	197792	150648	129744	228	177
19:00	0.00	282.19	8.29	198368	153940	130700	225	178
20:00	0.00	292.56	6.50	198144	154340	130082	228	174
21:00	0.00	296.82	6.36	197944	153444	129720	229	175
22:00	0.00	297.55	7.06	196852	150352	129224	228	177
23:00	0.00	294.88	7.09	195864	153960	129064	225	175
24:00	2.70	176.66	38.07	192444	146944	126794	225	175
Average	1.13	175.52	6.30	172449	131873	113752	225	153
Maximum	12.53	297.55	38.07	198792	154896	130700	246	178
Minimum	0.00	20.19	0.00	80528	58373	51527	188	62
Rolling	3.76	212.74	11.06	194422	150819	128347	226	170
Uptm %	100.00	100.00	66.67	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	8	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	92.95	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/14/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.84	0.28	0.003	200.14	2.13	23.55X	0.25X
02:00	93.87	0.00	0.000	217.85	2.32	16.72X	0.18X
03:00	96.69	0.00	0.000	195.40	2.02	26.11X	0.27X
04:00	96.71	0.00	0.000	195.59	2.02	19.39X	0.20X
05:00	97.01	0.00	0.000	187.22	1.93	23.45X	0.24X
06:00	96.78	0.00	0.000	185.45	1.92	21.58X	0.22X
07:00	96.35	0.00	0.000	186.16	1.93	19.81X	0.21X
08:00	96.18	0.00	0.000	157.70	1.64	23.29X	0.24X
09:00	83.69	19.10	0.232	113.59	1.35	26.25X	0.32X
10:00	79.79	0.94	0.011	143.57	1.80	26.14X	0.33X
11:00	87.13	0.00	0.000	169.38	1.94	8.74	0.10
12:00	92.19	0.00	0.000	179.20	1.95	8.74	0.09
13:00	96.73	0.00	0.000	163.73	1.69	13.94	0.14
14:00	96.67	0.00	0.000	154.80	1.60	32.62X	0.34X
15:00	96.12	0.00	0.000	160.21	1.67	28.34X	0.29X
16:00	96.58	0.00	0.000	177.95	1.84	21.98X	0.23X
17:00	95.61	0.00	0.000	211.61	2.21	19.10X	0.20X
18:00	95.59	0.00	0.000	240.36	2.51	12.66	0.13
19:00	95.54	0.00	0.000	251.00	2.63	13.73	0.14
20:00	95.55	0.00	0.000	244.30	2.56	17.11X	0.18X
21:00	96.77	0.00	0.000	195.20	2.02	36.76X	0.38X
22:00	6.54	0.00	0.000	39.31	2.02	0.50	0.38X
23:00	6.93	0.00	0.000	41.49	2.02	0.10	0.38X
24:00	43.84	0.00	0.000	123.73	2.95X	4.48	0.08
Total	2032.70	20.32	0.246	4134.94	48.67	445.09	5.52
Average	84.70	0.85	0.010	172.29	2.03	18.55	0.23
Maximum	97.01	19.10	0.232	251.00	2.95	36.76	0.38
Minimum	6.54	0.00	0.000	39.31	1.35	0.10	0.08
Rolling	86.58	3.33	0.047	195.43	2.24	11.69	0.16
Excess		0	0	0	1	16	18
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	93.45	93.45
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/14/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.22	221.96	23.21	189436	149552	125716	220	175
02:00	0.00	242.17	16.44	188796	150904	125494	219	175
03:00	0.00	215.84	25.58	189764	146528	126268	218	176
04:00	0.00	215.64	18.94	189524	148044	126496	216	176
05:00	0.00	205.66	22.83	189976	149268	126972	215	176
06:00	0.00	203.43	20.98	190296	148988	127156	216	176
07:00	0.00	205.22	19.36	189900	149992	126500	218	176
08:00	0.00	171.99	22.33	191468	143352	127790	216	172
09:00	15.93	143.46	28.78	178448	143000	111488	263	164
10:00	0.76	155.74	25.35	194964	154864	128334	226	164
11:00	0.00	182.65	8.35	196712	152120	129330	227	168
12:00	0.00	192.86	8.34	198172	152316	129594	230	166
13:00	0.00	175.46	13.23	197644	153136	130138	226	166
14:00	0.00	165.49	30.94	197424	153468	130480	223	169
15:00	0.00	171.46	26.89	197264	148172	130326	223	169
16:00	0.00	191.53	20.99	197564	150764	129602	228	171
17:00	0.00	230.21	18.36	192924	150584	128318	219	156
18:00	0.00	260.48	12.18	191036	157020	128692	210	150
19:00	0.00	270.41	13.11	191660	153004	129454	208	151
20:00	0.00	264.45	16.42	191620	155196	128850	211	153
21:00	0.00	211.10	35.30	193512	153180	128964	217	169
22:00	0.00	51.03	0.50	134860	105892	93580	190	131
23:00	0.00	60.22	0.12	136300	122686	93832	196	96
24:00	0.00	150.58	4.75	173024	143760	114742	221	103
Average	0.70	189.96	18.05	186762	147325	124088	219	160
Maximum	15.93	270.41	35.30	198172	157020	130480	263	176
Minimum	0.00	51.03	0.12	134860	105892	93580	190	96
Rolling	3.54	213.92	11.61	192460	149388	127038	225	170
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	93.45	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/15/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	66.66	12.70	0.186	122.35	1.87	28.75X	0.42X
02:00	73.74	61.97X	0.827X	84.99	1.17	50.14X	0.68X
03:00	82.25	1.45	0.018	133.19	1.62	52.68X	0.64X
04:00	83.66	0.00	0.000	139.57	1.67	56.06X	0.67X
05:00	79.11	13.03	0.162	147.48	1.93	38.77X	0.47X
06:00	71.80	65.03X	0.896X	128.00	1.79	31.78X	0.44X
07:00	72.78	97.21X	1.336X	176.93	2.43	42.09X	0.58X
08:00	72.78	138.83X	1.907X	185.39	2.55	41.38X	0.57X
09:00	72.75	142.41X	1.958X	249.11	3.42X	42.00X	0.58X
10:00	73.07	66.92X	0.920X	141.57	1.94	34.60X	0.47X
11:00	72.10	82.14X	1.155X	90.88	1.26	40.36X	0.56X
12:00	72.51	132.88X	1.839X	195.30	2.71	41.17X	0.57X
13:00	75.58	67.45X	0.892X	110.63	1.46	40.92X	0.54X
14:00	75.65	143.52X	1.897X	117.18	1.55	41.68X	0.55X
15:00	75.65	101.00X	1.335X	111.79	1.48	42.70X	0.56X
16:00	75.91	141.73X	1.868X	119.42	1.57	38.53X	0.51X
17:00	76.77	148.43X	1.934X	156.77	2.04	42.37X	0.55X
18:00	76.77	115.13X	1.499X	139.25	1.81	42.85X	0.56X
19:00	76.78	128.57X	1.675X	112.62	1.47	46.85X	0.61X
20:00	76.80	35.01X	0.456X	116.22	1.51	47.43X	0.62X
21:00	79.10	0.00	0.000	148.17	1.87	25.36X	0.33X
22:00	85.12	0.00	0.000	179.78	2.11	7.54	0.09
23:00	93.32	0.00	0.000	195.27	2.09	7.36	0.08
24:00	91.54	0.00	0.000	199.77	2.18	7.32	0.08
Total	1852.20	1695.41	22.760	3501.63	45.50	890.69	11.73
Average	77.18	70.64	0.948	145.90	1.90	37.11	0.49
Maximum	93.32	148.43	1.958	249.11	3.42	56.06	0.68
Minimum	66.66	0.00	0.000	84.99	1.17	7.32	0.08
Rolling	85.37	5.70	0.079	193.95	2.25	11.95	0.17
Excess		16	16	0	1	21	21
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	93.89	93.89
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/15/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	10.70	140.21	29.70	184132	147384	121124	226	108
02:00	50.38	96.39	50.45	186300	137748	122964	224	158
03:00	1.20	152.77	53.66	182840	144748	121480	220	168
04:00	0.00	154.54	55.02	190388	152020	125998	222	169
05:00	10.48	167.73	38.24	187108	111092	123616	223	170
06:00	71.09	198.20	43.36	145232	107650	90352	266	171
07:00	105.32	267.02	56.03	150236	111862	92924	270	169
08:00	142.16	261.91	52.26	157368	117490	97656	267	168
09:00	143.50	349.36	52.26	158832	119370	99406	261	168
10:00	67.21	197.77	42.88	158948	117462	99812	259	169
11:00	82.08	126.60	49.83	159060	117652	100166	257	167
12:00	136.48	280.37	52.26	157988	115986	97434	272	167
13:00	69.56	159.43	52.26	161312	115750	96862	292	169
14:00	145.73	165.66	52.26	164224	115458	98664	291	170
15:00	100.81	155.02	52.26	165256	116436	101056	279	171
16:00	140.41	164.98	47.17	165048	120726	101062	277	172
17:00	148.23	218.59	52.26	163780	103240	100280	277	174
18:00	115.96	201.13	52.26	162748	130214	101410	266	173
19:00	115.97	141.66	52.26	178692	129852	110888	268	173
20:00	31.46	144.64	52.26	182808	143984	112262	275	172
21:00	0.00	161.31	24.70	191308	153076	127942	215	171
22:00	0.00	193.39	7.19	192752	157208	129658	211	167
23:00	0.00	206.36	6.89	196364	157452	132000	212	169
24:00	0.00	211.31	6.87	197136	154708	131848	215	170
Average	70.36	188.18	43.11	172494	129107	109869	252	167
Maximum	148.23	349.36	56.03	197136	157452	132000	292	174
Minimum	0.00	96.39	6.87	145232	103240	90352	211	108
Rolling	5.90	213.99	12.13	190365	147494	125526	226	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	93.89	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/16/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	93.88	0.00	0.000	218.06	2.32	7.86	0.08
02:00	93.84	0.00	0.000	236.69	2.52	12.70	0.14
03:00	90.53	0.00	0.000	238.30	2.63	16.89X	0.19X
04:00	88.68	0.00	0.000	245.89	2.77	22.20X	0.25X
05:00	89.72	0.00	0.000	209.91	2.34	35.47X	0.40X
06:00	90.99	0.00	0.000	203.92	2.24	29.50X	0.32X
07:00	91.98	0.00	0.000	234.80	2.55	10.70	0.12
08:00	94.78	0.00	0.000	196.48	2.07	19.03X	0.20X
09:00	95.58	0.00	0.000	163.12	1.71	30.74X	0.32X
10:00	95.59	0.00	0.000	148.69	1.56	29.94X	0.31X
11:00	95.58	0.00	0.000	152.05	1.59	24.99X	0.26X
12:00	94.46	0.00	0.000	174.81	1.86	21.14X	0.22X
13:00	92.32	0.00	0.000	251.27	2.72	10.10	0.11
14:00	92.94	0.00	0.000	248.13	2.67	9.30	0.10
15:00	72.10	0.00	0.000	205.56	2.85X	7.83	0.11
16:00	71.05	0.00	0.000	149.19	2.10	20.77X	0.29X
17:00	69.56	12.49	0.179	82.70	1.19	35.79X	0.52X
18:00	68.22	37.42X	0.549X	76.55	1.12	41.63X	0.61X
19:00	72.59	11.49	0.168	145.11	1.97	38.37X	0.53X
20:00	80.38	0.00	0.000	201.76	2.51	19.41X	0.24X
21:00	90.22	0.00	0.000	191.26	2.12	25.09X	0.28X
22:00	93.02	0.00	0.000	195.70	2.10	28.07X	0.30X
23:00	94.85	0.00	0.000	213.27	2.25	12.37	0.13
24:00	95.59	0.00	0.000	205.81	2.15	15.42	0.16X
Total	2108.45	61.40	0.896	4589.03	51.91	525.31	6.19
Average	87.85	2.56	0.037	191.21	2.16	21.89	0.26
Maximum	95.59	37.42	0.549	251.27	2.85	41.63	0.61
Minimum	68.22	0.00	0.000	76.55	1.12	7.83	0.08
Rolling	85.41	3.46	0.049	195.35	2.27	11.61	0.16
Excess		1	1	0	1	16	17
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	94.27	94.27
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/16/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	230.41	7.36	198248	159820	131992	218	169
02:00	0.00	248.47	11.81	200648	155500	132864	222	170
03:00	0.00	250.61	15.74	202504	153920	132656	229	170
04:00	0.00	259.57	20.79	202460	155876	132124	232	170
05:00	0.00	222.65	33.34	201780	154880	131540	233	172
06:00	0.00	215.22	27.64	202356	159992	132172	231	173
07:00	0.00	247.31	10.00	202392	153140	132412	230	167
08:00	0.00	203.30	17.46	206412	159252	134832	231	168
09:00	0.00	168.91	28.23	206064	154176	134672	231	169
10:00	0.00	154.82	27.62	205324	156212	133948	232	165
11:00	0.00	158.93	23.12	204232	155948	133412	231	168
12:00	0.00	185.82	19.80	201752	154612	131496	233	169
13:00	0.00	268.82	9.60	199892	153136	130328	232	168
14:00	0.00	269.74	8.96	194472	152000	128276	224	169
15:00	0.00	302.76	10.85	152616	103800	94694	271	174
16:00	0.00	240.09	29.56	139296	96740	86792	264	175
17:00	13.12	112.23	42.78	161056	139200	103490	244	173
18:00	31.15	88.82	42.82	177184	142432	120242	205	174
19:00	9.30	161.06	37.92	185584	150060	125236	209	174
20:00	0.00	222.61	19.05	191388	148132	126376	224	174
21:00	0.00	206.87	24.08	197616	155280	128944	232	174
22:00	0.00	208.59	26.54	199668	155968	130866	229	174
23:00	0.00	223.29	11.51	202984	159212	133232	228	172
24:00	0.00	215.68	14.32	202936	159308	133096	228	173
Average	2.23	211.11	21.70	193286	149525	126487	231	171
Maximum	31.15	302.76	42.82	206412	159992	134832	271	175
Minimum	0.00	88.82	7.36	139296	96740	86792	205	165
Rolling	3.65	214.86	11.59	190707	147977	125874	226	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	94.27	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/17/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	95.71	0.00	0.000	200.35	2.09	25.43X	0.27X
02:00	96.73	0.00	0.000	193.05	2.00	29.08X	0.30X
03:00	95.73	0.00	0.000	206.55	2.16	16.29X	0.17X
04:00	94.57	0.00	0.000	210.04	2.22	20.96X	0.22X
05:00	95.57	0.00	0.000	248.40	2.60	9.27	0.10
06:00	94.61	0.00	0.000	257.04	2.72	7.59	0.08
07:00	90.96	0.00	0.000	263.72	2.90X	6.78	0.07
08:00	95.29	0.00	0.000	222.58	2.33	16.36X	0.17X
09:00	96.72	0.00	0.000	184.30	1.91	38.90X	0.40X
10:00	94.95	0.00	0.000	147.79	1.55	55.92X	0.59X
11:00	93.41	34.21X	0.372X	104.21	1.11	54.89X	0.59X
12:00	96.73	0.00	0.000	178.03	1.84	29.64X	0.31X
13:00	96.76	0.00	0.000	167.28	1.73	40.27X	0.42X
14:00	96.75	0.00	0.000	152.04	1.57	44.94X	0.46X
15:00	96.78	0.00	0.000	172.06	1.78	26.66X	0.28X
16:00	96.74	0.00	0.000	162.38	1.68	9.15	0.09
17:00	96.63	0.00	0.000	157.87	1.63	6.92	0.07
18:00	96.70	0.00	0.000	188.88	1.95	7.13	0.07
19:00	76.86	0.00	0.000	181.68	2.36	9.80	0.13
20:00	69.04	0.00	0.000	132.21	1.92	18.72X	0.27X
21:00	68.22	0.00	0.000	151.66	2.22	12.43	0.18X
22:00	68.76	0.00	0.000	162.50	2.37	10.30	0.15
23:00	85.08	0.00	0.000	194.64	2.28	10.75	0.13
24:00	93.22	0.00	0.000	218.27	2.34	7.52	0.08
Total	2182.52	34.21	0.372	4457.53	49.26	515.70	5.60
Average	90.94	1.43	0.016	185.73	2.05	21.49	0.23
Maximum	96.78	34.21	0.372	263.72	2.90	55.92	0.59
Minimum	68.22	0.00	0.000	104.21	1.11	6.78	0.07
Rolling	84.96	5.78	0.080	195.18	2.28	11.87	0.17
Excess		1	1	0	1	13	14
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MJT %	100.00	100.00	100.00	100.00	100.00	94.61	94.61
MDT Per	0	0	0	0	0	22	22

Key:

U, UD
R, OC
V, Valid

User Disable
Out of Control
Valid Data

F, IF
N, ND
W, Warning

Instrument Failure
No Data
Drift Warning

C, Cal
M, MNR

Calibration
Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/17/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCEM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	209.50	23.58	203412	156740	133380	229	174
02:00	0.00	201.60	26.92	203840	153116	133548	229	173
03:00	0.00	215.33	15.06	204720	158724	133828	231	170
04:00	0.00	219.34	19.40	204356	156472	133580	231	174
05:00	0.00	258.09	8.54	205580	159692	134280	231	172
06:00	0.00	263.90	6.91	208044	154152	135864	231	170
07:00	0.00	274.13	6.26	204976	158332	134176	230	171
08:00	0.00	228.77	14.82	206180	159916	135940	225	170
09:00	0.00	186.41	34.89	207436	161488	137892	219	173
10:00	0.00	150.46	50.51	206412	162672	136936	221	176
11:00	25.49	108.62	50.67	204352	150244	133972	229	176
12:00	0.00	186.17	27.50	204408	155948	133392	232	171
13:00	0.00	176.71	37.73	202176	154104	132016	231	172
14:00	0.00	160.37	42.09	201208	153696	132228	227	174
15:00	0.00	180.82	24.88	202752	153988	132724	230	176
16:00	0.00	170.45	8.52	203064	160712	132916	230	175
17:00	0.00	166.14	6.46	202416	158896	132524	230	175
18:00	0.00	197.36	6.60	203544	150156	133492	228	173
19:00	0.00	248.45	12.41	163816	102378	101572	269	174
20:00	0.00	223.63	28.27	133840	101202	82390	274	175
21:00	0.00	252.49	18.35	137256	100412	83776	280	174
22:00	0.00	237.86	13.29	157360	138252	96860	274	174
23:00	0.00	216.94	10.74	187128	154476	124946	216	173
24:00	0.00	232.91	7.11	195600	154468	130720	216	173
Average	1.06	206.94	20.90	193912	148760	126373	235	173
Maximum	25.49	274.13	50.67	208044	162672	137892	280	176
Minimum	0.00	108.62	6.26	133840	100412	82390	216	170
Rolling	5.96	216.27	12.20	189113	146519	124657	226	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	94.61	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/18/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	91.00	0.00	0.000	228.26	2.51	5.21	0.06
02:00	90.28	0.00	0.000	230.24	2.55	4.76	0.05
03:00	90.42	0.00	0.000	233.77	2.59	3.72	0.04
04:00	78.97	0.00	0.000	237.56	3.02X	1.92	0.02
05:00	77.94	0.00	0.000	230.20	2.95X	2.32	0.03
06:00	83.35	0.00	0.000	243.93	2.93X	3.29	0.04
07:00	86.69	0.00	0.000	248.36	2.87X	4.25	0.05
08:00	92.51	0.00	0.000	223.26	2.41	5.81	0.06
09:00	93.38	0.00	0.000	195.72	2.10	9.81	0.10
10:00	94.08	0.00	0.000	204.75	2.18	5.46	0.06
11:00	95.55	0.00	0.000	226.32	2.37	5.73	0.06
12:00	95.38	0.00	0.000	219.97	2.31	5.96	0.06
13:00	95.62	0.00	0.000	215.77	2.26	4.67	0.05
14:00	95.56	0.00	0.000	176.77	1.85	6.39	0.07
15:00	95.56	0.00	0.000	153.01	1.60	5.72	0.06
16:00	95.57	0.00	0.000	160.18	1.68	4.44	0.05
17:00	95.58	0.00	0.000	156.09	1.63	3.88	0.04
18:00	95.62	0.00	0.000	183.39	1.92	4.97	0.05
19:00	95.55	0.00	0.000	215.72	2.26	5.64	0.06
20:00	94.73	0.00	0.000	213.26	2.25	6.43	0.07
21:00	85.14	0.00	0.000	200.29	2.37	8.00	0.10
22:00	73.86	0.00	0.000	165.40	2.24	10.53	0.14
23:00	73.24	0.00	0.000	171.21	2.34	10.27	0.14
24:00	73.22	0.00	0.000	176.96	2.42	8.33	0.11
Total	2138.80	0.00	0.000	4910.39	55.61	137.51	1.57
Average	89.12	0.00	0.000	204.60	2.32	5.73	0.07
Maximum	95.62	0.00	0.000	248.36	3.02	10.53	0.14
Minimum	73.22	0.00	0.000	153.01	1.60	1.92	0.02
Rolling	85.33	5.26	0.073	196.24	2.28	11.35	0.16
Excess		0	0	0	4	0	0
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	94.91	94.91
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/18/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	245.73	4.97	196052	154292	129562	223	173
02:00	0.00	247.46	4.54	196764	155416	129778	225	174
03:00	0.00	250.53	3.53	197316	155532	130150	224	171
04:00	0.00	255.71	1.83	196688	152872	129544	226	171
05:00	0.00	246.51	2.20	197176	154868	130254	223	169
06:00	0.00	260.22	3.12	197388	154776	130736	222	172
07:00	0.00	265.89	4.03	197632	153508	130304	225	173
08:00	0.00	238.98	5.52	197584	156024	130450	224	172
09:00	0.00	203.39	9.03	199636	163676	134276	211	171
10:00	0.00	210.48	4.98	203132	157024	135704	216	173
11:00	0.00	233.57	5.24	202964	159388	135144	218	173
12:00	0.00	220.53	5.34	208616	163492	139240	216	174
13:00	0.00	224.75	4.31	199956	155584	133908	214	174
14:00	0.00	173.89	5.58	211556	160680	141424	215	174
15:00	0.00	156.89	5.20	204728	157180	136004	220	173
16:00	0.00	164.68	4.06	205940	161916	135668	225	176
17:00	0.00	161.24	3.54	205936	162880	135108	228	176
18:00	0.00	188.96	4.54	207080	158320	135404	230	177
19:00	0.00	223.98	5.20	205776	159512	134360	231	177
20:00	0.00	224.94	6.03	202100	155968	132228	230	177
21:00	0.00	255.16	9.39	176256	101528	111950	257	177
22:00	0.00	273.77	15.47	140692	96820	84262	294	175
23:00	0.00	283.93	15.09	139548	97860	84118	289	175
24:00	0.00	249.28	10.67	164096	138092	100996	275	176
Average	0.00	227.52	5.98	193942	149467	127107	232	174
Maximum	0.00	283.93	15.47	211556	163676	141424	294	177
Minimum	0.00	156.89	1.83	139548	96820	84118	211	169
Rolling	5.40	215.92	11.58	189909	147395	125386	225	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	94.91	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/19/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	74.85	0.00	0.000	190.24	2.54	6.47	0.09
02:00	87.44	0.00	0.000	182.94	2.10	12.27	0.14
03:00	93.85	0.00	0.000	197.06	2.10	8.85	0.09
04:00	93.84	0.00	0.000	203.29	2.17	6.52	0.07
05:00	92.56	0.00	0.000	212.25	2.29	4.90	0.05
06:00	92.27	0.00	0.000	208.17	2.26	5.95	0.06
07:00	92.67	0.00	0.000	208.88	2.25	7.06	0.08
08:00	93.97	0.00	0.000	180.64	1.92	9.76	0.10
09:00	92.52	0.00	0.000	179.60	1.94	8.78	0.09
10:00	93.89	0.00	0.000	184.95	1.97	9.87	0.11
11:00	93.44	0.00	0.000	173.29	1.86	9.14	0.10
12:00	45.81	0.00	0.000	126.39	2.76	2.53	0.02
13:00	81.61	0.00	0.000	158.44	1.94	22.40X	0.28X
14:00	94.57	0.00	0.000	180.35	1.91	27.75X	0.29X
15:00	95.62	0.00	0.000	188.73	1.97	22.83X	0.24X
16:00	95.60	0.00	0.000	180.07	1.88	22.15X	0.23X
17:00	95.61	0.00	0.000	174.32	1.82	14.83	0.16X
18:00	95.49	0.00	0.000	185.46	1.94	15.41	0.16X
19:00	95.28	0.00	0.000	189.52	1.99	9.99	0.10
20:00	93.74	0.00	0.000	190.50	2.03	9.43	0.10
21:00	88.84	0.00	0.000	195.63	2.20	6.30	0.07
22:00	84.60	0.00	0.000	195.20	2.31	4.93	0.06
23:00	83.91	0.00	0.000	195.25	2.33	5.12	0.06
24:00	82.40	0.00	0.000	194.90	2.37	5.33	0.06
Total	2134.38	0.00	0.000	4476.07	50.85	258.57	2.81
Average	88.93	0.00	0.000	186.50	2.12	10.77	0.12
Maximum	95.62	0.00	0.000	212.25	2.76	27.75	0.29
Minimum	45.81	0.00	0.000	126.39	1.82	2.53	0.02
Rolling	85.48	5.30	0.074	195.52	2.27	11.50	0.16
Excess		0	0	0	0	4	6
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	95.18	95.18
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/19/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	257.01	7.95	166704	137276	104632	261	175
02:00	0.00	199.92	11.87	191784	151748	127650	219	174
03:00	0.00	212.71	8.48	192716	149972	129214	213	173
04:00	0.00	218.32	6.20	195000	155852	129888	218	175
05:00	0.00	224.46	4.60	198300	149672	131860	219	172
06:00	0.00	220.29	5.59	198432	156156	131824	220	172
07:00	0.00	221.85	6.66	198732	156692	131304	223	171
08:00	0.00	189.40	9.09	202148	157916	133024	226	171
09:00	0.00	185.47	8.06	207368	159536	135076	233	167
10:00	0.00	192.06	9.09	208144	159724	134292	240	169
11:00	0.00	183.80	8.60	204380	158716	131532	241	170
12:00	0.00	141.79	2.45	186984	153492	122788	227	171
13:00	0.00	171.94	21.56	196292	150500	128396	230	172
14:00	0.00	194.00	26.50	200172	152784	129634	237	170
15:00	0.00	201.78	21.63	201380	155492	130480	237	167
16:00	0.00	189.71	20.66	201268	152716	132396	226	166
17:00	0.00	187.98	14.21	195044	160104	129362	221	165
18:00	0.00	192.28	14.19	203088	160476	134528	222	165
19:00	0.00	197.08	9.22	203024	159040	134128	223	166
20:00	0.00	199.14	8.75	202716	156476	133452	226	166
21:00	0.00	204.11	5.83	202336	153448	133668	223	166
22:00	0.00	203.41	4.55	202724	159256	133856	224	167
23:00	0.00	203.89	4.74	202260	154512	133556	224	167
24:00	0.00	203.75	4.94	201352	157760	133400	221	163
Average	0.00	199.84	10.23	198431	154972	130414	227	169
Maximum	0.00	257.01	26.50	208144	160476	135076	261	175
Minimum	0.00	141.79	2.45	166704	137276	104632	213	163
Rolling	5.43	215.56	11.74	189353	146864	124885	225	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	95.18	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/20/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	82.03	0.00	0.000	201.30	2.45	5.69	0.07
02:00	80.26	0.00	0.000	207.75	2.59	5.47	0.07
03:00	81.59	0.00	0.000	211.16	2.59	5.64	0.07
04:00	79.94	0.00	0.000	215.57	2.70	5.48	0.07
05:00	80.64	0.00	0.000	214.36	2.66	5.43	0.07
06:00	85.12	0.00	0.000	212.64	2.50	6.32	0.07
07:00	87.74	0.00	0.000	213.49	2.43	7.28	0.08
08:00	87.43	0.00	0.000	204.38	2.34	4.48	0.05
09:00	89.11	0.00	0.000	204.35	2.29	4.94	0.06
10:00	91.26	0.00	0.000	207.34	2.27	6.14	0.07
11:00	91.82	0.00	0.000	209.39	2.28	6.95	0.08
12:00	93.85	0.00	0.000	207.59	2.21	8.26	0.09
13:00	93.87	0.00	0.000	204.43	2.18	10.38	0.11
14:00	93.81	0.00	0.000	217.92	2.32	9.85	0.10
15:00	93.88	0.00	0.000	219.72	2.34	8.26	0.09
16:00	93.90	0.00	0.000	203.22	2.16	12.63	0.13
17:00	94.50	0.00	0.000	190.36	2.02	15.95X	0.17X
18:00	94.66	0.00	0.000	195.59	2.07	14.67	0.15
19:00	94.19	0.00	0.000	214.29	2.28	9.44	0.10
20:00	94.10	0.00	0.000	217.54	2.31	8.91	0.09
21:00	93.88	0.00	0.000	214.99	2.29	9.17	0.10
22:00	96.40	0.00	0.000	203.71	2.12	14.43	0.15
23:00	99.03	0.00	0.000	196.91	1.99	17.15X	0.17X
24:00	99.23	0.00	0.000	207.12	2.09	10.90	0.11
Total	2172.24	0.00	0.000	4995.12	55.48	213.82	2.32
Average	90.51	0.00	0.000	208.13	2.31	8.91	0.10
Maximum	99.23	0.00	0.000	219.72	2.70	17.15	0.17
Minimum	79.94	0.00	0.000	190.36	1.99	4.48	0.05
Rolling	85.46	5.30	0.074	193.13	2.24	11.36	0.16
Excess		0	0	0	0	2	2
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	95.42	95.42
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/20/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	210.18	5.27	202212	162672	133600	223	168
02:00	0.00	216.44	5.06	203024	152904	133860	225	169
03:00	0.00	220.79	5.23	202536	157688	133404	225	169
04:00	0.00	225.15	5.07	202736	156240	133540	225	170
05:00	0.00	224.29	5.04	202500	157464	133300	226	170
06:00	0.00	225.95	5.96	199720	151536	131256	227	170
07:00	0.00	230.95	6.98	195956	149356	128956	226	168
08:00	0.00	224.56	4.36	192748	150864	126974	225	168
09:00	0.00	224.66	4.82	192600	148832	126866	225	168
10:00	0.00	220.63	5.82	200604	159872	131080	231	168
11:00	0.00	218.94	6.45	203380	155948	133372	228	168
12:00	0.00	216.35	7.64	203960	158016	133836	228	170
13:00	0.00	212.77	9.58	204444	160056	134000	229	171
14:00	0.00	229.23	9.19	203008	158404	132576	231	172
15:00	0.00	230.70	7.70	202192	153088	132808	227	171
16:00	0.00	214.27	11.80	200872	155540	132280	226	172
17:00	0.00	200.70	14.94	201532	156472	132300	228	172
18:00	0.00	204.46	13.65	202656	159372	133364	226	171
19:00	0.00	222.97	8.72	205324	158260	134024	232	170
20:00	0.00	226.93	8.24	205456	159060	133724	234	171
21:00	0.00	224.14	8.47	205772	159792	133812	234	171
22:00	0.00	214.43	13.44	204044	157152	132556	235	171
23:00	0.00	209.07	16.17	202668	155508	131368	236	171
24:00	0.00	217.32	10.14	201984	158556	132948	226	170
Average	0.00	219.41	8.32	201747	156361	132325	228	170
Maximum	0.00	230.95	16.17	205772	162672	134024	236	172
Minimum	0.00	200.70	4.36	192600	148832	126866	223	168
Rolling	5.43	214.18	11.63	188756	146269	124407	226	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	95.42	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/21/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	99.69	0.00	0.000	199.11	2.00	20.01X	0.20X
02:00	99.65	0.00	0.000	199.10	2.00	21.18X	0.21X
03:00	99.58	0.00	0.000	199.94	2.01	19.67X	0.20X
04:00	99.69	0.00	0.000	199.70	2.00	23.92X	0.24X
05:00	99.62	0.00	0.000	197.47	1.98	30.37X	0.30X
06:00	98.81	0.00	0.000	232.27	2.35	26.77X	0.27X
07:00	96.34	0.00	0.000	254.85	2.65	16.42X	0.17X
08:00	95.62	0.00	0.000	205.22	2.15	4.86	0.05
09:00	95.59	0.00	0.000	156.70	1.64	5.85	0.06
10:00	95.61	0.00	0.000	165.16	1.73	4.79	0.05
11:00	95.28	0.00	0.000	145.00	1.53	5.19	0.05
12:00	95.18	0.00	0.000	138.20	1.45	5.14	0.05
13:00	81.05	0.00	0.000	127.71	1.56	8.04	0.09
14:00	22.49	0.00	0.000	64.78	2.88X	1.40	0.06
15:00	54.10	0.00	0.000	101.50	2.38	11.84	0.20X
16:00	73.63	0.00	0.000	123.70	1.68	22.55X	0.31X
17:00	88.63	0.00	0.000	111.14	1.27	39.59X	0.44X
18:00	95.60	0.00	0.000	135.71	1.42	9.21	0.10
19:00	95.57	0.00	0.000	147.59	1.54	7.77	0.08
20:00	95.35	0.00	0.000	169.71	1.78	10.02	0.11
21:00	94.93	0.00	0.000	176.43	1.86	9.88	0.10
22:00	95.29	0.00	0.000	191.43	2.01	5.04	0.05
23:00	76.96	0.00	0.000	179.35	2.27	14.65	0.21X
24:00	65.32	3.86	0.059	115.58	1.77	22.21X	0.34X
Total	2109.58	3.86	0.059	3937.35	45.91	346.37	3.94
Average	87.90	0.16	0.002	164.06	1.91	14.43	0.16
Maximum	99.69	3.86	0.059	254.85	2.88	39.59	0.44
Minimum	22.49	0.00	0.000	64.78	1.27	1.40	0.05
Rolling	85.64	5.31	0.074	190.49	2.21	11.58	0.16
Excess		0	0	0	1	10	12
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	95.63	95.63
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/21/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	208.34	18.56	202752	154880	133276	227	170
02:00	0.00	209.92	19.80	202996	158052	132296	233	171
03:00	0.00	210.80	18.37	202980	155004	132276	233	171
04:00	0.00	210.46	22.36	202728	158332	132352	232	171
05:00	0.00	206.86	28.19	203908	153968	133132	231	170
06:00	0.00	244.02	24.94	203832	155692	132772	233	170
07:00	0.00	268.87	15.41	203540	159444	132204	235	167
08:00	0.00	214.59	4.52	203452	157896	133464	228	163
09:00	0.00	162.88	5.39	202480	160540	134180	221	163
10:00	0.00	168.96	4.35	203940	160668	136336	215	166
11:00	0.00	148.52	4.72	205532	156268	136176	221	169
12:00	0.00	144.95	4.77	201724	154308	133088	224	169
13:00	0.00	136.19	7.48	192024	127348	128584	214	165
14:00	0.00	85.87	1.57	153340	130296	104186	205	163
15:00	0.00	123.08	12.68	171504	138900	115086	213	162
16:00	0.00	139.79	22.63	185840	143836	123352	220	164
17:00	0.00	121.92	38.40	194752	156476	127368	230	169
18:00	0.00	144.00	8.66	200752	156640	131420	230	169
19:00	0.00	156.22	7.33	200348	159848	131520	228	169
20:00	0.00	178.20	9.25	202160	154860	132884	227	170
21:00	0.00	188.01	9.38	204888	164508	130844	247	171
22:00	0.00	208.17	4.85	201380	142624	128424	248	170
23:00	0.00	256.59	20.49	157208	98344	95350	285	170
24:00	4.61	192.73	32.82	135736	99098	83660	272	172
Average	0.19	180.41	14.46	193325	148243	126426	231	168
Maximum	4.61	268.87	38.40	205532	164508	136336	285	172
Minimum	0.00	85.87	1.57	135736	98344	83660	205	162
Rolling	5.44	210.63	11.83	189167	146586	124672	226	169
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	95.63	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid W, Warning Drift Warning

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report**

Daily Report for 01/22/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	67.99	0.01	0.000	131.27	1.93	18.46X	0.27X
02:00	70.63	8.41	0.118	124.92	1.77	24.42X	0.35X
03:00	79.73	0.00	0.000	172.24	2.17	19.41X	0.24X
04:00	94.63	0.00	0.000	183.85	1.94	18.79X	0.20X
05:00	95.56	0.00	0.000	185.77	1.94	12.77	0.13
06:00	96.46	0.00	0.000	195.86	2.03	8.76	0.09
07:00	96.10	0.00	0.000	193.07	2.01	8.94	0.09
08:00	95.59	0.00	0.000	183.69	1.92	8.74	0.09
09:00	95.59	0.00	0.000	171.48	1.79	8.82	0.09
10:00	95.60	0.00	0.000	177.85	1.86	11.95	0.13
11:00	94.67	0.00	0.000	206.85	2.19	10.25	0.11
12:00	95.55	0.00	0.000	184.85	1.93	13.21	0.14
13:00	95.60	0.00	0.000	181.17	1.90	14.34	0.15
14:00	70.30	0.00	0.000	180.37	2.62	3.14	0.04
15:00	79.77	0.00	0.000	198.71	2.55	4.07	0.05
16:00	95.58	0.00	0.000	194.90	2.04	9.09	0.10
17:00	95.58	0.00	0.000	191.11	2.00	9.71	0.10
18:00	95.59	0.00	0.000	158.81	1.66	15.67X	0.16X
19:00	95.61	0.00	0.000	158.05	1.65	19.33X	0.20X
20:00	95.61	0.00	0.000	147.59	1.54	12.16	0.13
21:00	95.49	0.00	0.000	163.39	1.71	9.27	0.10
22:00	95.62	0.00	0.000	148.36	1.55	20.54X	0.21X
23:00	95.54	0.00	0.000	128.41	1.34	34.03X	0.36X
24:00	95.56	0.00	0.000	164.07	1.72	20.18X	0.21X
Total	2183.95	8.42	0.118	4126.64	45.76	336.07	3.74
Average	91.00	0.35	0.005	171.94	1.91	14.00	0.16
Maximum	96.46	8.41	0.118	206.85	2.62	34.03	0.36
Minimum	67.99	0.00	0.000	124.92	1.34	3.14	0.04
Rolling	86.16	5.32	0.074	189.42	2.18	11.74	0.16
Excess		0	0	0	0	9	9
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	95.83	95.83
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/22/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.01	218.96	27.26	135084	101782	83692	269	165
02:00	10.08	182.65	32.59	150704	123924	94932	258	171
03:00	0.00	196.85	19.28	186084	161300	122704	226	171
04:00	0.00	194.78	17.62	198852	152484	131660	222	172
05:00	0.00	194.45	11.85	203160	159780	133328	228	170
06:00	0.00	203.00	8.07	204276	161380	134544	225	168
07:00	0.00	199.16	8.19	205184	162268	135216	225	167
08:00	0.00	190.02	8.00	204528	157436	134852	225	165
09:00	0.00	176.70	8.06	204296	162004	135332	222	168
10:00	0.00	183.46	10.94	203688	160996	135204	220	167
11:00	0.00	213.01	9.36	204344	158268	135428	221	167
12:00	0.00	190.28	12.04	204596	158504	135508	222	168
13:00	0.00	187.92	13.19	202396	152412	134432	220	169
14:00	0.00	188.46	2.90	200680	160596	133340	219	164
15:00	0.00	209.23	3.79	200564	159376	132500	223	167
16:00	0.00	202.08	8.36	202792	162976	134592	220	167
17:00	0.00	198.27	8.97	201924	153544	134388	218	166
18:00	0.00	168.45	14.76	197016	152848	131492	216	166
19:00	0.00	167.40	18.13	197168	157544	131784	216	167
20:00	0.00	168.59	12.30	182192	141468	122418	212	167
21:00	0.00	190.68	9.61	177508	143648	119468	211	166
22:00	0.00	172.41	21.15	178416	140488	120032	211	169
23:00	0.00	150.95	35.48	176936	136972	118638	213	169
24:00	0.00	192.40	21.02	176992	136372	118922	212	170
Average	0.42	189.17	14.29	191641	150765	126850	223	168
Maximum	10.08	218.96	35.48	205184	162976	135508	269	172
Minimum	0.00	150.95	2.90	135084	101782	83692	211	164
Rolling	5.44	209.05	11.98	189539	146948	124906	226	168
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	95.83	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid W, Warning Drift Warning

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report**

Daily Report for 01/23/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	95.61	0.00	0.000	188.95	1.98	11.58	0.12
02:00	95.59	0.00	0.000	172.50	1.80	6.19	0.06
03:00	95.60	0.00	0.000	204.13	2.14	6.88	0.07
04:00	95.57	0.00	0.000	168.16	1.76	14.04	0.15
05:00	84.41	0.00	0.000	196.75	2.34	4.93	0.06
06:00	73.46	0.00	0.000	128.39	1.75	23.23X	0.31X
07:00	73.41	7.27	0.101	95.32	1.30	34.04X	0.46X
08:00	73.94	0.00	0.000	129.68	1.75	17.85X	0.24X
09:00	73.96	0.00	0.000	131.61	1.78	12.55	0.17X
10:00	73.99	0.00	0.000	128.91	1.74	18.65X	0.25X
11:00	73.93	0.00	0.000	134.41	1.82	13.36	0.18X
12:00	73.96	0.00	0.000	134.70	1.82	21.09X	0.29X
13:00	74.00	0.00	0.000	133.38	1.80	22.84X	0.31X
14:00	73.07	0.41	0.006	102.51	1.40	32.74X	0.45X
15:00	73.24	0.00	0.000	129.15	1.76	21.54X	0.30X
16:00	73.95	0.00	0.000	151.50	2.05	18.53X	0.25X
17:00	73.97	0.00	0.000	164.02	2.22	11.21	0.15
18:00	73.99	0.00	0.000	162.23	2.19	13.80	0.19X
19:00	74.49	0.00	0.000	162.27	2.18	9.31	0.13
20:00	82.30	0.00	0.000	188.99	2.30	6.16	0.07
21:00	90.07	0.00	0.000	207.31	2.30	6.86	0.08
22:00	93.45	0.00	0.000	206.05	2.21	6.02	0.06
23:00	95.54	0.00	0.000	183.66	1.92	7.08	0.07
24:00	93.24	0.00	0.000	206.80	2.22	5.46	0.06
Total	1954.74	7.68	0.107	3811.38	46.53	345.94	4.48
Average	81.45	0.32	0.004	158.81	1.94	14.41	0.19
Maximum	95.61	7.27	0.101	207.31	2.34	34.04	0.46
Minimum	73.07	0.00	0.000	95.32	1.30	4.93	0.06
Rolling	86.48	5.32	0.074	187.97	2.15	12.08	0.16
Excess		0	0	0	0	9	12
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.01	96.01
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/23/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	219.62	11.92	179028	138816	119978	214	170
02:00	0.00	202.24	6.44	179380	136676	118960	221	169
03:00	0.00	240.34	7.19	179132	135832	118460	223	170
04:00	0.00	201.71	14.93	177092	131684	116260	228	170
05:00	0.00	235.73	5.24	177172	141976	116440	227	170
06:00	0.00	179.81	28.60	158156	116110	99880	255	169
07:00	7.30	133.36	42.17	158100	118082	99748	255	170
08:00	0.00	180.55	22.04	158128	117246	100192	253	170
09:00	0.00	182.25	15.41	158836	116204	100716	252	170
10:00	0.00	179.90	23.09	157196	120226	99934	250	170
11:00	0.00	190.69	16.79	153808	112602	98322	246	168
12:00	0.00	186.38	25.93	157520	120614	100766	246	168
13:00	0.00	186.49	28.35	155892	117016	99726	246	170
14:00	0.42	144.75	41.02	154344	115842	98732	246	170
15:00	0.00	180.92	26.78	155920	116858	99556	247	171
16:00	0.00	208.76	22.74	158976	119852	101160	250	172
17:00	0.00	226.91	13.78	158668	118772	100814	251	171
18:00	0.00	216.28	16.24	164800	132604	105196	248	172
19:00	0.00	203.62	10.45	171380	148840	111302	235	171
20:00	0.00	204.19	5.90	192116	157796	129094	212	169
21:00	0.00	214.15	6.29	201868	161088	135020	215	172
22:00	0.00	211.25	5.48	205892	161320	136024	223	172
23:00	0.00	191.41	6.55	203400	158504	133852	226	173
24:00	0.00	218.87	5.14	199516	160592	131828	223	172
Average	0.32	197.51	17.02	171513	132298	111332	237	170
Maximum	7.30	240.34	42.17	205892	161320	136024	255	173
Minimum	0.00	133.36	5.14	153808	112602	98322	212	168
Rolling	5.45	207.85	12.39	189356	146592	124631	227	168
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.01	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key: User Disable F, IF Instrument Failure C, Cal Calibration
U, UD Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/24/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	91.74	0.00	0.000	215.50	2.36	4.05	0.04
02:00	92.38	0.00	0.000	201.99	2.19	4.53	0.05
03:00	92.27	0.00	0.000	205.72	2.24	4.34	0.05
04:00	94.46	0.00	0.000	202.25	2.14	4.87	0.05
05:00	92.51	0.00	0.000	210.71	2.28	4.37	0.05
06:00	94.19	0.00	0.000	200.69	2.14	5.52	0.06
07:00	96.50	0.00	0.000	201.63	2.09	4.56	0.05
08:00	95.69	0.00	0.000	203.42	2.13	5.97	0.06
09:00	95.12	0.00	0.000	215.21	2.26	7.57	0.08
10:00	92.82	0.00	0.000	253.58	2.73	6.06	0.07
11:00	93.50	0.00	0.000	240.84	2.58	6.49	0.07
12:00	95.60	0.00	0.000	232.96	2.44	8.31	0.09
13:00	95.98	0.00	0.000	245.07	2.55	7.95	0.08
14:00	95.58	0.00	0.000	260.41	2.72	6.87	0.07
15:00	95.62	0.00	0.000	259.20	2.71	6.10	0.06
16:00	95.62	0.00	0.000	249.35	2.61	5.61	0.06
17:00	95.55	0.00	0.000	251.47	2.63	6.32	0.07
18:00	95.57	0.00	0.000	251.95	2.64	6.18	0.06
19:00	95.60	0.00	0.000	226.52	2.37	7.97	0.08
20:00	94.94	0.00	0.000	206.95	2.18	6.90	0.07
21:00	83.53	0.00	0.000	215.09	2.58	3.86	0.05
22:00	89.99	0.00	0.000	215.50	2.40	4.46	0.05
23:00	91.62	0.00	0.000	220.50	2.41	4.58	0.05
24:00	92.52	0.00	0.000	243.17	2.63	5.05	0.05
Total	2248.90	0.00	0.000	5429.68	58.01	138.49	1.47
Average	93.70	0.00	0.000	226.24	2.42	5.77	0.06
Maximum	96.50	0.00	0.000	260.41	2.73	8.31	0.09
Minimum	83.53	0.00	0.000	200.69	2.09	3.86	0.04
Rolling Excess	88.73	5.32	0.074	192.34	2.17	12.21	0.16
		0	0	0	0	0	0
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.18	96.18
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/24/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	225.67	3.77	201164	156276	133116	222	170
02:00	0.00	210.05	4.17	202740	161268	134136	222	170
03:00	0.00	213.98	4.01	202464	155076	134072	222	170
04:00	0.00	209.90	4.48	202724	157544	134388	221	170
05:00	0.00	218.98	4.03	202040	159076	134224	220	168
06:00	0.00	208.48	5.09	202100	155228	134240	220	166
07:00	0.00	209.44	4.20	202800	159600	134272	222	169
08:00	0.00	214.38	5.57	199836	155340	132432	221	169
09:00	0.00	223.01	6.96	202824	160176	134584	220	169
10:00	0.00	261.98	5.55	203476	159660	135020	220	168
11:00	0.00	250.32	5.98	203236	158716	134228	224	169
12:00	0.00	241.10	7.63	204892	165128	134776	226	169
13:00	0.00	247.72	7.13	210072	162976	137996	227	168
14:00	0.00	269.54	6.31	204444	157420	134736	225	167
15:00	0.00	269.91	5.63	202180	157784	133932	222	170
16:00	0.00	258.63	5.16	204276	161128	134476	226	170
17:00	0.00	255.09	5.68	209420	159108	137512	228	171
18:00	0.00	258.34	5.62	207800	165396	136076	229	173
19:00	0.00	228.28	7.14	211420	155872	138276	230	174
20:00	0.00	216.18	6.40	204848	151512	133496	233	174
21:00	0.00	228.22	3.63	200956	150932	131448	230	171
22:00	0.00	230.80	4.23	199052	147628	130308	230	173
23:00	0.00	236.92	4.37	197728	151448	129748	228	174
24:00	0.00	265.24	4.88	194552	154036	127884	227	173
Average	0.00	235.51	5.32	203210	157430	133974	225	170
Maximum	0.00	269.91	7.63	211420	165396	138276	233	174
Minimum	0.00	208.48	3.63	194552	147628	127884	220	166
Rolling	5.45	211.15	12.43	191723	148405	126182	227	168
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.18	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/25/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	91.31	0.00	0.000	250.42	2.74	5.06	0.06
02:00	93.92	0.00	0.000	209.84	2.24	7.03	0.07
03:00	93.43	0.00	0.000	204.16	2.19	5.97	0.06
04:00	94.90	0.00	0.000	174.54	1.84	8.76	0.09
05:00	94.78	0.00	0.000	181.67	1.92	6.46	0.07
06:00	93.11	0.00	0.000	196.07	2.11	8.43	0.09
07:00	90.49	0.00	0.000	203.93	2.26	5.20	0.06
08:00	94.96	0.00	0.000	175.32	1.84	10.19	0.11
09:00	95.64	0.00	0.000	192.53	2.01	9.65	0.10
10:00	95.59	0.00	0.000	133.46	1.40	33.51X	0.35X
11:00	93.09	0.00	0.000	137.54	1.48	27.76X	0.29X
12:00	92.89	0.00	0.000	132.99	1.44	19.07X	0.20X
13:00	93.68	0.00	0.000	151.23	1.61	26.40X	0.28X
14:00	70.46	0.00	0.000	178.95	2.53	3.99	0.06
15:00	93.09	0.00	0.000	216.14	2.32	10.25	0.11
16:00	89.28	0.00	0.000	170.27	1.90	34.45X	0.39X
17:00	71.39	0.00	0.000	194.19	2.76	9.66	0.12
18:00	81.88	0.00	0.000	185.12	2.30	25.10X	0.29X
19:00	93.85	0.00	0.000	197.44	2.10	17.49X	0.19X
20:00	93.69	0.00	0.000	214.40	2.29	11.06	0.12
21:00	90.78	0.00	0.000	223.06	2.47	15.11	0.16X
22:00	95.40	0.00	0.000	175.97	1.85	31.03X	0.32X
23:00	94.34	0.00	0.000	191.12	2.04	18.62X	0.19X
24:00	93.45	0.00	0.000	213.65	2.29	10.33	0.11
Total	2185.40	0.00	0.000	4504.01	49.93	360.58	3.89
Average	91.06	0.00	0.000	187.67	2.08	15.02	0.16
Maximum	95.64	0.00	0.000	250.42	2.76	34.45	0.39
Minimum	70.46	0.00	0.000	132.99	1.40	3.99	0.06
Rolling Excess	88.39	5.33	0.074	188.95	2.14	12.46	0.17
		0	0	0	0	9	10
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.33	96.33
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable F, IF Instrument Failure C, Cal Calibration
 R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
 V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/25/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	268.38	4.81	197836	154016	130164	226	172
02:00	0.00	224.40	6.67	198568	150148	130436	227	171
03:00	0.00	218.67	5.67	198332	152996	130214	228	173
04:00	0.00	188.46	8.39	196096	150932	129142	226	173
05:00	0.00	194.38	6.12	197276	154460	130388	223	173
06:00	0.00	209.77	8.00	197256	158240	130384	223	171
07:00	0.00	218.92	4.95	196744	153136	129922	224	172
08:00	0.00	187.34	9.65	197492	155076	130510	223	172
09:00	0.00	210.60	9.39	192096	149244	127410	221	173
10:00	0.00	141.80	31.54	197528	154516	131352	219	172
11:00	0.00	145.45	26.03	198224	155176	131916	218	171
12:00	0.00	139.02	17.69	201676	160420	133372	223	169
13:00	0.00	156.81	24.47	202440	153704	134208	221	169
14:00	0.00	191.65	3.80	196644	155880	130024	223	167
15:00	0.00	236.72	9.93	194436	146564	127390	229	169
16:00	0.00	190.21	34.17	189352	145952	124872	225	171
17:00	0.00	208.68	9.36	198344	153288	129728	230	169
18:00	0.00	203.21	24.25	195512	151012	127168	234	168
19:00	0.00	217.59	16.98	192236	149460	126700	225	158
20:00	0.00	227.39	10.41	200588	156052	131480	229	163
21:00	0.00	234.99	14.17	201212	153776	132348	226	163
22:00	0.00	186.32	29.15	200080	154440	131704	226	163
23:00	0.00	201.36	17.39	200212	152732	132384	223	162
24:00	0.00	225.23	9.67	199888	155916	132292	222	162
Average	0.00	201.14	14.28	197503	153214	130230	225	169
Maximum	0.00	268.38	34.17	202440	160420	134208	234	173
Minimum	0.00	139.02	3.80	189352	145952	124872	218	158
Rolling	5.46	208.64	12.78	190661	147582	125442	227	168
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.33	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/26/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	92.71	0.00	0.000	248.48	2.68	7.28	0.08
02:00	93.43	0.00	0.000	238.73	2.56	9.87	0.11
03:00	96.33	0.00	0.000	233.32	2.42	12.53	0.13
04:00	95.57	0.00	0.000	241.81	2.53	10.85	0.11
05:00	94.53	0.00	0.000	232.48	2.46	10.88	0.12
06:00	94.88	0.00	0.000	241.94	2.55	8.60	0.09
07:00	95.40	0.00	0.000	245.23	2.57	8.96	0.09
08:00	95.55	0.00	0.000	237.89	2.49	6.59	0.07
09:00	96.51	0.00	0.000	240.98	2.50	8.29	0.09
10:00	96.46	0.00	0.000	253.23	2.63	7.96	0.08
11:00	88.96	0.00	0.000	248.97	2.80X	4.58	0.05
12:00	89.41	0.00	0.000	238.41	2.67	4.65	0.05
13:00	92.12	2.41	0.026	186.16	2.02	11.43	0.12
14:00	96.74	2.57	0.027	175.14	1.81	11.32	0.12
15:00	96.72	2.57	0.027	166.47	1.72	8.66	0.09
16:00	96.73	2.57	0.027	170.03	1.76	9.25	0.10
17:00	96.73	2.58	0.027	171.15	1.77	8.43	0.09
18:00	96.73	2.58	0.027	177.12	1.83	11.89	0.12
19:00	96.38	2.59	0.027	174.49	1.81	16.82X	0.17X
20:00	95.60	2.57	0.027	162.12	1.70	10.84	0.11
21:00	94.56	2.56	0.027	184.15	1.96	6.93	0.07
22:00	95.10	2.55	0.027	172.59	1.82	10.82	0.11
23:00	93.12	2.55	0.027	183.57	1.98	8.87	0.09
24:00	91.21	2.54	0.028	230.08	2.52	6.14	0.07
Total	2271.48	30.64	0.324	5054.54	53.56	222.44	2.33
Average	94.65	1.28	0.014	210.61	2.23	9.27	0.10
Maximum	96.74	2.59	0.028	253.23	2.80	16.82	0.17
Minimum	88.96	0.00	0.000	162.12	1.70	4.58	0.05
Rolling	88.71	5.18	0.072	190.02	2.15	12.07	0.16
Excess		0	0	0	1	1	1
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.47	96.47
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/26/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	0.00	262.20	6.81	200104	155172	132148	224	162
02:00	0.00	253.04	9.27	200012	155124	131584	226	163
03:00	0.00	246.41	11.73	200368	157684	132068	225	161
04:00	0.00	255.76	10.18	200796	157008	131900	227	162
05:00	0.00	246.10	10.22	201556	152436	131752	231	162
06:00	0.00	256.10	8.07	202416	151244	131792	233	162
07:00	0.00	260.87	8.46	200080	157828	131148	229	163
08:00	0.00	253.11	6.22	197900	152652	131024	222	162
09:00	0.00	256.05	7.81	197920	155320	131288	221	166
10:00	0.00	266.85	7.44	200028	153448	132356	222	169
11:00	0.00	262.56	4.29	200140	155584	132256	223	169
12:00	0.00	249.22	4.31	201720	156788	133432	223	167
13:00	1.81	194.59	10.61	202312	159908	133444	225	161
14:00	1.91	181.75	10.41	203640	157032	134392	224	164
15:00	1.91	172.89	7.98	202948	160552	134288	222	168
16:00	1.91	176.04	8.51	203468	161492	134728	222	166
17:00	1.91	176.96	7.72	204456	158968	134880	224	167
18:00	1.91	183.32	10.93	204164	155820	134736	224	166
19:00	1.91	179.18	15.33	205532	160344	135776	223	166
20:00	1.92	168.51	10.01	203988	161868	134188	226	167
21:00	1.92	191.99	6.41	203212	153136	133796	226	168
22:00	1.91	180.62	10.05	201932	159376	133340	224	167
23:00	1.91	192.15	8.24	201568	155820	133244	223	167
24:00	1.92	241.96	5.73	201672	154796	132636	227	167
Average	0.95	221.18	8.61	201747	156642	133008	225	165
Maximum	1.92	266.85	15.33	205532	161868	135776	233	169
Minimum	0.00	168.51	4.29	197900	151244	131024	221	161
Rolling	5.28	209.16	12.33	191248	148060	125823	227	167
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.47	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/27/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	92.30	2.54	0.028	243.45	2.64	5.67	0.06
02:00	91.88	2.54	0.028	240.12	2.61	5.76	0.06
03:00	94.69	2.55	0.027	180.64	1.91	11.27	0.12
04:00	92.51	2.55	0.028	186.70	2.02	6.96	0.08
05:00	93.64	2.54	0.027	175.29	1.88	8.43	0.09
06:00	93.32	2.55	0.027	186.16	2.00	7.12	0.08
07:00	92.23	2.54	0.028	191.13	2.07	6.34	0.07
08:00	93.67	2.56	0.027	175.32	1.87	10.74	0.11
09:00	93.83	2.54	0.027	178.61	1.90	12.40	0.13
10:00	93.91	2.55	0.027	232.46	2.48	12.55	0.13
11:00	92.79	2.52	0.027	236.43	2.55	7.60	0.08
12:00	93.40	2.51	0.027	230.69	2.47	9.21	0.10
13:00	96.43	2.50	0.026	232.62	2.41	16.88X	0.17X
14:00	96.66	2.50	0.026	245.11	2.54	17.33X	0.18X
15:00	96.67	2.48	0.026	233.45	2.42	23.68X	0.24X
16:00	96.73	2.47	0.026	237.67	2.46	26.43X	0.27X
17:00	96.70	2.42	0.025	252.33	2.61	15.67X	0.16X
18:00	96.71	2.42	0.025	246.20	2.55	16.26X	0.17X
19:00	96.68	2.42	0.025	256.34	2.65	13.51	0.14
20:00	96.72	2.42	0.025	236.38	2.44	17.11X	0.18X
21:00	96.68	2.42	0.025	229.04	2.37	13.73	0.14
22:00	96.69	2.43	0.025	225.77	2.34	18.70X	0.19X
23:00	96.64	2.46	0.025	217.40	2.25	22.01X	0.23X
24:00	96.78	2.47	0.026	220.40	2.28	15.36	0.16X
Total	2278.26	59.90	0.633	5289.71	55.72	320.72	3.34
Average	94.93	2.50	0.026	220.40	2.32	13.36	0.14
Maximum	96.78	2.56	0.028	256.34	2.65	26.43	0.27
Minimum	91.88	2.42	0.025	175.29	1.87	5.67	0.06
Rolling	88.68	5.18	0.072	188.64	2.13	12.37	0.17
Excess		0	0	0	0	9	10
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.60	96.60
MDT Per	0	0	0	0	0	22	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/27/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	1.92	255.66	5.28	200892	155896	132808	223	167
02:00	1.92	252.31	5.36	200612	160688	132752	222	167
03:00	1.91	188.71	10.46	201748	159404	133504	222	168
04:00	1.91	195.25	6.45	201356	154936	133372	222	168
05:00	1.91	183.48	7.83	201420	157996	133240	223	168
06:00	1.91	194.64	6.60	201904	160516	133400	223	167
07:00	1.91	200.74	5.90	200880	158172	132788	223	166
08:00	1.92	182.95	9.96	202576	158332	133572	225	168
09:00	1.91	187.21	11.51	202928	155776	133088	228	168
10:00	1.92	244.17	11.69	203136	154740	132780	231	168
11:00	1.92	250.58	7.14	202400	156668	131604	234	172
12:00	1.92	245.57	8.69	201532	151848	131012	235	178
13:00	1.92	248.68	16.00	200468	154956	130474	234	178
14:00	1.92	260.93	16.37	200792	151596	131008	232	177
15:00	1.91	250.72	22.52	199000	154756	129928	232	177
16:00	1.91	255.88	25.22	199304	151768	129568	235	178
17:00	1.91	277.88	15.30	195536	152716	126662	237	178
18:00	1.91	271.20	15.88	195520	147988	126620	237	179
19:00	1.91	282.09	13.18	195736	147060	126760	237	178
20:00	1.91	260.40	16.72	195500	149384	126602	237	176
21:00	1.91	252.04	13.41	195108	149028	126732	235	179
22:00	1.91	247.11	18.17	195156	145964	127414	232	179
23:00	1.91	234.80	21.08	197600	153184	129160	231	177
24:00	1.91	237.08	14.65	198416	151436	129670	231	178
Average	1.91	235.84	12.72	199563	153950	130605	230	173
Maximum	1.92	282.09	25.22	203136	160688	133572	237	179
Minimum	1.91	182.95	5.28	195108	145964	126602	222	166
Rolling	5.28	207.80	12.61	191255	148004	125765	228	167
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.60	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	22	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/28/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.70	2.48	0.026	234.94	2.43	13.44	0.14
02:00	96.75	2.47	0.025	238.58	2.47	17.46X	0.18X
03:00	95.71	2.44	0.026	231.90	2.42	23.19X	0.24X
04:00	95.50	2.44	0.026	237.77	2.49	13.93	0.15
05:00	95.03	2.45	0.026	239.64	2.52	12.71	0.13
06:00	94.85	2.45	0.026	236.99	2.50	13.15	0.14
07:00	94.90	2.44	0.026	239.33	2.52	14.16	0.15
08:00	75.49	2.34	0.026	190.30	2.52	OC	0.15
09:00	20.73	16.23	0.026	50.27	2.52	4.59	0.15
10:00	57.97	2.22	0.039	132.39	2.35	6.20	0.10
11:00	67.20	1.82	0.027	190.56	2.84X	4.84	0.07
12:00	69.00	1.74	0.025	166.58	2.42	6.70	0.10
13:00	71.25	1.74	0.024	152.75	2.14	7.72	0.11
14:00	72.21	1.73	0.024	153.92	2.13	8.50	0.12
15:00	71.26	1.95	0.027	143.93	2.02	16.81X	0.24X
16:00	71.34	2.30	0.032	126.27	1.77	25.28X	0.36X
17:00	78.32	2.42	0.031	188.36	2.41	14.55	0.19X
18:00	85.39	2.49	0.029	198.57	2.33	27.26X	0.32X
19:00	90.61	2.42	0.027	156.64	1.73	44.45X	0.49X
20:00	93.47	2.42	0.026	139.86	1.50	48.11X	0.51X
21:00	95.08	2.49	0.026	142.05	1.49	52.07X	0.55X
22:00	96.64	2.52	0.026	146.98	1.52	49.52X	0.51X
23:00	96.72	2.52	0.026	184.93	1.91	31.47X	0.33X
24:00	96.79	2.48	0.026	153.76	1.59	49.68X	0.51X
Total	1978.91	69.00	0.648	4277.27	52.54	505.79	5.94
Average	82.45	2.88	0.027	178.22	2.19	21.99	0.25
Maximum	96.79	16.23	0.039	239.64	2.84	52.07	0.55
Minimum	20.73	1.73	0.024	50.27	1.49	4.59	0.07
Rolling	88.68	5.22	0.072	186.78	2.11	12.66	0.17
Excess		0	0	0	1	11	12
Uptm %	100.00	100.00	100.00	100.00	100.00	95.83	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	1	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.58	96.73
MDT Per	0	0	0	0	0	23	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

**Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data**

Daily Report for 01/28/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	1.91	251.87	12.78	200796	151436	130120	237	178
02:00	1.91	257.62	16.73	199792	149888	129174	238	178
03:00	1.91	252.62	22.41	198596	151020	128056	240	176
04:00	1.91	259.27	13.47	196832	153876	127936	235	174
05:00	1.91	260.62	12.26	196316	148304	128224	231	177
06:00	1.91	257.51	12.68	196384	151756	128364	231	178
07:00	1.91	261.10	13.71	196276	150912	127830	233	178
08:00	1.91	209.42	OC	188140	111458	122518	233	179
09:00	15.86	79.74	5.54	129968	123212	84112	236	177
10:00	1.91	159.33	6.57	177728	119994	116248	230	169
11:00	1.91	279.13	6.28	154284	112254	95290	271	172
12:00	1.91	253.79	9.06	145640	106602	91490	259	173
13:00	1.91	233.29	10.46	144732	109082	91324	255	173
14:00	1.91	237.11	11.61	143444	105952	90552	255	174
15:00	2.10	216.91	21.77	148576	124332	93904	255	174
16:00	1.91	147.10	25.63	183328	147800	120708	226	174
17:00	1.91	207.19	14.26	190976	150932	126766	220	173
18:00	1.91	212.72	25.69	197784	153324	130390	225	171
19:00	1.91	171.99	43.34	194632	153060	126952	232	170
20:00	1.91	153.78	46.85	196188	151984	127010	237	170
21:00	1.91	151.48	49.22	203296	152112	130828	242	170
22:00	1.91	155.17	46.35	203960	158156	132136	237	170
23:00	1.91	194.82	29.43	202992	154744	132372	232	170
24:00	1.91	165.04	47.28	200024	150316	129916	235	171
Average	2.50	209.53	21.89	182945	139271	118426	239	174
Maximum	15.86	279.13	49.22	203960	158156	132372	271	179
Minimum	1.91	79.74	5.54	129968	105952	84112	220	169
Rolling	5.31	206.20	12.92	191313	147955	125743	228	167
Uptm %	100.00	100.00	95.83	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	1	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.58	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	23	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/29/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.73	2.62	0.027	138.32	1.43	50.12X	0.52X
02:00	96.69	2.48	0.026	147.64	1.53	45.92X	0.47X
03:00	96.71	2.46	0.025	219.84	2.27	8.51	0.09
04:00	96.71	2.46	0.025	214.43	2.22	7.72	0.08
05:00	96.71	2.46	0.025	224.99	2.33	6.52	0.07
06:00	96.71	2.47	0.025	214.82	2.22	8.22	0.09
07:00	96.67	2.47	0.026	215.29	2.23	7.49	0.08
08:00	96.74	2.46	0.025	237.48	2.45	6.62	0.07
09:00	96.69	2.46	0.025	213.68	2.21	13.35	0.14
10:00	96.77	2.47	0.025	196.82	2.03	24.32X	0.25X
11:00	96.71	2.47	0.026	195.32	2.02	15.67X	0.16X
12:00	96.73	2.45	0.025	190.98	1.97	11.52	0.12
13:00	96.68	2.46	0.025	187.75	1.94	11.94	0.12
14:00	96.75	2.46	0.025	180.61	1.87	21.91X	0.23X
15:00	96.75	2.48	0.026	187.02	1.93	13.33	0.14
16:00	96.63	2.51	0.026	211.10	2.18	8.34	0.09
17:00	96.70	2.44	0.025	194.03	2.01	13.22	0.14
18:00	96.68	2.42	0.025	192.16	1.99	11.55	0.12
19:00	97.45	2.47	0.025	200.00	2.05	11.81	0.12
20:00	27.21	2.01	0.074	99.04	3.64X	1.22	0.04
21:00	60.69	2.24	0.037	152.10	2.52	3.45	0.06
22:00	90.77	2.47	0.027	209.30	2.31	10.70	0.12
23:00	98.85	2.51	0.025	240.12	2.43	5.97	0.06
24:00	96.33	2.51	0.026	255.55	2.65	2.74	0.03
Total	2212.06	58.71	0.671	4718.39	52.43	322.16	3.41
Average	92.17	2.45	0.028	196.60	2.18	13.42	0.14
Maximum	98.85	2.62	0.074	255.55	3.64	50.12	0.52
Minimum	27.21	2.01	0.025	99.04	1.43	1.22	0.03
Rolling	88.95	5.29	0.073	187.00	2.11	12.52	0.17
Excess		0	0	0	1	5	5
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.70	96.84
MDT Per	0	0	0	0	0	23	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/29/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	2.02	149.04	47.88	198352	150592	129462	232	171
02:00	1.91	158.61	43.76	198832	156224	129818	231	171
03:00	1.91	237.36	8.15	198180	155508	129180	233	170
04:00	1.91	231.56	7.39	198972	151028	129162	235	170
05:00	1.91	242.97	6.24	198284	147996	129128	233	171
06:00	1.91	231.76	7.86	198328	154668	129306	232	171
07:00	1.91	232.18	7.16	198556	154428	129336	233	173
08:00	1.91	256.35	6.34	198496	152328	129150	234	174
09:00	1.91	230.73	12.82	198468	154388	129144	234	176
10:00	1.91	212.33	23.25	198488	150176	129282	233	176
11:00	1.91	210.37	14.97	198536	150684	129528	232	175
12:00	1.91	207.19	11.08	196828	153756	128570	231	176
13:00	1.91	202.98	11.46	197980	148912	129028	233	177
14:00	1.91	195.46	21.03	197860	150800	128890	233	178
15:00	1.91	200.56	12.66	201688	151244	130136	240	178
16:00	1.91	223.84	7.87	201568	151880	131576	232	176
17:00	1.91	211.07	12.74	196172	152560	128206	231	176
18:00	1.91	211.19	11.25	194956	146408	126898	234	177
19:00	1.91	214.95	11.31	199704	155792	129760	235	176
20:00	1.91	122.57	1.16	160232	129992	105546	225	154
21:00	1.91	180.38	3.59	179800	141264	117420	231	143
22:00	1.91	225.31	10.20	201392	158000	129444	242	159
23:00	1.91	254.31	5.62	204556	152876	131684	241	175
24:00	1.91	270.54	2.57	203796	155224	131780	238	179
Average	1.91	213.07	12.85	196668	151114	127976	234	172
Maximum	2.02	270.54	47.88	204556	158000	131780	242	179
Minimum	1.91	122.57	1.16	160232	129992	105546	225	143
Rolling	5.35	206.13	12.75	191669	148227	125949	228	167
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.70	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	23	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/30/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	95.76	2.51	0.026	250.46	2.62	3.78	0.04
02:00	98.93	2.51	0.025	241.39	2.44	7.66	0.08
03:00	100.41	2.49	0.025	218.60	2.18	8.74	0.09
04:00	102.67	2.46	0.024	209.62	2.04	8.85	0.09
05:00	103.88	2.41	0.023	212.68	2.05	6.08	0.06
06:00	101.67	2.41	0.024	222.15	2.19	4.17	0.04
07:00	97.01	2.36	0.024	228.13	2.35	3.36	0.03
08:00	94.81	2.26	0.024	237.42	2.51	6.43	0.07
09:00	95.54	2.26	0.024	254.80	2.67	6.10	0.06
10:00	96.74	2.27	0.023	268.13	2.77	7.06	0.07
11:00	94.15	2.35	0.025	269.51X	2.86X	3.97	0.04
12:00	92.76	2.31	0.025	252.04	2.72	2.67	0.03
13:00	92.60	2.33	0.025	248.82	2.69	3.64	0.04
14:00	96.13	2.32	0.024	227.04	2.36	5.51	0.06
15:00	96.26	2.31	0.024	179.98	1.87	6.06	0.06
16:00	96.22	2.27	0.024	158.84	1.65	3.30	0.03
17:00	96.76	2.27	0.023	149.31	1.54	5.65	0.06
18:00	96.72	2.30	0.024	164.33	1.70	5.29	0.05
19:00	96.76	2.32	0.024	160.32	1.66	5.43	0.06
20:00	96.72	2.33	0.024	150.48	1.56	4.15	0.04
21:00	96.69	2.31	0.024	156.68	1.62	3.86	0.04
22:00	96.72	2.34	0.024	183.82	1.90	2.97	0.03
23:00	96.69	2.32	0.024	205.16	2.12	3.03	0.03
24:00	96.71	2.34	0.024	174.48	1.80	4.78	0.05
Total	2329.31	56.36	0.580	5024.19	51.87	122.54	1.25
Average	97.05	2.35	0.024	209.34	2.16	5.11	0.05
Maximum	103.88	2.51	0.026	269.51	2.86	8.85	0.09
Minimum	92.60	2.26	0.023	149.31	1.54	2.67	0.03
Rolling Excess	88.88	5.37	0.074	186.46	2.10	12.58	0.17
		0	0	1	1	0	0
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.81	96.94
MDT Per	0	0	0	0	0	23	22

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/30/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	1.91	264.91	3.55	203100	153920	131860	235	179
02:00	1.91	256.01	7.20	203164	152832	131488	238	178
03:00	1.91	233.52	8.27	201916	156932	130578	238	178
04:00	1.91	226.44	8.45	199416	148012	129164	237	178
05:00	1.91	234.29	5.94	193360	151184	126626	229	178
06:00	1.91	245.38	4.08	192016	144820	126258	227	178
07:00	1.91	256.96	3.36	188128	139004	123758	226	178
08:00	1.91	278.95	6.70	180256	134320	118662	226	178
09:00	1.91	299.67	6.36	181020	140568	118620	229	178
10:00	1.91	314.73	7.35	181980	143312	118806	232	178
11:00	1.91	305.54	4.00	188476	146120	123044	232	179
12:00	1.91	290.63	2.72	184888	138032	120922	230	179
13:00	1.91	283.61	3.67	186796	143852	122396	229	181
14:00	1.91	260.25	5.61	186524	143708	121656	232	182
15:00	1.91	207.54	6.17	185160	139984	120988	231	182
16:00	1.91	186.39	3.43	182124	140012	118874	232	181
17:00	1.91	175.00	5.87	182084	142960	118968	231	181
18:00	1.91	190.12	5.43	184164	141680	120896	228	181
19:00	1.91	183.70	5.51	185420	146552	121882	227	178
20:00	1.91	171.59	4.21	186732	141476	122310	229	177
21:00	1.91	180.63	3.94	184332	143484	121046	227	175
22:00	1.91	209.25	3.00	186092	147432	122550	226	177
23:00	1.91	234.93	3.08	184636	142700	121770	225	177
24:00	1.91	198.46	4.82	186996	143380	122650	228	175
Average	1.91	237.02	5.11	188283	144428	123157	230	179
Maximum	1.91	314.73	8.45	203164	156932	131860	238	182
Minimum	1.91	171.59	2.72	180256	134320	118620	225	175
Rolling	5.43	206.53	12.85	191029	147646	125454	229	167
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.81	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	23	0	0	0	0	0

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid Valid Data W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Mass Emissions Report

Daily Report for 01/31/2002

Time	Clinker Prod. Tons/Hr. Avg. T7	Kiln SO2 SO2 Lbs./Hr. Avg T11	Kiln SO2 Lbs/Ton of Clinker Avg.	Kiln NOx NOx Lbs./Hr. Avg.	Kiln NOx Lbs/Ton of Clinker Avg.	Kiln THC THC Lbs./Hr. Avg.	Kiln THC Lbs/Ton of Clinker Avg.
01:00	96.73	2.32	0.024	193.94	2.00	4.50	0.05
02:00	96.72	2.32	0.024	169.56	1.75	4.98	0.05
03:00	96.71	2.32	0.024	194.20	2.01	4.52	0.05
04:00	96.68	2.32	0.024	221.68	2.29	3.04	0.03
05:00	94.00	2.33	0.025	252.76	2.69	3.06	0.03
06:00	93.83	2.33	0.025	253.46	2.70	3.75	0.04
07:00	94.78	2.32	0.024	261.52	2.76	4.37	0.05
08:00	94.06	2.32	0.025	264.73	2.82X	5.41	0.06
09:00	96.14	2.33	0.024	254.33	2.65	6.49	0.07
10:00	96.72	2.34	0.024	219.02	2.26	11.03	0.11
11:00	96.71	2.34	0.024	252.21	2.61	9.21	0.10
12:00	96.71	2.32	0.024	262.94	2.72	8.15	0.08
13:00	96.70	2.31	0.024	246.23	2.55	7.80	0.08
14:00	91.01	2.30	0.025	248.82	2.74	5.40	0.06
15:00	90.98	2.26	0.025	245.08	2.69	5.50	0.06
16:00	85.99	2.22	0.026	235.78	2.75	4.68	0.05
17:00	80.70	2.31	0.029	239.47	2.97X	5.00	0.06
18:00	93.65	2.26	0.024	242.75	2.60	9.23	0.10
19:00	96.71	2.32	0.024	254.38	2.63	12.74	0.13
20:00	95.38	2.33	0.024	245.85	2.58	11.15	0.12
21:00	93.89	2.32	0.025	250.60	2.67	9.58	0.10
22:00	90.64	2.32	0.026	259.41	2.86X	6.57	0.07
23:00	91.05	2.32	0.025	246.53	2.71	8.67	0.10
24:00	95.64	2.30	0.024	221.62	2.32	18.62X	0.19X
Total	2252.13	55.48	0.592	5736.87	61.33	173.45	1.84
Average	93.84	2.31	0.025	239.04	2.56	7.23	0.08
Maximum	96.73	2.34	0.029	264.73	2.97	18.62	0.19
Minimum	80.70	2.22	0.024	169.56	1.75	3.04	0.03
Rolling	88.67	5.45	0.075	186.79	2.11	12.82	0.17
Excess		0	0	0	3	1	1
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0
OC		0	0	0	0	0	0
CAL		0	0	0	0	0	0
Bad Per		0	0	0	0	0	0
MUT %	100.00	100.00	100.00	100.00	100.00	96.91	97.04
MDT Per	0	0	0	0	0	23	22

Key: U, UD User Disable F, IF Instrument Failure C, Cal Calibration
R, OC Out of Control N, ND No Data M, MNR Monitoring Not Required
V, Valid W, Warning Drift Warning

Florida Rock Industries Inc.
Thompson S. Baker Cement Plant
Kiln/Raw Mill Stack Emissions Data

Daily Report for 01/31/2002

Time	Kiln SO2 SO2 ppm Avg.	Kiln NOx NOx ppm Avg.	Kiln THC THC ppm Avg.	Kiln Flow ACFM Avg.	Kiln Flow Flow SCFM Avg.	Kiln Flow Flow DSCFM Avg.	Kiln Temp. Deg. F Avg.	Coal Mill Temp. Deg. F Avg.
01:00	1.91	222.72	4.59	186672	145028	121464	234	175
02:00	1.91	194.16	5.06	187104	141860	121820	233	175
03:00	1.91	222.64	4.59	186380	145064	121662	232	175
04:00	1.91	254.38	3.09	185716	143128	121596	230	174
05:00	1.91	288.48	3.10	186460	142504	122190	229	174
06:00	1.91	289.57	3.80	187792	141064	122086	235	174
07:00	1.91	300.00	4.45	187940	140076	121584	238	174
08:00	1.91	304.30	5.52	187668	141836	121338	238	177
09:00	1.91	289.92	6.56	188596	143436	122354	236	179
10:00	1.91	248.80	11.14	187444	144736	122714	230	179
11:00	1.91	286.88	9.29	187148	144936	122620	229	178
12:00	1.91	301.45	8.28	185712	139760	121614	229	180
13:00	1.91	283.06	7.95	185444	139920	121374	230	180
14:00	1.91	288.28	5.54	184524	141792	120438	232	181
15:00	1.91	288.41	5.74	183036	137920	118494	237	180
16:00	1.91	281.73	4.96	180224	140672	116730	237	182
17:00	1.91	276.16	5.11	185504	143096	120972	232	184
18:00	1.91	286.10	9.64	181600	138984	118384	233	178
19:00	1.91	291.38	12.91	187736	140252	121808	236	178
20:00	1.91	280.90	11.30	187412	145868	122060	233	176
21:00	1.91	286.65	9.71	186908	145128	121962	232	173
22:00	1.91	296.66	6.66	186260	145968	121958	229	175
23:00	1.91	282.88	8.83	186244	141528	121516	232	177
24:00	1.91	256.49	19.09	184112	143040	120524	230	177
Average	1.91	275.08	7.37	185985	142400	121219	233	177
Maximum	1.91	304.30	19.09	188596	145968	122714	238	184
Minimum	1.91	194.16	3.09	180224	137920	116730	229	173
Rolling	5.49	207.28	13.09	190897	147404	125247	229	168
Uptm %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
# Per	24	24	24	24	24	24	24	24
MNR	0	0	0	0	0	0	0	0
ND	0	0	0	0	0	0	0	0
OC	0	0	0	0	0	0	0	0
CAL	0	0	0	0	0	0	0	0
Bad Per	0	0	0	0	0	0	0	0
MUT %	100.00	100.00	96.91	100.00	100.00	100.00	100.00	100.00
MDT Per	0	0	23	0	0	0	0	0

Key:
 U, UD User Disable
 R, OC Out of Control
 V, Valid Valid Data
 F, IF Instrument Failure
 N, ND No Data
 W, Warning Drift Warning
 C, Cal Calibration
 M, MNR Monitoring Not Required