



Florida Department of
Environmental Protection

Memorandum

TO: Joe Kahn

THRU: Trina Vielhauer

THRU: Jeff Koerner 

FROM: Bruce Mitchell 

DATE: December 17, 2007

SUBJECT: Smurfit-Stone Container Enterprises, Inc.
Panama City Mill
Final Air Construction Permit - BART Exemption Project
0050009-027-AC

Attached is the Final Air Construction Permit for the Panama City Mill located at One Everitt Avenue, Panama City, Bay County.

Attachments

JK/tlv/jfk/rbm

NOTICE OF FINAL AIR CONSTRUCTION PERMIT

In the Matter of an
Application for Permit:


Mr. B. G. Sammons
R.O. and General Manager
Smurfit-Stone Container Enterprises, Inc.
One Everitt Avenue
Panama City, Florida 32402

DEP File No. 0050009-027-AC
Panama City Mill
Bay County

Enclosed is the Final Air Construction Permit, No. 0050009-027-AC, which is being issued for the purpose of establishing a sulfur dioxide emissions limit of 690 lbs/hr, 24-hr rolling average, for the No. 4 Combination Boiler pursuant to Chapter 403, Florida Statutes (F.S.). This action will allow the facility to be exempt from the provisions of Rule 62-296.340, Florida Administrative Code, Best Available Retrofit Technology. The existing pulp and paper mill is located at One Everitt Avenue, Panama City, Bay County.

Any party to this order has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Legal Office; and, by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.



Trina L. Vielhauer
Chief
Bureau of Air Regulation


CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF FINAL AIR CONSTRUCTION PERMIT (including the Final Determination and the Final Permit) was sent electronically (received receipt requested) before the close of business on 12/20/07 to the persons listed below.

- Mr. B. G. Sammons, Smurfit-Stone Container Enterprises, Inc. (bsammons@smurfit.com)
- Mr. Rick Bradburn, Northwest District (rick.bradburn@dep.state.fl.us)
- Mr. Tom Clements, Smurfit-Stone Container Enterprises, Inc. (tmclemen@smurfit.com)
- Mr. David A. Buff, P.E., Golder Associates, Inc. (dbuff@golder.com)

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52(7), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

 12/20/07
(Clerk) (Date)

Final Determination

Smurfit-Stone Container Enterprises, Inc.

Panama City Mill

Air Construction Permit No. 0050009-027-AC

I. Public Notice.

An Intent to Issue An Air Construction Permit, issued to the Smurfit-Stone Container Enterprises, Inc., for the Panama City Mill located at One Everitt Avenue, Panama City, Bay County, was clerked on November 20, 2007. The Public Notice of Intent to Issue An Air Construction Permit was published in the Florida Freedom Newspaper, Inc. on November 29, 2007. The Draft Permit was available for public inspection at the permitting authority's office in Tallahassee. Proof of publication of the Public Notice of Intent to Issue An Air Construction Permit was received on December 14, 2007.

II. Comments.

Comments were received from Mr. Tom Clements with the Panama City Mill on December 11, 2007, via an e-mail message. The comments are not significant in nature and the changes reflect information contained in previously issued air construction permits. The comments and the Department's responses are as follows:

a. Section I. Specific Conditions. Brief Description. 1st sentence.

Comment: The heat input of 545 MMBtu/hr should be qualified as a 24-hr average. [0050009-016-AC]

Response: The comment is acceptable and the timeframe will be added to the heat input value as follows:

FROM:

The total maximum operational heat input of this emissions unit is 545 million British thermal units per hour (MMBtu/hr).

TO:

The total maximum operational heat input of this emissions unit is 545 million British thermal units per hour (MMBtu/hr; 24-hr average).

b. Section I. Specific Conditions. Brief Description. 5th sentence.

Comment: Since compliance with the sulfur dioxide emissions limit is by a continuous emissions monitoring system (CEMS), the mill no longer has to maintain the pH of the boiler's scrubber medium at 8.0 when burning NCG and SOG, except during times when the CEMS is being repaired and/or calibrated. [0050009-024-AC]

Response: The comment is acceptable and the following will reflect this compliance direction:

FROM:

SO₂ emissions are controlled when burning total reduced sulfur (TRS) or condensate stripper off-gases and/or firing 100% fuel oil by maintaining a minimum pH of 8.0 in the wet scrubber (3-hour average).

TO:

Permittee shall maintain a scrubber pH of 8.0 or greater (24-hour average) during times when the continuous monitor is being repaired and/or calibrated. Sulfur dioxide (SO₂) compliance will be demonstrated with a continuous emissions monitoring system (CEMS).

Final Determination
Smurfit-Stone Container Enterprises, Inc.
Panama City Mill
BART Exemption Project No. 0050009-027-AC
Page 2 of 2

c. Section I. Specific Conditions. Specific condition 8.

Comment. References to Appendix CC should be changed to Appendix GC.

Response. The Department agrees with the comment and the changes were made to the text.

III. Conclusion.

In conclusion, the permitting authority hereby issues the Final Permit, with the changes made as noted above.



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

Permittee:

Smurfit-Stone Container Enterprises, Inc.
One Everitt Avenue
Panama City, Florida 32402

Permit No. 0050009-027-AC

Facility ID No. 0050009

SIC Nos. 26, 2611 and 2621

Project: No. 4 Combination Boiler
BART Exemption Project

Authorized Representative:

Mr. B. G. Sammons, General Manager

This permit establishes an emissions limit for sulfur dioxide (SO₂) for the No. 4 combination boiler, which allows the mill to be exempt from the requirements of Best Available Retrofit Technology (BART) pursuant to Rule 62-296.340, Florida Administrative Code (F.A.C.). The existing Panama City mill is classified as a major stationary source and is a Title V facility. This facility is a Kraft pulp and paper mill that consists of the following major activities: wood handling facility, pulping, bleaching, chemical recovery, power house, paper machines, finishing/shipping/warehouse and associated processes and equipment. This facility is a major source of hazardous air pollutants (HAP). The existing Panama City Mill is located at One Everitt Avenue, Panama City, Bay County. The UTM Coordinates are: Zone 16, 632.8 km East and 3335.1 km North; and, Latitude: 30° 08' 30" North and Longitude: 85° 37' 25" West.

STATEMENT OF BASIS: This air construction permit is issued under the provisions of Chapter 403, Florida Statutes (F.S.) and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, 62-212, 62-296 and 62-297. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the permitting authority, in accordance with the terms and conditions of this permit.

Effective Date: December 19, 2007

Expiration Date: December 19, 2008

**FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

Joseph Kahn, Director

Division of Air Resource Management

JK/tlv/jfk/bm

SECTION I. SPECIFIC CONDITIONS

NO. 4 COMBINATION BOILER

<u>E.U. ID No.</u>	<u>Brief Description</u>
016	<p><u>No. 4 Combination Boiler.</u> The total maximum operational heat input of this emissions unit is 545 million British thermal units per hour (MMBtu/hr; 24-hr average). The heat input is limited to 472 MMBtu/hr from fuel oil, 395 MMBtu/hr from coal, 474 MMBtu/hr from carbonaceous fuels or 512 MMBtu/hr from natural gas. This emissions unit may burn carbonaceous fuels (includes wood, bark and primary clarified wood fibers), coal, natural gas and/or No. 2 or No. 6 fuel oil. Particulate emissions are controlled by a fly ash arrestor, Process Equipment Model AR56UACB-8-7, followed by a wet venturi scrubber manufactured by FMC Link-Belt, Model 200K variable-throat. Permittee shall maintain a scrubber pH of 8.0 or greater (24-hour average) during times when the continuous monitor is being repaired and/or calibrated. Sulfur dioxide (SO₂) compliance will be demonstrated with a continuous emissions monitoring system (CEMS). This boiler and the No. 3 Combination Boiler serve as control devices for the condensate stripper off-gases. The No. 4 Combination Boiler is also the backup control device for the non-condensable gases from the Multiple-Effect Evaporator System and the Batch Digester System. HAP and TRS emissions are controlled by injecting the gases into the boiler with the primary fuel or into the flame zone of the boiler, or with the combustion air. This emissions unit is regulated under Rule 62-296.410, F.A.C., Carbonaceous Fuel Burning Equipment, Rule 62-296.404, F.A.C., Kraft Pulp Mills, and 40 CFR Part 63, Subpart S, National Emission Standards for HAP from the Pulp and Paper Industry.</p>

The following conditions apply to the No. 4 Combination Boiler and are in addition to, and supplement, all other applicable permits and regulations.

GENERAL

1. Compliance Authority. The permittee shall submit all compliance related notifications and reports required by this permit to the Department's Northwest District office at: Department of Environmental Protection, Northwest District Office, 160 Governmental Center, Pensacola, Florida 32501-5794; Telephone: 850/595-8364; and Facsimile: 850/595-8096. Notification of compliance testing may be submitted by electronic mail to: NWDAIR@dep.state.fl.us.
2. Plant Operation – Problems. If temporarily unable to comply with any of the conditions of the permit due to breakdown of equipment or destruction by fire, wind or other cause, the permittee shall notify each Compliance Authority as soon as possible, but at least within one working day, excluding weekends and holidays. The notification shall include: pertinent information as to the cause of the problem; steps being taken to correct the problem and prevent future recurrence; and, where applicable, the owner's intent toward reconstruction of destroyed facilities. Such notification does not release the permittee from any liability for failure to comply with the conditions of this permit or the regulations. [Rule 62-4.130, F.A.C.]
3. Circumvention. The permittee shall not circumvent the air pollution control equipment or allow the emission of air pollutants without this equipment operating properly. [Rule 62-210.650, F.A.C.]

EMISSION LIMITATION AND STANDARDS

4. SO₂ Emissions Limit. Sulfur dioxide emissions shall not exceed 690 pounds per hour, 24-hour rolling average, as determined by the required CEMS. Compliance with this limit ensures that the mill is exempt from the provisions of BART at Rule 62-296.340, F.A.C. The effective date of this standard is 30 calendar days after issuance of this permit. [Rules 62-4.070(3), 62-296.340(BART) and 62-297.520, F.A.C.; 40 CFR 60, Appendices B and F; and applicant requested]

EXCESS EMISSIONS

5. Excess Emissions – Allowed. Excess emissions resulting from startup, shutdown or malfunction of any emissions unit shall be permitted providing (1) best operational practices to minimize emissions are adhered to and (2) the duration of excess emissions shall be minimized but in no case exceed two hours in any 24 hour period unless specifically authorized by the Department for longer duration. This state provision cannot be used to vary any applicable NSPS requirements from 40 CFR 60. [Rule 62-210.700(1), F.A.C.]
6. Excess Emissions – Prohibited. Excess emissions caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure that may reasonably be prevented during startup, shutdown or malfunction shall be

SECTION I. SPECIFIC CONDITIONS

NO. 4 COMBINATION BOILER

prohibited. This state provision cannot be used to vary any applicable NSPS requirements from 40 CFR 60. [Rule 62-210.700(4), F.A.C.]

7. Excess Emissions – Notification. In case of excess emissions resulting from malfunctions, the permittee shall notify the Department in accordance with Rule 62-4.130, F.A.C. A full written report on the malfunctions shall be submitted in a quarterly report, if requested by the Department or its designee. This state provision cannot be used to vary any applicable NSPS requirements from 40 CFR 60. [Rule 62-210.700(6), F.A.C.]

RECORDKEEPING, REPORTING AND NOTIFICATION REQUIREMENTS

8. Excess SO₂ Emissions – Notification. Based on SO₂ CEMS data, any 24-hour rolling average that exceeds the SO₂ standard specified in this permit shall be reported to the Compliance Authority within one working day of: the nature, extent, and duration of the excess emissions; the cause of the excess emissions; and the actions taken to correct the problem. In addition, the Department may request a written summary report of the incident. For additional recordkeeping, reporting and notification requirements, see Appendix GC. Failure to comply with the SO₂ standard in this permit may subject this facility to BART review. [Rules 62-4.070(3), 62-4.130, 62-210.700(6) and 62-213.440(1)(b), F.A.C.; and Appendix GC]

9. Records Retention. All measurements, records, and other data required by this permit shall be documented in a permanent, legible format and retained for at least five (5) years following the date on which such measurements, records, or data are recorded. Records shall be made available to the Department or its designee upon request. [Rule 62-213.440(1)(b)2., F.A.C.]

10. Annual Operating Report. The permittee shall submit an annual report that summarizes the actual operating rates and emissions from this facility. Annual operating reports shall be submitted to the Compliance Authority by March 1st of each year. [Rule 62-210.370(3), F.A.C.]

SECTION II. APPENDICES

CONTENTS

Appendix A. Citation Formats

Appendix GC. General Conditions

SECTION II. APPENDIX A
CITATION FORMATS

The following examples illustrate the format used in the permit to identify applicable permitting actions and regulations.

REFERENCES TO PREVIOUS PERMITTING ACTIONS

Old Permit Numbers

Example: Permit No. AC50-123456 or Air Permit No. AO50-123456

Where: “AC” identifies the permit as an Air Construction Permit
“AO” identifies the permit as an Air Operation Permit
“123456” identifies the specific permit project number

New Permit Numbers

Example: Permit Nos. 099-2222-001-AC, 099-2222-001-AF, 099-2222-001-AO, or 099-2222-001-AV

Where: “099” represents the specific county ID number in which the project is located
“2222” represents the specific facility ID number
“001” identifies the specific permit project
“AC” identifies the permit as an air construction permit
“AF” identifies the permit as a minor federally enforceable state operation permit
“AO” identifies the permit as a minor source air operation permit
“AV” identifies the permit as a Title V Major Source Air Operation Permit

PSD Permit Numbers

Example: Permit No. PSD-FL-317

Where: “PSD” means issued pursuant to the Prevention of Significant Deterioration of Air Quality
“FL” means that the permit was issued by the State of Florida
“317” identifies the specific permit project

RULE CITATION FORMATS

Florida Administrative Code (F.A.C.)

Example: [Rule 62-213.205, F.A.C.]

Means: Title 62, Chapter 213, Rule 205 of the Florida Administrative Code

Florida Statutes (F.S.)

Example: [Section 403.161, F.S.]

Means: Chapter 403, Section 161 of the Florida Statutes

Code of Federal Regulations (CFR)

Example: [40 CFR 60.7]

Means: Title 40, Part 60, Section 7

MISCELLANEOUS

ARMS: Air Resource Management System

SECTION II. APPENDIX GC
GENERAL CONDITIONS

The permittee shall comply with the following general conditions from Rule 62-4.160, F.A.C.

1. The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.161, 403.727, or 403.859 through 403.861, F.S. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
3. As provided in Subsections 403.087(6) and 403.722(5), F.S., the issuance of this permit does not convey and vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.
4. This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
5. This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of F.S. and Department rules, unless specifically authorized by an order from the Department.
6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:
 - a. Have access to and copy and records that must be kept under the conditions of the permit;
 - b. Inspect the facility, equipment, practices, or operations regulated or required under this permit, and,
 - c. Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.

Reasonable time may depend on the nature of the concern being investigated.

8. If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
 - a. A description of and cause of non-compliance; and
 - b. The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.

The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.

9. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the F.S. or Department rules, except where such use is prescribed by Sections 403.73 and 403.111, F.S. Such evidence

SECTION II. APPENDIX GC
GENERAL CONDITIONS

shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

10. The permittee agrees to comply with changes in Department rules and F.S. after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by F.S. or Department rules.
11. This permit is transferable only upon Department approval in accordance with Rules 62-4.120 and 62-730.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
12. This permit or a copy thereof shall be kept at the work site of the permitted activity.
13. This permit also constitutes:
 - a. Determination of Best Available Control Technology (Not Applicable);
 - b. Determination of Prevention of Significant Deterioration (Not Applicable);
 - c. Compliance with New Source Performance Standards (Not Applicable); and,
 - d. Compliance with the National Emission Standards for Hazardous Air Pollutants (Not Applicable).
14. The permittee shall comply with the following:
 - a. Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - b. The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application or this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - c. Records of monitoring information shall include:
 - (1) The date, exact place, and time of sampling or measurements;
 - (2) The person responsible for performing the sampling or measurements;
 - (3) The dates analyses were performed;
 - (4) The person responsible for performing the analyses;
 - (5) The analytical techniques or methods used; and
 - (6) The results of such analyses.
15. When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

Harvey, Mary

From: Harvey, Mary
Sent: Thursday, December 20, 2007 4:16 PM
To: 'Mr. B. G. Sammons, Smurfit-Stone Container Enterprises, Inc.'; Bradburn, Rick; 'Mr. Tom Clements, Smurfit-Stone Container Enterprises, Inc.'; 'Mr. David A. Buff, P.E., Golder Associates, Inc.'
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL
Attachments: 0050009.027.AC.F_pdf.zip

Tracking:	Recipient	Delivery	Read
<input checked="" type="checkbox"/>	'Mr. B. G. Sammons, Smurfit-Stone Container Enterprises, Inc.'		
<input checked="" type="checkbox"/>	Bradburn, Rick		Read: 12/20/2007 4:19 PM
<input checked="" type="checkbox"/>	'Mr. Tom Clements, Smurfit-Stone Container Enterprises, Inc.'		
<input checked="" type="checkbox"/>	'Mr. David A. Buff, P.E., Golder Associates, Inc.'		
<input checked="" type="checkbox"/>	Mitchell, Bruce	Delivered: 12/20/2007 4:16 PM	
<input checked="" type="checkbox"/>	Adams, Patty	Delivered: 12/20/2007 4:16 PM	Read: 12/20/2007 5:26 PM
<input checked="" type="checkbox"/>	Gibson, Victoria	Delivered: 12/20/2007 4:16 PM	Read: 12/20/2007 4:16 PM

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

Harvey, Mary

From: Gibson, Victoria
To: Harvey, Mary
Sent: Thursday, December 20, 2007 4:16 PM
Subject: Read: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Your message

To: 'Mr. B. G. Sammons, Smurfit-Stone Container Enterprises, Inc.'; Bradburn, Rick; 'Mr. Tom Clements, Smurfit-Stone Container Enterprises, Inc.'; 'Mr. David A. Buff, P.E., Golder Associates, Inc.'
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL
Sent: 12/20/2007 4:16 PM

was read on 12/20/2007 4:16 PM.

Harvey, Mary

From: Mitchell, Bruce
Sent: Thursday, December 20, 2007 4:27 PM
To: Harvey, Mary
Cc: Koerner, Jeff
Subject: RE: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

12/20/07

Dear Mary,

Many thanks for processing the permit package. Take care.

Bruce

From: Harvey, Mary
Sent: Thursday, December 20, 2007 4:16 PM
To: 'Mr. B. G. Sammons, Smurfit-Stone Container Enterprises, Inc.>'; Bradburn, Rick; 'Mr. Tom Clements, Smurfit-Stone Container Enterprises, Inc.>'; 'Mr. David A. Buff, P.E., Golder Associates, Inc.'
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

12/20/2007

Harvey, Mary

From: Buff, Dave [DBuff@GOLDER.com]
To: undisclosed-recipients
Sent: Thursday, December 20, 2007 4:26 PM
Subject: Read: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Your message

To: DBuff@GOLDER.com
Subject:

was read on 12/20/2007 4:26 PM.

Harvey, Mary

From: Bradburn, Rick
To: Harvey, Mary
Sent: Thursday, December 20, 2007 4:19 PM
Subject: Read: SMURFIT-STONE CONTAINER ENTERPRISES,-INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Your message

To: 'Mr. B. G. Sammons, Smurfit-Stone Container Enterprises, Inc.'; Bradburn, Rick; 'Mr. Tom Clements, Smurfit-Stone Container Enterprises, Inc.'; 'Mr. David A. Buff, P.E., Golder Associates, Inc.'
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL
Sent: 12/20/2007 4:16 PM

was read on 12/20/2007 4:19 PM.

Harvey, Mary

From: Sammons, Bob [BSAMMONS@SMURFIT.COM]
Sent: Thursday, December 20, 2007 6:31 PM
To: Harvey, Mary
Subject: RE: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

From: Harvey, Mary [mailto:Mary.Harvey@dep.state.fl.us]
Sent: Thursday, December 20, 2007 3:16 PM
To: Sammons, Bob; Bradburn, Rick; Clements, Tom; Mr. David A. Buff, P.E., Golder Associates, Inc.
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

12/21/2007

Harvey, Mary

From: Sammons, Bob [BSAMMONS@SMURFIT.COM]
To: Harvey, Mary
Sent: Thursday, December 20, 2007 6:26 PM
Subject: Read: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Your message

To: BSAMMONS@SMURFIT.COM
Subject:

was read on 12/20/2007 6:26 PM.

Harvey, Mary

From: Adams, Patty
To: Harvey, Mary
Sent: Thursday, December 20, 2007 5:26 PM
Subject: Read: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Your message

To: 'Mr. B. G. Sammons, Smurfit-Stone Container Enterprises, Inc.'; Bradburn, Rick; 'Mr. Tom Clements, Smurfit-Stone Container Enterprises, Inc.'; 'Mr. David A. Buff, P.E., Golder Associates, Inc.'
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL
Sent: 12/20/2007 4:16 PM

was read on 12/20/2007 5:26 PM.

Harvey, Mary

From: Cléments, Tom [TMCLEMEN@SMURFIT.COM]
Sent: Friday, December 21, 2007 9:03 AM
To: Harvey, Mary
Cc: Sammons, Bob
Subject: RE: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Message received, thank you
TLC

From: Harvey, Mary [mailto:Mary.Harvey@dep.state.fl.us]
Sent: Thursday, December 20, 2007 3:16 PM
To: Sammons, Bob; Bradburn, Rick; Clements, Tom; Mr. David A. Buff, P.E., Golder Associates, Inc.
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

12/21/2007

Harvey, Mary

From: Clements, Tom [TMCLEMEN@SMURFIT.COM]
Sent: Friday, December 21, 2007 9:03 AM
To: Harvey, Mary
Cc: Sammons, Bob
Subject: RE: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Message received, thank you
TLC

From: Harvey, Mary [mailto:Mary.Harvey@dep.state.fl.us]
Sent: Thursday, December 20, 2007 3:16 PM
To: Sammons, Bob; Bradburn, Rick; Clements, Tom; Mr. David A. Buff, P.E., Golder Associates, Inc.
Cc: Mitchell, Bruce; Adams, Patty; Gibson, Victoria
Subject: SMURFIT-STONE CONTAINER ENTERPRISES, INC. - FACILITY PERMIT NO. 0050009-027-AC-FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

12/21/2007