



September 6, 2011

Jeff Koerner, P.E.
Department of Environmental Protection
Bureau of Air Regulation
111 South Magnolia Street
Tallahassee, FL 32399

RECEIVED
SEP 08 2011

BUREAU OF AIR REGULATION

Re: Florida Power & Light Company

**Cape Canaveral Energy Center Project** 

**DEP File No. 0090006-005-AC** 

Request for Revising the Process Heaters' Maximum Heat Input; Revising Emergency Generators' Hours of Operation; and Revising Gas Turbines'

conditions for Visible and Excess Emissions

ner:

Project NI! 09006-007-AC

Dear Mr. Koerner:

AC).

Florida Power & Light Company (FPL) is requesting a revision to the existing air construction permit for the Cape Canaveral Energy Center (CCEC) (Permit No. 0090006-005-AC), issued by the Department on July 23, 2009, to lower the maximum heat input of the fuel gas heaters, lower the hours of operation requirement for the emergency generators, and revise permit language for the gas turbines to reflect conditions which were identified and incorporated into revisions for the West County Energy Center Air Construction Permit (Permit No. 0990646-002-

For the fuel gas heaters (EU 010), FPL intends to install two 9.9 MMBtu/hr heaters in place of the 10 MMBtu/hr heaters originally permitted for the site. The 9.9 MMBtu/hr heaters are not regulated sources under either 40 CFR Part 60 or Part 63 and do not have applicable emission specifications. FPL believes that emission limits for each process heater could be removed from the permit.

For the emergency generators (EU 012), FPL proposes that the hours of operation requirement for the diesel generators conform to 40 CFR 63, Subpart ZZZZ and 40 CFR 60, Subpart IIII, with a limit on operation for testing and maintenance checks not to exceed 100 hours and unlimited operation for emergency use (Subpart ZZZZ [63.6640(f)]).

For the gas turbines (EU 006-008), FPL proposes to modify the following conditions:

- A.12 To include allowable visible emissions for fuel switches:
- A.15 For excess emissions of NO<sub>X</sub> and CO resulting from startup, shutdown, or malfunction;
- A.17- To include Full Speed No Load (FSNL) Trip Tests that are manufacturer required for allowable exclusions of emission data for CEMS data exclusions. FPL must perform the FSNL test following routine replacement of major combustion turbine components to retain manufacturer warranties;

Florida Power & Light Company

700 Universe Blvd

Juno Beach, FL 33408

- A.24 To modify the CO monitoring provisions to allow the use of Part 75 monitoring requirements; and
- A.31 To clarify excess emission reporting under BACT requirements and the applicable emission specification for these units under 40 CFR part 60 Subpart KKKK.

Attachment 1 includes the suggested changes to the permit that FPL proposes. Attachment 2 includes revisions to the air construction permit applications for the process heaters and emergency generators.

These proposed modifications do not affect the previous emission netting analysis and PSD applicability determination project and will not trigger PSD review.

Thank you for your consideration of this request for the CCEC. If you have any comments or questions regarding the attached, please feel free to contact either Ken Kosky at (352) 336-5600 or me at (561) 691-7518.


Sincerely, Florida Power & Light Company

Barbara P. Linkiewicz

Director of Environmental Licensing

CC:

Cindy Mulkey, DEP Siting Office Ken Kosky, Golder Associates



#### ATTACHMENT 1

# FPL Comments for AC Permit Modification RECEIVED Cape Canaveral Energy Center Project

SEP 08 2011 DEP File No. 0090006-005-AC

**BUREAU OF** AIR REGULATION

#### Emission Unit Description (page 2 of 24)

FPL suggests the facility description be modified as follows:

_ID	Emission Unit Description
006	Unit 3A – one nominal 265 MW CTG with supplementary-fired HRSG
007	Unit 3B – one nominal 265 MW CTG with supplementary-fired HRSG
008	Unit 3C – one nominal 265 MW CTG with supplementary-fired HRSG
009	One nominal 85,000 pounds per hour (lb/hr) auxiliary boiler (99.8 mmBtu/hr)
010	Two nominal 10 9.9 mmBtu/hr natural gas-fired process heaters (one is a spare)
011	Seven nominal 1,340 horsepower (hp) natural gas compressors
012	Two nominal 2,250 kilowatts (kW) liquid fueled emergency generators
013	One nominal 300-hp emergency diesel fire pump engine and 500 gallon fuel oil storage tank
014	One temporary 110 mmBtu/hr natural gas-fueled boiler to be used only during construction

#### Emission Unit 006 - 008 (Gas Turbines 3A, 3B, 3C) **Excess Emissions**

#### A.12 Alternate Visible Emission Standard

FPL proposes to modify condition A.12 to include allowable visible emissions for fuel switches as follows:

12. Alternate Visible Emissions Standard: Visible emissions due to startups, shutdowns, <u>fuel switches</u> and malfunctions shall not exceed 10% opacity except for up to ten, 6-minute averaging periods during a calendar day, which shall not exceed 20% opacity, [Applicant Request and Rule 62-4.070(3), F.A.C.]

#### A.15 Excess Emission Allowed

FPL proposes to modify condition 15 in a manner consistent with its WCEC Air Construction permit as follows:

- 15. Excess Emissions Allowed: As specified in this condition, excess emissions resulting from startup, shutdown, fuel switching and documented malfunctions are allowed provided that operators employ the best operational practices to minimize the amount and duration of emissions during such incidents. For each CTG/HRSG system, excess emissions of NOX and CO resulting from startup, shutdown, or documented malfunctions shall not exceed two hours in any 24-hour period except for the specific cases listed below. For each gas turbine/HRSG System, excess emissions of NOx and CO resulting from startup, shutdown, or malfunction shall be excluded from CEMS data in any 24-hour period ("any 24-hour period" means a calendar day, midnight to midnight) for the following conditions (These conditions are considered separate events and each event may occur independently within any 24 hour period): A "documented malfunction" means a malfunction that is documented within one working day of detection by contacting the Compliance Authority by telephone, faesimile transmittal, or electronic mail.
  - a. STG/HRSG System Cold Startup: Steam Turbine Cold Startup: For cold startup of the steam turbine system, excess NOX and CO emissions from any CTG/HRSG system shall not exceed eight (8) hours

in any 24-hour period. A cold "startup of the steam turbine system" is defined as startup of the 3-on-1 combined cycle system following a shutdown of the steam turbine lasting at least 48 hours. For cold startup of the steam turbine, excluded emissions from any gas turbine/HRSG system shall not exceed eight hours in any 24-hour period. A cold "startup of the steam turbine" is defined as startup of the 3-on-1 combined cycle system following a shutdown of the steam turbine lasting at least 48 hours.

{Permitting note: During a cold startup of the STG system steam turbine, each gas turbine/HRSG system is sequentially brought on line at low load to gradually increase the temperature of the STG steam-electrical turbine and prevent thermal metal fatigue. Note that shutdowns and documented malfunctions are separately regulated in accordance with the requirements of this condition.}

- b. CTG/HRSG System Cold Startup Gas Turbine/HRSG System Cold Startup. For cold startup of a gas turbine/HRSG system, excluded emissions shall not exceed four hours in any 24-hour period. "Cold startup of a CTG/HRSG gas turbine/HRSG system" is defined as a startup after the pressure in the high-pressure (HP) steam drum falls below 450 pounds per square inch gauge (psig) for at least a one-hour period.
- c. <u>Gas Turbine/HRSG System Warm Startup</u>. For warm startup of a gas turbine/HRSG system, excluded emissions shall not exceed two hours in any 24-hour period, "Warm startup of a gas turbine/HRSG system" is defined as a startup after the pressure in the high-pressure (HP) steam drum is above 450 psig.
- d. Shutdown Steam Turbine System Shutdown Combined Cycle Operation: For shutdown of steam turbine system, excess NOX and CO emissions from any CTG/HRSG system shall not exceed three (3) hours in any 24 hour period. For shutdown of the combined cycle operation, excluded emissions from any gas turbine/HRSG system shall not exceed three hours in any 24-hour period.
- e. <u>Gas Turbine/HRSG System Shutdown</u>. For shutdown of the gas turbine/HRSG operation, excluded emissions from any gas turbine/HRSG system shall not exceed two hours in any 24-hour period.
- f. Fuel Switching: For fuel switching, excess NOX and CO emissions shall not exceed two (2) hours in any 24-hour period. For fuel switching, excluded emissions shall not exceed 2 hours in any 24-hour period for each fuel switch and no more than four hours in any 24-hour period for any gas turbine/HRSG system.
- g. <u>Documented Malfunction</u>. For the gas turbine/HRSG system, excess emissions of NOx and CO resulting from documented malfunctions shall not exceed two hours in any 24-hour period. A "documented malfunction" means a malfunction that is documented within one working day of detection by contacting the Compliance Authority by telephone, facsimile transmittal, or electronic mail.

#### A.17 DLN Tuning

FPL proposes to amend condition A17 to include Full Speed No Load Trip Tests that are manufacturer required for allowable exclusions of emission data for CEMS data exclusions. FPL must perform the FSNL test following routine replacement of major combustion turbine components to retain manufacturer warranties. FPL suggests that the current language of the first part of the condition be modified as follows:

17. DLN Tuning CEMS data collected during initial or other major DLN tuning sessions and during manufacturer required Full Speed No Load (FSNL) trip tests may be excluded by the permittee from the CEMS compliance demonstration provided the tuning session is performed in accordance with the manufacturer's specifications. A "major tuning session" may occur after completion of initial construction, a major repair, or other similar circumstances. Prior to performing any major tuning session, where the intent is to exclude data from the CEMS compliance demonstration, the permittee shall provide the Compliance Authority with an

advance notice of at least 7 days one working (business) day that details the activity and proposed tuning schedule. The notice may be by telephone, facsimile transmittal, or electronic mail. [Design; Rule 62-4.070(3), F.A.C.]

### A.24. Continuous Emission Monitoring Systems (CEMS).

FPL requests modification to the CO monitoring provisions to allow the use of Part 75 monitoring requirements. FPL proposes to modify the existing requirement as follows:

a. CO Monitors: For each CTG, the CO monitors shall be certified pursuant to 40 CFR 60, Appendix B, Performance Specification 4 or 4A within 60 calendar days of achieving permitted capacity as defined in Rule 62-297.310(2), F.A.C., but no later than 180 calendar days after initial startup. If "H" technology CTG are utilized, the described certification shall be performed on the CEMS associated with the first, and only with the first, installed CTG within 180 calendar days of achieving permitted capacity, but no later than 300 calendar days after initial startup. Quality assurance procedures shall conform to the requirements of 40 CFR 60, Appendix F or 40 CFR Part 75, and the Data Assessment Report in Section 7 shall be made each calendar quarter, and reported semiannually to the Compliance Authority. The RATA tests required for the CO monitor shall be performed using EPA Method 10 in Appendix A of 40 CFR 60 and shall be based on a continuous sampling train. The CO monitor span values shall be set appropriately considering the allowable methods of operation and corresponding emission standards.

#### A.31. Excess Emission Reporting

FPL proposes to clarify excess emission reporting under BACT requirements and the applicable emission specification for these units under 40 CFR part 60 Subpart KKKK by modifying the section as follows:

- a. Malfunction Notification: If emissions in excess of a standard (subject to the specified averaging period) occur due to malfunction, the permittee shall notify the Compliance Authority within (1) working day of: the nature, extent, and duration of the excess emissions; the cause of the excess emissions; and the actions taken to correct the problem. In addition, the Department may request a written summary report of the incident.
- b. SIP Quarterly Permit Limits Excess Emissions Report: Within 30 days following the end of each calendar-quarter, the permittee shall submit a report to the Compliance Authority summarizing periods of CO and NOX emissions in excess of the <u>BACT</u> permit emission standards, and the amounts of <u>authorized data excluded</u> following the <u>NSPS</u>-format in <u>Figure XSE attached to this permit. 40 CFR 60.7(e)</u>, <u>Subpart A</u>. Periods of startup, shutdown, and malfunction, <u>fuel switching and tuning</u> shall be monitored, recorded and recorded at all times reported as excess emissions when emission levels exceed the standards specified in this permit. In addition, the report shall summarize the CEMS systems monitor availability for the previous quarter.
- c. NSPS Semi-Annual Excess Emissions Reports: For purposes of reporting emissions in excess of NSPS Subpart KKKK, excess emissions from the CTG are defined as: a specified averaging period over which either the NOX emissions are higher than the applicable emission limit in 40 CFR 60.4320 greater than 15 ppm at 15% O<sub>2</sub> on a 30-day rolling average while firing natural gas and greater than 42 ppm at 15% O<sub>2</sub> on a 30-day rolling average while firing ultra low sulfur distillate; or the total sulfur content of the fuel being combusted in the affected facility exceeds the limit specified in 60.4330. Within thirty (30) days following each calendar semi-annual period, the permittee shall submit a report on any periods of excess emissions that occurred during the previous semi-annual period to the Compliance Authority.

#### **Emission Unit 010 (Gas-Fired Process Heaters)**

FPL believes that emission limits for each process heater could be removed from the permit. FPL intends to install two 9.9 MMBtu/Hr heaters in place of the 10 mmBtu/hr heaters originally permitted for the site. The 9.9 mmBtu/hr heaters are not regulated sources under either 40 CFR Part 60 or Part 63 and do not have applicable emission specifications. FPL understands that the department may impose BACT limits on major sources, or major modifications, under the PSD requirements of 62-212.400 but recommends the Department remove the condition from the permit. FPL suggests the department modify the permit as follows:

- 3. NSPS Subpart Dc Applicability: Each process heater is subject to all applicable requirements of 40 CFR 60, Subpart Dc which applies to Small Industrial, Commercial, or Institutional Boiler. Specifically, each emission unit shall comply with 40 CFR60.48c Reporting and Recordkeeping Requirements. [40 CFR 60, NSPS Subpart Dc Standards of Performance for Small Industrial Commercial Institutional Steam Generating Units, attached as Appendix Dc]
- 4. Emission Limits: Each natural gas fired process heater shall comply with the following emission limits.

NOx	CO	VOC, SO <sub>2</sub> , PM/PM <sub>10</sub>
0.095 lb/mmBtu	0.08 lb/mmBtu	2-gr S/100 SCF natural gas spec and 10% Opacity

[Applicant request; Rule 62-4.070(3), F.A.C.]

{Permitting note: There are no Subpart Dc emission standards for gas-fired process heaters fueled by natural gas.}

5. <u>Testing Requirements:</u> Each unit shall be stack tested to demonstrate initial compliance with the emission standards for CO, NOX and visible emissions. The tests shall be conducted within 60 days after achieving the maximum production rate at which the unit will be operated, but not later than 180 days after the initial startup. As an alternative, a Manufacturer certification of emissions characteristics of the purchased model that are at least as stringent as the emission limits values can be used to fulfill this requirement. [Rule 62-297.310(7)(a)1, F.A.C.]

Test Methods: Any required tests shall be performed in accordance with the following reference methods.

Method	Description of Method and Comments		
<del>7E</del>	Determination of Nitrogen Oxide Emissions from Stationary Sources		
9	Visual Determination of the Opacity of Emissions from Stationary Sources		
10	Determination of Carbon Monoxide Emissions from Stationary Sources		

6. Notification, Recordkeeping and Reporting Requirements: The permittee shall maintain records of the amount of natural gas used in the process heaters. and shall comply with the notification, recordkeeping and reporting requirements pursuant to 40 CFR 60.48c and 40 CFR 60.7. These records shall be submitted to the Compliance Authority on an annual basis or upon request. [Rule 62-4.070(3), F.A.C.; 40 CFR 60, Subparts A and De]

#### **Emergency Generators (EU 012)**

#### Two nominal 2,250 kilowatts (kW) liquid fueled emergency generators

FPL proposes that the hours of operation requirement for the diesel generators conform to 40 CFR 63, Subpart ZZZZ and 40 CFR 60, Subpart IIII with a limit on operation for testing and maintenance checks not to exceed 100 hours and unlimited operation for the emergency use.FPL suggests the requirement be reworded as follows:

2. <u>Hours of Operation and Fuel Specifications:</u> The hours of operation shall not exceed 160 hours per year per generator. 100 hours per year for each engine for the purpose of maintenance checks and readiness testing with unlimited operation for emergency use.

#### FIGURE XSE

# **QUARTERLY EXCESS EMISSIONS AND MONITORING REPORT FOR SIP-ONLY STANDARDS FPL** Plant Name: Company: \_\_\_\_ Address: Emissions Unit ID No. Description: Reporting period: Q1 (Jan. - March) Q2 (April - June) Q3 (July - Sept.) Q4 (Oct. - Dec.) Year: Monitor Manufacturer: Model No.: Date of Latest CEMS Certification or Audit: Total emissions unit operating time in reporting period 1: hours CEMS Performance Summary<sup>1, 5</sup> Excluded Emission Data Summary 1. Duration of excluded emissions due to: 1. CEMS downtime due to: a. ST Cold Startup <sup>2</sup>..... a. Monitor equipment malfunctions..... b. GT/HRSG Cold Startup <sup>2</sup>..... b. Non-Monitor equipment malfunctions ..... c. GT/HRSG Warm Startup 2..... c. Quality assurance calibration..... d. Other known causes..... d. Shutdown..... e. Fuel Switching. e. Unknown causes..... f. Documented Malfunction..... 2. Total CEMS Downtime..... g. Tuning..... 3. Total CEMS Downtime x (100%) / [Total source operating time]......%<sup>4</sup> h. Total Authorized Data Excluded..... 2. Total duration of excluded emissions x (100%) / [Total source operating time]......% 3. Number of Compliance Averages > Limit<sup>3</sup>...... For the reporting period, record all times in hours. <sup>2</sup> "ST" means steam turbine. "GT/HRSG" means gas turbine/heat recovery steam generator. <sup>3</sup> If an exceedance occurs after excluding data as authorized by permit, identify the number of non-compliant averages for the quarter. In addition, provide the hour-by-hour data for each non-compliant average and describe the circumstances causing the exceedance and the corrective actions taken. <sup>4</sup> If the total CEMS downtime is 5% or greater of the total operating time, the permittee shall also submit a report identifying the problems with maintaining a monitor availability of at least 95% and the corrective actions planned for the next quarter. <sup>5</sup> On a separate page, describe any changes in the CEMS, process equipment or control equipment since the last quarterly report. I certify that the information contained in this report is true, accurate, and complete.

Date:

Name: \_\_\_\_\_

Title:

Signature:

#### ATTACHMENT 2

REVISIONS TO AIR CONSTRUCTION PERMIT APPLICATION FOR PROCESS HEATERS AND EMERGENCY GENERATORS



# Department of Environmental ProtectioRECEIVED

# **Division of Air Resource Management**

SEP 08 2011

## **APPLICATION FOR AIR PERMIT - LONG FORM**

BUREAU OF AIR REGULATION

I. APPLICATION INFORMATION

Air Construction Permit – Use this form to apply for an air construction permit:

- For any required purpose at a facility operating under a federally enforceable state air operation permit (FESOP) or Title V air operation permit;
- For a proposed project subject to prevention of significant deterioration (PSD) review, nonattainment new source review, or maximum achievable control technology (MACT);
- To assume a restriction on the potential emissions of one or more pollutants to escape a requirement such as PSD review, nonattainment new source review, MACT, or Title V; or
- To establish, revise, or renew a plantwide applicability limit (PAL).

**Air Operation Permit** – Use this form to apply for:

• An initial federally enforceable state air operation permit (FESOP); or

1. Facility Owner/Company Name: Florida Power & Light Company

• An initial, revised, or renewal Title V air operation permit.

### To ensure accuracy, please see form instructions.

#### **Identification of Facility**

2.	Site Name: Cape Canaveral Energy Center (CCEC)				
3.	Facility Identification Number: 0090006				
4.	Facility Location				
	Street Address or Other Locator: 6000 No	rth US HV	VY 1		
	City: Cocoa County:	Brevard		Zip Code: <b>32927</b>	
5.	Relocatable Facility?	6. Ex	isting Title	V Permitted Facility?	
	☐ Yes ☐ No		Yes	□ No	
<u>Ap</u>	plication Contact				
1.	Application Contact Name: Barbara Linki	ewicz, Dir	ector of Env	ironmental Licensing	
2.	Application Contact Mailing Address				
	Organization/Firm: Florida Power & Light	Company			
	Street Address: 700 Universe Blvd.				
	City: Juno Beach	tate: Flo	rida	Zip Code: <b>33408</b>	
3.	Application Contact Telephone Numbers	•			
	Telephone: (561) 691-7518 ext. Fax: (561) 691-7070				
4.	4. Application Contact E-mail Address: Barbara.P.Linkiewicz@FPL.com				
<u>Ap</u>	Application Processing Information (DEP Use)				
1.	Date of Receipt of Application: $q - 8 - 1$	3. P	SD Number	(if applicable):	
2.	Project Number(s):009 6006 -067-	<b>AC</b> 4. S	iting Numbe	er (if applicable):	

### **Purpose of Application**

This application for air permit is being submitted to obtain: (Check one)			
Air Construction Permit			
☐ Air construction permit to establish, revise, or renew a plantwide applicability limit (PAL).			
Air construction permit to establish, revise, or renew a plantwide applicability limit (PAL), and separate air construction permit to authorize construction or modification of one or more emissions units covered by the PAL.			
Air Operation Permit			
☐ Initial Title V air operation permit.			
☐ Title V air operation permit revision.			
☐ Title V air operation permit renewal.			
☐ Initial federally enforceable state air operation permit (FESOP) where professional engineer (PE) certification is required.			
☐ Initial federally enforceable state air operation permit (FESOP) where professional engineer (PE) certification is not required.			
Air Construction Permit and Revised/Renewal Title V Air Operation Permit (Concurrent Processing)			
☐ Air construction permit and Title V permit revision, incorporating the proposed project.			
☐ Air construction permit and Title V permit renewal, incorporating the proposed project.			
Note: By checking one of the above two boxes, you, the applicant, are requesting concurrent processing pursuant to Rule 62-213.405, F.A.C. In such case, you must also check the following box:			
☐ I hereby request that the department waive the processing time requirements of the air construction permit to accommodate the processing time frames of the Title V air operation permit.			

# **Application Comment**

This application is for a revision to the existing air construction permit (Permit No. 0090006-005-AC) to request the maximum heat input for the process heater be revised from 10 MMBtu/hr to 9.9 MMBtu/hr, and the annual operating hours for the emergency generators will be revised from 160 hr/yr to 100 hr/yr.

As shown in revised Table 2-9B, these proposed modifications do not affect the previous emission netting analysis and PSD applicability determination project and will not trigger PSD review.

DEP Form No. 62-210.900(1) – Form Effective: 03/11/2010

# **Scope of Application**

Emissions Unit ID Number	Description of Emissions Unit	Air Permit Type	Air Permit Processing Fee
10	Fuel Gas Heater	AC1A	
12	Emergency Diesel Generator	AC1A	
	-		

Application Processing Fee	
Check one: Attached - Amount: \$	Not Applicable

## Owner/Authorized Representative Statement

Complete if applying for an air construction permit or an initial FESOP.

1.	Owner/Authorized Representative Name : Randall R. LaBauve, Vice President				
2.	2. Owner/Authorized Representative Mailing Address				
r	Organization/Firm: Florida Power & Light Company				
	Street Address: 700 Universe Blvd.				
	City: Juno Beach State: FL Zip Code: 33408				
3.	Owner/Authorized Representative Telephone Numbers				
	Telephone: (561) 691-7001 ext. Fax: (561) 691-7070				
4.	Owner/Authorized Representative E-mail Address: Randall.R.LaBauve@FPL.com				
5.	Owner/Authorized Representative Statement:				
	I, the undersigned, am the owner or authorized representative of the corporation, partnership, or other legal entity submitting this air permit application. To the best of my knowledge, the statements made in this application are true, accurate and complete, and any estimates of emissions reported in this application are based upon reasonable techniques for calculating emissions. I understand that a permit, if granted by the department, cannot be transferred without authorization from the department.				
	Ill/h/2011				
	Signature Date				
/:	TO MANUAL TO LOTAR A COMPLETE OF STATE				
	alegeration of president and a group of the state of the				
.1 <u>.</u> _	DEMONSTRUCTURE CONTROL (CONTROL CONTROL CONTRO				

#### **Application Responsible Official Certification**

Complete if applying for an initial, revised, or renewal Title V air operation permit or concurrent processing of an air construction permit and revised or renewal Title V air operation permit. If there are multiple responsible officials, the "application responsible official" need not be the "primary responsible official."

1. Application Responsible Official Name:				
1. Application Responsible Official Name.				
Application Responsible Official Qualification (Check one or more of the following options, as applicable):				
For a corporation, the president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C.				
<ul> <li>For a partnership or sole proprietorship, a general partner or the proprietor, respectively.</li> <li>For a municipality, county, state, federal, or other public agency, either a principal executive officer or ranking elected official.</li> </ul>				
The designated representative at an Acid Rain source or CAIR source.				
3. Application Responsible Official Mailing Address Organization/Firm:				
Street Address:				
City: State: Zip Code:				
4. Application Responsible Official Telephone Numbers Telephone: ( ) ext. Fax: ( )				
5. Application Responsible Official E-mail Address:				
6. Application Responsible Official Certification:				
I, the undersigned, am a responsible Official of the Title V source addressed in this air permit application. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this application are true, accurate and complete and that, to the best of my knowledge, any estimates of emissions reported in this application are based upon reasonable techniques for calculating emissions. The air pollutant emissions units and air pollution control equipment described in this application will be operated and maintained so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof and all other applicable requirements identified in this application to which the Title V source is subject. I understand that a permit, if granted by the department, cannot be transferred without authorization from the department, and I will promptly notify the department upon sale or legal transfer of the facility or any permitted emissions unit. Finally, I certify that the facility and each emissions unit are in compliance with all applicable requirements to which they are subject, except as identified in compliance plan(s) submitted with this application.				
Signature				

### **Professional Engineer Certification**

1	Drofessional Engineer Name: Kon Kocky
1.	Professional Engineer Name: Ken Kosky
	Registration Number: 14996
2.	Professional Engineer Mailing Address  Organization/Firm: Golder Associates Inc.**
٠.	Street Address: 6026 NW 1st Place
	City: Gainesville State: FL Zip Code: 32607
3.	Professional Engineer Telephone Numbers
	Telephone: (352) 336-5600 ext. Fax: (352) 336-6603
4.	Professional Engineer E-mail Address: ken_kosky@golder.com
5.	Professional Engineer Statement:
	I, the undersigned, hereby certify, except as particularly noted herein*, that:
	(1) To the best of my knowledge, there is reasonable assurance that the air pollutant emissions unit(s) and the air pollution control equipment described in this application for air permit, when properly operated and maintained, will comply with all applicable standards for control of air pollutant emissions found in the Florida Statutes and rules of the Department of Environmental Protection; and
	(2) To the best of my knowledge, any emission estimates reported or relied on in this application are true, accurate, and complete and are either based upon reasonable techniques available for calculating emissions or, for emission estimates of hazardous air pollutants not regulated for an emissions unit addressed in this application, based solely upon the materials, information and calculations submitted with this application.
	(3) If the purpose of this application is to obtain a Title $V$ air operation permit (check here $\square$ , if so), I further certify that each emissions unit described in this application for air permit, when properly operated and maintained, will comply with the applicable requirements identified in this application to which the unit is subject, except those emissions units for which a compliance plan and schedule is submitted with this application.
	(4) If the purpose of this application is to obtain an air construction permit (check here $\boxtimes$ , if so) or concurrently process and obtain an air construction permit and a Title V air operation permit revision or renewal for one or more proposed new or modified emissions units (check here $\square$ , if so), I further certify that the engineering features of each such emissions unit described in this application have been designed or examined by me or individuals under my direct supervision and found to be in conformity with sound engineering principles applicable to the control of emissions of the air pollutants characterized in this application.
	(5) If the purpose of this application is to obtain an initial air operation permit or operation permit revision or renewal for one or more newly constructed or modified emissions units (check here , if so), I further certify that, with the exception of any changes detailed as part of this application, each such emissions unit has been constructed or modified in substantial accordance with the information given in the corresponding application for air construction permit and with all provisions contained in such permit.
	(seal) 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1

\* Attach any exception to certification statement.

\*\*Board of Professional Engineers Certificate of Authorization #00001670.

DEP Form No. 62 Effective: 03/11/20

#### II. FACILITY INFORMATION

## A. GENERAL FACILITY INFORMATION

# **Facility Location and Type**

1.	1. Facility UTM Coordinates  Zone 17 East (km) 523.1  North (km) 3149		2. Facility Latitude/Longitude Latitude (DD/MM/SS) 28/28/10 Longitude (DD/MM/SS) 80/45/51			
3.	Governmental Facility Code: O	4. Facility Status Code: A	5.	Facility Major Group SIC Code: 49		Facility SIC(s):
7.	Facility Comment :					

# **Facility Contact**

1.	Facility Contact Name: Brad Williams, Plant General Manag	jer			
2.	Facility Contact Mailing Address				
	Organization/Firm: Florida Power	& Light Company			
	Street Address: 6000 North US HWY 1				
	City: Cocoa	State: FL	Zip Code: <b>32927</b>		
3.	Facility Contact Telephone Numbe	rs:			
	Telephone: (321) 637-2251	ext.	Fax: (321) 637-2232		
4.	Facility Contact E-mail Address:				

## **Facility Primary Responsible Official**

Complete if an "application responsible official" is identified in Section I that is not the facility "primary responsible official."

_	J F					
1.	Facility Primary Responsible O	fficial Name:				
2.	Facility Primary Responsible Official Mailing Address Organization/Firm:					
	Street Address:					
	City:	State	•		Zip Code:	
3.	. Facility Primary Responsible Official Telephone Numbers					
	Telephone: ( )	ext.	Fax:	(	)	
4.	Facility Primary Responsible O	fficial E-mail A	Address:			

# **Facility Regulatory Classifications**

Check all that would apply *following* completion of all projects and implementation of all other changes proposed in this application for air permit. Refer to instructions to distinguish between a "major source" and a "synthetic minor source."

# List of Pollutants Emitted by Facility

Dist of Conducting Emitted by Tax		
1. Pollutant Emitted	2. Pollutant Classification	3. Emissions Cap [Y or N]?
PM	Α	N
PM10	Α	N
voc	Α	N
SO2	A	N
NOx	A	N
СО	A	N

# **B. EMISSIONS CAPS**

# Facility-Wide or Multi-Unit Emissions Caps

	Facility Wide of Multi-Chit Emissions Caps					
1.	Pollutant Subject to Emissions Cap	2. Facility- Wide Cap [Y or N]? (all units)	3. Emissions Unit ID's Under Cap (if not all units)	4. Hourly Cap (lb/hr)	5. Annual Cap (ton/yr)	6. Basis for Emissions Cap
		,				
<u> </u>		_				
		-				
_						
7.	Eggilitz, Wi	da an Musiki Kiniki	Emissions Cap Com	<u> </u>		
′ ·	1 acmity- wi	de of Multi-Offit i	zimssions Cap Con	miciit.		
						•
		•				

# C. FACILITY ADDITIONAL INFORMATION

# Additional Requirements for All Applications, Except as Otherwise Stated

1.	Facility Plot Plan: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:  Previously Submitted, Date: 12/30/08
2.	Process Flow Diagram(s): (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:  Previously Submitted, Date: 12/30/08
3.	Precautions to Prevent Emissions of Unconfined Particulate Matter: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)
	☐ Attached, Document ID: ☐ ☐ Previously Submitted, Date: 12/30/08
Ad	Iditional Requirements for Air Construction Permit Applications
1.	Area Map Showing Facility Location:
	Not Applicable (existing permitted facility)
2.	Description of Proposed Construction, Modification, or Plantwide Applicability Limit (PAL):  ☑ Attached, Document ID: 12/30/08 application
3.	Rule Applicability Analysis:  ☑ Attached, Document ID: 12/30/08 application
4.	List of Exempt Emissions Units:  Attached, Document ID: Not Applicable (no exempt units at facility)
5.	Fugitive Emissions Identification:  Attached, Document ID: Not Applicable
	Air Quality Analysis (Rule 62-212.400(7), F.A.C.):  ☐ Attached, Document ID: ☐ Not Applicable
7.	Source Impact Analysis (Rule 62-212.400(5), F.A.C.):  Attached, Document ID: Not Applicable
8.	Air Quality Impact since 1977 (Rule 62-212.400(4)(e), F.A.C.):  ☐ Attached, Document ID: ⊠ Not Applicable
9.	Additional Impact Analyses (Rules 62-212.400(8) and 62-212.500(4)(e), F.A.C.):  Attached, Document ID: Not Applicable
10.	Alternative Analysis Requirement (Rule 62-212.500(4)(g), F.A.C.):

DEP Form No. 62-210.900(1) — Form Y:\Projects\2008\08387633-02 CCEC\Draft\CCEC\_FPL\_FI\_AuxBoiler\_EG\_GHAdocx Effective: 03/11/2010 11 08/2011

# C. FACILITY ADDITIONAL INFORMATION (CONTINUED)

# **Additional Requirements for FESOP Applications**

1.	List of Exempt Emissions Units:  Attached, Document ID: Not Applicable (no exempt units at facility)				
Ac	Iditional Requirements for Title V Air Operation Permit Applications				
1.	List of Insignificant Activities: (Required for initial/renewal applications only)  Attached, Document ID: Not Applicable (revision application)				
2.	Identification of Applicable Requirements: (Required for initial/renewal applications, and for revision applications if this information would be changed as a result of the revision being sought)  Attached, Document ID:				
	☐ Not Applicable (revision application with no change in applicable requirements)				
3.	. Compliance Report and Plan: (Required for all initial/revision/renewal applications)  Attached, Document ID:				
	Note: A compliance plan must be submitted for each emissions unit that is not in compliance with all applicable requirements at the time of application and/or at any time during application processing. The department must be notified of any changes in compliance status during application processing.				
4.	List of Equipment/Activities Regulated under Title VI: (If applicable, required for initial/renewal applications only)  Attached, Document ID:				
	☐ Equipment/Activities Onsite but Not Required to be Individually Listed				
	☐ Not Applicable				
5.	Verification of Risk Management Plan Submission to EPA: (If applicable, required for initial/renewal applications only)  Attached, Document ID: Not Applicable				
6.	Requested Changes to Current Title V Air Operation Permit:  Attached, Document ID:				

# C. FACILITY ADDITIONAL INFORMATION (CONTINUED)

# Additional Requirements for Facilities Subject to Acid Rain, CAIR, or Hg Budget Program

Additional Requirements for Facilities Subject to Reid Rain, Chirt, or tig Dauget Frogram				
1.	Acid Rain Program Forms:			
	Acid Rain Part Application (DEP Form No. 62-210.900(1)(a)):  Attached, Document ID:  Previously Submitted, Date: 5/21/09  Not Applicable (not an Acid Rain source)			
	Phase II NO <sub>X</sub> Averaging Plan (DEP Form No. 62-210.900(1)(a)1.):  ☐ Attached, Document ID: ☐ Previously Submitted, Date: ☐ Not Applicable			
	New Unit Exemption (DEP Form No. 62-210.900(1)(a)2.):  ☐ Attached, Document ID: ☐ Previously Submitted, Date: ☐ Not Applicable			
2.	CAIR Part (DEP Form No. 62-210.900(1)(b)):  ☐ Attached, Document ID: ☐ Previously Submitted, Date: 5/28/08  ☐ Not Applicable (not a CAIR source)			
Ad	ditional Requirements Comment			
Although the "facility" is subject to these additional requirements, the auxiliary boiler, fuel gas heater, and emergency generator are not.				

Section [1] **Fuel Gas Heater** 

#### III. EMISSIONS UNIT INFORMATION

Title V Air Operation Permit Application - For Title V air operation permitting only, emissions units are classified as regulated, unregulated, or insignificant. If this is an application for an initial, revised or renewal Title V air operation permit, a separate Emissions Unit Information Section (including subsections A through I as required) must be completed for each regulated and unregulated emissions unit addressed in this application. Some of the subsections comprising the Emissions Unit Information Section of the form are optional for unregulated emissions units. Each such subsection is appropriately marked. Insignificant emissions units are required to be listed at Section II, Subsection C.

Air Construction Permit or FESOP Application - For air construction permitting or federally enforceable state air operation permitting, emissions units are classified as either subject to air permitting or exempt from air permitting. The concept of an "unregulated emissions unit" does not apply. If this is an application for an air construction permit or FESOP, a separate Emissions Unit Information Section (including subsections A through I as required) must be completed for each emissions unit subject to air permitting addressed in this application for air permit. Emissions units exempt from air permitting are required to be listed at Section II, Subsection C.

Air Construction Permit and Revised/Renewal Title V Air Operation Permit Application - Where this application is used to apply for both an air construction permit and a revised or renewal Title V air operation permit, each emissions unit is classified as either subject to air permitting or exempt from air permitting for air construction permitting purposes, and as regulated, unregulated, or insignificant for Title V air operation permitting purposes. A separate Emissions Unit Information Section (including subsections A through I as required) must be completed for each emissions unit addressed in this application that is subject to air construction permitting and for each such emissions unit that is a regulated or unregulated unit for purposes of Title V permitting. (An emissions unit may be exempt from air construction permitting but still be classified as an unregulated unit for Title V purposes.) Emissions units classified as insignificant for Title V purposes are required to be listed at Section II, Subsection C.

If submitting the application form in hard copy, the number of this Emissions Unit Information Section and the total number of Emissions Unit Information Sections submitted as part of this application must be indicated in the space provided at the top of each page.

DEP Form No. 62-210.900(1) Effective: 03/11/2010 14

Section [1] Fuel Gas Heater

## A. GENERAL EMISSIONS UNIT INFORMATION

# <u>Title V Air Operation Permit Emissions Unit Classification</u>

1.	Regulated or Unregulated Emissions Unit? (Check one, if applying for an initial, revised or renewal Title V air operation permit. Skip this item if applying for an air construction permit or FESOP only.)				
	The emissions unit addressed in this Emissions Unit Information Section is a regulated emissions unit.				
	☐ The emissions unit addressed in this Emissions Unit Information Section is an				
	unregulated em	nissions unit.			
<u>En</u>	<u>aissions Unit Descr</u>	iption and Status			
1.	Type of Emissions	Unit Addressed in this	Section: (Check one)		
	process or proc		which produces one or	e emissions unit, a single more air pollutants and ).	
	of process or p		vities which has at least	e emissions unit, a group t one definable emission	
	This Emissions Unit Information Section addresses, as a single emissions unit, one or more process or production units and activities which produce fugitive emissions only.				
2.	2. Description of Emissions Unit Addressed in this Section: Natural Gas Fuel Heater(s)				
3.	Emissions Unit Ide	entification Number: 3			
4.	Emissions Unit	5. Commence	6. Initial Startup	7. Emissions Unit	
	Status Code:	Construction Date:	Date:	Major Group SIC Code:	
	С	2011	2013	49	
8.	Federal Program A	pplicability: (Check all	that apply)	L	
	☐ Acid Rain Unit				
	CAIR Unit				
9.	Package Unit:  Manufacturer: Hanover Compression Company or equivalent Model Number:				
10.	Generator Namepla	ate Rating: MW			
11.	11. Emissions Unit Comment:  See Air Permit report. Revising maximum heat input rate from 10 MMBtu/hr to 9.9 MMBtu/hr.				

DEP Form No. 62-210.900(1) Effective: 03/11/2010

Section [1] Fuel Gas Heater

## Emissions Unit Control Equipment/Method: Control 1 of 1

1.	Control Equipment/Method Description:
	Good combustion practices - natural gas-fired.
2.	Control Device or Method Code: N/A
En	nissions Unit Control Equipment/Method: Control of
1.	Control Equipment/Method Description:
	Control Decision Medical Codes
2.	Control Device or Method Code:
<u>En</u>	nissions Unit Control Equipment/Method: Control of
1.	Control Equipment/Method Description:
2.	Control Device or Method Code:
۷٠	Control Device of Method Code:
En	nissions Unit Control Equipment/Method: Control of
1.	Control Equipment/Method Description:
	Control D. Control D. Control
2.	Control Device or Method Code:

Section [1] Fuel Gas Heater

## **B. EMISSIONS UNIT CAPACITY INFORMATION**

(Optional for unregulated emissions units.)

# **Emissions Unit Operating Capacity and Schedule**

1.	Maximum Process or Throughput Rate:			
2.	Maximum Production Rate:			
3.	Maximum Heat Input Rate: 9.9 millio	n Btu/hr		
4.	Maximum Incineration Rate: p	ounds/hr	<del></del>	
	to	ons/day		
5.	Requested Maximum Operating Scheo	lule:		
	<b>24</b> h	ours/day	7 days/week	
	<b>52</b> W	eeks/year	8,760 hours/year	
6.	Operating Capacity/Schedule Commerced Revised from 10 MMBtu/hr.	nt:		

Section [1] Fuel Gas Heater

# C. EMISSION POINT (STACK/VENT) INFORMATION

(Optional for unregulated emissions units.)

# **Emission Point Description and Type**

1,	Identification of Point on I Flow Diagram:	Plot Plan or	2. Emission Point 7	Гуре Code:		
<ol> <li>4.</li> </ol>						
5.	Discharge Type Code: <b>V</b>	<ul><li>6. Stack Height</li><li>30 feet</li></ul>	•	7. Exit Diameter: 1.4 feet		
8.	8. Exit Temperature: 9. Actual Volum 500°F 4,901 acfm		netric Flow Rate:	10. Water Vapor: %		
11.	Maximum Dry Standard F dscfm	low Rate:	12. Nonstack Emission Point Height: feet			
13.	13. Emission Point UTM Coordinates Zone: East (km): North (km):		14. Emission Point Latitude/Longitude  Latitude (DD/MM/SS)  Longitude (DD/MM/SS)			
15.	Emission Point Comment: See revised Table 2-6.	'				

Section [1] Fuel Gas Heater

# D. SEGMENT (PROCESS/FUEL) INFORMATION

Segment Description and Rate: Segment 1 of 1

1.	1. Segment Description (Process/Fuel Type): Natural gas				
2.	Source Classification Code	e (SCC):	3. SCC Units: MMscf		_
4.	Maximum Hourly Rate: 0.0094	5. Maximum . <b>82.2</b>	Annual Rate:	6.	Estimated Annual Activity Factor:
7.	Maximum % Sulfur:	8. Maximum	% Ash:	9.	Million Btu per SCC Unit: 1,055
10.	10. Segment Comment:				
Ses	gment Description and Ra	te: Segment	of		
1.	1. Segment Description (Process/Fuel Type):				
2.	Source Classification Code	e (SCC):	3. SCC Units:		
4.	Maximum Hourly Rate:	5. Maximum	Annual Rate:	6.	Estimated Annual Activity Factor:
7.	Maximum % Sulfur:	8. Maximum 9	% Ash:	9.	Million Btu per SCC Unit:
10.	Segment Comment:				

Section [1] Fuel Gas Heater

#### E. EMISSIONS UNIT POLLUTANTS

# List of Pollutants Emitted by Emissions Unit

1.	Pollutant Emitted	2. Primary Control	3. Secondary Control	4. Pollutant	
		Device Code	Device Code	Regulatory Code	
	PM	Fuel quality			
	PM10	Fuel quality			
	SO2	Fuel quality			
	NOx	Fuel quality			
	СО	Good combustion			
	VOC	Good combustion			
				_	

# POLLUTANT DETAIL INFORMATION Page [1] of [6] Particulate Matter Total - PM

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Pollutant Emitted:     Particulate Matter Total - PM	2. Total Perc	ent Efficie	ency of Control:				
3. Potential Emissions:			netically Limited?				
	8 tons/year	⊠ Y	es 🗌 No				
5. Range of Estimated Fugitive Emissions (as applicable):							
to tons/year							
6. Emission Factor: 0.002 lb/MMBtu			7. Emissions				
D.C			Method Code:				
Reference: Emissions based on AP-42							
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:				
tons/year	From: To:						
9.a. Projected Actual Emissions (if required):	9.b. Projected	l Monitori	ng Period:				
tons/year	☐ 5 years ☐ 10 years						
10. Calculation of Emissions:  0.002 lb/MMBtu x 9.9 MMBtu/hr = 0.02 lb/hr  0.02 lb/hr x 8,760 hr / 2,000 lb = 0.08 TPY	omment						
11. Potential, Fugitive, and Actual Emissions Comment:							
	•						

DEP Form No. 62-210.900(1) Effective: 03/11/2010

# POLLUTANT DETAIL INFORMATION Page [1] of [6] Particulate Matter Total - PM

# F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions of						
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:				
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:				
		lb/hour tons/year				
5.	Method of Compliance:					
6.	6. Allowable Emissions Comment (Description of Operating Method):					
<u>Al</u>	lowable Emissions Allowable Emissions	of				
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:				
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:				
<u></u> .		lb/hour tons/year				
5.	Method of Compliance:	· 				
6.	6. Allowable Emissions Comment (Description of Operating Method):					
<u>Al</u>	Allowable Emissions of					
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:				
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:				
		lb/hour tons/year				
5.	Method of Compliance:	•				
6.	6. Allowable Emissions Comment (Description of Operating Method):					

DEP Form No. 62-210.900(1) Effective: 03/11/2010

# EMISSIONS UNIT INFORMATION Section [1]

**Fuel Gas Heater** 

POLLUTANT DETAIL INFORMATION
Page [2] of [6]
Particulate Matter Total - PM10

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

#### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Totential, Estimated Fugitive, and Daseime & Trojected Actual Emissions					
Pollutant Emitted:     Particulate Matter Total - PM10	2. Total Percent Efficiency of Control:				
3. Potential Emissions:  0.02 lb/hour  0.06	3 tons/year	4. Synth ⊠ Y	netically Limited? les   No		
5. Range of Estimated Fugitive Emissions (as to tons/year	s applicable):				
6. Emission Factor: 0.002 lb/MMBtu  Reference: Emissions based on AP-42			7. Emissions Method Code:		
	<del></del>				
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:		
tons/year	From:	T	o:		
9.a. Projected Actual Emissions (if required):	9.b. Projected Monitoring Period:				
tons/year	☐ 5 yea	rs 🗌 10	0 years		
10. Calculation of Emissions: 0.002 lb/MMBtu x 9.9 MMBtu/hr = 0.02 lb/hr 0.02 lb/hr x 8,760 hr / 2,000 lb = 0.08 TPY		•			
11. Potential, Fugitive, and Actual Emissions Comment:					

# POLLUTANT DETAIL INFORMATION Page [2] of [6] Particulate Matter Total - PM10

# F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

<u>Al</u>	Allowable Emissions of					
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:				
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emissions:			
<u> </u>			lb/hour tons/year			
5.	Method of Compliance:					
6.	6. Allowable Emissions Comment (Description of Operating Method):					
<u>Al</u>	lowable Emissions Allowable Emissions	c	of			
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:				
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emissions:			
<u> </u>			lb/hour tons/year			
5.	Method of Compliance:					
0.	6. Allowable Emissions Comment (Description of Operating Method):					
<u>Al</u>	Allowable Emissions of					
1.	Basis for Allowable Emissions Code:	2.	2. Future Effective Date of Allowable Emissions:			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emissions:			
			lb/hour tons/year			
5.	Method of Compliance:					
6.	Allowable Emissions Comment (Description	of (	Operating Method):			

# POLLUTANT DETAIL INFORMATION Page [3] of [6] Sulfur Dioxide - SO2

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

#### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Sulfur Dioxide - SO2	2. Total Perc	ent Efficie	ency of Control:		
3. Potential Emissions:  0.054 lb/hour  0.23	3 tons/year		netically Limited? es 🛭 No		
5. Range of Estimated Fugitive Emissions (as applicable): to tons/year					
6. Emission Factor: 2 grains S/100 scf gas  Reference: Emissions based on AP-42			7. Emissions Method Code:		
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:		
tons/year	From:	T	0:		
9.a. Projected Actual Emissions (if required):	9.b. Projected	Monitori	ng Period:		
tons/year	☐ 5 years ☐ 10 years				
2 gr S/100 scf x 64/32 (MW SO2/S) x 1 lb/7,00	gr x 9.384 scf/	hr x 1/100 :	scf = 0.054 lb/hr		
2 gr S/100 scf x 64/32 (MW SO2/S) x 1 lb/7,000 0.054 lb/hr x 8,760 hr / 2,000 lb = 0.23 TPY	) gr x 9.384 scf/	hr x 1/100	scf = 0.054 lb/hr		

# POLLUTANT DETAIL INFORMATION Page [3] of [6] Sulfur Dioxide - SO2

# F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions of							
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:					
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:					
			lb/hour	tons/year			
5.	Method of Compliance:						
6.	6. Allowable Emissions Comment (Description of Operating Method):						
<u>Al</u>	lowable Emissions Allowable Emissions	of	f				
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:					
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emission	ons:			
			lb/hour	tons/year			
5.	Method of Compliance:						
6.	6. Allowable Emissions Comment (Description of Operating Method):						
Al	Allowable Emissions of						
1.	Basis for Allowable Emissions Code:	1	Future Effective Date of Allow Emissions:	wable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emission	ons:			
	_		lb/hour	tons/year			
5.	Method of Compliance:						
6.	6. Allowable Emissions Comment (Description of Operating Method):						

# POLLUTANT DETAIL INFORMATION Page [4] of [6] Nitrogen Oxides - NOx

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

rotential, Estimated Fugitive, and Dasenne &	t i o jecteu i ic	tuai Liiis	310113
Pollutant Emitted:     Nitrogen Oxides - NOx	2. Total Perc	ent Efficie	ency of Control:
3. Potential Emissions:  0.94 lb/hour  4.5	I tons/year	4. Synth  ☐ Y	netically Limited? Tes 🛛 No
5. Range of Estimated Fugitive Emissions (as to tons/year	applicable):		
6. Emission Factor: 0.095 lb/MMBtu  Reference: Emissions based on AP-42			7. Emissions Method Code:
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:
tons/year	From:		o:
9.a. Projected Actual Emissions (if required):	9.b. Projected	d Monitori	ng Period:
tons/year	☐ 5 yea	rs 🗌 10	0 years
10. Calculation of Emissions: 0.095 lb/MMBtu x 9.9 MMBtu/hr = 0.94 lb/hr 0.94 lb/hr x 8,760 hr / 2,000 lb = 4.1 TPY			
11. Potential, Fugitive, and Actual Emissions Co	omment:		

# POLLUTANT DETAIL INFORMATION Page [4] of [6] Nitrogen Oxides - NOx

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

<u>Al</u>	<u>lowable Emissions</u> Allowable Emissions	of
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:
		lb/hour tons/year
5.	Method of Compliance:	
6.	Allowable Emissions Comment (Description	a of Operating Method):
<u>Al</u>	<b>lowable Emissions</b> Allowable Emissions	of
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions: lb/hour tons/year
5.	Method of Compliance:	
6.	Allowable Emissions Comment (Description	n of Operating Method):
Al	lowable Emissions Allowable Emissions	of
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:  lb/hour tons/year
5.	Method of Compliance:	
6.	Allowable Emissions Comment (Description	n of Operating Method):

#### EMISSIONS UNIT INFORMATION Section [1] Fuel Gas Heater

POLLUTANT DETAIL INFORMATION

Page [5] of [6]

Carbon Monoxide - CO

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Totelliai, Estimated Fugitive, and Dascime of	t i lojected ike	tuui Diiii	
Pollutant Emitted:     Carbon Monoxide - CO	2. Total Perc	ent Efficie	ency of Control:
3. Potential Emissions: 0.79 lb/hour 3.6	5 tons/year	4. Synth	netically Limited? es 🛛 No
5. Range of Estimated Fugitive Emissions (as to tons/year	applicable):		
6. Emission Factor: 0.08 lb/MMBtu  Reference: Emissions based on AP-42			7. Emissions Method Code:
	01 D 11	0.4 .1	D : 1
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:
tons/year	From:	T	o:
9.a. Projected Actual Emissions (if required):	9.b. Projected	d Monitori	ng Period:
tons/year	☐ 5 yea	ırs 🔲 10	0 years
10. Calculation of Emissions:  0.08 lb/MMBtu x 9.9 MMBtu/hr = 0.79 lb/hr  0.79 lb/hr x 8,760 hr / 2,000 lb = 3.5 TPY	ommant:		
11. Potential, Fugitive, and Actual Emissions Co	omment:		

# POLLUTANT DETAIL INFORMATION Page [5] of [6] Carbon Monoxide - CO

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Al	<b>lowable Emissions</b> Allowable Emissions	of
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:
		lb/hour tons/year
5.	Method of Compliance:	
6.	Allowable Emissions Comment (Description	of Operating Method):
Al	lowable Emissions Allowable Emissions	of
1.	Basis for Allowable Emissions Code:	Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions: lb/hour tons/year
5.	Method of Compliance:	
6.	Allowable Emissions Comment (Description	of Operating Method):
Al	lowable Emissions Allowable Emissions	of
l.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:
		lb/hour tons/year
5.	Method of Compliance:	
6.	Allowable Emissions Comment (Description	of Operating Method):

### EMISSIONS UNIT INFORMATION Section [1] Fuel Gas Heater

POLLUTANT DETAIL INFORMATION
Page [6] of [6]
Volatile Organic Compounds - VOC

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

1 Otential, Estimated Fugitive, and Dasenne G	2 2 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
Pollutant Emitted:     Volatile Organic Compounds - VOC	2. Total Perc	ent Efficie	ency of Control:
3. Potential Emissions:  0.052 lb/hour  0.23	tons/year	4. Synth ⊠ Y	netically Limited? es
5. Range of Estimated Fugitive Emissions (as to tons/year	applicable):		
6. Emission Factor: 0.005 lb/MMBtu  Reference: Emissions based on AP-42			7. Emissions Method Code:
	01 70 11	0.4	<u> </u>
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:
tons/year	From:	T	o:
9.a. Projected Actual Emissions (if required):	9.b. Projected	d Monitori	ng Period:
tons/year	☐ 5 yea	rs 🔲 1	0 years
10. Calculation of Emissions: 0.005 lb/MMBtu x 9.9 MMBtu/hr = 0.052 lb/hr 0.052 lb/hr x 8,760 hr / 2,000 lb = 0.23 TPY			
11. Potential, Fugitive, and Actual Emissions Co	omment:		

# POLLUTANT DETAIL INFORMATION Page [6] of [6] Volatile Organic Compounds - VOC

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Al	lowable Emissions Allowable Emissions	c	of		
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Allowable Emissions:		
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:			
			lb/hour	tons/year	
5.	Method of Compliance:				
6.	Allowable Emissions Comment (Description	of (	Operating Method):		
<u>Al</u>	lowable Emissions Allowable Emissions	c	of		
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Allow Emissions:	vable	
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emission	ns:	
			lb/hour	tons/year	
5.	Method of Compliance:				
6.	Allowable Emissions Comment (Description	of (	Operating Method):		
<u>Al</u>	lowable Emissions Allowable Emissions	c	f		
	Basis for Allowable Emissions Code:	2.	Future Effective Date of Allow Emissions:	vable	
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emission		
			lb/hour	tons/year	
5.	Method of Compliance:				
6.	Allowable Emissions Comment (Description	of (	Operating Method):		
	·				

### EMISSIONS UNIT INFORMATION Section [1] Fuel Gas Heater

#### G. VISIBLE EMISSIONS INFORMATION

Complete Subsection G if this emissions unit is or would be subject to a unit-specific visible emissions limitation.

Visible Emissions Limitation: Visible Emissions Limitation 1 of 1

_			
1.	Visible Emissions Subtype:	2. Basis for Allowable	Opacity:
	VE20	⊠ Rule	Other
3.	Allowable Opacity:		
	Normal Conditions: 20 % Ex	ceptional Conditions:	100 %
	Maximum Period of Excess Opacity Allowe	•	60 min/hour
4.	Method of Compliance: EPA Method 9		
5.	Visible Emissions Comment: FDEP Rule 62	2-296.320(4)(b)1, F.A.C., red	uires 20% opacity.
٠.	Excess emissions provided by Rule 62-210.7		an co zo to opacity t
	Excess chilosions provided by Naie 02-210.7	00(1), 1 .A.O.	
<b>1/:</b>	sible Emissions Limitation: Visible Emissi	one Limitation of	
<u> </u>	SIDIE EMISSIONS CHIMITATION: VISIOIE EMISSI	ons Emmation of _	<del></del>
1.	Visible Emissions Subtype:	2. Basis for Allowable (	Opacity:
	· ·	☐ Rule	Other
3.	Allowable Opacity:		
	Normal Conditions: % Ex	ceptional Conditions:	<b>%</b>
	Maximum Period of Excess Opacity Allowe	ed:	min/hour
	* *		
4.	Method of Compliance:		
5.	Visible Emissions Comment:		

Section [1] Fuel Gas Heater

#### H. CONTINUOUS MONITOR INFORMATION

Complete Subsection H if this emissions unit is or would be subject to continuous monitoring.

	ontinuous Monitoring System: Continuous	<del></del>
1.	Parameter Code:	2. Pollutant(s):
3.	CMS Requirement:	☐ Rule ☐ Other
4.	Monitor Information Manufacturer:	
	Model Number:	Serial Number:
5.	Installation Date:	6. Performance Specification Test Date:
7.	Continuous Monitor Comment:	
<u>Co</u>	ntinuous Monitoring System: Continuous	s Monitor of
1.	Parameter Code:	2. Pollutant(s):
3.	CMS Requirement:	
$\overline{4}$	-	☐ Rule ☐ Other
T.	Monitor Information Manufacturer:	☐ Rule ☐ Other
7.		Rule Other  Serial Number:
5.	Manufacturer:	
	Manufacturer: Model Number:	Serial Number:
5.	Manufacturer: Model Number: Installation Date:	Serial Number:
5.	Manufacturer: Model Number: Installation Date:	Serial Number:
5.	Manufacturer: Model Number: Installation Date:	Serial Number:
5.	Manufacturer: Model Number: Installation Date:	Serial Number:

### EMISSIONS UNIT INFORMATION Section [1] Fuel Gas Heater

#### I. EMISSIONS UNIT ADDITIONAL INFORMATION

### Additional Requirements for All Applications, Except as Otherwise Stated

1.	Process Flow Diagram: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:   Previously Submitted, Date
2.	Fuel Analysis or Specification: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:   Previously Submitted, Date 12/30/08
3.	Detailed Description of Control Equipment: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID: Previously Submitted, Date
4.	Procedures for Startup and Shutdown: (Required for all operation permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:  Previously Submitted, Date
	Not Applicable (construction application)
5.	Operation and Maintenance Plan: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID: Previously Submitted, Date  Not Applicable
6.	Compliance Demonstration Reports/Records:  Attached, Document ID:
	Test Date(s)/Pollutant(s) Tested:
	☐ Previously Submitted, Date:
	Test Date(s)/Pollutant(s) Tested:
	To be Submitted, Date (if known):
	Test Date(s)/Pollutant(s) Tested:
	Not Applicable     ■
	Note: For FESOP applications, all required compliance demonstration records/reports must be submitted at the time of application. For Title V air operation permit applications, all required compliance demonstration reports/records must be submitted at the time of application, or a compliance plan must be submitted at the time of application.
7.	Other Information Required by Rule or Statute:

Section [1] Fuel Gas Heater

### I. EMISSIONS UNIT ADDITIONAL INFORMATION (CONTINUED)

### Additional Requirements for Air Construction Permit Applications

1.	Control Technology Review and Analysis (I	Rules 62-212.400(10) and 62-212.500(7),
	F.A.C.; 40 CFR 63.43(d) and (e)):	
		☐ Not Applicable
2.	Good Engineering Practice Stack Height Ar	nalysis (Rules 62-212.400(4)(d) and 62-
	212.500(4)(f), F.A.C.):	
	Attached, Document ID:	Not Applicable
3.	Description of Stack Sampling Facilities: (I only)	Required for proposed new stack sampling facilities
	Attached, Document ID:	
Ac	lditional Requirements for Title V Air Ope	eration Permit Applications
1.	Identification of Applicable Requirements:  Attached, Document ID:	
2.	Compliance Assurance Monitoring:  Attached, Document ID:	☐ Not Applicable
3.	Alternative Methods of Operation:	
	Attached, Document ID:	☐ Not Applicable
4.	Alternative Modes of Operation (Emissions	Trading):
	Attached, Document ID:	☐ Not Applicable
_ <u>Ad</u>	ditional Requirements Comment	

Section [2] Emergency Diesel Generator

#### III. EMISSIONS UNIT INFORMATION

Title V Air Operation Permit Application - For Title V air operation permitting only, emissions units are classified as regulated, unregulated, or insignificant. If this is an application for an initial, revised or renewal Title V air operation permit, a separate Emissions Unit Information Section (including subsections A through I as required) must be completed for each regulated and unregulated emissions unit addressed in this application. Some of the subsections comprising the Emissions Unit Information Section of the form are optional for unregulated emissions units. Each such subsection is appropriately marked. Insignificant emissions units are required to be listed at Section II, Subsection C.

Air Construction Permit or FESOP Application - For air construction permitting or federally enforceable state air operation permitting, emissions units are classified as either subject to air permitting or exempt from air permitting. The concept of an "unregulated emissions unit" does not apply. If this is an application for an air construction permit or FESOP, a separate Emissions Unit Information Section (including subsections A through I as required) must be completed for each emissions unit subject to air permitting addressed in this application for air permit. Emissions units exempt from air permitting are required to be listed at Section II, Subsection C.

Air Construction Permit and Revised/Renewal Title V Air Operation Permit Application – Where this application is used to apply for both an air construction permit and a revised or renewal Title V air operation permit, each emissions unit is classified as either subject to air permitting or exempt from air permitting for air construction permitting purposes, and as regulated, unregulated, or insignificant for Title V air operation permitting purposes. A separate Emissions Unit Information Section (including subsections A through I as required) must be completed for each emissions unit addressed in this application that is subject to air construction permitting and for each such emissions unit that is a regulated or unregulated unit for purposes of Title V permitting. (An emissions unit may be exempt from air construction permitting but still be classified as an unregulated unit for Title V purposes.) Emissions units classified as insignificant for Title V purposes are required to be listed at Section II, Subsection C.

If submitting the application form in hard copy, the number of this Emissions Unit Information Section and the total number of Emissions Unit Information Sections submitted as part of this application must be indicated in the space provided at the top of each page.

Section [2]

**Emergency Diesel Generator** 

### A. GENERAL EMISSIONS UNIT INFORMATION

### Title V Air Operation Permit Emissions Unit Classification

1.	or renewal Title V air operation permit. Skip this item if applying for an air construction permit or FESOP only.)			
			missions Unit Informati	on Section is a regulated
	emissions unit.	unit addressed in this Er	nissions Unit Informati	on Section is an
	unregulated em		mosions ome morman	on occion is an
En	nissions Unit Descr	iption and Status		
1.	Type of Emissions	Unit Addressed in this	Section: (Check one)	
	process or proc	S Unit Information Section luction unit, or activity, ast one definable emissi	which produces one or	-
	of process or p	s Unit Information Section roduction units and active vent) but may also produced	vities which has at least	e emissions unit, a group one definable emission
		Unit Information Section r production units and a		e emissions unit, one or fugitive emissions only.
2.	2. Description of Emissions Unit Addressed in this Section: Emergency Diesel Generator			
3.	Emissions Unit Ide	entification Number: 01	5	,
4.	Emissions Unit	5. Commence	6. Initial Startup	7. Emissions Unit
	Status Code:	Construction Date:	Date:	Major Group SIC Code:
	С	2011	2013	49
8.	Federal Program A	pplicability: (Check all	that apply)	
	☐ Acid Rain Unit			
	☐ CAIR Unit			
9.	Package Unit: Manufacturer: Cat	erpillar	Model Number:	
10.	Generator Namepla	ate Rating: 2.25 MW		
11.	Emissions Unit Co Two 2,250-kW emer 2,250-kW Diesel Ge	rgency generators (or eq	uivalent). Information b	ased on Caterpillar,

Section [2]

**Emergency Diesel Generator** 

### Emissions Unit Control Equipment/Method: Control 1 of 1

1. Control Equipment/Method Description:	
Good combustion practices - No. 2 fuel oil-fired.	
2. Control Device or Method Code: N/A	
Emissions Unit Control Equipment/Method: Control of	
1. Control Equipment/Method Description:	
2. Control Device or Method Code:	
Z. Control Device of Wiemon Code.	
Emissions Unit Control Equipment/Method: Control of	
1. Control Equipment/Method Description:	
2. Control Device or Method Code:	
Emissions Unit Control Equipment/Method: Control of	
1. Control Equipment/Method Description:	
2. Control Device or Method Code:	
2. Conduct Device of Medica Code.	

Section [2] Emergency Diesel Generator

#### **B. EMISSIONS UNIT CAPACITY INFORMATION**

(Optional for unregulated emissions units.)

### **Emissions Unit Operating Capacity and Schedule**

1.	Maximum Process or Throughp	ut Rate:	
2.	Maximum Production Rate:	<u></u>	
3.	Maximum Heat Input Rate: 21.	01 million Btu/hr	
4.	Maximum Incineration Rate:	pounds/hr	
		tons/day	
5.	Requested Maximum Operating	Schedule:	
		24 hours/day	7 days/week
		52 weeks/year	100 hours/year
6.		normally be operated	1 to 2 hours per month for testing eet the requirements of 40 CFR 60,

Section [2]

Emergency Diesel Generator

### C. EMISSION POINT (STACK/VENT) INFORMATION

(Optional for unregulated emissions units.)

### **Emission Point Description and Type**

1.	Identification of Point on Flow Diagram:	Plot Plan or	2. Emission Point 7	Type Code:	
3.	•				
	ID Numbers or Descriptio				
5.	Discharge Type Code: <b>V</b>	Discharge Type Code: 6. Stack Height  V 30 feet		<ul><li>7. Exit Diameter:</li><li>1 feet</li></ul>	
8.	Exit Temperature: 916°F	9. Actual Volur 17,463 acfm	netric Flow Rate:	10. Water Vapor: %	
11.	Maximum Dry Standard Flow Rate:     dscfm		12. Nonstack Emission Point Height: feet		
13.	Emission Point UTM Coo Zone: East (km): North (km)		14. Emission Point I Latitude (DD/MI Longitude (DD/N	M/SS)	
15.	Emission Point Comment: See revised Table 2-5.				
				·	

Section [2]

**Emergency Diesel Generator** 

### D. SEGMENT (PROCESS/FUEL) INFORMATION

Segment Description and Rate: Segment 1 of 1

1.	1. Segment Description (Process/Fuel Type): Diesel fuel combustion								
2.	Source Classification Cod	e (SCC)·	3. SCC Units:						
	Source Classification Coa	<b>c</b> (500).	1,000 gallon						
4.	Maximum Hourly Rate: 0.156	5. Maximum . 15.6	Annual Rate:	6.	Estimated Annual Activity Factor:				
7.	Maximum % Sulfur:	8. Maximum	% Ash:	9.	Million Btu per SCC Unit: 135.1				
10.	. Segment Comment:	•							
Se	gment Description and Ra	ite: Segment	of						
1.	Segment Description (Prod	cess/Fuel Type):							
2.	Source Classification Code	e (SCC):	3. SCC Units:						
4.	Maximum Hourly Rate:	5. Maximum	Annual Rate:	6.	Estimated Annual Activity Factor:				
7.	Maximum % Sulfur:	8. Maximum (	% Ash:	9.	Million Btu per SCC Unit:				
10.	Segment Comment:	•							

Section [2] Emergency Diesel Generator

### E. EMISSIONS UNIT POLLUTANTS

### List of Pollutants Emitted by Emissions Unit

1. Pollutant Emitted	2. Primary Control	3. Secondary Control	4. Pollutant
	Device Code	Device Code	Regulatory Code
PM	Fuel quality		EL
PM10	Fuel quality		EL
SO2	Fuel quality		EL
NOx	Fuel quality		EL
СО	Good combustion		EL
VOC	Good combustion		EL
_			
			-

POLLUTANT DETAIL INFORMATION
Page [1] of [6]
Particulate Matter Total - PM

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

#### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Pollutant Emitted:     Particulate Matter Total - PM	2. Total Percent Efficie	ency of Control:		
3. Potential Emissions: 2.8 lb/hour 0.14	4. Synth Synth Y	netically Limited? es		
5. Range of Estimated Fugitive Emissions (as to tons/year	applicable):			
6. Emission Factor: <b>0.4 grams per horsepower</b> Reference: Manufacturer certificat		7. Emissions Method Code: 2		
8.a. Baseline Actual Emissions (if required):	8.b. Baseline 24-month	Deriod:		
tons/year		o:		
·				
9.a. Projected Actual Emissions (if required): tons/year	9.b. Projected Monitori	•		
	☐ 5 years ☐ 1	0 years		
10. Calculation of Emissions:  Emissions are for one generator. See revised				
11. Potential, Fugitive, and Actual Emissions Comment:				

# POLLUTANT DETAIL INFORMATION Page [1] of [6] Particulate Matter Total - PM

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions 1 of 1

_		1					
1.	Basis for Allowable Emissions Code: OTHER		Future Effective Date of Emissions:	f Allowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable E	Emissions:			
	0.4 g/hp-hr		<b>2.8</b> lb/hour	0.14 tons/year			
5.	Method of Compliance:  Manufacturer certification of Subpart IIII	•					
6.	6. Allowable Emissions Comment (Description of Operating Method):						
Al	lowable Emissions Allowable Emissions	of	<u> </u>				
1.	Basis for Allowable Emissions Code:		Future Effective Date of Emissions:	f Allowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable E	Emissions:			
			lb/hour	tons/year			
5.	5. Method of Compliance:						
6.	Allowable Emissions Comment (Description	of O	perating Method):				
<u>Al</u>	lowable Emissions Allowable Emissions	of	·				
1.	Basis for Allowable Emissions Code:	ı	Future Effective Date of Emissions:	f Allowab <b>l</b> e			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable E	Emissions:			
			lb/hour	tons/year			
5.	Method of Compliance:						
6.	6. Allowable Emissions Comment (Description of Operating Method):						

POLLUTANT DETAIL INFORMATION

Page [2] of [6]

Particulate Matter Total - PM10

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Pollutant Emitted:     Particulate Matter Total - PM10	2. Total Perce	ent Efficie	ency of Control:
3. Potential Emissions: 2.8 lb/hour 0.14	tons/year	4. Synth ⊠ Y	netically Limited? es
5. Range of Estimated Fugitive Emissions (as to tons/year	s applicable):		
6. Emission Factor: 0.4 grams per horsepower  Reference: Manufacturer certificat			7. Emissions Method Code: 2
8.a. Baseline Actual Emissions (if required): tons/year	8.b. Baseline ? From:		Period:
9.a. Projected Actual Emissions (if required): tons/year	9.b. Projected  ☐ 5 year		ng Period: 0 years
10. Calculation of Emissions:  Emissions are for one generator. See revised  11. Post till Fortige 14. April 15. Apr			
11. Potential, Fugitive, and Actual Emissions Co	omment:		

# POLLUTANT DETAIL INFORMATION Page [2] of [6] Particulate Matter Total - PM10

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions 1 of 1

1.	Basis for Allowable Emissions Code: OTHER	2.	Future Effective Date of Al Emissions:	lowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emis	ssions:			
	0.4 g/hp-hr		<b>2.8</b> lb/hour <b>0.</b>	14 tons/year			
5.	Method of Compliance:  Manufacturer certification of Subpart IIII						
6.	6. Allowable Emissions Comment (Description of Operating Method):						
<u>Al</u>	lowable Emissions Allowable Emissions	c	of				
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Al Emissions:	lowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emis	sions:			
			lb/hour	tons/year			
5.	Method of Compliance:						
6.	Allowable Emissions Comment (Description	of (	Operating Method):				
Al	lowable Emissions Allowable Emissions	c	of				
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Al Emissions:	lowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emis	sions:			
			lb/hour	tons/year			
5.	Method of Compliance:						
6.	Allowable Emissions Comment (Description	of (	Operating Method):				

# POLLUTANT DETAIL INFORMATION Page [3] of [6] Sulfur Dioxide - SO2

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Totential, Estimated Fugitive, and Dasenne & Frojected Actual Emissions					
Pollutant Emitted:     Sulfur Dioxide - SO2	2. Total Percent Efficiency of Control:				
3. Potential Emissions:		4. Synth	netically Limited?		
	2 tons/year		es 🗌 No		
5. Range of Estimated Fugitive Emissions (as to tons/year	applicable):				
6. Emission Factor: 0.0015% S fuel oil  Reference: FPL, 2008.		_	7. Emissions Method Code: 2		
8.a. Baseline Actual Emissions (if required):	8.b. Baseline	24-month	Period:		
tons/year	From:		o:		
9.a. Projected Actual Emissions (if required):	9.b. Projected Monitoring Period:				
tons/year	☐ 5 years ☐ 10 years				
10. Calculation of Emissions:  Emissions are for one generator. See revised  11. Detection Existing and Actual Emissions Colors					
11. Potential, Fugitive, and Actual Emissions Comment:					

# POLLUTANT DETAIL INFORMATION Page [3] of [6] Sulfur Dioxide - SO2

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions 1 of 1

_							
1.	Basis for Allowable Emissions Code: OTHER	2.	2. Future Effective Date of Allowable Emissions:				
3.	Allowable Emissions and Units:	4.	Equivalent Allowable En	missions:			
	0.0015% S fuel oil	''	<b>0.03</b> lb/hour	0.002 tons/year			
5.	Method of Compliance: Fuel vendor information	ı					
6.	6. Allowable Emissions Comment (Description of Operating Method):						
Al	lowable Emissions Allowable Emissions	c	f				
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Emissions:	Allowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Er	missions:			
			lb/hour	tons/year			
5.	Method of Compliance:						
6.	Allowable Emissions Comment (Description	of (	Operating Method):				
All	lowable Emissions Allowable Emissions	o	f				
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Emissions:	Allowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable En lb/hour	missions: tons/year			
5.	Method of Compliance:						
6.	Allowable Emissions Comment (Description	of (	perating Method):				

POLLUTANT DETAIL INFORMATION
Page [4] of [6]
Nitrogen Oxides - NOx

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

Totelliai, Estimated Tugitive, and Dastime & Trojected Actual Dimissions					
Pollutant Emitted:     Nitrogen Oxides - NOx	2. Total Percent Efficiency of Control:				
3. Potential Emissions:	I -	netically Limited?			
<b>48.7</b> lb/hour <b>2.43</b>	tons/year 🛛 🖾 Y	es 🗌 No			
5. Range of Estimated Fugitive Emissions (as to tons/year	applicable):				
6. Emission Factor: 6.9 grams per horsepower	-hour (g/hp-hr)	7. Emissions			
Reference: Manufacturer certific	ation	Method Code: 2			
8.a. Baseline Actual Emissions (if required):	8.b. Baseline 24-month	Period:			
tons/year	From: T	o:			
9.a. Projected Actual Emissions (if required):	ng Period:				
tons/year		0 years			
10. Calculation of Emissions:  Emissions are for one generator. See revised					
11. Potential, Fugitive, and Actual Emissions Co	11. Potential, Fugitive, and Actual Emissions Comment:				

# POLLUTANT DETAIL INFORMATION Page [4] of [6] Nitrogen Oxides - NOx

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions Allowable Emissions 1 of 1

1.	Basis for Allowable Emissions Code: RULE	Future Effective Date of Allowable Emissions:					
3.	Allowable Emissions and Units:	4.	Equivalent Allowable E	missions:			
	6.9 g/hp-hr	''	48.7 lb/hour	2.43 tons/year			
5.	Manufacturer certification of Subpart IIII	<u> </u>					
6.	6. Allowable Emissions Comment (Description of Operating Method):						
Al	lowable Emissions Allowable Emissions	0	f				
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Emissions:	Allowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable E	missions:			
			lb/hour	tons/year			
5.	Method of Compliance:	•					
6.	6. Allowable Emissions Comment (Description of Operating Method):						
Al	lowable Emissions Allowable Emissions	c	f				
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Emissions:	Allowable			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable En lb/hour	missions: tons/year			
5.	Method of Compliance:						
6.	Allowable Emissions Comment (Description	of (	Operating Method):				

POLLUTANT DETAIL INFORMATION

Page [5] of [6]

Carbon Monoxide - CO

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

1 Otchtiai, Estimated Fugitive, and Daschite e		
Pollutant Emitted:     Carbon Monoxide - CO	2. Total Percent E	fficiency of Control:
3. Potential Emissions:	4. 3	Synthetically Limited?
	tons/year	⊠ Yes □ No
5. Range of Estimated Fugitive Emissions (as to tons/year	s applicable):	
6. Emission Factor: 8.5 grams per horsepower	-hour (g/hp-hr)	7. Emissions Method Code:
Reference: Manufacturer certific	cation	2
8.a. Baseline Actual Emissions (if required):	onth Period:	
tons/year	From:	To:
9.a. Projected Actual Emissions (if required):	9.b. Projected Mor	nitoring Period:
tons/year	☐ 5 years	10 years
10. Calculation of Emissions:  Emissions are for one generator. See revise  11. Potential, Fugitive, and Actual Emissions C		

# POLLUTANT DETAIL INFORMATION Page [5] of [6] Carbon Monoxide - CO

## F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions 1 of 1

1.	Basis for Allowable Emissions Code: RULE	2. Future Effective Date of Allowable Emissions:				
3.	Allowable Emissions and Units: 8.5 g/hp-hr	4. Equivalent Allowable Emissions: 60.0 lb/hour 3.0 tons/ye				
5.	Method of Compliance:  Manufacturer certification of Subpart IIII					
6.	Allowable Emissions Comment (Description	of	Operating Method):			
<u>Al</u>	lowable Emissions Allowable Emissions	(	of			
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Allowable Emissions:			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emissions:  lb/hour tons/year			
5.	Method of Compliance:					
6.	Allowable Emissions Comment (Description	of	Operating Method):			
<u>Al</u>	lowable Emissions Allowable Emissions	_ (	of			
1.	Basis for Allowable Emissions Code:	2.	Future Effective Date of Allowable Emissions:			
3.	Allowable Emissions and Units:	4.	Equivalent Allowable Emissions:  lb/hour tons/year			
5.	Method of Compliance:					
6.	Allowable Emissions Comment (Description	of	Operating Method):			

POLLUTANT DETAIL INFORMATION
Page [6] of [6]
Volatile Organic Compounds - VOC

# F1. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION – POTENTIAL, FUGITIVE, AND ACTUAL EMISSIONS

(Optional for unregulated emissions units.)

Complete a Subsection F1 for each pollutant identified in Subsection E if applying for an air construction permit or concurrent processing of an air construction permit and a revised or renewal Title V operation permit. Complete for each emissions-limited pollutant identified in Subsection E if applying for an air operation permit.

#### Potential, Estimated Fugitive, and Baseline & Projected Actual Emissions

<ol> <li>Pollutant Emitted: Volatile Organic Compounds - VOC</li> </ol>	2. Total Percent Efficie	ency of Control:
3. Potential Emissions:	4. Synth	etically Limited?
	5 tons/year ⊠ Y	es 🗌 No
5. Range of Estimated Fugitive Emissions (as	s applicable):	
to tons/year		
6. Emission Factor: 1.0 gram per horsepower-	hour (g/hp-hr)	7. Emissions
Reference: Manufacturer certifi	cation	Method Code: 2
8.a. Baseline Actual Emissions (if required):	8.b. Baseline 24-month	Period:
tons/year	From:	o:
9.a. Projected Actual Emissions (if required):	9.b. Projected Monitori	ng Period:
tons/year	☐ 5 years ☐ 10	) years
10. Calculation of Emissions:  Emissions are for one generator. See revise  11. Potential Engitive and Actual Emissions C		
11. Potential, Fugitive, and Actual Emissions Co	omment:	

# POLLUTANT DETAIL INFORMATION Page [6] of [6] Volatile Organic Compounds - VOC

# F2. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION - ALLOWABLE EMISSIONS

Complete Subsection F2 if the pollutant identified in Subsection F1 is or would be subject to a numerical emissions limitation.

Allowable Emissions Allowable Emissions 1 of 1

1.	Basis for Allowable Emissions Code: OTHER	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:
	1.0 g/hp-hr	<b>7.1</b> lb/hour <b>0.35</b> tons/year
5.	Method of Compliance:  Manufacturer certification of Subpart IIII	
6.	Allowable Emissions Comment (Description	of Operating Method):
Al	lowable Emissions Allowable Emissions	of
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:
		lb/hour tons/year
	Method of Compliance:	
6.	Allowable Emissions Comment (Description	of Operating Method):
<u>All</u>	lowable Emissions Allowable Emissions	of
1.	Basis for Allowable Emissions Code:	2. Future Effective Date of Allowable Emissions:
3.	Allowable Emissions and Units:	4. Equivalent Allowable Emissions:  lb/hour tons/year
	Method of Compliance:	
6.	Allowable Emissions Comment (Description	of Operating Method):

Section [2]

**Emergency Diesel Generator** 

#### G. VISIBLE EMISSIONS INFORMATION

Complete Subsection G if this emissions unit is or would be subject to a unit-specific visible emissions limitation.

Visible Emissions Limitation: Visible Emissions Limitation 1 of 2

1.	Visible Emissions Subtype: VE20	2. Basis for Allowable €   ⊠ Rule	Opacity:
3.	Allowable Opacity: Normal Conditions: 20 % Ex Maximum Period of Excess Opacity Allower	ceptional Conditions:	100 % 60 min/hour
4.	Method of Compliance: EPA Method 9		
5.	Visible Emissions Comment: FDEP Rule 62 Excess emissions provided by Rule 62-210.7		uires 20% opacity.
Vis	sible Emissions Limitation: Visible Emission	ons Limitation <b>2</b> of <b>2</b>	
1.	Visible Emissions Subtype: VE10	2. Basis for Allowable 0 ☐ Rule	Opacity:  ☑ Other
	Maximum Period of Excess Opacity Allowe	ceptional Conditions: ed:	% min/hour
4.	Method of Compliance: EPA Method 9		
5.	Visible Emissions Comment: Proposed as	emission limit for PM/PM10	<b>).</b>

Section [2]

**Emergency Diesel Generator** 

### H. CONTINUOUS MONITOR INFORMATION

Complete Subsection H if this emissions unit is or would be subject to continuous monitoring.

<u>Cc</u>	ontinuous Monitoring System: Continuous	Monitor of
1.	Parameter Code:	2. Pollutant(s):
3.	CMS Requirement:	☐ Rule ☐ Other
4.	Monitor Information Manufacturer:	
	Model Number:	Serial Number:
5.	Installation Date:	6. Performance Specification Test Date:
7.	Continuous Monitor Comment:	
Co	ontinuous Monitoring System: Continuous	Monitor of
1.	Parameter Code:	2. Pollutant(s):
3.	CMS Requirement:	☐ Rule ☐ Other
4.	Monitor Information  Manufacturer:	
	Model Number:	Serial Number:
5.	Installation Date:	6. Performance Specification Test Date:
7.	Continuous Monitor Comment:	

Section [2] Emergency Diesel Generator

#### I. EMISSIONS UNIT ADDITIONAL INFORMATION

### Additional Requirements for All Applications, Except as Otherwise Stated

1.	Process Flow Diagram: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:   Previously Submitted, Date 12/30/08
2.	Fuel Analysis or Specification: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:   Previously Submitted, Date 12/30/08
3.	Detailed Description of Control Equipment: (Required for all permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID:  Previously Submitted, Date 12/30/08
4.	Procedures for Startup and Shutdown: (Required for all operation permit applications, except Title V air operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID: Previously Submitted, Date  Not Applicable (construction application)
5.	Operation and Maintenance Plan: (Required for all permit applications, except Title V air
J.	operation and Maintenance Fian. (Required for an permit applications, except Fine v an operation permit revision applications if this information was submitted to the department within the previous five years and would not be altered as a result of the revision being sought)  Attached, Document ID: Previously Submitted, Date
6.	Compliance Demonstration Reports/Records:
	Attached, Document ID:
	Test Date(s)/Pollutant(s) Tested:
	Previously Submitted, Date:
	Test Date(s)/Pollutant(s) Tested:
	☐ To be Submitted, Date (if known):
	Test Date(s)/Pollutant(s) Tested:
	Not Applicable     Not
	Note: For FESOP applications, all required compliance demonstration records/reports must be submitted at the time of application. For Title V air operation permit applications, all required compliance demonstration reports/records must be submitted at the time of application, or a compliance plan must be submitted at the time of application.
7.	Other Information Required by Rule or Statute:  ☐ Attached, Document ID: 12/30/08 application ☐ Not Applicable

Section [2] Emergency Diesel Generator

### I. EMISSIONS UNIT ADDITIONAL INFORMATION (CONTINUED)

### **Additional Requirements for Air Construction Permit Applications**

1.						
	F.A.C.; 40 CFR 63.43(d) and (e)):					
	Attached, Document ID: 12/30/08					
2.	Good Engineering Practice Stack Height An	halysis (Rules 62-212.400(4)(d) and 62-				
	212.500(4)(f), F.A.C.):	<b>5</b> 3.7 . A . P . 11				
	Attached, Document ID:					
3.	only)	Required for proposed new stack sampling facilities				
	Attached, Document ID:	Not Applicable				
Ad	Iditional Requirements for Title V Air Ope	eration Permit Applications				
1.	Identification of Applicable Requirements:  Attached, Document ID:					
2.	Compliance Assurance Monitoring:  Attached, Document ID:	☐ Not Applicable				
3.	Alternative Methods of Operation:  Attached, Document ID:	☐ Not Applicable				
4.	Alternative Modes of Operation (Emissions  Attached, Document ID:	Trading):  ☐ Not Applicable				
Ad	ditional Requirements Comment					
	<del>-</del>					

**TABLES** 

August 2011 083-87633-02

TABLE 2-5 (REVISED AUGUST 2011)
PERFORMANCE AND EMISSION DATA FOR THE EMERGENCY GENERATORS

Paramete	er	Emergency Generator			
Performa	ance				
Number	of Units	2			
Rating (	kW)	2,250			
Rating (	hp)	3,200			
Fuel		Diesel			
	at content (Btu/lb) (HHV)	19,300			
	nsity (lb/gal)	7.0			
	out (MMBtu/hr) (HHV)	21.01			
	age (gallons/hr)	155.5			
	m operation (hours)	100			
Maximu	m fuel usage (gallons/yr)	15,550			
Emissio	<u>18</u>				
SO <sub>2</sub> -	Basis (%S)	0.0015%			
	Conversion of S to SO <sub>2</sub>	100			
	Molecular weight SO <sub>2</sub> / S (64/32)	2			
	Emission rate (lb/hr)	0.03			
	(tpy)- one unit	0.002			
	(tpy)- total units	0.003			
NO <sub>x</sub> -	Basis (g/hp-hr)	6.9			
	Emission rate (lb/hr)	48.7			
	(tpy)- one unit	2.43			
	(tpy)- total units	4.87			
co -	Basis (g/hp-hr)	8.5			
	Emission rate (lb/hr)	60.0			
	(tpy)- one unit	3.00			
	(tpy)- total units	6.00			
VOC -	Basis (g/hp-hr)	1.0			
	Emission rate (lb/hr)	7.1			
	(tpy)- one unit	0.35			
	(tpy)- total units	0.71			
  PM/PM <sub>10</sub>	- Basis (g/hp-hr)	0.4			
	Emission rate (lb/hr)	2.8			
	(tpy)- one unit	0.14			
	(tpy)- total units	0.28			

Sources: FPL, 2011; Golder; 2011.

August 2011 083-87633-02

# TABLE 2-6 (REVISED AUGUST 2011) PERFORMANCE, STACK PARAMETERS, AND EMISSIONS FOR THE NATURAL GAS FUEL HEATER

Parameter	Natural Gas Heater			
Performance <sup>a</sup>				
Fuel Usage (scf/hr-gas) Heat Input (MMBtu/hr-HHV) Hours per Year Maximum Fuel Usage (MMscf/yr) Number of Units	9,384 9.9 8,760 82.2			
Stack Parameters (typical)  Diameter (ft)  Height (ft)  Temperature (°F)  Velocity (ft/sec)  Flow (acfm)	1.42 30 500 51.6 4,901			
Emissions  SO <sub>2</sub> -Basis (grains S/100 scf-gas) <sup>b</sup> (lb/hr)  (lb/MMBtu)  (tpy) - one unit  (tpy) - total units	2 0.054 0.0054 0.23 0.23			
NO <sub>x</sub> - (lb/MMscf) <sup>c</sup> (lb/hr) (lb/MMBtu) (tpy) - one unit (tpy) - total units	100 0.94 0.095 4.1 4.1			
CO - (lb/MMscf) <sup>c</sup> (lb/hr) (lb/MMBtu) (tpy) - one unit (tpy) - total units	84 0.79 0.080 3.45 3.45			
VOC - (lb/MMscf) <sup>c</sup> (lb/hr) (lb/MMBtu) (tpy) - one unit (tpy) - total units	5.5 0.052 0.005 0.23 0.23			
PM/PM10 - (lb/MMscf) <sup>d</sup> (lb/hr) (lb/MMBtu) (tpy) - one unit (tpy) - total units	1.9 0.02 0.002 0.08 0.08			

Note: Project will also have spare heater.

<sup>&</sup>lt;sup>a</sup> Based on 10 MMBtu/hr (HHV) indirect gas heaters from Hanover Compression Company or equivalent.

<sup>&</sup>lt;sup>b</sup> Typical maximum for natural gas.

<sup>°</sup> EPA, AP-42 Table 1.4-1 using small boilers < 100 MMBtu.hr and Table 1.4-2.

d EPA, AP-42 Table 1.4-2 Filterable PM.

August 2011 083-87633-02

TABLE 2-9B (REVISED AUGUST 2011)
SUMMARY OF MAXIMUM POTENTIAL ANNUAL EMISSIONS FOR THE CCEC CONVERSION PROJECT, SIEMENS H CTS

CCEC Conversion Project  Maximum Potential Annual Emissions (TPY)								Netting Calculations		
Pollutant	3 CTs/HRSGs with Duct Burners	2 Emergency Generators	1 Natural Gas Heater	7 Gas Compressors	Fuel Oil Storage Tank	Fire Pump Engine	TOTAL	Maximum 2-Year Average from Existing Units <sup>a</sup> (TPY)	Change (TPY)	PSD Significant Emission Rate (TPY)
SO <sub>2</sub>	201	0.003	0.23	1,74	NA	0.00014	203	11,140	-10,937	40
PM	185	0.28	0.08	3,10	NA	0.011	189	918	-729	25
PM <sub>10</sub>	185	0.28	0.08	3,10	NA	0.011	189	918	-729	15
NO <sub>x</sub>	358	4.9	4.11	135.9	NA	0.18	503	7,725	-7.223	40
co	511	6.0	3.45	8.6	NA	0.069	529	<b>7</b> 03	-173.9	100
VOC (as methane)	77.1	0.71	0.23	14.0	2.40	0.026	94.5	68.4	26.1	40
Sulfuric Acid Mist	40.9	Neg.	Neg.	Neg.	NA	Neg.	40.9	495	-455	7
Lead	0.050	Neg.	Neg.	Neg.	NA	Neg.	0.05	0.11	-0.062	0.6

<sup>&</sup>lt;sup>a</sup> Based on actual emissions from Annual Operating Reports from 2003-2007.

1,000 hours.

Note: Neg.= negligible; NA= not applicable

Source: Golder, 2011.

<sup>&</sup>lt;sup>b</sup> Based on oil-firing for: