



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET
ATLANTA, GEORGIA 30365

AUG 29 1984

REF: 4AW-AM

Honorable Lawton Chiles
Federal Building
Lakeland, Florida 33801

DER
SEP 4 1984
BAQM

RE: Broward County FAA Incinerator

Dear Senator Chiles:

This is in response to your letter of August 15, 1984, regarding correspondence from Mr. S. William Grassi concerning the proposed construction of a municipal solid waste incinerator near the Fort Lauderdale/Hollywood International Airport in Broward County, Florida.

The State of Florida Department of Environmental Regulation (FDER) has primary responsibility for issuing construction permits to any source applying for an air permit. When an application for an air permit is submitted to the FDER, the FDER reviews the application and determines if the source is subject to regulations for the Prevention of Significant Deterioration (PSD), New Source Performance Standards (NSPS), or National Emission Standards for Hazardous Air Pollutants (NESHAP). If the source is subject to PSD requirements, the FDER reviews the permit application, and prepares the preliminary determination and the draft construction permit. EPA reviews the preliminary determination, as well as the draft permit prepared by the FDER, to ensure that applicable PSD requirements are met. The preliminary determination and draft permit are subject to public comment. After the public comment period, the State prepares the final determination and construction permit, and forwards them to EPA. The FDER issues the PSD construction permit with the conditions contained in the final determination thereby granting a company authority to construct the source.

On August 22, 1984, the FDER was contacted in regard to the above referenced project. The project manager for this source (Mr. Ed Svec) stated that an application for construction was submitted on February 24, 1984, and was determined to be incomplete. According to the application, the source will be subject to PSD review for particulate matter, sulfur dioxide, nitrous oxides, carbon monoxide, lead, fluoride, beryllium, and mercury. In addition, the 1500 ton per day incinerator will be subject to NSPS and possibly power plant siting requirements for the State of Florida (if greater than 50 megawatts of power are generated in conjunction with the incineration). No additional information has been received by FDER since the April 20, 1984, meeting with the consulting firm handling the application. However, Mr. Svec stated that it is doubtful that the stack gas temperature would be increased to 3000°F as it is not economical.

DEPARTMENT OF ENVIRONMENTAL REGULATION

ROUTING AND TRANSMITTAL SLIP

ACTION NO

ACTION DUE DATE

1. TO: (NAME, OFFICE, LOCATION)

Clara Fanczy

Initial

Date

2.

Ed Svec

Initial

Date

3.

Initial

Date

4.

Initial

Date

REMARKS:

*if Steve needs to see this,
send it back up.*

INFORMATION

Review & Return

Review & File

Initial & Forward

DISPOSITION

Review & Respond

Prepare Response

For My Signature

For Your Signature

Let's Discuss

Set Up Meeting

Investigate & Report

Initial & Forward

Distribute

Concurrence

For Processing

Initial & Return

FROM:

Judy Rogers

DATE


9-4-84

PHONE

In summary, this source has not submitted a complete application as of this date. If you wish to obtain further information, you may contact the FDER at:

Bureau of Air Quality Management
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32301
904/488-1344

Sincerely yours,


Charles R. Jeter
Regional Administrator

cc: Mr. Steve Smallwood, P.E., Chief
Bureau of Air Quality Management



SEP 10 1984

Florida House of Representatives

Tallahassee

Anne Mackenzie
Representative, 95th District

Committees
Regulated Industries & Licensing
Finance & Taxation
Education

Reply to:

Suite 201
901 South Federal Highway
Fort Lauderdale, Florida 33316
(305) 524-1000

412 House Office Building
Tallahassee, Florida 32301
(904) 488-0245

Growth Management (Select)

September 5, 1984

Claire Fancy
Department of Environmental Regulation
2600 Blair Stone Road
Tallahassee, Florida 32301

*Ed Svec
for permit
file*

Dear Claire,

Thank you for making the Broward County public information forum a great success. Your participation in this meeting reassured the residents of the area that D.E.R. officials are not the opposition but are willing to work together with them on this issue.

You now realize the many problems involved with the proposed resource recovery plant site. As expressed at the meeting, the concerned citizens are well-informed and willing to fight this proposal in every way possible. It is important that you maintain contact with Steve Simmons, the president of South Broward Citizens for a Better Environment, and with Larry Gore, the group's attorney, so that they fully understand the step by step permitting process. Hopefully, we can avoid any further misunderstanding or confusion.

I look forward to continue working with you to ensure the facility is placed at the proper location according to the appropriate regulations. Please keep me informed on what is happening at D.E.R. regarding this issue.


Again, thank you for all your help.

Sincerely,

Anne Mackenzie
Representative
District 95

*P.S. Thanks for
all your help - I did
use the land
subs 26% - 72% for
Bmg!
Anne*

AM/mi





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET
ATLANTA, GEORGIA 30365

SEP 19 1984

REF: 4AW-AM

Honorable Lawton Chiles
Federal Building
Lakeland, Florida 33801

DER

SEP 25 1984

BAQM

RE: Broward County FAA Incinerator, Lewis Druss

Dear Senator Chiles:

This is in response to your letter of September 5, 1984, regarding correspondence from Mr. Lewis R. Druss concerning the destruction of wetlands and the release of dioxins from a proposed resource recovery facility to be located near the Fort Lauderdale/Hollywood International Airport in Broward County, Florida.

In regard to the destruction of the wetland area, the Army Corps of Engineers has submitted applications to us for review regarding dredge/fill permitting of the Broward County Resource Recovery facility. We submitted comments regarding this application on April 6, 1984, stating that the permitting of this facility for dredge/fill is justifiable. However, to my knowledge, the Corps has not made a final decision on the issuance of the two dredge/fill permits for this facility. Any requests for a public hearing or additional information on dredge/fill permitting should be directed to Colonel Charles T. Myers III, District Engineer, or Mr. John Adams, Chief, Regulatory Division, Jacksonville District, U. S. Army Corps of Engineers, P. O. Box 4970, Jacksonville, Florida 32232. In addition to dredge/fill considerations, Mr. John Guidry of the Florida Department of Environmental Regulation (FDER), Southeast Florida District, was contacted regarding the proposed landfill and any possible leachates which may impact wetlands. Mr. Guidry stated that landfill leachates will be pumped to the Hollywood Sewage Treatment Plant from the resource recovery facility and that the sewage treatment plant has adequate capacity to provide for proper treatment of these wastes. It is, therefore, not suspected that leachates will have a detrimental impact on wetlands. Further information concerning landfill leachates or stormwater runoff retention/treatment may be obtained from Mr. Guidry at, P. O. Box 3858, West Palm Beach, Florida 33402, 305/689-5800.

In response to Mr. Druss's concerns regarding the release of dioxins from this project, the Environmental Protection Agency is conducting a National Dioxin Study in which a select group of combustion sources will be testing for levels of toxic dioxin. This Regional Office is participating in this study and has forwarded letters to our eight state directors to identify potential sampling site candidates. The results obtained from this

DEPARTMENT OF ENVIRONMENTAL REGULATION

ROUTING AND TRANSMITTAL SLIP

ACTION NO

ACTION DATE

BARKER	FANCY	STARNES
BLOMMEL	THOMAS	MARSHALL MOTT-SMITH
MANNING	GEORGE	J. ROGERS
DAVIS	ADAMS	

REMARKS

*Ed Svec -
for permit file*

OPERATION

REVIEW & RETURN

REVIEW & FILE

INITIAL & FORWARD

DISPOSITION

REVIEW & RETURN

PREPARE RESPONSE

FOR MY SIGNATURE

FOR YOUR SIGNATURE

OFF'S OFFICE

SET UP MEETING

INVESTIGATE & REPT

INITIAL & FORWARD

DISTRIBUTE

CONCURRENCE

FOR PROCESSING

INITIAL & RETURN

FILE:

FROM

STEVE SMALLWOOD

DATE

PHONE

effort will most likely be utilized in supporting the development of regulations for affected facilities which emit dioxins in quantities which impact the environment and are hazardous to ones' health.


If the EPA study concludes that dioxin emissions from municipal waste incinerators are of sufficient levels to warrant additional control, there are control technologies available to minimize those emissions. From our experience with hazardous waste incinerators, typically dioxins may be safely destroyed through incineration by maintaining high temperatures (1200° C or 1600° C), sufficient combustion time (2 secs or 1.5 secs), sufficient mixing amounts of waste feed, fuel and air, and maintaining an excess air ratio of 3% (@1200° C) or 2% (@1600° C) in the flue gasses.

In addition to the above study, a research scientist has completed a report entitled "Containment of Dioxin Emissions from Refuse Fired Thermal Processing Units: Prospects and Technical Issues" (PB# 84-217090), which is available from the National Technical Information Service, Springfield, Virginia 22161. This report states that dioxin molecules bind to fly ash and that these potentially hazardous emissions may be reduced through the control of fly ash (particulate) emissions. The current "state of the art" technology for control of particulate emissions from incinerators is the use of electrostatic precipitators (ESP's). These ESP's have been documented to achieve control efficiencies for particulate matter as high as 99.97% at similar facilities.

If Mr. Druss wishes to obtain further information concerning the air emissions from the Broward County Resource Recovery project, he may contact the FDER at: Bureau of Air Quality Management, Twin Towers Office Building, 2600 Blair Stone Road, Tallahassee, Florida 32301, 904/488-1344.

If I can be of any further assistance, please feel free to contact me.

Sincerely yours,


Charles R. Jeter
Regional Administrator

cc: Mr. Steve Smallwood, P.E., Chief
Bureau of Air Quality Management

*Ed Suec -
we should consider
these as permit
conditions*

September 25, 1984

Mrs. Philip W. Beck
2536 Marathon Lane
Fort Lauderdale, Florida 33312

Dear Mrs. Beck:

Governor Graham has asked me to reply to your letter of August 30, 1984, about the proposed Broward County Resource Recovery Facility.

The department's Bureau of Air Quality Management is keenly aware of the local citizen's concern about potential dioxin emissions from the proposed facility. They are currently in the process of gathering and reviewing technical information on the subject from all sources available. We are in the process of checking with federal officials in the New York area to obtain the exact status of the Hempstead facility and are looking into participating in a study with several other states to determine dioxin emissions from such facilities.

Unfortunately, the testing for dioxin is very expensive (about \$100,000 for the testing of one facility) and is also very complicated (only three laboratories in the county are capable of analyzing the samples). The State of Florida does not have the capability to do the tests or analyses. Consequently, we have to rely on information provided by the federal government and other sources. This multi-state effort appears to us the most practical and unbiased mechanism that we have to obtain good data.

The facility proposed for Broward County uses a mass burning technology similar to that used by Pinellas County. The other technology, the burning of refuse derived fuel, that is used by both Dade County and Hempstead appears to not be as environmentally acceptable as the mass burn technology.

Mrs. Philip W. Beck
Page Two
September 25, 1984

The air pollution permits are being reviewed by our Central Air Permitting Section in Tallahassee. The applications are currently incomplete as all of the necessary information to adequately assess the air pollutant emissions has not been submitted to the department.

I assure you that we will thoroughly investigate the dioxin issue before any intent to issue the permits is made. Florida Statutes allow opportunity for interested parties to request a hearing on such intents before the permit is actually issued. If you have any additional questions please contact Clair Fancy at 904/488-1344.

Sincerely,

Stephen J. Fox, Director
Division of Environmental
Permitting

SJF/bs

INTEROFFICE MEMORANDUM

For Routing To District Offices And/Or To Other Than The Addressee		
To: _____	Locn.: _____	
To: _____	Locn.: _____	
To: _____	Locn.: _____	
From: _____	Date: _____	
Reply Optional []	Reply Required []	Info. Only []
Date Due: _____	Date Due: _____	

TO: Victoria J. Tschinkel
 THRU: Steve Alexander
 FROM: Clair Fancy *Clair Fancy*
 SUBJ: Contact with Legislature
 DATE: August 2, 1984

About a week after our meeting with Representative Anne MacKenzie, of the 95th district, I receive a call from her assistant about setting up a public meeting to discuss the Broward County Resource Recovery Facility. That meeting has been scheduled for the evening of August 29. I suggested that they contact Ray Moreau, and either Roy Duke or Jim Williams, to also attend. That is what they plan to do.

Apparently there has been a considerable amount of public interest in this project and they anticipate in excess of 300 people at the public meeting. The purpose will be to discuss the technical aspects of garbage disposal and the air pollution emission and controls.

CHF/ks

*Ed Svec
 For Broward
 County File.*

7-13-84

Broward County

2 applications

Northern RR facility (near Pompano) 1500 tpd

Southern RR " (near Ft. Lauderdale) 1500 tpd

rec'd 2/24/84 incomplete: no PE sig, no fee, not specified specific air poll equipment, no documentation on emission factors

Incompleteness letter written on 3/23

Had meeting ^{on 4/20} with Phillis Korab & Tom Mills of Malcolm Pirnie. They were having problem with Northern facility. City had misinterpreted the property & rezoned it so they couldn't build RR facility. County was going to take city court.

They were going to pursue Southern facility. Was question about throughput in Southern & maybe Northern too. maybe up to 2500 (?) tpd

Mills was going to send everything but vendor selection & PE stamp.

Suec called Korab on 7/11. Tom Henderson called back on 12th - He is now in charge. They resubmitted bid applications & a third vendor might be interested

One vendor suggested a 55 MW generator. Pirnie was still consultant, but might not be for long. Vendor selection could be near end of year.

Henderson will be in Tallahassee next month

Two letters from concerned citizens on Southern
Site. Lauderdale Isles Civic Assn. generating
campaign against project. Media pushing to not
build it.

Subject: PSD, BACT


Vendors: Wastemgmt, Signal Resco, BFI
Talking ESP

821 tpy SO₂/unit at 3#/ton at 1500 tpy
312 " PM at .038/s.c.F
38 " VOC at .14#/ton

Wednesday 8/22 - Ed Svec rec'd phone call from
Mike BRANDON - EPA Region IV - he rec'd
a letter from Lawton Chiles (Senate) requesting
date of application, major pollutants, significant
pollutants. Svec brought him "up to date" on
the application. Chiles' letter was prom.
by a letter from S. WILLIAM GRASSI,
Lauderdale Isles Civic Assn.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL REGULATION

TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32301-8241



BOB GRAHAM
GOVERNOR

VICTORIA J. TSCHINKEL
SECRETARY

June 26, 1984

Mr. S. William Grassi
2530 Marathon Lane
Fort Lauderdale, Florida 33312

RE: Construction Permit Application,
Broward County Southern Resource
Recovery Facility

Dear Mr. Grassi:

The Department received an application to construct an air pollution source from Broward County on February 24, 1984. The application did not contain adequate information which would allow us to evaluate the request for a permit to construct this resource recovery facility. This information was requested on March 23, 1984 and we are still awaiting this information. I am enclosing a copy of this letter.

We will gladly provide you a copy of the incomplete application. However, we must charge you for its reproduction. You must send a check payable to the Department of Environmental Regulation for \$26.62. The fee is five cents a page reproduced plus the clerical time.

There is a copy of this application available for inspection at the Air Office of the Broward County Environmental Quality Control Board. Their address is:
Broward County Environmental Quality Control Board
500 Southwest 14th Court
Fort Lauderdale, Florida 33315

If I can be of any further assistance, please write to me at the above address.

Sincerely,

Edward J. Svec
Review Engineer
Bureau of Air Quality
Management

ES/agh
Attachment
cc: Gary Carlson, Broward County EQCD

601 Brentwood Rd.
Dearborn, Michigan 48124
June 30th, 1984

State of Florida Department of
Environmental Regulation
Twin Towers Building
2600 Blair Stone Road
Tallahassee, Fl. 32301

Dear Sirs: Re: Proposed Incinerator at 84 & 441
Fort Lauderdale, Fl.

We have owned our house at 2636 Key Largo Lane, Fort Lauderdale,
33312, since the subdivision was first built.

It is impossible to fathom the stupid reasons for allowing a
perfectly nice and decent neighbourhood to be destroyed, as
it will be if this site is used.

As taxpayers, I will expect you to write to me within ten
business days citing your reasons for supporting this proposal.
I especially ask this, as it is well known there is land available
in an uninhabited region of south Florida.

Please write your letter to 601, Brentwood Rd., Dearborn, Mi.48124.

Very truly yours

Dorothy A. Sloss
(Mrs.) D. A. Sloss

RECEIVED
JUL 2 1984

DIV. ENVIRONMENTAL
PERMITTING

DEPARTMENT OF ENVIRONMENTAL REGULATION

ROUTING AND TRANSMITTAL SLIP

ACTION NO

ACTION DUE DATE

1. TO: (NAME, OFFICE, LOCATION)

Air Program

Initial

Date

2.

Montgomery Blvd.

Initial

Date

3.

4.

REMARKS:

DER
JUL 2 1984
BAQM

Ed Seve

7/1

Time

WHILE YOU WERE OUT

1. *Tom Henderson*

of

Phone

305 - 375 - 6456

Area Code

Number

Extension

<input type="checkbox"/> TELEPHONED	<input checked="" type="checkbox"/> PLEASE CALL
<input type="checkbox"/> CALLED TO SEE YOU	<input type="checkbox"/> WILL CALL AGAIN
<input type="checkbox"/> WANTS TO SEE YOU	<input type="checkbox"/> URGENT
<input checked="" type="checkbox"/> RETURNED YOUR CALL	

Message

(305) 357-6460

Broward

115 So. Andrews Ave

County

RM 521

Recovery

Ft LAud 33301

ES

Operator

FROM:

Juan K. Buss
Bureau of Permitting
JLH

DATE

7-2-84

PHONE

50298-030

July 6, 1984

Dept. of Environmental Regulation
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32301


Attention: Mr. Edward J. Svec
Review Engineer

Re: Construction Permit Application
Broward County Southern Resource
Recovery Facility

Mr. Svec:

I wish to thank you for your letter dated June 26, 1984.
Attached is my check in the amount of \$26.62 which repre-
sents payment for photocopying of the application to
construct an air pollution source for Broward County.
Please send the complete application to my attention.

Sincerely yours,



S. William Grassi
2530 Marathon Lane
Ft. Lauderdale, FL 33312

RECEIVED
JUL 9 1984

EA, SOLID WASTE

DEPARTMENT OF ENVIRONMENTAL REGULATION

ROUTING AND TRANSMITTAL SLIP

ACTION NO.

ACTION DUE DATE

TO: (NAME, OFFICE, LOCATION)

~~Bill Fr TBs~~

Ed Svec

INITIAL

DATE

INITIAL

DATE

INITIAL

DATE

INITIAL

DATE

REMARKS:

Yesterday, Malcolm Paine called about Brown Center RR plant. There may be a third bidder (BFI) in addition to Signal Renco & Watermont. They may not have a vendor selected till years end. I guess it was felt that there may have been some hanky panky going on. They may not have vendor selected until years end. They will answer March 23 letter Jan 2001.

INFORMATION

- REVIEW & RETURN
- REVIEW & FILE
- INITIAL & FORWARD
-
- DISPOSITION
- REVIEW & RESPOND
- PREPARE RESPONSE
- FOR MY SIGNATURE
- FOR YOUR SIGNATURE
- LET'S DISCUSS
- SET UP MEETING
- INVESTIGATE & REPT
- INITIAL & FORWARD
- DISTRIBUTE
- CONCURRENCE
- FOR PROCESSING
- INITIAL & RETURN

1297
1325

[Handwritten signatures and scribbles]

DATE

7/11

PHONE



May 15, 1984

RECEIVED
MAY 22 1984
DIX ENVIRONMENTAL
PERMITTING

State of Florida
Dept. of Environmental Regulation
Koger Executive Center
2652 Executive Center, Circle E
Koger Center, Montgomery Bldg.
Tallahassee, FL 32304

Re: Broward County Rte. 441
Resource Recovery Project
Air Pollution Control
Plant and Landfill (App. No. AC06-83003)

Gentlemen:

I am a concerned citizen, a resident of Broward County, and a member of the Lauderdale Isles Civic Association. My residence is approximately 1000 feet from the perimeter of the dump and incinerator site. I am requesting photocopies of applications described above and your answers to Broward County regarding their applications.

If a permit was issued, I wish to have a copy of the detailed reasons for granting the permit, the in-depth studies of the environmental impact and the names and addresses of the federal and state agencies your organization ultimately reports to.

Since this is a high priority request, it is of the utmost urgency that you respond upon receipt of this correspondence.

Very truly yours,

S. William Grassi

S. William Grassi
2530 Marathon Lane
Ft. Lauderdale, FL 33312

DEPARTMENT OF ENVIRONMENTAL REGULATION

ROUTING AND TRANSMITTAL SLIP

ACTION NO

ACTION DUE DATE

1. TO: (NAME, OFFICE, LOCATION)

Air - 6th floor

Initial

Date

2.

Clear

Initial

Date

3.

~~BITT.~~, EDS.

Initial

Date

4.

Initial

Date

REMARKS:

5/29 Make sure he gets copies as requested.

Clear
MAY 25 1984

Also draft letter telling him who the contacts are.

Call Nancy on this Request

INFORMATION

Review & Return

Review & File

Initial & Forward

DISPOSITION

Review & Respond

Prepare Response

For My Signature

For Your Signature

Let's Discuss

Set Up Meeting

Investigate & Report

Initial & Forward

Distribute

Concurrence

For Processing

Initial & Return

FROM:

J. K. Bess


DATE

PHONE

X copy for you

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL REGULATION

TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32301-8241



BOB GRAHAM
GOVERNOR
VICTORIA J. TSCHINKEL
SECRETARY

March 23, 1984

CERTIFIED MAIL - RECEIPT REQUESTED

Ms. Phyllis A. Korab
Project Director, Broward County
Courthouse - Room 248
201 Southeast - 6th Street
Ft. Lauderdale, Florida 33301

Dear Ms. Korab:

The Bureau of Air Quality Management has received your applications to construct a northern and southern resource recovery facility in Broward County, Florida. After reviewing these applications, the department has deemed these applications to be incomplete. Before the applications can be processed, all the requested information must be received by the department for each application.

1. The signature and seal of a Professional Engineer registered in the State of Florida is required for all applications.
2. General Project Information, Section II E, must be completed providing the requested power plant information.
3. Provide all information on the turbine generators including rating, manufacturer and efficiency for each resource recovery facility.
4. Will the Broward County Board of County Commissioners or the selected vendor operate these resource recovery facilities and be responsible for the maintenance and operation of these pollution control sources and pollution control facilities?
5. Section IV B, Best Available Control Technology: The EPA has declared the BACT for this class of source. Provide all the requested information.

Ms. Phyllis A. Korab
Page Two
March 23, 1984

6. An application fee of \$1,000 is required for each permit.
7. How will the proposed units be fired during periods of startup and shutdown.
8. Will any auxiliary fuels be used during low Btu periods?
9. Provide documentation for the emission factors presented in Table 3-3 of Appendix C.
10. Items 2, 4, and 5 of Section V must be answered for the specific equipment that are proposed to be installed in these facilities.
11. Provide the manufacturer, date constructed and model number of the incinerator requested in Section IV.

When the requested information is received, we will resume processing your applications. If you have any questions on their status, please write me at the above address or call Edward Svec, Review Engineer, at (904)488-1344.


Sincerely,



C. H. Fancy, P.E.
Deputy Bureau Chief
Bureau of Air Quality Management

CHF/ES/s

cc: Tom Tittle, DER SE District
Gary Carlson, Broward County EQCB
Ronald J. Mills, Malcolm Pirnie, Inc.
Cleve Holladay, DER



BROWARD COUNTY ENVIRONMENTAL QUALITY CONTROL BOARD

500 S.W. 14th Court
Fort Lauderdale, Florida 33315
(305) 765-5881

MEMORANDUM

DATE: March 6, 1984

TO: James G. Williams, P.E.
DER, West Palm Beach

FROM: William P. Stone *WPS*

SUBJECT: Application File No. AC 06-83175
Broward County Board of County Commissioners

DER
MAR 16 1984
LAC/MI

In a recent interview with the engineers regarding this project, we agree with Clair Fancy's opinion that the carbon monoxide emission calculations may be extremely low. We have requested additional information to verify their claims that their emission factor of .6#/ton is justified in the face of AP-42 stated factor of 35#/ton.

Therefore, we do not believe this application is complete.

WPS/mr

cc Clair Fancy 3/9/84

FLA. DEPT. OF
ENVIRONMENTAL REG.
WEST PALM BEACH

RECEIVED
MAR 7 AM 9 22

DEPARTMENT OF ENVIRONMENTAL REGULATION

ROUTING AND TRANSMITTAL SLIP

ACTION NO.

ACTION DUE DATE

1. TO: (NAME, OFFICE LOCATION)

Clay Faney

INITIAL

DATE

2.

BAOM

INITIAL

DATE

3.

Tall

INITIAL

DATE

4.

3/12 Bill Thomas

INITIAL

DATE

REMARKS:

BCBCC

*Applications
Resource Review*

*Memor from
Bill Stone*

please handle.

INFORMATION:

REVIEW & RETURN

REVIEW & FILE

INITIAL & FORWARD

DISPOSITION:

REVIEW & RESPOND

PREPARE RESPONSE

FOR MY SIGNATURE

FOR YOUR SIGNATURE

LET'S DISCUSS

SET UP MEETING

INVESTIGATE & REPT

INITIAL & FORWARD

DISTRIBUTE

CONCURRENCE

FOR PROCESSING

INITIAL & RETURN

FROM:

STATE OF FLORIDA
DEPT. OF ENVIRONMENTAL REGULATION
P.O. BOX 3858
WEST PALM BEACH, FL 33402

DATE

3/9/84

PHONE