From:	Faller, Chuck
To:	Svec, Ed
Cc:	Porter, Timothy; Kendrigan, Peter
Subject:	(Archived w/ Attachments) RE: Pre-Draft of the North Broward Activated Carbon Injection Project
Date:	Wednesday, December 12, 2012 9:27:34 AM
Attachments:	image001.jpg

Ed, we have reviewed the North Broward activated carbon injection system pre-draft construction permit that you sent me. Thanks for including the beryllium issue that I missed. Wheelabrator doesn't have any comments other than we do not yet have a firm construction schedule, but we will be forwarding one to the Department as soon as one becomes final.

Again, thanks for your help.

From: Svec, Ed [mailto:Ed.Svec@dep.state.fl.us]
Sent: Friday, December 07, 2012 11:07 AM
To: Faller, Chuck
Subject: Pre-Draft of the North Broward Activated Carbon Injection Project

Mr. Faller:

I have attached for your review and comment a draft of the air construction permit for the above referenced project. In addition to the carbon injection, I noticed your permit was still carrying beryllium requirements. EPA had removed beryllium as a PSD pollutant and we have been trying to remove it from existing permits, where applicable.

Please review this pre-draft and get me any comments you may have by Friday December 14th. If you have any questions, please do not hesitate to e-mail or call me at 850/717-9031.

Thanks

Ed Svec
Engineer IV
Office of Permitting and Compliance
Division of Air Resource Management

Did you know that the Department may not require you to submit a Title V fee for the 2012 calendar year? To learn more, please visit us online at the following web address: www.title5feeholiday.com

Please take a few minutes to share your comments on the service you received from the department by clicking on this link DEP Customer Survey.

Waste Management recycles enough paper every year to save 41

million trees. Please recycle any printed emails.