

RECEIVED
APR 14 2006

April 13, 2006

BUREAU OF AIR REGULATION

Mr, Jeff Koerner DEP/DARM North Permitting Section Division of Air Resource Management 2600 Blair Stone Road MS 5500 Tallahassee, Florida 32399-2400

Re: Crystal River Power Plant - PRB Coal Blend Trial Burn Construction Permit -

Affidavit of Publication

Dear Mr. Koerner:

In accordance with Ms. Trina Vielhauer's letter to Mr. Cumbie dated April 5, 2006, we have published the public notice in the Citrus County Chronicle on April 10, 2006.

Attached is the Affidavit of Publication.

If you have any questions, please contact me at (727) 820-5295. Thank you very much for processing the Construction permit.

Best Regards.

Dave Meyer

Senior Environmental Specialist

and Meyer\_

XC: Bernie Cumbie

Attachment

Before the undersigned authority personally appeared

Dian Chin Quee

Of the Citrus County Chronicle, a newspaper published daily at Crystal River, in Citrus County, Florida, that the attached copy of advertisement being a public notice in the

428-0410 MCRN PUBLIC NOTICE OF INTENT TO ISSUE AIR PERMIT Florida Department of Environmental Protection Draft Air Permit No. 0170004-012-AC Progress Energy Florida, Inc. Crystal River Power Plant Powder River Basin Coal Blend Trial Burn Citrus County,

Court, was published in said newspaper in the issues of April 10th, 2006,

Affiant further says that the Citrus County Chronicle is a Newspaper published at Crystal River in said Citrus County, Florida, and that the said newspaper has heretofore been continuously published in Citrus County, Florida, each week and has been entered as second class mail matter at the post office in Inverness in said Citrus County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he/she has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

The forgoing instrument was acknowledged before me

This 10th day of April, 2006

By: Dian Chin Quee

who is personally known to me and who did take an oath.

13215.5 Notary Public



cre on contain, workers units menutationers at Contain Engineering. Each unit currently fires briumy hous cool as the primary fuel with a maximum heat in put apparent proposes o temporary that burn in the apparent proposes o temporary that burn in the apparent proposes o temporary that burn in the apparent proposes of temporary that burn in the apparent proposes of temporary that put in the apparent proposes of temporary that put a certification, these fund well only the original power plant site certification, these funds well only the proposes of the proposed to the right of the proposed contain no more than 30% PRB cool by weight. The two cooks will be obtained off-site and shipped to the plant as a premised before. No more than 150,000 for PRB cool blends will be delivered and fised during the full burn. The first burn will be completed within a calendar days of first string PRB cool.

\*\*Auto Library will be delivered and fired during the full burn. The first burn will be completed within a calendar days of first string PRB cool.

\*\*Auto Library will be present in corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a carbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustment elucity.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Auto Library will be completed within a corbon monoide.\*\*

\*\*Subjustme

TSELL YOUR HOMETS

TO COMBINE OF THE COMPANY

TO COMBINE OF THE COMPANY

TO CO

Self-employed. Squer now street a

CONNIEX CEUB 3/2/2, COUNTRY CEUB 3/2/2, INVERNESS GOL &

On Your Lot, \$110,900.

5/2/1 w/ Laundry
Aftinson Construction
16.4 CBCO50485

Ou Aon For 1810-000
218-000 (757) X59-25X9
218-000 (757) X59-25X9
2000 (757) Aon 200
2000

Close to everything! (352) 726-2361 (352) 726-2361 (352) 726-2361 IGOCT 1-325-601-3863 (223)195-0060.
(223)195-0060.
(200) KEALT GROUP
REOKERS/REALORS
(200) KARNA NEIT.

\$150+Million SOLDIIII
Please Call for Detals:
\*\*Listings & Home #\*
\*\*Listings Analysis #\*
\*

Why Poy Moie??? No Hidden Feet, 25+Yrz, Experience, -- Caff & Compare.

3 6/5.9%

Open House 4/9 1-4

- Open House 4/9 1-4

- Open House 4/9 1-4

- PRICED TO SELL

-

158Ol Barehy used Vacc. https://doi.org/10.2002/3/2 mbm. Recreational Comm. Recreational Comm. Recreational University of Page 100 Page 10

