



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

September 21, 2006

Mr. John Bunyak, Chief
Policy, Planning & Permit Review Branch
NPS – Air Quality Division
P. O. Box 25287
Denver, Colorado 80225


RE: Crystal River Energy Complex
Pollution Control Project, Units 4 and 5
0170004-016-AC, PSD-FL-383

Dear Mr. Bunyak:

Enclosed for your review and comment is a PSD permit application from Progress Energy Florida, Inc. for proposed upgrades for Units 4 and 5 at the Crystal River Energy Complex in Citrus County, Florida.

Your comments may be forwarded to my attention at the letterhead address or faxed to the Bureau of Air Regulation at 850/921-9533. If you have any questions, please contact Bruce Thomas, review engineer, at 850/921-7744.

Sincerely,


Jeffrey F. Koerner, P.E., Administrator
North Permitting Section

JFK/pa

Enclosure

cc: B. Thomas

"More Protection, Less Process"

Printed on recycled paper.

▲ PEEL HERE

PEEL HERE ▲

----- Please fold or cut in half -----
DO NOT PHOTOCOPY

Using a photocopy could delay the delivery of your package and will result in additional shipping charge

SENDER'S RECEIPT

Waybill #: 17952292050

To(Company):
National Park Service
Air Division
12795 W. Alameda Parkway
Lakewood, CO 80228
UNITED STATES

Attention To: Mr. John Bunyak
Phone#: 303-966-2818

Sent By: P. Adams
Phone#: 850-921-9505

Rate Estimate: 17.72
Protection: Not Required
Description: PSD-FL-383 application

Weight (lbs.): 7
Dimensions: 0 x 0 x 0

Ship Ref: 37550201000 A7 AP255
Service Level: Next Day 3:00 (Next
business day by 3 PM)

Special Svc:

Date Printed: 9/21/2006
Bill Shipment To: Sender
Bill To Acct: 778941286

DHL Signature (optional) _____ Route _____ Date _____ Time _____

For Tracking, please go to www.dhl-usa.com or call 1-800-225-5345

Thank you for shipping with DHL

Create new shipment ▶

▶ View pending shipments

Print waybill ▶



▲ PEEL HERE

PEEL HERE ▲

Please fold or cut in half

DO NOT PHOTOCOPY

Using a photocopy could delay the delivery of your package and will result in additional shipping charge

SENDER'S RECEIPT

Waybill #: 17952164053

To (Company):U.S. EPA Region 4
Air Permits Section
61 Forsyth StreetAtlanta, GA 30303
UNITED STATESAttention To: Mr. Gregg M. Worley
Phone #: 404-562-9141Sent By: P. Adams
Phone #: 850-921-9505Rate Estimate: 3.11
Protection: Not Required
Description: PSD-FL-363 applicationWeight (lbs.): 7
Dimensions: 0 x 0 x 0Ship Ref: 37550201000 A7 AP255
Service Level: Ground (Est.
delivery in 1 business day(s))**Special Svc:**Date Printed: 9/21/2006
Bill Shipment To: Sender
Bill To Acct: 778941286

DHL Signature (optional) _____ Route _____ Date _____ Time _____

For Tracking, please go to www.dhl-usa.com or call 1-800-225-5345

Thank you for shipping with DHL

Create new shipment ►

► View pending shipments

Print waybill ►





September 1, 2006

Mr. Jeff Koerner
FDEP
North Permitting Section
Division of Air Resource Management
2600 Blair Stone Road MS 5500
Tallahassee, Florida 32399-2400

Re: Crystal River Facility – Title V Permit 0170004-011-AV – PSD Air Permit
Application Units 4 & 5 – Pollution Control Project

Dear Mr. Koerner:

Attached is a PSD air construction permit application for a Pollution Control Project at Crystal River units 4 & 5. The Pollution Control Project is requested in order to meet obligations under the Clean Air Interstate Rule (CAIR) and the Clean Air Mercury Rule (CAMR).

Thank you for your help in this matter. Please contact me at (727) 820 5295 if you have any questions.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Dave Meyer'.

Dave Meyer
Senior Environmental Specialist

XC: Ms. Mara G. Nasca (cover Letter)