From: O"Rourke, Richard M. (WASD)
To: Arif, Syed
Cc: Cascio, Tom
Subject: RE: Draft Permit
Date: Tuesday, January 22, 2013 11:56:00 AM

Hello and thank you, Syed,

Thought that there may be a reason like this. Not a problem. No other comments or questions. Thanks!

Richard M. O'Rourke, P.E.,
Regulatory Compliance Section Head
Miami-Dade Water and Sewer Department
786-552-8123 Phone 786-552-8640 Fax
www.miamidade.gov/wasd/home.asp
"Delivering Excellence Every Day"
Please consider the environment before printing this email.

From: Arif, Syed [mailto:Syed.Arif@dep.state.fl.us]
Sent: Tuesday, January 22, 2013 11:52 AM
To: O'Rourke, Richard M. (WASD)
Cc: Cascio, Tom
Subject: RE: Draft Permit

Richard,

The annual AOR/EAOR report is submitted to a different section which we don't get to see. Since, we are the issuing authority for the permit, we need to keep check on the emissions related to the projected future actual for the project. This is to make sure that PSD is not triggered, and if it is, we are the one that will have to process that application.

I hope this explains it.

Syed

From: O'Rourke, Richard M. (WASD) [mailto:ROROU01@miamidade.gov]
Sent: Tuesday, January 22, 2013 11:46 AM
To: Cascio, Tom
Cc: Arif, Syed
Subject: RE: Draft Permit

Hello and thank you, Tom,

I see from Syed later email including PM10/PM 2.5 in the report will not be required. Is there a reason that this annual report has to be separate from the Annual AOR / EAOR (I'm still assuming that it is addition to)? Or could it be included as part of the Annual AOR / EAOR supplemental reporting? Either way, it is not a significant item, just additional requirement and potential for oversight (non-compliance). Looks good with revisions, PM 10/PM 2.5. Thanks.

Richard M. O'Rourke, P.E.,
Regulatory Compliance Section Head
Miami-Dade Water and Sewer Department
786-552-8123 Phone 786-552-8640 Fax
www.miamidade.gov/wasd/home.asp
"Delivering Excellence Every Day"
Please consider the environment before printing this email.

From: Cascio, Tom [mailto:Tom.Cascio@dep.state.fl.us]
Sent: Tuesday, January 22, 2013 11:05 AM
To: O'Rourke, Richard M. (WASD)
Cc: Arif, Syed
Subject: Draft Permit

Thanks, Richard, for the fast response. We have done some "tweaking" based on your comments (green highlight). Note we have also deleted condition 14.

Tom Cascio, D.B.A., CPM, Sigma Xi
Engineering Specialist IV
Power Plant Group
Office of Permitting and Compliance
Florida Department of Environmental Protection
850-717-9077

Did you know that the Department may not require you to submit a Title V fee for the 2012 calendar year? To learn more, please visit us online at the following web address: www.title5feeholiday.com

Please take a few minutes to share your comments on the service you received from the department by clicking on this link DEP Customer Survey.