

January 30, 1996

Ernest E. Frey, Director District Management Florida Department of Environmental Protection 7825 Baymedows Way, Suite 200B Jacksonville, FL 32256-7577

RECEIVED
FEB 0 1 1996
BUREAU OF
AIR REGULATION

Re: Notification of Temporary Exemption **Duval County** Stone Container Corporation Jacksonville, FL 32229-3384 Facility ID: 31JAX160067 22, 23, 26, and 16

Dear Mr. Frey:

This letter will provide notification that Stone Container Corporation (SCC) is exercising the temporary exemption provided by F.A.C. Rule 62-210.300(4).

In preparing its Title V permit application, SCC has been performing source inventories and assembling the information necessary to be able to certify compliance of emitting units and the facility. As part of this effort, SCC's consultant, KBN Engineering and Applied Sciences, Inc.(KBN), determined that a number of emitting units which are listed in the attachment to this letter (Tables 1 and 2), did not have operating permits from the state. Until the recent work by KBN, it was not known that these units had sufficient emissions to require an operating permit. It is SCC's intention to include the attached emissions units as part of a timely and complete permit application for a Title V permit under F.A.C. Chapter 62-213.

To the best of our knowledge none of the listed emitting units on the tables individually or collectively are subject to any applicable regulation or permitting requirement under Rules 62-212.400, 62-212.500, 62-296.800, 62-296.810, 62-296.820 or 62-296.330, F.A.C. or RACT provisions under Rules 62-296.500 through 62-296.712, F.A.C. Neither do these emitting units individually or collectively cause or contribute to a significant net emissions increase under Rule 62-212.400 or 62-212.500, F.A.C., which would trigger preconstruction review. We are still preparing the Title V application, and we will notify you if we find information indicating a significant net emissions increase.

Accordingly, this will provide notification to the Florida Department of Environmental Protection exercising the exemption referenced above. We recognize the authority of the Department to inspect these emissions units at the Department's discretion.



Please let us know if you need any additional information. We believe under the rule that the exemption is exercised on a temporary basis until final action is taken on the Title V permit. We will continue to keep you abreast of any new information that develops regarding these or other units at the plant. If you have any questions or need for other information, please let me know.

Please acknowledge this notification and your concurrence with our qualification for the exemption for the listed units.

Sincerely, David a. Buff

David A. Buff, P.E.

Professional Engineer #19011

DB/mk

Attachment

cc: Clair Fancy FDEP
Joe Eskridge SCC

File (2)

15065A/2

Table 1. Summary of Emission Units for Temporary Exemptions, Stone Container Corporation, Jacksonville FL (Page 1 of 2)

### Waste Water Treatment System

Clarifiers Aeration System Mill Sewer System

#### Drying/Converting/Warehouse

Vacuum Pumps Dryer Hood Exhausts Roof Exhausts Chemical Usage Decker

#### Water Treatment System

Landfill

Hydrogen Sulfide Stripper

### Facility-Wide Fugitive VOC

Sanitary Sewage Digester Sludge Press Vacuum Pump Exhausts Sludge Building Roof Vents Sludge Coil Filters Sludge Blend Tank Process White Water Tanks Lube Oil Vents Diesel Storage Tanks Well Exhaust **Cooling Towers** Pulp Storage Tanks Paper Machine Central Defoamer Tank Purchased Chemical Tanks Waste Oil Tank Lube Oil Storage Tank Repulper Gasoline Tank Chemical Usage - Parts Washer

Table 1. Summary of Emission Units for Temporary Exemptions, Stone Container Corporation, Jacksonville FL (Page 2 of 2)

#### Facility-Wide Fugitive PM

Sludge Conveyors

Primary Sludge Disposal

Unpaved Road Fugitives

Paved Road Fugitives

Skid Shop Saw Dust Collector Cyclone

Core Cutter Dust Collector/Bag House

Starch Cooker System

Fiber Handling

Waste Paper Bales Storage

Pulper/Conveyor

Bale Storage Fugitive

#### Exempt, EPA Trivial List

Scale Inhibition Chemical Tank

Condensate Drains

Demin. Water Tank and Vents

**Boiler Water Treatment Operations** 

Power Steam Generation Steam Vents

Turbine Room Roof Exhausts

Paper Machine Steam Reliefs

Fire Water Storage Tank

Diesel Engine Exhaust Fire Pump

Powerhouse Emergency Generator

Backup Clarifier Lift Pump

LP Gas Fueling Station

Caustic Tanks

Sulfuric Acid Tanks

Alum Tanks

	Receipt Certified No Insurance Do not use for (See Reverse	Mail Coverage Provided
	State and 2IP Code	van
	Posting  Special Delivery Fee  Restricted Delivery Fee	s Seminue Kraft
irch 1993	Return Receipt Showing 10 Whom & Date Derivered Peturn Receipt Showing to Whom. Date, and Addressee's Address	
PS Form <b>3800</b> , March 1993	CTAL Postage & Fees Postmark or Date	\$ 2-9-95 59
PS	HOD-F1-198	H

## Z 127 633 234 Receipt for Certified Mail No Insurance Coverage Provided Do not use for International Mail Mr. John L. West Stone Container Corporation 0,469 East Port Road Post Office Box 26998 Jacksonville, Florida 32226-6998 Certified Fee Special Delivery Fee Restricted Delivery Fee Return Receipt Showing to Whom & Date Delivered Return Receipt Showing to Whom. Date, and Addressee's Address TOTAL Postage & Fees Postmark or Date re-send 1/3/95 AC16-222359 PSDFL-198 KM

SENDER: - • Complete items 1 and/or 2 for additional services. • Complete items 3, and 4a & b. • Print your name and address on the reverse of this form so return this card to you. • Attach this form to the front of the mailpiece, or on the baddes not permit. • Write "Return Receipt Requested" on the mailpiece below the • The Return Receipt will show to whom the article was delivered.	ck if space  1. Addressee's Address article number.
Mr. John L. West Stone Container Corporation 9469 East Port Road Post Office Box 26998 Jacksonville, Florida 32226-6998	4a. Article Number  2 12
5. Signature (Addressee)  6. Signature (Agent)  PS Form 3811, December 1991 #U.S. GPO: 1993—3	8. Addressee's Address (Only if requested and fee is paid)  DOMESTIC RETURN RECEIPT  DOMESTIC RETURN RECEIPT



# STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION TWIN TOWERS OFFICE BUILDING 2600 BLAIR STONE ROAD TALLAHASSEE, FLORIDA 32399-2400

2.15 EEG YS. Z

MAIL

RECEIVED

Mr. John L. West Stone Container corp 9469 E. Port Rd Jacksonville, FL 32229

JAN 03 1995

Boe 21998

DIMSION OF AIR
RESOURCES MANAGEMENT

32226-6998

STON469 322222673 IN 12/14/95 RETURN TO SENDER NO FORWARD ORDER ON FILE UNABLE TO FORWARD RETURN TO SENDER

1	PS Form 3811, December 1991 AUS. GPO: 1982-352-714 DOMESTIC RETURN RECEIPT					
<u> </u>			B. Signature (Agent)			
ank y	8. Addressee's Address (Only if requested and tee is paid)		N. S. Signeture (Addressed)			
ou fo	7. Date of Delivery		BEEEE.			
r usi	Express Mail   Return Receipt for   Metchandise		19 John Jay Jay			
ng R	4b. Service Type  Registered DCOD  Ag. Acticle Number  Ab. Service Type  Registered DCOD  G. Cod		The common such			
			3. Article Addressed 19:			
Receipt	2. Restricted Delivery Consult postmaster for fee.		• Write ''Return Receipt Wall show to whom the article was delivered an Beceipt will show to whom the article was delivered and delivered.			
Servi	il sees if		eturn this card to you.  • Attach this form to the front of the mailpiece, or on the back if  • Dees not permit.			
ice.	l also wish to receive the following services (for an extra	• Complete items 3, and 4a & b.  9 • Print your name and address on the reverse of this form so that we can				
CENDED.						

1.1111