

# Florida Department of Environmental Regulation

Twin Towers Office Bldg. • 2600 Blair Stone Road • Tallahassee, Florida 32399-2400

Bob Martinez, Governor

Dale Twachtmann, Secretary

John Shearer, Assistant Secretary

January 24, 1990

CERTIFIED MAIL-RETURN RECEIPT REQUESTED

Mr. H. C. Smith  
Occidental Chemical Corp.- Suwannee River  
Post Office Box 300  
White Springs, Florida 32096

Dear Mr. Smith:


Re: Permit AC 24-2699 Amendment, Acid Clarification Plant-North

The Department has reviewed your amendment request received May 26, along with the additional data received September 14, and October 6, 1989. The Department is in agreement with your request and so the construction permit issued for the above project shall be amended to reflect an increase in the acid clarification capacity with a concurrent decrease in the allowable fluoride emissions from the plant located at Occidental's Suwannee River Chemical Complex (SRCC) in White Springs, Hamilton County, Florida.

The permit conditions of AC 24-2699 are amended to reflect the change in acid processing capacity and the current permitting format. The attached amended permit shall supercede all previously issued permits for the Acid Clarification Plant North.

Please publish the enclosed Notice of Issuance one time only in a major local newspaper of general circulation in the county in which the project is located, within 15 days after the receipt of this package. Proof of publication must be sent to the Department within 7 days of publication of the notice.

Sincerely,



Dale Twachtmann  
Secretary

DT/pr

Attachments

cc: A. Kutyna, NE District

CERTIFICATE OF SERVICE

The undersigned duly designated deputy clerk hereby certifies that this NOTICE OF PERMIT and all copies were mailed before the close of business on 1-26-90.

FILING AND ACKNOWLEDGEMENT  
FILED, on this date, pursuant to  
§120.52(9), Florida Statutes, with  
the designated Department Clerk,  
receipt of which is hereby  
acknowledged.

Sumi Cohen  
Clerk

1-26-90  
Date

Technical Evaluation

Occidental Chemical Company  
Suwannee River Chemical Complex  
White Springs, Hamilton County, Florida

Acid Clarification North

Permit No. AC 24-2699

Florida Department of Environmental Regulation  
Division of Air Resources Management  
Bureau of Air Regulation

January 16, 1990

## Technical Evaluation

The applicant, Occidental Chemical Corporation, submitted a request for an increase in the acid processing rate of the Acid Clarification Plant-North. There will be an associated decrease in the allowable fluoride emission rate as a result of newly developed operation practices. The project is located at the Suwannee River Chemical Complex in White Springs, Hamilton County, Florida.

The filtration plant filters phosphoric acid prior to evaporation to super phosphoric acid (SPA). The filter unit consists of six 12 ft. long x 12 ft. diameter rotary drum filters using diatomaceous earth filter acid. Fluorides released during the filtration process are vented to a 95% efficient packed counter current scrubber. Dust generated from diatomaceous earth bag handling and storage are separately permitted.

Through better scrubber-packing cleaning techniques, Occidental will be able to increase the acid processing rate from 41 tons per hour (TPH) to 60 TPH while reducing the permitted fluoride emission rate from 2.06 lbs/hr, 7.0 tons per year (TPY) - based on 350 days/yr to 1.2 lbs/hr, 5.2 TPY - based on 8760 hrs/yr. However, there will be no change in actual emissions.

Based on the information provided by Occidental Chemical Corporation, the Department has reasonable assurance that the existing Acid Clarification Plant-North, as described in this evaluation, and subject to the conditions proposed herein, will not cause or contribute to a violation of any air quality standard, PSD increment, or any other technical provision of Chapter 17-2 of the Florida Administrative Code.



State of Florida  
Department of Environmental Regulation  
Notice of Issuance

The Department of Environmental Regulation hereby gives notice of its issuance of an amended permit to Occidental Chemical Corp., Post Office Box 300, White Springs, FL 32096, for the Acid Clarification Plant-North located at Occidental's Suwannee River Chemical Complex in White Springs, Hamilton County, Florida. The amendment reflects an increase in the acid processing rate with a concurrent decrease in allowable flouride emissions from the plant. A determination of the Best Available Control Technology (BACT) was not required.

A person whose substantial interests are affected by the Department's permitting decision may petition for an administrative proceeding (hearing) in accordance with Section 120.57, Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, within fourteen (14) days of publication of this notice. Petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time filing. Failure to file a petition within this time period shall constitute a waiver of any right such person may have to request an administrative determination (hearing) under Section 120.57, Florida Statutes.

The Petition shall contain the following information;

- (a) The name, address, and telephone number of each petitioner, the applicant's name and address, the Department Permit File Number and the county in which the project is proposed;
- (b) A statement of how and when each petitioner received notice of the Department's action or proposed action;
- (c) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action;
- (d) A statement of the material facts disputed by Petitioner, if any;
- (e) A statement of facts which petitioner contends warrant reversal or modification of the Department's action or proposed action;
- (f) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action; and
- (g) A statement of the relief sought by petitioner, stating precisely the action petitioner wants the Department to take with respect to the Department's action or proposed action.


Persons whose substantial interests will be affected by any decision of the Department with regard to the application have the right to petition to become a party to the proceeding. The petition must conform to the requirements specified above and be filed (received) within 14 days of publication of this notice in the Office of General Counsel at the above address of the Department. Failure to petition within the allowed time frame constitutes a waiver of any right such person has to request a hearing under Section 120.57, F.S., and to participate as a party to this proceeding. Any subsequent intervention will only be at the approval of the presiding officer upon motion filed pursuant to Rule 28-5.207, F.A.C.

The application is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Regulation  
Bureau of Air Regulation  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Department of Environmental Regulation  
Northeast District Office  
3426 Bills Road  
Jacksonville, Florida 32207

Any person may send written comments on the permitting action to Mr. Bill Thomas at the Department's Tallahassee address within 14 days of the publication of this notice.



# Florida Department of Environmental Regulation

Twin Towers Office Bldg. • 2600 Blair Stone Road • Tallahassee, Florida 32399-2400

Bob Martinez, Governor

Dale Twachtmann, Secretary

John Shearer, Assistant Secretary

**PERMITTEE:**  
Occidental Chemical Corp.  
P. O. Box 300  
White Springs, Florida 32096

**Permit Number:** AC 24-2699  
**Expiration Date:** August 1, 1990  
**County:** Hamilton  
**Latitude/Longitude:** 30°26'27"N  
82°47'17"W  
**Project:** Phosphoric Acid  
Clarification Plant-North

This permit is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 17-2 and 17-4. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

For the permitting of the existing Phosphoric Acid Clarification Plant-North with a capacity of 60 tons per hour P<sub>2</sub>O<sub>5</sub> input, consisting of six 12 ft. long x 12 ft. diameter rotary drum filters using diatomaceous earth filter acid. Fluoride emissions are controlled by a 95% efficient packed counter current scrubber. The plant is located at Occidental's Suwannee River Chemical Complex in White Springs, Hamilton County, Florida.

The UTM coordinates of this facility are Zone 17, 329.3 km East and 3368.8 km North.

The source shall be constructed in accordance with the permit application, plans, documents, amendments and drawings, except as otherwise noted in the General and Specific Conditions.

Attachments are listed below:

1. Occidental's request received May 26, 1989.
2. Occidental's letter received September 14, 1989.
3. Occidental's letter received October 6, 1989.
4. DER's Technical Evaluation dated January 16, 1990.

PERMITTEE:  
Occidental Chemical Company

Permit Number: AC 24-2699  
Expiration Date: August 1, 1990

**GENERAL CONDITIONS:**

1. The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.161, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.

2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.

3. As provided in Subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.

4. This permit conveys no title to land or water, does not constitute State recognition or acknowledgement of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.

5. This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.



PERMITTEE:  
Occidental Chemical Company

Permit Number: AC 24-2699  
Expiration Date: August 1, 1990

**GENERAL CONDITIONS:**

6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.

7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:

- a. Have access to and copy any records that must be kept under the conditions of the permit;
- b. Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
- c. Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.

Reasonable time may depend on the nature of the concern being investigated.

8. If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:

- a. a description of and cause of non-compliance; and
- b. the period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.

PERMITTEE:  
Occidental Chemical Company

Permit Number: AC 24-2699  
Expiration Date: August 1, 1990

**GENERAL CONDITIONS:**

The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.

9. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is proscribed by Sections 403.73 and 403.111, Florida Statutes. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

10. The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.

11. This permit is transferable only upon Department approval in accordance with Florida Administrative Code Rules 17-4.120 and 17-30.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.

12. This permit or a copy thereof shall be kept at the work site of the permitted activity.

13. The permittee shall comply with the following:

a. Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.

b. The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and

PERMITTEE:  
Occidental Chemical Company

Permit Number: AC 24-2699  
Expiration Date: August 1, 1990

**GENERAL CONDITIONS:**

records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.

c. Records of monitoring information shall include:

- the date, exact place, and time of sampling or measurements;
- the person responsible for performing the sampling or measurements;
- the dates analyses were performed;
- the person responsible for performing the analyses;
- the analytical techniques or methods used; and
- the results of such analyses.

14. When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

**SPECIFIC CONDITIONS:**

1. The Phosphoric Acid Clarification Plant-North shall be allowed to operate continuously, i.e., 8760 hours/year.
2. The acid processing rate shall not exceed 60 tons per hour (TPH) 100% P<sub>2</sub>O<sub>5</sub> input.
3. A counter current packed scrubber shall be properly maintained and operated for the control of fluoride emissions.
4. The maximum allowable fluoride emissions from the clarification plant shall neither exceed 1.2 lbs/hr, nor 5.2 tons per year (TPY). The emission limitations are based on an emission factor of 0.02 lb fluoride/ton 100% P<sub>2</sub>O<sub>5</sub> input.
5. Initial and annual compliance tests shall be conducted in accordance with the July 1, 1988 version of 40 CFR 60 Appendix A, using EPA Method 13A or 13B, for determining fluoride emissions.

PERMITTEE:  
Occidental Chemical Company

Permit Number: AC 24-2699  
Expiration Date: August 1, 1990

**SPECIFIC CONDITIONS:**

6. Any change in the method of operation, equipment, or operating hours shall be submitted to DER's Northeast District office for approval.


7. A minimum of 15 days prior written notification of the compliance test, shall be given to DER's Northeast District office. The compliance test results shall be submitted to the District office within 45 days of test completion. Annual operation reports shall be submitted to DER's Northeast District office in accordance with Chapter 17-2.700(7) of the Florida Administrative Code.

8. The permittee, for good cause, may request that this construction permit be extended. Such a request shall be submitted to the Bureau of Air Regulation prior to 60 days before the expiration of the permit (F.A.C. Rule 17-4.090).

9. An application for an operation permit must be submitted to the Northeast District office at least 90 days prior to the expiration date of this construction permit or within 45 days after completion of compliance testing, whichever occurs first. To properly apply for an operation permit, the applicant shall submit the appropriate application form, fee, certification that construction was completed noting any deviations from the conditions in the construction permit, and compliance test reports as required by this permit (F.A.C. Rule 17-4.220).

Issued this 25 day  
of Jan., 1990

STATE OF FLORIDA DEPARTMENT  
OF ENVIRONMENTAL REGULATION

  
Dale Twachtmann, Secretary

Attachment 1

 **Occidental Chemical Corporation**

*ALC*  
*J. COLFE*  
*rev'd 06/01*

NORTHEAST DISTRICT  
**RECEIVED**  
MAY 26 1988  
**REGULATED**  
DER-JACKSONVILLE

May 24, 1988

Mr. W. P. Stewart, P.E.  
Supervisor, Air Section  
Florida Department of Environmental  
Regulation  
3426 Bills Road  
Jacksonville, FL 32207

Ref: Acid Clarification - North  
A024-94819

Dear Mr. Stewart:

Enclosed is the annual stack test for fluoride for the referenced source. This unit is currently permitted for an operating rate of 41.0 TPH  $P_{2.5}$  input with one filter out of service.

By this letter, Occidental is requesting a modification to this permit for an increased operating rate of 53.0 TPH  $P_{2.5}$  input with no increase in the allowed fluoride emissions. A review of the test history for this stack will show that the fluoride emissions have always been very low in relation to the permitted emissions (summary enclosed). It is for this reason that I feel confident the plant can continue to meet its emission limits with an increase in production rate. The enclosed stack test, with a maximum operating rate of 55.26 TPH and a fluoride emission rate of 0.57 lb./hr., seems to verify this assumption.

When the original application for this plant was processed, it was assumed that at least one filter of the bank of six would be out-of-service for maintenance under most operating conditions. This has not proven to be the case however and, in general, all six filters are in operation at any given time. As best as I can determine, this was the only reason for having one filter listed as out-of-service. Since there is no valid reason for restricting the plant to operation on five or six filters, Occidental is requesting a further modification to this permit to reflect this change.

**OxyChem.**


**Agricultural Products - Florida Operations**  
County Road 137, P.O. Box 300, White Springs, Florida 32096  
(904) 397-8101

# Occidental Chemical Corporation

Page 2  
May 24, 1988

If I may be of further assistance, please do not hesitate to contact me.

Best Regards,




Charles B. Pults  
Environmental Engineer

psb

enclosure

cc: W. M. Miller  
> M. E. Pauley  
B. Bales

# Occidental Chemical Corporation



## EXHIBIT 1

### ACID CLARIFICATION - NORTH

<u>Test Date</u>	<u>Operating Rate (TPH)</u>	<u>Fluoride Emission Rate (lb./hr.)</u>	
3/13	32.20	0.66	0.02 lb/hr
4/2	45.08	1.08	0.024 "
5/29	46.79	0.23	0.005 "
5/11	53.10	0.45	0.0085



Attachment 2



Occidental Chemical Corporation

RECEIVED  
SEP 14 1989  
DER

September 12, 1989

Mr. Pradeep Ravel  
Florida Department of Environmental Regulation  
Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

ref: Acid Clarification North  
A024-94819

Dear Mr. Ravel:

This letter is to follow up my original letter of May 24, 1988 and our subsequent telephone conversations concerning the rate increase for the North Acid Clarification plant. As stated in my original letter, Occidental is requesting an increase from the currently permitted 41 TPH  $P_2O_5$  input to 53 TPH  $P_2O_5$  input. This production increase does not involve any increase in the allowed emissions of fluoride of 2.06 lb/hr.

The fluoride emissions from this plant are controlled by a packed scrubber system. The packing consists of an eight inch packed bed which may be separated into seven sections. Prior to late 1986 this packing was cleaned by removing it as a unit, using high pressure water to remove the solids, and then it was replaced.

Following an operational evaluation in late 1986, it was determined that the plant's operating characteristics could be enhanced by separating the packing sections during the cleaning operation. This has resulted in the improvement of the plants operation and also an increase in the efficiency of the fluoride scrubber.

Reference to the attached chart shows the decrease in fluoride emissions which have resulted due to the change in packing maintenance procedures. I believe that variations in the emissions are a function of the time since the packing was last cleaned.

**OxyChem.**

Agricultural Products - Florida Operations  
County Road 137, P.O. Box 300, White Springs, Florida 32096  
(904) 397-8101

# Occidental Chemical Corporation

Page 2  
September 11, 1989

If you should have further questions concerning this request, please do not hesitate to contact me.

Sincerely,



Charles B. Pults  
Environmental Engineer

CBP:gmc

Attachments

cc: W. M. Miller  
P. S. Beauchamp  
M. Benjamin, FDER, JAX

ATTACHMENT 1

ACID CLARIFICATION - NORTH

<u>TEST DATE</u>	<u>OPERATING RATE (TPH)</u>	<u>FLUORIDE EMISSION RATE (LB./HR.)</u>
3/13/85	32.20	0.66
4/2/86	45.08	1.08
5/29/87	46.79	0.23
5/11/88	53.10	0.45
7/26/89	46.84	0.09

Attachment 3



Occidental Chemical Corporation

RECEIVED  
OCT 01 1989  
DER-BAQM

October 4, 1989

Mr. Pradeep Ravel  
Florida Department of Environmental Regulation  
Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

Dear Mr. Ravel:

Pursuant to our telephone conversation, I have calculated a "worst-case" example using the test results of May 5, 1988.

That test showed an emission rate of 0.0085 pounds of fluoride per ton of 100% P<sub>2</sub>O<sub>5</sub>. Allowing a cushion of 100 percent and rounding to two places results in a factor of 0.02 pounds of fluoride per ton of P<sub>2</sub>O<sub>5</sub>. This would be consistent with FAC 17-2.600(3)(a)1. I acknowledge that this code citation is not an exact description of the process involved but it is probably the best match plus the most restrictive fluoride emission standard.

After discussion with the plant operating personnel, they feel a 60 TPH rate can be achieved by this plant. Therefore, by this letter, I am amending my original request of 53 TPH to 60 TPH as the new permitted operating rate. This would result in a maximum fluoride emission allowable of 1.2 lb F/hr. (60 ton/hr X 0.02 lb/ton). The emission rate of 0.02 lb F/ton P<sub>2</sub>O<sub>5</sub> results in a decrease in the permitted emission rate of 41+ percent compared to the existing permit conditions of 0.05 lb/ton.

As you are probably aware, Johnny Cole is currently processing a renewal application for this plant. If we can reach agreement on the emission limits and operating rate we could incorporate them into the renewal process.

If I may be of further assistance on this matter, please do not hesitate to contact me.

Sincerely,

Charles B. Pults  
Environmental Engineer


CBP:gmc

cc: W. M. Miller  
P. S. Beauchamp  
E. E. Dees

**OxyChem.**

Agricultural Products - Florida Operations  
County Road 137, P.O. Box 300, White Springs, Florida 32096  
(904) 397-8101

Attachment 4



State of Florida  
DEPARTMENT OF ENVIRONMENTAL REGULATION

For Routing To Other Than The Addressee	
To: _____	Location: _____
To: _____	Location: _____
To: _____	Location: _____
From: _____	Date: _____

# Interoffice Memorandum

*Please call  
Patty Adams  
when signed  
8-1344*

*for* TO: Dale Twachtmann  
FROM: Steve Smallwood *[Signature]*

DATE: January 24, 1990

SUBJ: Approval of Construction Permit Amendment  
Occidental Chemical Corporation  
Acid Clarification Plant North, AC 24-2699

Attached for your approval and signature is a construction permit amendment prepared by the Bureau of Air Regulation for Occidental Chemical Corp. for their acid clarification plant located at the existing Suwannee River Chemical Complex in Hamilton County, Florida.

I recommend your approval and signature.

SS/PR/plm

Attachment

**RECEIVED**  
JAN 25 1990

Office of the Secretary



**SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.  
 Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1.  Show to whom delivered, date, and addressee's address. (Extra charge)      2.  Restricted Delivery (Extra charge)

3. Article Addressed to: HC Smith Occi Chem. Corp. Summer R. P.O. Box 300 White Springs, FL 32096	4. Article Number P 938 762 882
Type of Service: <input type="checkbox"/> Registered <input type="checkbox"/> Insured <input checked="" type="checkbox"/> Certified <input type="checkbox"/> COD <input type="checkbox"/> Express Mail <input type="checkbox"/> Return Receipt for Merchandise	
Always obtain signature of addressee or agent and <b>DATE DELIVERED</b> .	
5. Signature -- Address X	8. Addressee's Address (ONLY if requested and fee paid)
6. Signature Agent X <i>J. J. [Signature]</i>	
7. Date of Delivery	

JAN 29 1990

PS Form 3811, Mar. 1988 \* U.S.G.P.O. 1988-212-865 DOMESTIC RETURN RECEIPT

P 938 762 882

**RECEIPT FOR CERTIFIED MAIL**  
 NO INSURANCE COVERAGE PROVIDED  
 NOT FOR INTERNATIONAL MAIL  
 (See Reverse)

PS Form 3800, June 1985

Sent to	HC Smith
Street and No.	P.O. BOX 300
P.O., State and ZIP Code	White Springs FL
Postage	S
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt showing to whom and Date Delivered	
Return Receipt showing to whom, Date, and Address of Delivery	
TOTAL Postage and Fees	S
Postmark or Date	mailed 1-26-90