

FINAL DETERMINATION

White Springs Agricultural Chemicals, Inc.
Permit No. 0470002-050-AC
Y Train Pipe Reactor

An Intent to Issue an air construction permit to White Springs Agricultural Chemicals, Inc., to install two phosphoric acid storage tanks at the Suwannee River complex in Hamilton County was distributed on June 18, 2004. The Notice of Intent was published in the Jasper News on September 2, 2004. Copies of the draft construction permit were available for public inspection at the Department offices in Jacksonville and Tallahassee.

The applicant requested that a condition be added stating that the monitoring requirements will be superseded by any Alternate Monitoring Plan subsequently issued by the Department. No other comments were received following publication of the Notice.

The final action of the Department is to issue the permit with the requested change.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF FINAL PERMIT

In the Matter of an
Application for Permit


Mr. Paul H. Barrett
White Springs Agricultural Chemicals, Inc.
Post Office Box 300
White Springs, Florida 32096

DEP File No. 0470002-050-AC

Enclosed is the FINAL Permit Number 0470002-050-AC for installing a Pipe Reactor at the existing Y Train Fertilizer Plant at the Suwannee River Complex in Hamilton County. This permit is issued pursuant to Chapter 403, Florida Statutes and in accordance with Rule 62-296.403, F.A.C.

Any party to this order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Legal Office; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.



Trina L. Vielhauer, Chief
Bureau of Air Regulation


CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF FINAL PERMIT (including the FINAL permit) was sent by certified mail (*) and copies were mailed by U.S. Mail before the close of business on 10/13/04 to the person(s) listed:

Paul H. Barrett, WSAC *
Chris Kirts, DEP-NED
John Koogler, P.E., K & A

Clerk Stamp

FILING AND ACKNOWLEDGMENT
FILED, on this date, pursuant to §120.52,
Florida Statutes, with the designated Department
Clerk, receipt of which is hereby acknowledged.


(Clerk) 10/13/04
(Date)



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

PERMITTEE:

White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, Florida 32096

DEP Permit No.:	0470002-050-AC
Project:	Install Two Y-Train Pipe Reactors for MAP Production, (Mode 6)
SIC No.:	2874
Expiration:	December 31, 2005

Authorized Representative:

Paul H. Barrett
General Manager

PROJECT AND LOCATION:


Permit to modify the existing Y-Train Fertilizer Plant to produce MAP with a pipe reactor.
The facility is located E of SR 137, E of US 41, N of White Springs in Hamilton County, Florida.
The UTM coordinates are: Zone 17; 328.3 km E and 3368.8 km N.

STATEMENT OF BASIS:

This construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297 of the Florida Administrative Code (F.A.C.). The above named permittee is authorized to construct the facility in accordance with the conditions of this permit and as described in the application, approved drawings, plans, and other documents on file with the Department of Environmental Protection (Department).

ATTACHED APPENDICES MADE A PART OF THIS PERMIT:

Appendix GC General Conditions


Michael G. Cooke, Director
Division of Air Resource
Management

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION II. GENERAL REQUIREMENTS

FACILITY DESCRIPTION

White Springs Agricultural Chemicals, Inc. (WSAC) operates a phosphate fertilizer manufacturing facility near White Springs, Hamilton County, Florida, producing sulfuric acid, wet-process phosphoric acid, ammoniated phosphate fertilizers and related products. WSAC is applying for a non-PSD permit to produce granular Monoammonium Phosphate (MAP) at their Y-Train #1 MAP/DAP Fertilizer Plant using two pipe reactors instead of the existing tank reactor. This project will only require that two pipes be installed for mixing the phosphoric acid and ammonia currently added to the process in the tank reactor. The only other physical changes required will be the rerouting of raw material streams to the pipe reactors.

REGULATORY CLASSIFICATION

Phosphate rock processing plants are listed as a Major Facility Category in Table 62-212.400-1, F.A.C., "Major Facility Categories." Therefore, stack and fugitive emissions of over 100 TPY of a regulated pollutant are sufficient to classify the installation as a "Major Facility" per the definitions in Rule 62-210.200, F.A.C., subject to the Significant Emission Rates given in Table 62-212.400-2, F.A.C. and the requirements of Rule 62-212.400, F.A.C., Prevention of Significant Deterioration (PSD) and Best Available Control Technology (BACT) if applicable.

This facility is classified as a "Major or Title V Source" per Rule 62-210.200, F.A.C., because it has the potential to emit at least 100 tons per year of particulate matter. This facility in its entirety is also a major source of hazardous air pollutants (HAPs).

Standards of Performance for the Phosphate Fertilizer Industry: Diammonium Phosphate Plants (40 CFR 60, Subpart V) apply only to production of Diammonium Phosphate (DAP) in the Y-Train Fertilizer Plant.

The maximum achievable control technology (MACT) standards promulgated by EPA for Phosphate Fertilizers Production Plants (40 CFR 63, Subpart BB) apply for the production of DAP and MAP in the Y-Train Fertilizer Plant.

The terms and conditions of this permit apply only to the construction/operation of the Y Train for Mode 6.

PERMIT SCHEDULE:

- 04-06-04: Date of Receipt of Application
- 04-06-04: Application Complete
- 06-18-04: Issued Intent to Issue Permit
- 09-02-04: Notice of Intent published

RELEVANT DOCUMENTS:

The documents listed below are specifically related to this permitting action and form the basis of the permit. They are on file with the Department:

- Application received April 6, 2004

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION II. GENERAL REQUIREMENTS

Regulating Agencies: All documents related to applications for permits to operate, reports, tests, minor modifications and notifications shall be submitted to the Department's Northeast District Office, 7825 Baymeadows Way, Suite 200B, Jacksonville, Florida 32256-7590. All applications for permits to construct or modify an emissions unit(s) *subject to the Prevention of Significant Deterioration or Nonattainment (NA) review requirements* should be submitted to the Bureau of Air Regulation (BAR), Florida Department of Environmental Protection (FDEP), 2600 Blair Stone Road, MS 5505, Tallahassee, Florida 32399-2400 (phone number 850/488-0114).

General Conditions: The owner and operator is subject to and shall operate under the attached General Permit Conditions G.1 through G.15 listed in Appendix GC of this permit. General Permit Conditions are binding and enforceable pursuant to Chapter 403 of the Florida Statutes. [Rule 62-4.160, F.A.C.]

Terminology: The terms used in this permit have specific meanings as defined in the corresponding chapters of the Florida Administrative Code.

Applicable Regulations, Forms and Application Procedures: Unless otherwise indicated in this permit, the construction and operation of the subject emissions unit shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of Chapter 403, F.S. and Florida Administrative Code Chapters 62-4, 62-110, 62-204, 62-212, 62-213, 62-296, 62-297 and the Code of Federal Regulations Title 40, Part 60, adopted by reference in the Florida Administrative Code (F.A.C.) regulations. The facility is subject to all applicable provisions of the Code of Federal Regulations Title 40, Part 63, Subpart BB. The permittee shall use the applicable forms listed in Rule 62-210.900, F.A.C. and follow the application procedures in Chapter 62-4, F.A.C. Issuance of this permit does not relieve the facility owner or operator from compliance with any applicable federal, state, or local permitting or regulations. [Rules 62-204.800, 62-210.300 and 62-210.900, F.A.C.]

Expiration: This air construction permit shall expire on **December 31, 2005** [Rule 62-210.300(1), F.A.C.]. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Bureau of Air Regulation prior to 60 days before the expiration of the permit. However, the permittee shall promptly notify the Department's Northeast District Office of any delays in completion of the project, which would affect the startup day by more than 90 days. [Rule 62-4.090, F.A.C.]

Application for Title V Permit: An application for a Title V operating permit, pursuant to Chapter 62-213, F.A.C., must be submitted to the Department's Northeast District Office by October 1, 2004. [Chapter 62-213, F.A.C.]

Permit Approval: Approval to construct shall become invalid if construction is not commenced within 18 months after receipt of such approval, or if construction is discontinued for a period of 18 months or more, or if construction is not completed within a reasonable time. The Department may extend the 18-month period upon a satisfactory showing that an extension is justified. [40 CFR 52.21(r)(2)].

Annual Reports: Pursuant to Rule 62-210.370(2), F.A.C., Annual Operation Reports, the permittee is required to submit annual reports on the actual operating rates and emissions from this facility. Annual operating reports using DEP Form 62-210.900(4) shall be sent to the DEP's Northeast District office by March 1st of each year.

Stack Testing Facilities: Stack sampling facilities shall be installed in accordance with Rule 62-297.310(6), F.A.C.

Quarterly Reports: Quarterly excess emission reports, in accordance with 40 CFR 60.7 (a)(7) (c) (1997 version), shall be submitted to the DEP's Northeast District office.

New or Additional Conditions: For good cause shown and after notice and an administrative hearing, if requested, the Department may require the permittee to conform to new or additional conditions. The Department shall allow the permittee a reasonable time to conform to the new or additional conditions and on application of the permittee, the Department may grant additional time. [Rule 62-4.080, F.A.C.]

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION III. EMISSION UNIT(S) SPECIFIC REQUIREMENTS

SUBSECTION A. Y Train DAP/MAP Fertilizer Plant

The Specific Conditions listed in this section apply to the following emission units:

EMISSION UNIT NO.	EMISSION UNIT DESCRIPTION
008	Y Train DAP/MAP Fertilizer Plant

The Y Train DAP/MAP Plant is permitted to produce up to 60 tons per hour of product on a monthly rolling average or 66 tons per hour on a one-hour daily rolling average. The plant was previously capable of producing fertilizer by five different modes (Mode 1: DAP by Split Flows of 30% & 50% P₂O₅ phosphoric acid; Mode 2: DAP by 40% P₂O₅ acid; Mode 3: Triplesuperphosphate (TSP); Mode 4: MAP by Split Flows of 30% & 50% P₂O₅ acid; Mode 5: MAP by 40% P₂O₅ acid). **This permit adds Modes 6: MAP by reacting ammonia and acid in two pipe reactors.** The plant will consist of the two separate pipe reactors, a tank reactor for the other modes, two pug mills, granulator, dryer, cooler, screens, mills, and other associated process equipment. Emissions from the pipe reactors are vented to the reactor scrubber for ammonia removal and then to a pond water scrubber for fluoride control.

CONSTRUCTION

1. Addition of Mode 6:

The permittee is authorized to modify the Y Train Fertilizer Plant so that it can also produce MAP in two pipe reactors by mixing phosphoric acid and ammonia.

[Application dated April 6, 2004]

EMISSION AND PERFORMANCE REQUIREMENTS

2. Production:

a. The production rate for Mode 6 shall not exceed 60 tons of product per hour based on a 12-month rolling average or 66 tons of product per hour based on a one-hour daily rolling average. Only one of the six operating modes shall be in operation at one time.

b. The annual production rate for Mode 6 shall not exceed 525,600 tons of product per year.

[Application dated April 6, 2004; Rules 62-212.300, 62-296.403(2), 62-210.200(PTE), F.A.C., Permit 0470002-033-AV]

3. Hours of Operation:

Operation in Mode 6 shall be permitted for up to 8760 hours/year.

[Application dated April 6, 2004; Rules 62-212.300, 62-296.403(2), and 62-210.200(PTE), F.A.C., Permit 0470002-033-AV]

4. Emissions:

a. During operation in Mode 6, PM/PM₁₀ emissions shall not exceed 45.15 lbs/hr and 197.74 TPY.

b. During operation in Mode 6, Total Fluoride emissions shall not exceed 2.18 lb/hr; 0.060 lb/ton of equivalent P₂O₅ feed; and 9.54 TPY.

c. Visible Emissions shall not be equal to or greater than 20% opacity.

[Application dated April 6, 2004; 40 CFR 63.622(a); Rule 62-296.403(2), 63.626(a)(1), 63.630(a), and 62-296.320(4)(b), F.A.C., Permit 0470002-033-AV]

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION II. GENERAL REQUIREMENTS

TEST METHODS AND PROCEDURES

5. The compliance test procedures for PM/PM₁₀ shall be in accordance with EPA Method 5 as published in 40 CFR 60, Appendix A.
[Rule 62-297.410(5), F.A.C.]
6. The compliance test procedures for Fluorides shall be in accordance with EPA Methods 13A or 13B as published in 40 CFR 60, Appendix A.
[Rule 62-297.410(13), F.A.C.]
7. The compliance test procedures for Visible Emissions shall be in accordance with EPA Method 9 as published in 40 CFR 60, Appendix A.
[Rule 62-297.410(9), F.A.C.]
8. Before this construction permit expires, and annually, the subject emissions units shall be tested for compliance with the applicable emission limits. For the duration of all tests the emission units shall be operating at permitted capacity. Permitted capacity is defined as 90-100 percent of the maximum operating rate allowed by the permit. If it is impracticable to test at permitted capacity, then the emission unit may be tested at less than permitted capacity (i.e., 90% of the maximum operating rate allowed by the permit); in this case, subsequent emission unit operation is limited to 110 percent of the test load until a new test is conducted. Once the emission unit is so limited, then operation at higher capacities is allowed for no more than 15 consecutive days for the purposes of additional compliance testing to regain the permitted capacity in the permit.
[Rule 62-297.310, F.A.C.]
9. The Department's Northeast District office shall be notified in writing at least 15 days prior to compliance testing. Written reports of the test results shall be submitted to that office within 45 days of test completion.
[Rule 62-297.310, F.A.C.]

MONITORING REQUIREMENTS

10. Each owner or operator of a new or existing diammonium and/or monoammonium phosphate process line or granular triple superphosphate process line subject to the provisions of this subpart shall install, calibrate, maintain, and operate a monitoring system which can be used to determine and permanently record the mass flow of phosphorus-bearing feed material to the process. The monitoring system shall have an accuracy of ± 5 percent over its operating range.
[40 CFR 63.625(a)]
11. Each owner or operator of a new or existing diammonium and/or monoammonium phosphate process line, granular triple superphosphate process line, or granular triple superphosphate storage building using a wet scrubbing emission control system shall install, calibrate, maintain, and operate the following monitoring systems:
 - (1) A monitoring system which continuously measures and permanently records the pressure drop across each scrubber in the process scrubbing system in 15-minute block averages. The monitoring system shall be certified by the manufacturer to have an accuracy of ± 5 percent over its operating range.
 - (2) A monitoring system which continuously measures and permanently records the flow rate of the scrubbing liquid to each scrubber in the process scrubbing system in 15-minute block averages. The

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION II. GENERAL REQUIREMENTS

monitoring system shall be certified by the manufacturer to have an accuracy of ± 5 percent over its operating range.

(3) The terms of any Alternate Sampling Procedure issued by the Department that apply to this emissions unit will supersede the monitoring provisions herein.

[40 CFR 63.625(c)]

12. Following the date on which the performance test required in § 63.626 is completed, the owner or operator of a new or existing affected source using a wet scrubbing emission control system and subject to emissions limitations for total fluorides or particulate matter contained in this subpart must establish allowable ranges for operating parameters using the methodology of either paragraph (1) or (2) of this section:
 - (1) The allowable range for the daily averages of the pressure drop across each scrubber and of the flow rate of the scrubbing liquid to each scrubber in the process scrubbing system is ± 20 percent of the baseline average value determined as a requirement of § 63.626(c)(4) or (d)(4). The Administrator retains the right to reduce the ± 20 percent adjustment to the baseline average values of operating ranges in those instances where performance test results indicate that a source's level of emissions is near the value of an applicable emissions standard, but, in no instance shall the adjustment be reduced to less than ± 10 percent. The owner or operator must notify the Administrator of the baseline average value and must notify the Administrator each time that the baseline value is changed as a result of the most recent performance test. The baseline average values used for compliance shall be based on the values determined during the most recent performance test. The new baseline average value shall be effective on the date following the performance test.
 - (2) The owner or operator of any new or existing affected source shall establish, and provide to the Administrator for approval, allowable ranges of baseline average values for the pressure drop across and of the flow rate of the scrubbing liquid to each scrubber in the process scrubbing system for the purpose of assuring compliance with this subpart. Allowable ranges may be based upon baseline average values recorded during previous performance tests using the test methods required in this subpart and established in the manner required in § 63.626(c)(4) or (d)(4). As an alternative, the owner or operator can establish the allowable ranges of baseline average values using the results of performance tests conducted specifically for the purposes of this paragraph using the test methods required in this subpart and established in the manner required in § 63.626(c)(4) or (d)(4). The source shall certify that the control devices and processes have not been modified subsequent to the testing upon which the data used to establish the allowable ranges were obtained. The allowable ranges of baseline average values developed pursuant to the provisions of this paragraph must be submitted to the Administrator for approval. The owner or operator must request and obtain approval of the Administrator for changes to the allowable ranges of baseline average values. When a source using the methodology of this paragraph is retested, the owner operator shall determine new allowable ranges of baseline average values unless the retest indicates no change in the operating parameters from previous tests. Any new allowable ranges of baseline average values resulting from the most recent performance test shall be effective on the date following the retest. Until changes to allowable ranges of baseline average values are approved by the Administrator, the allowable ranges for use in § 63.624 shall be based upon the range of baseline average values proposed for approval.

[Rule 40 CFR 63.625(f)]

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

- G.1 The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.161, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- G.2 This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings or exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- G.3 As provided in Subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey and vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.
- G.4 This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
- G.5 This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- G.6 The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- G.7 The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:
- a) Have access to and copy and records that must be kept under the conditions of the permit;
 - b) Inspect the facility, equipment, practices, or operations regulated or required under this permit, and,
 - c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.
- Reasonable time may depend on the nature of the concern being investigated.
- G.8 If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
- a) A description of and cause of non-compliance; and
 - b) The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.
- The permittee shall be responsible for any and all damages, which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.
- G.9 In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.73 and 403.111, Florida

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

Statutes. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

- G.10 The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.
- G.11 This permit is transferable only upon Department approval in accordance with Florida Administrative Code Rules 62-4.120 and 62-730.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
- G.12 This permit or a copy thereof shall be kept at the work site of the permitted activity.
- G.13 This permit also constitutes:
- a) Determination of Best Available Control Technology ()
 - b) Determination of Prevention of Significant Deterioration ()
 - c) Compliance with New Source Performance Standards ()
 - d) Compliance with National Emission Standards for Hazardous Air Pollutants (X). Subpart BB requirements
- G.14 The permittee shall comply with the following:
- a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application or this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - c) Records of monitoring information shall include:
 - 1. The date, exact place, and time of sampling or measurements;
 - 2. The person responsible for performing the sampling or measurements;
 - 3. The dates analyses were performed;
 - 4. The person responsible for performing the analyses;
 - 5. The analytical techniques or methods used; and
 - 6. The results of such analyses.
- G.15 When requested by the Department, the permittee shall within a reasonable time furnish any information required by law, which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

Memorandum

Florida Department of Environmental Protection

TO: Michael Cooke
THRU: Trina Vielhauer *TV*
THRU: Jim Pennington *JKP*
FROM: Syed Arif *SA 10/12*
DATE: October 12, 2004
SUBJECT: White Springs Agricultural Chemicals, Inc.
DEP File No. 0470002-050-AC

Attached for your review and approval is the final construction permit for modifying the existing Y Train Fertilizer Plant so that it can alternatively produce Monoammonium Phosphate (MAP) in a pipe reactor at the Suwannee River Complex located near White Springs, Hamilton County, Florida. This permit merely adds another mode of operation for MAP production. There will be no increase in actual emissions or potential emissions resulting from this modification. The only physical change will be the installation of the pipe reactor and the routing of materials to the reactor.

No comments were received during the public comment period. I recommend your approval and signature.

The permit clock is currently on Day 88.

Attachments

*Mike,
This is one of
John's remaining
projects. No
comments
received.
Trin*

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>X <i>[Signature]</i></p>
<p>1. Article Addressed to:</p> <p>Mr. Paul H. Barrett White Springs Agricultural Chemicals, Inc. Post Office Box 300 White Springs, Florida 32096</p>	<p>B. Received by (Printed Name) <i>J. Reynolds</i> C. Date of Delivery <i>10/15/01</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>2. Article Number 7000 1670 0013 3109 8666 (Transfer from service label)</p>	
<p>PS Form 3811, August 2001 Domestic Return Receipt 102595-02-M-1540</p>	

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

9998 BOTE ET00 0270 0000

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$	

Sent to: Mr. Paul H. Barrett
 White Springs Agricultural Chemicals, Inc.
 Street, Apt. No., or PO Box No.
 Post Office Box 300
 White Springs, Florida 32096

PS Form 3800, May 2000 See Reverse for Instructions



KOOGLER & ASSOCIATES
ENVIRONMENTAL SERVICES

4014 NW THIRTEENTH STREET
GAINESVILLE, FLORIDA 32609
352/377-5822 ■ FAX/377-7158

KA 102-04-02

July 2, 2004

RECEIVED

JUL 07 2004

BUREAU OF AIR REGULATION

Mr. John Reynolds
Florida Department of
Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Subject: Comments on FDEP Draft Permit for Y Train
White Springs Agricultural Chemicals, Inc.
Draft Permit No: 0470002-050-AC

Dear Mr. Reynolds:

This is a follow up to your recent discussion with Pradeep Raval regarding the above referenced draft permit for the Y Train at the existing Suwannee River Complex in White Springs, Florida.

The following comments are submitted for your consideration, as previously discussed:

1. Page 2 of 6, Regulatory Classification

Please add a fifth paragraph that would clarify the following:

“The terms and conditions of this permit apply only to the construction/operation of the Y Train for Mode 6.”

2. Page 3 of 6, Expiration

It is requested that the expiration date be changed to December 31, 2005, to allow time for final design, construction, debugging, testing and incorporating the applicable conditions into the Title V permit.

3. Page 5 of 6, Specific Condition 11

Please add the following wording to the condition:

“The terms of any Alternate Sampling Procedure issued by the Department, that are applicable to this emissions unit, will supercede the monitoring provisions herein.”

Mr. John Reynolds
Florida Department of
Environmental Protection

July 2, 2004


Enclosed is a copy of the time extension, submitted to FDEP Office of General Counsel, requested in order to allow resolution of the issues.

It is anticipated that you will be able to issue a revised draft permit for publication soon. We appreciate your willingness to address our comments in a timely manner.

If you have any questions, please call Pradeep Raval or me.

Very truly yours,

KOOGLER & ASSOCIATES

A handwritten signature in black ink, appearing to be 'J. Koogler', written over the printed name below.

John B. Koogler, Ph.D., P.E.

JBK:par
Encl.

C: Paul Barrett, WSAC
Christopher Kirts, FDEP -Jacksonville



KOOGLER & ASSOCIATES

ENVIRONMENTAL SERVICES

4014 NW THIRTEENTH STREET
GAINESVILLE, FLORIDA 32609
352/377-5822 • FAX/377-7158

KA 102-04-02

July 2, 2004

RECEIVED
JUL 07 2004
BUREAU OF AIR REGULATION

Teri Donaldson, Esquire
Office of General Counsel
Florida Department of
Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Subject: Motion for Extension of Time to
File a Petition
White Springs Agricultural Chemicals, Inc.
FDEP File No. 0470002-050-AC


Dear Ms. Donaldson:

Attached is a request for an extension of time to file for a hearing in accordance with Rule 28-106, FAC.

If you have any questions concerning this request, please do not hesitate to contact me.

Very truly yours,

KOOGLER & ASSOCIATES


John B. Koogler, Ph.D., P.E.

JBK:par
Encl.

c: Mr. Christopher Kirts, FDEP
Mr. Paul Barrett, WSAC

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

In the Matter of an Application
for Air Permit by

White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, FL 32096

FDEP File No. 0470002-050-AC

Hamilton County - AP

MOTION FOR EXTENSION OF TIME

The Applicant, White Springs Agricultural Chemicals, Inc., by and through its undersigned Engineer of Record and pursuant to Rule 28-106, FAC, requests the Secretary of FDEP to grant a 60-day extension of time in which to file a petition. This will allow submittal of additional information to FDEP on the permit application review and allow time to resolve issues of concern.

Dated the 2nd day of July 2004 in Gainesville, Alachua County, Florida.


Koogler & Associates
Environmental Services



John B. Koogler, Ph.D., P.E.
Engineer of Record
Florida Registration No. 12925
4014 N.W. 13th Street
Gainesville, FL 32609
(352) 377-5822

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing has been furnished to Teri Donaldson, Office of the General Counsel, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, and Mr. Christopher Kirts, FDEP Northeast District, 7825 Baymeadows Way, Suite B200, Jacksonville, Florida 32256-7590, and Mr. Paul Barrett, White Springs Agricultural Chemicals, Inc., P.O. Box 300, White Springs, Florida 32096, by U.S. Mail, this 2nd day of July, 2004.



John B. Koogler, Ph.D., P.E.
Florida Registration No. 12925

The Jasper News

Published Weekly
105 NE 2nd Avenue - Phone 792-2487
Jasper, Hamilton County, Florida 32052

STATE OF FLORIDA COUNTY OF HAMILTON:

Before the undersigned authority personally appeared

Melody Lee

who on oath says that she is

Legal Secretary

of The Jasper News, a weekly newspaper published at Jasper in Hamilton County, Florida; that the attached copy of advertisement, being a

Public Notice of Intent to Issue Air Construction Permit; DEP File No. 0470002-050-AC

in the matter of

State of Florida Department of Environmental Protection/White springs Agricultural Chemicals, Inc.

was published in said newspaper in the issues of September 2, 2004

Affiant further says that the said The Jasper News is a newspaper published at Jasper in said Hamilton County, Florida, and that the said newspaper has heretofore been continuously published in said Hamilton County, Florida, each week and has been entered as second class mail matter at the post office in Jasper, in said Hamilton County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in said newspaper.

Melody Lee

Sworn to and subscribed before me this 10th day of September A.D 2004

Christine M. White
(SEAL) Notary Public

Personally known or produced identification

Type of identification produced _____

CHRISTINE M. WHITE
Notary Public, State of Florida
My comm. exp. Sept. 4, 2008
Comm. No. DD 350033

Jasper Legals

**PUBLIC NOTICE OF INTENT TO ISSUE
AIR CONSTRUCTION PERMIT
STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL
PROTECTION
DEP File No. 0470002-050-AC**

White Springs Agricultural Chemicals, Inc.
Hamilton County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to White Springs Agricultural Chemicals, Inc. for modifying the existing Y Train Fertilizer Plant so that it can alternatively produce Monoammonium Phosphate (MAP) in a pipe reactor at the Suwannee River Complex located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. The applicant's name and mailing address are: White Springs Agricultural Chemicals, Inc., P.O. Box 300, White Springs, Florida 32096.

This permit is a minor modification of the existing Y Train Fertilizer Plant and does not involve any increase in actual or potential emissions. Therefore, there is no requirement for review under the Department's Prevention of Significant Deterioration (PSD) rules and a Best Available Control Technology determination is not required. The only physical change to the existing plant is the addition of two pipe reactors for mixing phosphoric acid and ammonia and the re-routing of feed streams to the pipe reactors.

The Department will issue the FINAL Permit, in accordance with the conditions of the DRAFT Permit, unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of this Public Notice of Intent to Issue Air Construction Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3) however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection
Bureau of Air Regulation
111 S. Magnolia Drive, Suite 4
Tallahassee, Florida 32301
Telephone: 850/488-0114
Fax: 850/921-9533

Department of Environmental Protection
Northeast District Office
7825 Baymeadows Way, Suite 200B
Jacksonville, Florida 32256-7590
Telephone: 904/807-3300
Fax: 904/448-4319

The complete project file includes the application, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Administrator, North Permitting Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.
09/02

CHRISTINE M. WHITE
Notary Public, State of Florida
My comm. exp. Sept. 4, 2008
Comm. No. DD 350033

Memorandum

Florida Department of Environmental Protection

TO: Trina Vielhauer
THRU: Jim Pennington
FROM: John Reynolds *jr*
DATE: June 17, 2004
SUBJECT: DEP File No. 0470002-050-AC
Y Train Fertilizer Plant
Suwannee River Complex

Attached for your review is the Draft construction permit, Technical Evaluation and Preliminary Determination, Intent to Issue, and Public Notice for modifying the existing Y Train Fertilizer Plant so that it can alternatively produce Monoammonium Phosphate (MAP) in a pipe reactor at the Suwannee River Complex located near White Springs, Hamilton County, Florida. This permit merely adds another mode of operation for MAP production. There will be no increase in actual emissions or potential emissions resulting from this modification. The only physical change will be the installation of the pipe reactor and the routing of materials to the reactor.

The permit clock is currently on Day 72.

Attachments



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

June 17, 2004

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Paul H. Barrett
General Manager
White Springs Agricultural Chemicals, Inc.
P. O. Box 300
White Springs, Florida 32096

Re: DEP File No. 0470002-050-AC/ Y Train MAP Pipe Reactor Addition

Dear Mr. Barrett:

Enclosed is one copy of the Draft air construction permit to modify the existing Y Train Fertilizer Plant so that it can alternatively produce MAP in a pipe reactor at the Suwannee River Complex located near White Springs, Hamilton County. The Department's Technical Evaluation and Preliminary Determination, Intent to Issue Air Construction Permit and the Public Notice of Intent to Issue Air Construction Permit are also included.

The Public Notice must be published one time only, as soon as possible, in the legal advertisement section of a newspaper of general circulation in the area affected, pursuant to the requirements of Chapter 50, Florida Statutes. Proof of publication, i.e., newspaper affidavit, must be provided to the Department's Bureau of Air Regulation office within seven days of publication. Failure to publish the notice and provide proof of publication may result in the denial of the permit.

Please submit any written comments you wish to have considered concerning the Department's proposed action to Mr. Jim Pennington, Administrator, North Permitting Section, at the above letterhead address. If you have any other questions, please contact Mr. John Reynolds, Permit Engineer, at 850/921-9530.

Sincerely,

A handwritten signature in cursive script that reads "Trina L. Vielhauer".

Trina L. Vielhauer, Chief
Bureau of Air Regulation

TLV/JR

Enclosures

"More Protection, Less Process"

Printed on recycled paper.



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

DRAFT

PERMITTEE:

White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, Florida 32096

Authorized Representative:

Paul H. Barrett
General Manager

DEP Permit No.:	0470002-050-AC
Project:	Install Y-Train Pipe Reactor for MAP Production (Mode 6)
SIC No.:	2874
Expiration:	December 31, 2004

PROJECT AND LOCATION:

Permit to modify the existing Y-Train Fertilizer Plant to produce MAP with a pipe reactor.
The facility is located E of SR 137, E of US 41, N of White Springs in Hamilton County, Florida.
The UTM coordinates are: Zone 17; 328.3 km E and 3368.8 km N.

STATEMENT OF BASIS:

This construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297 of the Florida Administrative Code (F.A.C.). The above named permittee is authorized to construct the facility in accordance with the conditions of this permit and as described in the application, approved drawings, plans, and other documents on file with the Department of Environmental Protection (Department).

ATTACHED APPENDICES MADE A PART OF THIS PERMIT:

Appendix GC General Conditions

Michael G. Cooke, Director
Division of Air Resource
Management

"More Protection, Less Process"

Printed on recycled paper.

In the Matter of an
Application for Permit by:

Paul H. Barrett, General Manager
White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, Florida 32096

DEP File No. 0470002-050-AC
Y Train MAP Pipe Reactor
Hamilton County

INTENT TO ISSUE AIR CONSTRUCTION PERMIT

The Department of Environmental Protection (Department) gives notice of its intent to issue a permit (copy attached) for the proposed project, detailed in the application specified above.

The applicant, White Springs Agricultural Chemicals, Inc., applied on April 6, 2004, to the Department for a permit to modify the existing Y Train Fertilizer Plant so that it can alternatively produce Monoammonium Phosphate (MAP) in a pipe reactor. A Best Available Control Technology (BACT) determination was not required since there will be no change in air emissions. The facility is located in Hamilton County, Florida.

The Department has permitting jurisdiction under the provisions of Chapter 403, Florida Statutes (F.S.), Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, and 62-212. The above actions are not exempt from permitting procedures. The Department has determined that an Air Construction permit is required.

The Department intends to issue this air construction permit based on the belief that reasonable assurances have been provided to indicate that operation of these emission units will not adversely impact air quality, and the emission units will comply with all appropriate provisions of Chapters 62-4, 62-204, 62-210, 62-212, 62-296, 62-297, F.A.C.

Pursuant to Section 403.815, F.S., and Rule 62-110.106(7)(a)1., F.A.C., you (the applicant) are required to publish at your own expense the enclosed Public Notice of Intent to Issue Air Construction Permit. The notice shall be published one time only in the legal advertisement section of a newspaper of general circulation in the area affected. Rule 62-110.106(7)(b), F.A.C., requires that the applicant cause the notice to be published as soon as possible after notification by the Department of its intended action. For the purpose of these rules, "publication in a newspaper of general circulation in the area affected" means publication in a newspaper meeting the requirements of Sections 50.011 and 50.031, F.S., in the county where the activity is to take place. If you are uncertain that a newspaper meets these requirements, please contact the Department at the address or telephone number listed below. The applicant shall provide proof of publication to the Department's Bureau of Air Regulation, at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, Florida 32399-2400 (Telephone: 850/488-0114; Fax 850/922-6979). You must provide proof of publication within seven days of publication, pursuant to Rule 62-110.106(5), F.A.C. No permitting action for which published notice is required shall be granted until proof of publication of notice is made by furnishing a uniform affidavit in substantially the form prescribed in section 50.051, F.S. to the office of the Department issuing the permit. Failure to publish the notice and provide proof of publication may result in the denial of the permit pursuant to Rules 62-110.106(9) & (11), F.A.C.

The Department will issue the final permit with the attached conditions unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments and requests for public meetings concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of the enclosed Public Notice. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a

significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above. Mediation is not available in this proceeding.


In addition to the above, a person subject to regulation has a right to apply for a variance from or waiver of the requirements of particular rules, on certain conditions, under Section 120.542 F.S. The relief provided by this state statute applies only to state rules, not statutes, and not to any federal regulatory requirements. Applying for a variance or waiver does not substitute or extend the time for filing a petition for an administrative hearing or exercising any other right that a person may have in relation to the action proposed in this notice of intent.

The application for a variance or waiver is made by filing a petition with the Office of General Counsel of the Department, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000. The petition must specify the following information: (a) The name, address, and telephone number of the petitioner; (b) The name, address, and telephone number of the attorney or qualified representative of the petitioner, if any; (c) Each rule or portion of a rule from which a variance or waiver is requested; (d) The citation to the statute underlying (implemented by) the rule identified in (c) above; (e) The type of action requested; (f) The specific facts that would justify a variance or waiver for the petitioner; (g) The reason why the variance or waiver would serve the purposes of the underlying statute (implemented by the rule); and (h) A statement whether the variance or waiver is permanent or temporary and, if temporary, a statement of the dates showing the duration of the variance or waiver requested.

The Department will grant a variance or waiver when the petition demonstrates both that the application of the rule would create a substantial hardship or violate principles of fairness, as each of those terms is defined in Section 120.542(2) F.S., and that the purpose of the underlying statute will be or has been achieved by other means by the petitioner.

Persons subject to regulation pursuant to any federally delegated or approved air program should be aware that Florida is specifically not authorized to issue variances or waivers from any requirements of any such federally delegated or approved program. The requirements of the program remain fully enforceable by the Administrator of the EPA and by any person under the Clean Air Act unless and until the Administrator separately approves any variance or waiver in accordance with the procedures of the federal program.

Executed in Tallahassee, Florida.


Trina L. Vielhauer, Chief
Bureau of Air Regulation

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Intent to Issue Air Construction Permit (including the Public Notice and the DRAFT permit) was sent by certified mail (*) and copies were mailed by U.S. Mail before the close of business on 6/18/04 to the person(s) listed:

Paul H. Barrett, White Springs Agricultural Chemicals, Inc.*
John B. Koogler, P.E., Koogler & Associates, Inc.
Jerry Kissell, DEP-SWD

Clerk Stamp

FILING AND ACKNOWLEDGMENT
FILED, on this date, pursuant to §120.52, Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.


(Clerk) 6/18/04
(Date)

PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

DEP File No. 0470002-050-AC

White Springs Agricultural Chemicals, Inc.
Hamilton County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to White Springs Agricultural Chemicals, Inc. for modifying the existing Y Train Fertilizer Plant so that it can alternatively produce Monoammonium Phosphate (MAP) in a pipe reactor at the Suwannee River Complex located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. The applicant's name and mailing address are: White Springs Agricultural Chemicals, Inc., P. O. Box 300, White Springs, Florida 32096.

This permit is a minor modification of the existing Y Train Fertilizer Plant and does not involve any increase in actual or potential emissions. Therefore, there is no requirement for review under the Department's Prevention of Significant Deterioration (PSD) rules and a Best Available Control Technology determination is not required. The only physical change to the existing plant is the addition of two pipe reactors for mixing phosphoric acid and ammonia and the rerouting of feed streams to the pipe reactors.

The Department will issue the FINAL Permit, in accordance with the conditions of the DRAFT Permit, unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of this Public Notice of Intent to Issue Air Construction Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination

(hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection
Bureau of Air Regulation
111 S. Magnolia Drive, Suite 4
Tallahassee, Florida 32301
Telephone: 850/488-0114
Fax: 850/921-9533

Department of Environmental Protection
Northeast District Office
7825 Baymeadows Way, Suite 200B
Jacksonville, Florida 32256-7590
Telephone: 904/807-3300
Fax: 904/448-4319

The complete project file includes the application, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Program Administrator, New Resource Review Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION I. FACILITY INFORMATION

DRAFT

FACILITY DESCRIPTION

White Springs Agricultural Chemicals, Inc. (WSAC) operates a phosphate fertilizer manufacturing facility near White Springs, Hamilton County, Florida, producing sulfuric acid, wet-process phosphoric acid, ammoniated phosphate fertilizers and related products. WSAC is applying for a non-PSD permit to produce granular Monoammonium Phosphate (MAP) at their Y-Train #1 MAP/DAP Fertilizer Plant using two pipe reactors instead of the existing tank reactor. This project will only require that two pipes be installed for mixing the phosphoric acid and ammonia currently added to the process in the tank reactor. The only other physical changes required will be the rerouting of raw material streams to the pipe reactors.

REGULATORY CLASSIFICATION

Phosphate rock processing plants are listed as a Major Facility Category in Table 62-212.400-1, F.A.C., "Major Facility Categories." Therefore, stack and fugitive emissions of over 100 TPY of a regulated pollutant are sufficient to classify the installation as a "Major Facility" per the definitions in Rule 62-210.200, F.A.C., subject to the Significant Emission Rates given in Table 62-212.400-2, F.A.C. and the requirements of Rule 62-212.400, F.A.C., Prevention of Significant Deterioration (PSD) and Best Available Control Technology (BACT) if applicable.

This facility is classified as a "Major or Title V Source" per Rule 62-210.200, F.A.C., because it has the potential to emit at least 100 tons per year of particulate matter. This facility in its entirety is also a major source of hazardous air pollutants (HAPs).

Standards of Performance for the Phosphate Fertilizer Industry: Diammonium Phosphate Plants (40 CFR 60, Subpart V) apply only to production of Diammonium Phosphate (DAP) in the Y-Train Fertilizer Plant.

The maximum achievable control technology (MACT) standards promulgated by EPA for Phosphate Fertilizers Production Plants (40 CFR 63, Subpart BB) apply for the production of DAP and MAP in the Y-Train Fertilizer Plant.

PERMIT SCHEDULE:

- 04-06-04: Date of Receipt of Application
- 04-06-04: Application Complete
- 06-xx-04: Issued Intent to Issue Permit
- xx-xx-04: Notice of Intent published

RELEVANT DOCUMENTS:

The documents listed below are specifically related to this permitting action and form the basis of the permit. They are on file with the Department:

- Application received April 6, 2004

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION II. GENERAL REQUIREMENTS

Regulating Agencies: All documents related to applications for permits to operate, reports, tests, minor modifications and notifications shall be submitted to the Department's Northeast District Office, 7825 Baymeadows Way, Suite 200B, Jacksonville, Florida 32256-7590. All applications for permits to construct or modify an emissions unit(s) *subject to the Prevention of Significant Deterioration or Nonattainment (NA) review requirements* should be submitted to the Bureau of Air Regulation (BAR), Florida Department of Environmental Protection (FDEP), 2600 Blair Stone Road, MS 5505, Tallahassee, Florida 32399-2400 (phone number 850/488-0114).

General Conditions: The owner and operator is subject to and shall operate under the attached General Permit Conditions G.1 through G.15 listed in Appendix GC of this permit. General Permit Conditions are binding and enforceable pursuant to Chapter 403 of the Florida Statutes. [Rule 62-4.160, F.A.C.]

Terminology: The terms used in this permit have specific meanings as defined in the corresponding chapters of the Florida Administrative Code.

Applicable Regulations, Forms and Application Procedures: Unless otherwise indicated in this permit, the construction and operation of the subject emissions unit shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of Chapter 403, F.S. and Florida Administrative Code Chapters 62-4, 62-110, 62-204, 62-212, 62-213, 62-296, 62-297 and the Code of Federal Regulations Title 40, Part 60, adopted by reference in the Florida Administrative Code (F.A.C.) regulations. The facility is subject to all applicable provisions of the Code of Federal Regulations Title 40, Part 63, Subpart BB. The permittee shall use the applicable forms listed in Rule 62-210.900, F.A.C. and follow the application procedures in Chapter 62-4, F.A.C. Issuance of this permit does not relieve the facility owner or operator from compliance with any applicable federal, state, or local permitting or regulations. [Rules 62-204.800, 62-210.300 and 62-210.900, F.A.C.]

Expiration: This air construction permit shall expire on **December 31, 2004** [Rule 62-210.300(1), F.A.C.]. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Bureau of Air Regulation prior to 60 days before the expiration of the permit. However, the permittee shall promptly notify the Department's Northeast District Office of any delays in completion of the project, which would affect the startup day by more than 90 days. [Rule 62-4.090, F.A.C.]

Application for Title V Permit: An application for a Title V operating permit, pursuant to Chapter 62-213, F.A.C., must be submitted to the Department's Northeast District Office by October 1, 2004. [Chapter 62-213, F.A.C.]

Permit Approval: Approval to construct shall become invalid if construction is not commenced within 18 months after receipt of such approval, or if construction is discontinued for a period of 18 months or more, or if construction is not completed within a reasonable time. The Department may extend the 18-month period upon a satisfactory showing that an extension is justified. [40 CFR 52.21(r)(2)].

Annual Reports: Pursuant to Rule 62-210.370(2), F.A.C., Annual Operation Reports, the permittee is required to submit annual reports on the actual operating rates and emissions from this facility. Annual operating reports using DEP Form 62-210.900(4) shall be sent to the DEP's Northeast District office by March 1st of each year.

Stack Testing Facilities: Stack sampling facilities shall be installed in accordance with Rule 62-297.310(6), F.A.C.

Quarterly Reports: Quarterly excess emission reports, in accordance with 40 CFR 60.7 (a)(7) (c) (1997 version), shall be submitted to the DEP's Northeast District office.

New or Additional Conditions: For good cause shown and after notice and an administrative hearing, if requested, the Department may require the permittee to conform to new or additional conditions. The Department shall allow the permittee a reasonable time to conform to the new or additional conditions and on application of the permittee, the Department may grant additional time. [Rule 62-4.080, F.A.C.]

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION III. EMISSION UNIT(S) SPECIFIC REQUIREMENTS

SUBSECTION A. Y Train DAP/MAP Fertilizer Plant

The Specific Conditions listed in this section apply to the following emission units:

EMISSION UNIT NO.	EMISSION UNIT DESCRIPTION
008	Y Train DAP/MAP Fertilizer Plant

The Y Train DAP/MAP Plant is permitted to produce up to 60 tons per hour of product on a monthly rolling average or 66 tons per hour on a one-hour daily rolling average. The plant was previously capable of producing fertilizer by five different modes (Mode 1: DAP by Split Flows of 30% & 50% P₂O₅ phosphoric acid; Mode 2: DAP by 40% P₂O₅ acid; Mode 3: Triplesuperphosphate (TSP); Mode 4: MAP by Split Flows of 30% & 50% P₂O₅ acid; Mode 5: MAP by 40% P₂O₅ acid). **This permit adds Modes 6: MAP by reacting ammonia and acid in two pipe reactors.** The plant will consist of the two separate pipe reactors, a tank reactor for the other modes, two pug mills, granulator, dryer, cooler, screens, mills, and other associated process equipment. Emissions from the pipe reactors are vented to the reactor scrubber for ammonia removal and then to a pond water scrubber for fluoride control.

CONSTRUCTION

1. Addition of Mode 6:

The permittee is authorized to modify the Y Train Fertilizer Plant so that it can also produce MAP in two pipe reactors by mixing phosphoric acid and ammonia.

[Application dated April 6, 2004]

EMISSION AND PERFORMANCE REQUIREMENTS

2. Production:

a. The production rate for Mode 6 shall not exceed 60 tons of product per hour based on a 12-month rolling average or 66 tons of product per hour based on a one-hour daily rolling average. Only one of the six operating modes shall be in operation at one time.

b. The annual production rate for Mode 6 shall not exceed 525,600 tons of product per year.

[Application dated April 6, 2004; Rules 62-212.300, 62-296.403(2), 62-210.200(PTE), F.A.C., Permit 0470002-033-AV]

3. Hours of Operation:

Operation in Mode 6 shall be permitted for up to 8760 hours/year.

[Application dated April 6, 2004; Rules 62-212.300, 62-296.403(2), and 62-210.200(PTE), F.A.C., Permit 0470002-033-AV]

4. Emissions:

a. During operation in Mode 6, PM/PM₁₀ emissions shall not exceed 45.15 lbs/hr and 197.74 TPY.

b. During operation in Mode 6, Total Fluoride emissions shall not exceed 2.18 lb/hr; 0.060 lb/ton of equivalent P₂O₅ feed; and 9.54 TPY.

c. Visible Emissions shall not be equal to or greater than 20% opacity.

[Application dated April 6, 2004; 40 CFR 63.622(a); Rule 62-296.403(2), 63.626(a)(1), 63.630(a), and 62-296.320(4)(b), F.A.C., Permit 0470002-033-AV]

DRAFT

TEST METHODS AND PROCEDURES

5. The compliance test procedures for PM/PM₁₀ shall be in accordance with EPA Method 5 as published in 40 CFR 60, Appendix A.
[Rule 62-297.410(5), F.A.C.]
6. The compliance test procedures for Fluorides shall be in accordance with EPA Methods 13A or 13B as published in 40 CFR 60, Appendix A.
[Rule 62-297.410(13), F.A.C.]
7. The compliance test procedures for Visible Emissions shall be in accordance with EPA Method 9 as published in 40 CFR 60, Appendix A.
[Rule 62-297.410(9), F.A.C.]
8. Before this construction permit expires, and annually, the subject emissions units shall be tested for compliance with the applicable emission limits. For the duration of all tests the emission units shall be operating at permitted capacity. Permitted capacity is defined as 90-100 percent of the maximum operating rate allowed by the permit. If it is impracticable to test at permitted capacity, then the emission unit may be tested at less than permitted capacity (i.e., 90% of the maximum operating rate allowed by the permit); in this case, subsequent emission unit operation is limited to 110 percent of the test load until a new test is conducted. Once the emission unit is so limited, then operation at higher capacities is allowed for no more than 15 consecutive days for the purposes of additional compliance testing to regain the permitted capacity in the permit.
[Rule 62-297.310, F.A.C.]
9. The Department's Northeast District office shall be notified in writing at least 15 days prior to compliance testing. Written reports of the test results shall be submitted to that office within 45 days of test completion.
[Rule 62-297.310, F.A.C.]

MONITORING REQUIREMENTS

10. Each owner or operator of a new or existing diammonium and/or monoammonium phosphate process line or granular triple superphosphate process line subject to the provisions of this subpart shall install, calibrate, maintain, and operate a monitoring system which can be used to determine and permanently record the mass flow of phosphorus-bearing feed material to the process. The monitoring system shall have an accuracy of ± 5 percent over its operating range.
[40 CFR 63.625(a)]
11. Each owner or operator of a new or existing diammonium and/or monoammonium phosphate process line, granular triple superphosphate process line, or granular triple superphosphate storage building using a wet scrubbing emission control system shall install, calibrate, maintain, and operate the following monitoring systems:
 - (1) A monitoring system which continuously measures and permanently records the pressure drop across each scrubber in the process scrubbing system in 15-minute block averages. The monitoring system shall be certified by the manufacturer to have an accuracy of ± 5 percent over its operating range.
 - (2) A monitoring system which continuously measures and permanently records the flow rate of the scrubbing liquid to each scrubber in the process scrubbing system in 15-minute block averages. The

AIR CONSTRUCTION PERMIT 0470002-050-AC
SECTION III. EMISSIONS UNIT(S) SPECIFIC REQUIREMENTS

monitoring system shall be certified by the manufacturer to have an accuracy of ± 5 percent over its operating range.

[40 CFR 63.625(c)]

12. Following the date on which the performance test required in § 63.626 is completed, the owner or operator of a new or existing affected source using a wet scrubbing emission control system and subject to emissions limitations for total fluorides or particulate matter contained in this subpart must establish allowable ranges for operating parameters using the methodology of either paragraph (1) or (2) of this section:
- (1) The allowable range for the daily averages of the pressure drop across each scrubber and of the flow rate of the scrubbing liquid to each scrubber in the process scrubbing system is ± 20 percent of the baseline average value determined as a requirement of § 63.626(c)(4) or (d)(4). The Administrator retains the right to reduce the ± 20 percent adjustment to the baseline average values of operating ranges in those instances where performance test results indicate that a source's level of emissions is near the value of an applicable emissions standard, but, in no instance shall the adjustment be reduced to less than ± 10 percent. The owner or operator must notify the Administrator of the baseline average value and must notify the Administrator each time that the baseline value is changed as a result of the most recent performance test. The baseline average values used for compliance shall be based on the values determined during the most recent performance test. The new baseline average value shall be effective on the date following the performance test.
 - (2) The owner or operator of any new or existing affected source shall establish, and provide to the Administrator for approval, allowable ranges of baseline average values for the pressure drop across and of the flow rate of the scrubbing liquid to each scrubber in the process scrubbing system for the purpose of assuring compliance with this subpart. Allowable ranges may be based upon baseline average values recorded during previous performance tests using the test methods required in this subpart and established in the manner required in § 63.626(c)(4) or (d)(4). As an alternative, the owner or operator can establish the allowable ranges of baseline average values using the results of performance tests conducted specifically for the purposes of this paragraph using the test methods required in this subpart and established in the manner required in § 63.626(c)(4) or (d)(4). The source shall certify that the control devices and processes have not been modified subsequent to the testing upon which the data used to establish the allowable ranges were obtained. The allowable ranges of baseline average values developed pursuant to the provisions of this paragraph must be submitted to the Administrator for approval. The owner or operator must request and obtain approval of the Administrator for changes to the allowable ranges of baseline average values. When a source using the methodology of this paragraph is retested, the owner operator shall determine new allowable ranges of baseline average values unless the retest indicates no change in the operating parameters from previous tests. Any new allowable ranges of baseline average values resulting from the most recent performance test shall be effective on the date following the retest. Until changes to allowable ranges of baseline average values are approved by the Administrator, the allowable ranges for use in § 63.624 shall be based upon the range of baseline average values proposed for approval.

[Rule 40 CFR 63.625(f)]

DRAFT

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

- G.1 The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.161, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- G.2 This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings or exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- G.3 As provided in Subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey and vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.
- G.4 This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
- G.5 This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- G.6 The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- G.7 The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:
- Have access to and copy and records that must be kept under the conditions of the permit;
 - Inspect the facility, equipment, practices, or operations regulated or required under this permit, and,
 - Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.
- Reasonable time may depend on the nature of the concern being investigated.
- G.8 If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
- A description of and cause of non-compliance; and
 - The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.
- The permittee shall be responsible for any and all damages, which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.
- G.9 In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.73 and 403.111, Florida

Statutes. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

- G.10 The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.
- G.11 This permit is transferable only upon Department approval in accordance with Florida Administrative Code Rules 62-4.120 and 62-730.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
- G.12 This permit or a copy thereof shall be kept at the work site of the permitted activity.
- G.13 This permit also constitutes:
- a) Determination of Best Available Control Technology ()
 - b) Determination of Prevention of Significant Deterioration ()
 - c) Compliance with New Source Performance Standards ()
 - d) Compliance with National Emission Standards for Hazardous Air Pollutants (X). Subpart BB requirements
- G.14 The permittee shall comply with the following:
- a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application or this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - c) Records of monitoring information shall include:
 - 1. The date, exact place, and time of sampling or measurements;
 - 2. The person responsible for performing the sampling or measurements;
 - 3. The dates analyses were performed;
 - 4. The person responsible for performing the analyses;
 - 5. The analytical techniques or methods used; and
 - 6. The results of such analyses.
- G.15 When requested by the Department, the permittee shall within a reasonable time furnish any information required by law, which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

P.E. Certification Statement

White Springs Agricultural Chemicals, Inc.
Suwannee River Complex
Y Train Fertilizer Plant


DEP File No.: 0470002-050-AC
Facility ID No.: 0470002

Project: Air Construction Permit for modifying the existing Y Train Fertilizer Plant so that it can alternatively produce Monoammonium Phosphate (MAP) in a pipe reactor at its facility located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. A determination of Best Available Control Technology pursuant to Rule 62-212.400, F.A.C. was not required at this time. There will be no increase in actual emissions or potential emissions resulting from this modification.

I HEREBY CERTIFY that the engineering features described in the above referenced application and related additional information submittals, if any, and subject to the proposed permit conditions, provide reasonable assurance of compliance with applicable provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 62-4 and 62-204 through 62-297. However, I have not evaluated and I do not certify aspects of the proposal outside of my area of expertise (including but not limited to the electrical, mechanical, structural, hydrological, and geological features).

I conducted this review.

(Seal)



Syed Arif, P.E.
Registration Number: 51861

6/16/2004
Date

Permitting Authority:

Florida Department of Environmental Protection
Division of Air Resources Management
Bureau of Air Regulation
New Source Review Section
Mail Station #5505
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Telephone: 850/921-9528
Fax: 850/921-9533

TECHNICAL EVALUATION
AND
PRELIMINARY DETERMINATION

WHITE SPRINGS AGRICULTURAL CHEMICALS, INC.

Y Train Fertilizer Plant
Suwannee River Complex
Hamilton County, Florida

DEP File Number
0470002-050-AC

Florida Department of Environmental Protection
Division of Air Resources Management
Bureau of Air Regulation

June 17, 2004

TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

I. APPLICATION INFORMATION

A. Applicant

White Springs Agricultural Chemicals, Inc.
P. O. Box 300
White Springs, Hamilton County, Florida 32096

Authorized Representative: Mr. Paul H. Barrett, General Manager

B. Facility Location

The applicant's facility is located E of SR 137, E of US 41, N of White Springs. UTM coordinates of the site are: Zone 17, 328.3 km East and 3368.8 km North.

Facility Identification Code (SIC): Major Group No. 28, Industry Group Nos. 2874.

C. Reviewing and Process Schedule

04-06-04: Date of Receipt of Application
04-06-04: Application complete
06-17-04: Intent Issued

II. PROJECT DESCRIPTION/EMISSIONS

This permit adds a sixth mode of operation for the existing Y Train Fertilizer Plant. This is a minor modification to install two pipe reactors for producing Monoammonium Phosphate (MAP) as an alternative to the other existing tank reactor modes permitted in 0470002-050-AV. This project only requires that two pipes be installed for mixing the phosphoric acid and ammonia currently reacted in the tank reactor. The only other physical changes required will be the routing of raw material streams to the pipe reactors. The total amount of phosphoric acid and ammonia used in the process would not change from current conditions. There will be no change in actual or potential emissions resulting from this project. There will be no increase in production or hours of operation and emissions will likely decrease due to the reactions occurring inside the enclosed pipe rather than in an open tank.

III. RULE APPLICABILITY

The proposed facility modification is subject to the applicable provisions of Chapter 403, Florida Statutes, Chapters 62-4, 62-212 and 62-296, Florida Administrative Code (F.A.C.).

TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

The facility is located in an area designated attainment or maintenance for all criteria pollutants in accordance with F.A.C. Rule 62-275.400.

Rule 62-296.403, F. A. C., Phosphate Processing, requires that existing plants meet a fluoride limit for the entire plant complex of 0.4 lb/ton P₂O₅. The Y Train Fertilizer Plant meets this requirement.

The maximum achievable control technology (MACT) standards promulgated by EPA for Phosphate Fertilizers Production Plants (40 CFR 63, Subpart BB) apply to the Y Train Fertilizer Plant. EPA recognizes both DAP and MAP as “ammoniated phosphates”, and note that most facilities can produce either product in the same process train. Therefore, EPA promulgated one MACT emission standard for ammoniated phosphates. The standard is for fluorides, and is 0.06 lb/ton of equivalent P₂O₅ feed.

IV. AIR QUALITY ANALYSIS

The proposed modification of the Y Train Fertilizer Plant will not result in an increase of any regulated pollutant. Therefore, an air quality analysis was not required.

V. CONCLUSION

Based on the information submitted by Cargill Fertilizer, Inc., the Department has determined that the proposed project will comply with all applicable state air pollution regulations.

SENDER: COMPLETE THIS SECTION		COMPLETE ON DELIVERY	
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 		A. Signature <input checked="" type="checkbox"/> <i>J. H. Barrett</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee	
		B. Received by (<i>Printed Name</i>)	C. Date of Delivery
1. Article Addressed to: Mr. Paul H. Barrett General Manager White Springs Agricultural Chemicals, Inc. Post Office Box 300 White Springs, Florida 32096		D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No	
		3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
		4. Restricted Delivery? (<i>Extra Fee</i>) <input type="checkbox"/> Yes	
2. Article Number (Transfer from service label)		7000 1670 0013 3110 3438	
PS Form 3811, August 2001		Domestic Return Receipt	
		102595-02-M-1540	

7000 1670 0013 3110 3438

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)	
Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$
Postmark Here	
Mr. Paul Barrett Post Office Box 300 White Springs, Florida 32096	
PS Form 3800, May 2000 See Reverse for Instructions	



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

May 5, 2004

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Paul H. Barrett
General Manager
White Springs Agricultural Chemicals, Inc.
Post Office Box 300
White Springs, Florida 32096

Dear Mr. Barrett:

Re: Liquid Fertilizer Manufacture

The Department reviewed your consultant's letter received on April 6, 2004 requesting written concurrence that no permit is required for installation of a 35 tons per hour liquid fertilizer unit at the Suwannee River Complex in White Springs. PCS's permitting exemption request is based on Rule 62-210.300(3)(b)1, F.A.C. which covers generic and temporary exemptions.

The letter states that virtually no fluorides will be emitted from the reaction of superphosphoric acid and ammonia. If operated as a stationary source on a full-time basis, this unit could produce as much as 306,600 tons of 11-37-0 per year.

The drawing included with the request does not provide any details of the process, showing the plant as an empty box. However, the Department is familiar with the typical 11-37-0 process. These units usually consist of a water-jacketed pipe reactor fitted with an air-cooled packed tower unit that emits the flash-off from the hot recirculated material coming from the pipe reactor. Fluoride emissions are in the form of ammonium fluoride and are generally low as a result of the use of superphosphoric acid. However, we will need more information on the process along with an estimate of the fluoride emissions before we can provide written concurrence.

Processing of this request will continue upon receipt of the additional information needed. If there are any questions, please call John Reynolds at 850/921-9530.

Sincerely,

James K. Pennington, P.E.
Administrator
North Permitting Section

cc: C. Kirts, NED
P. Raval, Koogler & Assoc.

"More Protection, Less Process"

Printed on recycled paper.

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Paul H. Barrett
 General Manager
 White Springs Agricultural Chem.
 P. O. Box 300
 White Springs, FL 32096

2. Article Number (Copy from service label)
 7000 0600 0026 4129 8894

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery
 [Signature] 7/7/04

C. Signature
 Agent
 Addressee

D. Is delivery address different from item 1?
 If YES, enter delivery address below: Yes No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

**U.S. Postal Service
 CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)**

7000 0600 0026 4129 8894

[Redacted area]

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
 Here

Recipient's Name (Please Print Clearly) (to be completed by mailer)
 Mr. Paul H. Barrett, White Springs
 Street, Apt. No., or PO Box No.
 P. O. Box 300 Sgri. Chem.
 City, State, ZIP+4
 White Springs, FL 32096

FINAL DETERMINATION

White Springs Agricultural Chemicals, Inc.
Permit No. 0470002-049-AC
Phosphoric Acid Storage Tanks

An Intent to Issue an air construction permit to White Springs Agricultural Chemicals, Inc., to install two phosphoric acid storage tanks at the Swift Creek complex in Hamilton County was distributed on June 22, 2004. The Notice of Intent was published in the Jasper News on September 2, 2004. Copies of the draft construction permit were available for public inspection at the Department offices in Jacksonville and Tallahassee.

The applicant noticed that the capacities of the phosphoric acid tanks had been incorrectly stated in the application and requested that the capacities be changed from 40,000 gallons each to 50,000 gallons each. The applicant also requested that the expiration date be extended to December 31, 2005. No other comments were received following publication of the Notice.

The final action of the Department is to issue the permit with the applicant's requested changes.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF FINAL PERMIT

In the Matter of an
Application for Permit


Mr. Paul H. Barrett
White Springs Agricultural Chemicals, Inc.
Post Office Box 300
White Springs, Florida 32096

DEP File No. 0470002-049-AC

Enclosed is the FINAL Permit Number 0470002-049-AC for installing two Phosphoric Acid Storage Tanks at the existing Swift Creek Complex in Hamilton County. This permit is issued pursuant to Chapter 403, Florida Statutes and in accordance with Rule 62-296.403, F.A.C.

Any party to this order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Legal Office; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.



Trina L. Vielhauer, Chief
Bureau of Air Regulation

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF FINAL PERMIT (including the FINAL permit) was sent by certified mail (*) and copies were mailed by U.S. Mail before the close of business on 10/14/04 to the person(s) listed:

Paul H. Barrett, WSAC *
Chris Kirts, DEP-NED
John Koogler, P.E., K & A

Clerk Stamp

FILING AND ACKNOWLEDGMENT
FILED, on this date, pursuant to §120.52,
Florida Statutes, with the designated Department
Clerk, receipt of which is hereby acknowledged.


(Clerk)

10/14/04
(Date)



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

PERMITTEE:

White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, Florida 32096

Authorized Representative:

Paul H. Barrett
General Manager

DEP Permit No.:	0470002-049-AC
Project:	Install Two Phosphoric Acid Aging Tanks/Swift Creek
SIC No.:	2874
Expiration:	December 31, 2005

PROJECT AND LOCATION:

Permit to install two phosphoric acid aging tanks in the acid clarification section of the existing tank farm for the Swift Creek Complex.

The facility is located E of SR 137, E of US 41, N of White Springs in Hamilton County, Florida.

The UTM coordinates are: Zone 17; 328.3 km E and 3368.8 km N.

STATEMENT OF BASIS:

This construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297 of the Florida Administrative Code (F.A.C.). The above named permittee is authorized to construct the facility in accordance with the conditions of this permit and as described in the application, approved drawings, plans, and other documents on file with the Department of Environmental Protection (Department).

ATTACHED APPENDICES MADE A PART OF THIS PERMIT:

Appendix GC General Conditions

Michael G. Cooke, Director
Division of Air Resource
Management

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION III. EMISSIONS UNIT(S) SPECIFIC REQUIREMENTS

FACILITY DESCRIPTION

White Springs Agricultural Chemicals, Inc. (WSAC) operates a phosphate fertilizer manufacturing facility near White Springs, Hamilton County, Florida, producing sulfuric acid, wet-process phosphoric acid, ammoniated phosphate fertilizers and related products. WSAC is applying for a non-PSD permit to install two additional phosphoric acid aging tanks in the acid clarification section of the existing tank farm for the Swift Creek Complex. This permit addresses only the Acid Clarification Plant and does not supersede any provisions of any other permit affecting the Swift Creek Complex.

REGULATORY CLASSIFICATION

Phosphate rock processing plants are listed as a Major Facility Category in Table 62-212.400-1, F.A.C., "Major Facility Categories." Therefore, stack and fugitive emissions of over 100 TPY of a regulated pollutant are sufficient to classify the installation as a "Major Facility" per the definitions in Rule 62-210.200, F.A.C., subject to the Significant Emission Rates given in Table 62-212.400-2, F.A.C. and the requirements of Rule 62-212.400, F.A.C., Prevention of Significant Deterioration (PSD) and Best Available Control Technology (BACT) if applicable.

This facility is classified as a "Major or Title V Source" per Rule 62-210.200, F.A.C., because it has the potential to emit at least 100 tons per year of particulate matter. This facility in its entirety is also a major source of hazardous air pollutants (HAPs).

Rule 62-296.403(2), F.A.C. requires that existing phosphate processing plants or plant sections processing or handling phosphoric acid or products of phosphoric acid processing shall not exceed 0.4 pounds per ton of P₂O₅. This rule applies to the Acid Clarification Plant including the two phosphoric acid aging tanks to be installed under this permit.

PERMIT SCHEDULE:

- 04-06-04: Date of Receipt of Application
- 04-06-04: Application Complete
- 06-22-04: Issued Intent to Issue Permit
- 09-02-04: Notice of Intent published

RELEVANT DOCUMENTS:

The documents listed below are specifically related to this permitting action and form the basis of the permit. They are on file with the Department:

- Application received April 6, 2004

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION III. EMISSIONS UNIT(S) SPECIFIC REQUIREMENTS

Regulating Agencies: All documents related to applications for permits to operate, reports, tests, minor modifications and notifications shall be submitted to the Department's Northeast District Office, 7825 Baymeadows Way, Suite 200B, Jacksonville, Florida 32256-7590. All applications for permits to construct or modify an emissions unit(s) *subject to the Prevention of Significant Deterioration or Nonattainment (NA) review requirements* should be submitted to the Bureau of Air Regulation (BAR), Florida Department of Environmental Protection (FDEP), 2600 Blair Stone Road, MS 5505, Tallahassee, Florida 32399-2400 (phone number 850/488-0114).

General Conditions: The owner and operator is subject to and shall operate under the attached General Permit Conditions G.1 through G.15 listed in Appendix GC of this permit. General Permit Conditions are binding and enforceable pursuant to Chapter 403 of the Florida Statutes. [Rule 62-4.160, F.A.C.]

Terminology: The terms used in this permit have specific meanings as defined in the corresponding chapters of the Florida Administrative Code.

Applicable Regulations, Forms and Application Procedures: Unless otherwise indicated in this permit, the construction and operation of the subject emissions unit shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of Chapter 403, F.S. and Florida Administrative Code Chapters 62-4, 62-110, 62-204, 62-212, 62-213, 62-296, 62-297 and the Code of Federal Regulations Title 40, Part 60, adopted by reference in the Florida Administrative Code (F.A.C.) regulations. The facility is subject to all applicable provisions of the Code of Federal Regulations Title 40, Part 63, Subpart BB. The permittee shall use the applicable forms listed in Rule 62-210.900, F.A.C. and follow the application procedures in Chapter 62-4, F.A.C. Issuance of this permit does not relieve the facility owner or operator from compliance with any applicable federal, state, or local permitting or regulations. [Rules 62-204.800, 62-210.300 and 62-210.900, F.A.C.]

Expiration: This air construction permit shall expire on **December 31, 2005** [Rule 62-210.300(1), F.A.C.]. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Bureau of Air Regulation prior to 60 days before the expiration of the permit. However, the permittee shall promptly notify the Department's Northeast District Office of any delays in completion of the project, which would affect the startup day by more than 90 days. [Rule 62-4.090, F.A.C.]

Application for Title V Permit: An application for a Title V operating permit, pursuant to Chapter 62-213, F.A.C., must be submitted to the Department's Northeast District Office at least ninety days before expiration of this construction permit, but no later than 180 days after commencing operation. [Chapter 62-213, F.A.C.]

Permit Approval: Approval to construct shall become invalid if construction is not commenced within 18 months after receipt of such approval, or if construction is discontinued for a period of 18 months or more, or if construction is not completed within a reasonable time. The Department may extend the 18-month period upon a satisfactory showing that an extension is justified. [40 CFR 52.21(r)(2)].

Annual Reports: Pursuant to Rule 62-210.370(2), F.A.C., Annual Operation Reports, the permittee is required to submit annual reports on the actual operating rates and emissions from this facility. Annual operating reports using DEP Form 62-210.900(4) shall be sent to the DEP's Northeast District office by March 1st of each year.

Stack Testing Facilities: Stack sampling facilities shall be installed in accordance with Rule 62-297.310(6), F.A.C.

Quarterly Reports: Quarterly excess emission reports, in accordance with 40 CFR 60.7 (a)(7) (c) (1997 version), shall be submitted to the DEP's Northeast District office.

New or Additional Conditions: For good cause shown and after notice and an administrative hearing, if requested, the Department may require the permittee to conform to new or additional conditions. The Department shall allow the permittee a reasonable time to conform to the new or additional conditions and on application of the permittee, the Department may grant additional time. [Rule 62-4.080, F.A.C.]

SUBSECTION A. Acid Clarification Plant

The Specific Conditions listed in this section apply to the following emission units:

EMISSION UNIT NO.	EMISSION UNIT DESCRIPTION
071	Acid Clarification Plant

The Acid Clarification Plant is permitted to handle phosphoric acid containing up to 90.18 tons per hour of 100 percent P₂O₅ input on a monthly rolling average or 100 tons per hour of 100 percent P₂O₅ input on a daily rolling average. There are currently four aging tanks with a total capacity of about 2,000,000 gallons. This permit allows two additional aging tanks with a capacity of 50,000 gallons each for a total of six aging tanks in the modified Acid Clarification Plant having a total capacity of 2,100,000 gallons. Although there will be additional holding capacity, the permitted throughput capacity for the Acid Clarification Plant will not increase. The effect of the new tanks will be to improve product clarification by providing more settling and polishing capability. The four existing aging tanks are vented to a pond water scrubber for fluoride control. The two new tanks will be vented to the same fluoride scrubber.

CONSTRUCTION

1. Addition of Two Phosphoric Acid Aging Tanks:

The permittee is authorized to modify the Acid Clarification Plant by installing two new 50,000 gallon phosphoric acid aging tanks. The tanks will be vented to the existing fluoride scrubber.

[Application dated April 6, 2004]

EMISSION AND PERFORMANCE REQUIREMENTS

2. Production:

The phosphoric acid throughput rate for the Acid Clarification Plant shall not exceed 90.18 tons of 100 percent P₂O₅ input per hour based on a monthly rolling average or 100 tons of 100 percent P₂O₅ input per hour based on a daily rolling average.

[Application dated April 6, 2004; Permit 0470002-034-AC, Rule 62-296.403(2), and 62-210.200(PTE), F.A.C.; Permit 0470002-033-AV]

3. Hours of Operation:

Operation of the modified Acid Clarification Plant shall be permitted for up to 8760 hours/year.

[Application dated April 6, 2004; Rules 62-4.160(2) and 62-210.200(PTE), F.A.C.; Permit 0470002-033-AV]

4. Emissions:

Total Fluoride emissions from the Acid Clarification Plant shall not exceed 4.51 lb/hr; 0.05 lb/ton P₂O₅ input; and 18.26 TPY.

[Application dated April 6, 2004; BACT from AC24-2722 issued 02-28-78; Rule 62-296.403(2), Permit 0470002-033-AV]

TEST METHODS AND PROCEDURES

5. The compliance test procedures for Total Fluorides shall be in accordance with EPA Methods 13A or 13B as published in 40 CFR 60, Appendix A.

[Rule 62-297.401(13), F.A.C.]

6. Before this construction permit expires, and annually, the subject emissions units shall be tested for compliance with the applicable emission limits. For the duration of all tests the emission units shall be operating at permitted capacity. Permitted capacity is defined as 90-100 percent of the maximum operating rate allowed by the permit. If it is impracticable to test at permitted capacity, then the emission unit may be tested at less than permitted capacity (i.e., 90% of the maximum operating rate allowed by the permit); in this case, subsequent emission unit operation is limited to 110 percent of the test load until a new test is conducted. Once the emission unit is so limited, then operation at higher capacities is allowed for no more than 15 consecutive days for the purposes of additional compliance testing to regain the permitted capacity in the permit.

[Rule 62-297.310, F.A.C.]

7. The Department's Northeast District office shall be notified in writing at least 15 days prior to compliance testing. Written reports of the test results shall be submitted to that office within 45 days of test completion.

[Rule 62-297.310, F.A.C.]

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

- G.1 The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.161, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- G.2 This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings or exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- G.3 As provided in Subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey and vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.
- G.4 This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
- G.5 This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- G.6 The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- G.7 The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:
- a) Have access to and copy and records that must be kept under the conditions of the permit;
 - b) Inspect the facility, equipment, practices, or operations regulated or required under this permit, and,
 - c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.
- Reasonable time may depend on the nature of the concern being investigated.
- G.8 If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
- a) A description of and cause of non-compliance; and
 - b) The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.
- The permittee shall be responsible for any and all damages, which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.
- G.9 In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.73 and 403.111, Florida

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

Statutes. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

- G.10 The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.
- G.11 This permit is transferable only upon Department approval in accordance with Florida Administrative Code Rules 62-4.120 and 62-730.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
- G.12 This permit or a copy thereof shall be kept at the work site of the permitted activity.
- G.13 This permit also constitutes:
- a) Determination of Best Available Control Technology ()
 - b) Determination of Prevention of Significant Deterioration ()
 - c) Compliance with New Source Performance Standards ()
 - d) Compliance with National Emission Standards for Hazardous Air Pollutants ()
- G.14 The permittee shall comply with the following:
- a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application or this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - c) Records of monitoring information shall include:
 - 1. The date, exact place, and time of sampling or measurements;
 - 2. The person responsible for performing the sampling or measurements;
 - 3. The dates analyses were performed;
 - 4. The person responsible for performing the analyses;
 - 5. The analytical techniques or methods used; and
 - 6. The results of such analyses.
- G.15 When requested by the Department, the permittee shall within a reasonable time furnish any information required by law, which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

FINAL DETERMINATION

White Springs Agricultural Chemicals, Inc.
Permit No. 0470002-049-AC
Phosphoric Acid Storage Tanks

An Intent to Issue an air construction permit to White Springs Agricultural Chemicals, Inc., to install two phosphoric acid storage tanks at the Swift Creek complex in Hamilton County was distributed on June 22, 2004. The Notice of Intent was published in the Jasper News on September 2, 2004. Copies of the draft construction permit were available for public inspection at the Department offices in Jacksonville and Tallahassee.

The applicant noticed that the capacities of the phosphoric acid tanks had been incorrectly stated in the application and requested that the capacities be changed from 40,000 gallons each to 50,000 gallons each. The applicant also requested that the expiration date be extended to December 31, 2005. No other comments were received following publication of the Notice.

The final action of the Department is to issue the permit with the applicant's requested changes.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF FINAL PERMIT

In the Matter of an
Application for Permit

Mr. Paul H. Barrett
White Springs Agricultural Chemicals, Inc.
Post Office Box 300
White Springs, Florida 32096

DEP File No. 0470002-049-AC

Enclosed is the FINAL Permit Number 0470002-049-AC for installing two Phosphoric Acid Storage Tanks at the existing Swift Creek Complex in Hamilton County. This permit is issued pursuant to Chapter 403, Florida Statutes and in accordance with Rule 62-296.403, F.A.C.

Any party to this order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Legal Office; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.



Trina L. Vielhauer, Chief
Bureau of Air Regulation

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF FINAL PERMIT (including the FINAL permit) was sent by certified mail (*) and copies were mailed by U.S. Mail before the close of business on 10/14/04 to the person(s) listed:

Paul H. Barrett, WSAC *
Chris Kirts, DEP-NED
John Koogler, P.E., K & A

Clerk Stamp

FILING AND ACKNOWLEDGMENT
FILED, on this date, pursuant to §120.52,
Florida Statutes, with the designated Department
Clerk, receipt of which is hereby acknowledged.


(Clerk)

10/14/04
(Date)



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

PERMITTEE:

White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, Florida 32096

Authorized Representative:

Paul H. Barrett
General Manager

DEP Permit No.:	0470002-049-AC
Project:	Install Two Phosphoric Acid Aging Tanks/Swift Creek
SIC No.:	2874
Expiration:	December 31, 2005

PROJECT AND LOCATION:

Permit to install two phosphoric acid aging tanks in the acid clarification section of the existing tank farm for the Swift Creek Complex.

The facility is located E of SR 137, E of US 41, N of White Springs in Hamilton County, Florida.

The UTM coordinates are: Zone 17; 328.3 km E and 3368.8 km N.

STATEMENT OF BASIS:

This construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297 of the Florida Administrative Code (F.A.C.). The above named permittee is authorized to construct the facility in accordance with the conditions of this permit and as described in the application, approved drawings, plans, and other documents on file with the Department of Environmental Protection (Department).

ATTACHED APPENDICES MADE A PART OF THIS PERMIT:

Appendix GC General Conditions

Michael G. Cooke, Director
Division of Air Resource
Management

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION III. EMISSIONS UNIT(S) SPECIFIC REQUIREMENTS

FACILITY DESCRIPTION

White Springs Agricultural Chemicals, Inc. (WSAC) operates a phosphate fertilizer manufacturing facility near White Springs, Hamilton County, Florida, producing sulfuric acid, wet-process phosphoric acid, ammoniated phosphate fertilizers and related products. WSAC is applying for a non-PSD permit to install two additional phosphoric acid aging tanks in the acid clarification section of the existing tank farm for the Swift Creek Complex. This permit addresses only the Acid Clarification Plant and does not supersede any provisions of any other permit affecting the Swift Creek Complex.

REGULATORY CLASSIFICATION

Phosphate rock processing plants are listed as a Major Facility Category in Table 62-212.400-1, F.A.C., "Major Facility Categories." Therefore, stack and fugitive emissions of over 100 TPY of a regulated pollutant are sufficient to classify the installation as a "Major Facility" per the definitions in Rule 62-210.200, F.A.C., subject to the Significant Emission Rates given in Table 62-212.400-2, F.A.C. and the requirements of Rule 62-212.400, F.A.C., Prevention of Significant Deterioration (PSD) and Best Available Control Technology (BACT) if applicable.

This facility is classified as a "Major or Title V Source" per Rule 62-210.200, F.A.C., because it has the potential to emit at least 100 tons per year of particulate matter. This facility in its entirety is also a major source of hazardous air pollutants (HAPs).

Rule 62-296.403(2), F.A.C. requires that existing phosphate processing plants or plant sections processing or handling phosphoric acid or products of phosphoric acid processing shall not exceed 0.4 pounds per ton of P₂O₅. This rule applies to the Acid Clarification Plant including the two phosphoric acid aging tanks to be installed under this permit.

PERMIT SCHEDULE:

- 04-06-04: Date of Receipt of Application
- 04-06-04: Application Complete
- 06-22-04: Issued Intent to Issue Permit
- 09-02-04: Notice of Intent published

RELEVANT DOCUMENTS:

The documents listed below are specifically related to this permitting action and form the basis of the permit. They are on file with the Department:

- Application received April 6, 2004

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION III. EMISSIONS UNIT(S) SPECIFIC REQUIREMENTS

Regulating Agencies: All documents related to applications for permits to operate, reports, tests, minor modifications and notifications shall be submitted to the Department's Northeast District Office, 7825 Baymeadows Way, Suite 200B, Jacksonville, Florida 32256-7590. All applications for permits to construct or modify an emissions unit(s) *subject to the Prevention of Significant Deterioration or Nonattainment (NA) review requirements* should be submitted to the Bureau of Air Regulation (BAR), Florida Department of Environmental Protection (FDEP), 2600 Blair Stone Road, MS 5505, Tallahassee, Florida 32399-2400 (phone number 850/488-0114).

General Conditions: The owner and operator is subject to and shall operate under the attached General Permit Conditions G.1 through G.15 listed in Appendix GC of this permit. General Permit Conditions are binding and enforceable pursuant to Chapter 403 of the Florida Statutes. [Rule 62-4.160, F.A.C.]

Terminology: The terms used in this permit have specific meanings as defined in the corresponding chapters of the Florida Administrative Code.

Applicable Regulations, Forms and Application Procedures: Unless otherwise indicated in this permit, the construction and operation of the subject emissions unit shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of Chapter 403, F.S. and Florida Administrative Code Chapters 62-4, 62-110, 62-204, 62-212, 62-213, 62-296, 62-297 and the Code of Federal Regulations Title 40, Part 60, adopted by reference in the Florida Administrative Code (F.A.C.) regulations. The facility is subject to all applicable provisions of the Code of Federal Regulations Title 40, Part 63, Subpart BB. The permittee shall use the applicable forms listed in Rule 62-210.900, F.A.C. and follow the application procedures in Chapter 62-4, F.A.C. Issuance of this permit does not relieve the facility owner or operator from compliance with any applicable federal, state, or local permitting or regulations. [Rules 62-204.800, 62-210.300 and 62-210.900, F.A.C.]

Expiration: This air construction permit shall expire on **December 31, 2005** [Rule 62-210.300(1), F.A.C.]. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Bureau of Air Regulation prior to 60 days before the expiration of the permit. However, the permittee shall promptly notify the Department's Northeast District Office of any delays in completion of the project, which would affect the startup day by more than 90 days. [Rule 62-4.090, F.A.C.]

Application for Title V Permit: An application for a Title V operating permit, pursuant to Chapter 62-213, F.A.C., must be submitted to the Department's Northeast District Office at least ninety days before expiration of this construction permit, but no later than 180 days after commencing operation. [Chapter 62-213, F.A.C.]

Permit Approval: Approval to construct shall become invalid if construction is not commenced within 18 months after receipt of such approval, or if construction is discontinued for a period of 18 months or more, or if construction is not completed within a reasonable time. The Department may extend the 18-month period upon a satisfactory showing that an extension is justified. [40 CFR 52.21(r)(2)].

Annual Reports: Pursuant to Rule 62-210.370(2), F.A.C., Annual Operation Reports, the permittee is required to submit annual reports on the actual operating rates and emissions from this facility. Annual operating reports using DEP Form 62-210.900(4) shall be sent to the DEP's Northeast District office by March 1st of each year.

Stack Testing Facilities: Stack sampling facilities shall be installed in accordance with Rule 62-297.310(6), F.A.C.

Quarterly Reports: Quarterly excess emission reports, in accordance with 40 CFR 60.7 (a)(7) (c) (1997 version), shall be submitted to the DEP's Northeast District office.

New or Additional Conditions: For good cause shown and after notice and an administrative hearing, if requested, the Department may require the permittee to conform to new or additional conditions. The Department shall allow the permittee a reasonable time to conform to the new or additional conditions and on application of the permittee, the Department may grant additional time. [Rule 62-4.080, F.A.C.]

SUBSECTION A. Acid Clarification Plant

The Specific Conditions listed in this section apply to the following emission units:

EMISSION UNIT NO.	EMISSION UNIT DESCRIPTION
071	Acid Clarification Plant

The Acid Clarification Plant is permitted to handle phosphoric acid containing up to 90.18 tons per hour of 100 percent P₂O₅ input on a monthly rolling average or 100 tons per hour of 100 percent P₂O₅ input on a daily rolling average. There are currently four aging tanks with a total capacity of about 2,000,000 gallons. This permit allows two additional aging tanks with a capacity of 50,000 gallons each for a total of six aging tanks in the modified Acid Clarification Plant having a total capacity of 2,100,000 gallons. Although there will be additional holding capacity, the permitted throughput capacity for the Acid Clarification Plant will not increase. The effect of the new tanks will be to improve product clarification by providing more settling and polishing capability. The four existing aging tanks are vented to a pond water scrubber for fluoride control. The two new tanks will be vented to the same fluoride scrubber.

CONSTRUCTION

1. Addition of Two Phosphoric Acid Aging Tanks:

The permittee is authorized to modify the Acid Clarification Plant by installing two new 50,000 gallon phosphoric acid aging tanks. The tanks will be vented to the existing fluoride scrubber.

[Application dated April 6, 2004]

EMISSION AND PERFORMANCE REQUIREMENTS

2. Production:

The phosphoric acid throughput rate for the Acid Clarification Plant shall not exceed 90.18 tons of 100 percent P₂O₅ input per hour based on a monthly rolling average or 100 tons of 100 percent P₂O₅ input per hour based on a daily rolling average.

[Application dated April 6, 2004; Permit 0470002-034-AC, Rule 62-296.403(2), and 62-210.200(PTE), F.A.C.; Permit 0470002-033-AV]

3. Hours of Operation:

Operation of the modified Acid Clarification Plant shall be permitted for up to 8760 hours/year.

[Application dated April 6, 2004; Rules 62-4.160(2) and 62-210.200(PTE), F.A.C.; Permit 0470002-033-AV]

4. Emissions:

Total Fluoride emissions from the Acid Clarification Plant shall not exceed 4.51 lb/hr; 0.05 lb/ton P₂O₅ input; and 18.26 TPY.

[Application dated April 6, 2004; BACT from AC24-2722 issued 02-28-78; Rule 62-296.403(2), Permit 0470002-033-AV]

TEST METHODS AND PROCEDURES

5. The compliance test procedures for Total Fluorides shall be in accordance with EPA Methods 13A or 13B as published in 40 CFR 60, Appendix A.

[Rule 62-297.401(13), F.A.C.]

6. Before this construction permit expires, and annually, the subject emissions units shall be tested for compliance with the applicable emission limits. For the duration of all tests the emission units shall be operating at permitted capacity. Permitted capacity is defined as 90-100 percent of the maximum operating rate allowed by the permit. If it is impracticable to test at permitted capacity, then the emission unit may be tested at less than permitted capacity (i.e., 90% of the maximum operating rate allowed by the permit); in this case, subsequent emission unit operation is limited to 110 percent of the test load until a new test is conducted. Once the emission unit is so limited, then operation at higher capacities is allowed for no more than 15 consecutive days for the purposes of additional compliance testing to regain the permitted capacity in the permit.

[Rule 62-297.310, F.A.C.]

7. The Department's Northeast District office shall be notified in writing at least 15 days prior to compliance testing. Written reports of the test results shall be submitted to that office within 45 days of test completion.

[Rule 62-297.310, F.A.C.]

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

- G.1 The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.161, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- G.2 This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings or exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- G.3 As provided in Subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey and vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.
- G.4 This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
- G.5 This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- G.6 The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- G.7 The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:
- a) Have access to and copy and records that must be kept under the conditions of the permit;
 - b) Inspect the facility, equipment, practices, or operations regulated or required under this permit, and,
 - c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.
- Reasonable time may depend on the nature of the concern being investigated.
- G.8 If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
- a) A description of and cause of non-compliance; and
 - b) The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.
- The permittee shall be responsible for any and all damages, which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.
- G.9 In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.73 and 403.111, Florida

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

Statutes. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

- G.10 The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.
- G.11 This permit is transferable only upon Department approval in accordance with Florida Administrative Code Rules 62-4.120 and 62-730.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
- G.12 This permit or a copy thereof shall be kept at the work site of the permitted activity.
- G.13 This permit also constitutes:
- a) Determination of Best Available Control Technology ()
 - b) Determination of Prevention of Significant Deterioration ()
 - c) Compliance with New Source Performance Standards ()
 - d) Compliance with National Emission Standards for Hazardous Air Pollutants ()
- G.14 The permittee shall comply with the following:
- a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application or this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - c) Records of monitoring information shall include:
 - 1. The date, exact place, and time of sampling or measurements;
 - 2. The person responsible for performing the sampling or measurements;
 - 3. The dates analyses were performed;
 - 4. The person responsible for performing the analyses;
 - 5. The analytical techniques or methods used; and
 - 6. The results of such analyses.
- G.15 When requested by the Department, the permittee shall within a reasonable time furnish any information required by law, which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

Florida Department of
Environmental Protection

Memorandum

TO: Michael Cooke
THRU: Trina Vielhauer *TV*
THRU: Jim Pennington *JKP*
FROM: Syed Arif SA *SA 10/12*
DATE: October 12, 2004
SUBJECT: White Springs Agricultural Chemicals, Inc.
DEP File No. 0470002-049-AC

Attached for your approval and signature is the final construction permit to install two phosphoric acid storage tanks at the Swift Creek Complex in Hamilton County operated by White Springs Agricultural Chemicals, Inc.

There will be no increase in production or product throughput resulting from this modification. The purpose of the two additional tanks is to increase clarification and polishing capacity for the current level of production. There will be no measurable increase in actual emissions or potential emissions resulting from this modification since the tanks will be vented to a 99+ percent efficient fluoride scrubber.

No comments were received during the public comment period. I recommend your approval and signature.

The permit clock is currently on Day 85.

Attachments

*Mike -
This is one of John's
remaining projects.
NO comments received.
[Signature]*

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>P. H. Barrett</i></p> <p>C. Date of Delivery <i>10/18/02</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No If YES, enter delivery address below:</p>
<p>1. Article Addressed to: Mr. Paul H. Barrett White Springs Agricultural Chemicals, Inc. Post Office Box 300 White Springs, Florida 32096</p>	<p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>2. Article Number 7000 1670 0013 3109 8628 (Transfer from service label)</p>	
<p>PS Form 3811, August 2001 Domestic Return Receipt 102595-02-M-1540</p>	

7000 1670 0013 3109 8628

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)		
Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$	
<p>Sent To Mr. Paul H. Barrett White Springs Agricultural Chemicals, Post Office Box 300 <small>City, State, ZIP+4</small> White Springs, Florida 32096</p>		
<p>PS Form 3800, May 2000 See Reverse for Instructions</p>		



KOUGLER & ASSOCIATES
ENVIRONMENTAL SERVICES

4014 NW THIRTEENTH STREET
GAINESVILLE, FLORIDA 32609
352/377-5822 ■ FAX/377-7158

KA 102-04-02

July 2, 2004

RECEIVED

JUL 07 2004

BUREAU OF AIR REGULATION

Mr. John Reynolds
Florida Department of
Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Subject: Comments on FDEP Draft Permit for 2 Phosphoric Acid Aging Tanks
White Springs Agricultural Chemicals, Inc.
Draft Permit No: 0470002-049-AC

Dear Mr. Reynolds:

This is a follow up to your recent discussion with Pradeep Raval regarding the above referenced draft permit for the two Phosphoric Acid Aging Tanks at the existing Swift Creek Complex in White Springs, Florida.

The following comments are submitted for your consideration, as previously discussed:

1. Page 3 of 5, Expiration

It is requested that the expiration date be changed to December 31, 2005, to allow time for final design, construction, debugging, testing and incorporating the applicable conditions into the Title V permit.

2. Page 4 of 5, Subsection A

Please revise the following capacity related quantities:

- Current capacity of the existing four tanks is 2 million gallons (500,000 gallons, each tank).
- The two new tanks will be 50,000 gallon capacity, each.
- The new capacity of all six tanks combined will be 2.1 million gallons.

Please note that the reference to 10 percent of current capacity, was meant to compare the proposed tank size of 50,000 gallons with the existing tank size of 500,000 gallons.

Mr. John Reynolds
Florida Department of
Environmental Protection

July 2, 2004

3. Page 4 of 5, Specific Condition 1

Please reword to reflect "two new 50,000 gallon phosphoric acid aging tanks".


Enclosed is a copy of the time extension, submitted to FDEP Office of General Counsel, requested in order to allow resolution of the issues.

It is anticipated that you will be able to issue a revised draft permit for publication soon. We appreciate your willingness to address our comments in a timely manner.

If you have any questions, please call Pradeep Raval or me.

Very truly yours,

KOOGLER & ASSOCIATES

A handwritten signature in black ink, appearing to be "John B. Koogler", written over the printed name below.

John B. Koogler, Ph.D., P.E.

JBK:par
Encl.

C: Paul Barrett, WSAC
Christopher Kirts, FDEP -Jacksonville



KOOGLER & ASSOCIATES
ENVIRONMENTAL SERVICES

4014 NW THIRTEENTH STREET
GAINESVILLE, FLORIDA 32609
352/377-5822 • FAX/377-7158

KA 102-04-02

July 2, 2004

RECEIVED
JUL 07 2004
BUREAU OF AIR REGULATION

Teri Donaldson, Esquire
Office of General Counsel
Florida Department of
Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Subject: Motion for Extension of Time to
File a Petition
White Springs Agricultural Chemicals, Inc.
FDEP File No. 0470002-049-AC

Dear Ms. Donaldson:

Attached is a request for an extension of time to file for a hearing in accordance with Rule 28-106, FAC.

If you have any questions concerning this request, please do not hesitate to contact me.

Very truly yours,

KOOGLER & ASSOCIATES

John B. Koogler, Ph.D., P.E.

JBK:par
Encl.

c: Mr. Christopher Kirts, FDEP
Mr. Paul Barrett, WSAC

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

In the Matter of an Application
for Air Permit by

White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, FL 32096

FDEP File No. 0470002-049-AC


Hamilton County - AP

MOTION FOR EXTENSION OF TIME

The Applicant, White Springs Agricultural Chemicals, Inc., by and through its undersigned Engineer of Record and pursuant to Rule 28-106, FAC, requests the Secretary of FDEP to grant a 60-day extension of time in which to file a petition. This will allow submittal of additional information to FDEP on the permit application review and allow time to resolve issues of concern.

Dated the 2nd day of July 2004 in Gainesville, Alachua County, Florida.


Koogler & Associates
Environmental Services



John B. Koogler, Ph.D., P.E.
Engineer of Record
Florida Registration No. 12925
4014 N.W. 13th Street
Gainesville, FL 32609
(352) 377-5822

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing has been furnished to Teri Donaldson, Office of the General Counsel, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, and Mr. Christopher Kirts, FDEP Northeast District, 7825 Baymeadows Way, Suite B200, Jacksonville, Florida 32256-7590, and Mr. Paul Barrett, White Springs Agricultural Chemicals, Inc., P.O. Box 300, White Springs, Florida 32096, by U.S. Mail, this 2nd day of July, 2004.



John B. Koogler, Ph.D., P.E.
Florida Registration No. 12925

September 16, 2004

RECEIVED

SEP 20 2004

BUREAU OF AIR REGULATION


Mr. John Reynolds
Permit Engineer
Fla. Dept. of Environmental Protection
2600 Blair Stone Road, MS 5505
Tallahassee, FL 32399-2400

Dear Mr. Reynolds:

Enclosed are the proofs of publication for the Y-Train Pipe Reactor (0470002-050-AC) and the Phosphoric Acid Aging Tanks (0470002-049-AC) projects. Both notices were published in the Jasper News on Thursday, September 2, 2004.

Please call me if you require any additional information to complete the issuance of these construction permits. My number is 386-397-8442.

Best regards,


Charles B. Pufts, P.E.
Sr. Environmental Engineer

Enc.

The Jasper News

Published Weekly
105 NE 2nd Avenue - Phone 792-2487
Jasper, Hamilton County, Florida 32052

RECEIVED

SEP 20 2004

BUREAU OF AIR REGULATION

STATE OF FLORIDA COUNTY OF HAMILTON:

Before the undersigned authority personally appeared

Melody Lee

who on oath says that she is

Legal Secretary

of The Jasper News, a weekly newspaper published at Jasper in Hamilton County, Florida; that the attached copy of advertisement, being a

Public Notice of Intent to Issue Air Construction Permit; DEP File No. 0470002-049-AC

in the matter of

State of Florida Department of Environmental Protection/White springs Agricultural Chemicals, Inc.

was published in said newspaper in the issues of September 2, 2004

Affiant further says that the said The Jasper News is a newspaper published at Jasper in said Hamilton County, Florida, and that the said newspaper has heretofore been continuously published in said Hamilton County, Florida, each week and has been entered as second class mail matter at the post office in Jasper, in said Hamilton County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in said newspaper.

Melody Lee

Sworn to and subscribed before me this 10th day of September A.D 2004

Christine M. White

(SEAL)

Notary Public

Personally known or produced identification

Type of identification produced _____

CHRISTINE M. WHITE
Notary Public, State of Florida
comm. exp. Sept. 4, 2008
Comm. No. DD 350033

**PUBLIC NOTICE OF INTENT TO ISSUE
AIR CONSTRUCTION PERMIT**
STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL
PROTECTION
DEP File No. 0470002-049-AC

White Springs Agricultural Chemicals, Inc.
Hamilton County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to White Springs Agricultural Chemicals, Inc. for installation of two phosphoric acid aging tanks in the Acid Clarification Plant at the Swift Creek Complex located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. The applicant's name and mailing address are: White Springs Agricultural Chemicals, Inc., P.O. Box 300, White Springs, Florida 32096.

This permit is a minor modification of the existing Acid Clarification Plant and does not involve a measurable increase in actual or potential emissions. Therefore, there is no requirement for review under the Department's Prevention of Significant Deterioration (PSD) rules and a Best Available Control Technology determination is not required. There will be no increase in production or product throughout as a result of this modification. The purpose of the two new aging tanks is to provide additional clarification and polishing capacity for the current production level.

The Department will issue the FINAL Permit, in accordance with the conditions of the DRAFT Permit, unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of this Public Notice of Intent to Is-

sue Air Construction Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3) however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection
Bureau of Air Regulation

111 S. Magnolia Drive, Suite 4
Tallahassee, Florida 32301
Telephone: 850/488-0114
Fax: 850/921-9533

Department of Environmental Protection
Northeast District Office
7825 Baymeadows Way, Suite 200B
Jacksonville, Florida 32256-7590
Telephone: 904/807-3300
Fax: 904/448-4319

The complete project file includes the application, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Administrator, North Permitting Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.
09/02

CHRISTINE M. WHITE
Notary Public, State of Florida
My comm. exp. Sept. 4, 2008
Comm. No. DD 350033

Memorandum

Florida Department of Environmental Protection

TO: Trina Vielhauer

THRU: Jim Pennington

FROM: John Reynolds *JR*

DATE: June 18, 2004

SUBJECT: DEP File No. 0470002-049-AC
Swift Creek Acid Clarification Plant Minor Modification
Two Phosphoric Acid Aging Tanks

Attached for your review is the Draft construction permit, Technical Evaluation and Preliminary Determination, Intent to Issue, and Public Notice for modifying the existing Swift Creek Acid Clarification Plant by adding two phosphoric acid aging tanks. The Swift Creek Complex is located near White Springs, Hamilton County, Florida.

There will be no increase in production or product throughput resulting from this modification. The purpose of the two additional tanks is to increase clarification and polishing capacity for the current level of production. There will be no measurable increase in actual emissions or potential emissions resulting from this modification since the tanks will be vented to a 99+ percent efficient fluoride scrubber.

The permit clock is currently on Day 73.

Attachments



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

June 18, 2004

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Paul H. Barrett
General Manager
White Springs Agricultural Chemicals, Inc.
P. O. Box 300
White Springs, Florida 32096

Re: DEP File No. 0470002-049-AC/ Two Phosphoric Acid Aging Tanks

Dear Mr. Barrett:

Enclosed is one copy of the Draft air construction permit to modify the existing Swift Creek Acid Clarification Plant located near White Springs, Hamilton County, by installing two additional phosphoric acid aging tanks. The Department's Technical Evaluation and Preliminary Determination, Intent to Issue Air Construction Permit and the Public Notice of Intent to Issue Air Construction Permit are also included.

The Public Notice must be published one time only, as soon as possible, in the legal advertisement section of a newspaper of general circulation in the area affected, pursuant to the requirements of Chapter 50, Florida Statutes. Proof of publication, i.e., newspaper affidavit, must be provided to the Department's Bureau of Air Regulation office within seven days of publication. Failure to publish the notice and provide proof of publication may result in the denial of the permit.

Please submit any written comments you wish to have considered concerning the Department's proposed action to Mr. Jim Pennington, Administrator, North Permitting Section, at the above letterhead address. If you have any other questions, please contact Mr. John Reynolds, Permit Engineer, at 850/921-9530.

Sincerely,

Trina L. Vielhauer, Chief
Bureau of Air Regulation

TLV/JR

Enclosures

"More Protection, Less Process"

Printed on recycled paper.



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

PERMITTEE:

White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, Florida 32096

Authorized Representative:

Paul H. Barrett
General Manager

DEP Permit No.:	0470002-049-AC
Project:	Install Two Phosphoric Acid Aging Tanks/Swift Creek
SIC No.:	2874
Expiration:	March 31, 2005

PROJECT AND LOCATION:

Permit to install two phosphoric acid aging tanks in the acid clarification section of the existing tank farm for the Swift Creek Complex.

The facility is located E of SR 137, E of US 41, N of White Springs in Hamilton County, Florida.

The UTM coordinates are: Zone 17; 328.3 km E and 3368.8 km N.

STATEMENT OF BASIS:

This construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297 of the Florida Administrative Code (F.A.C.). The above named permittee is authorized to construct the facility in accordance with the conditions of this permit and as described in the application, approved drawings, plans, and other documents on file with the Department of Environmental Protection (Department).

ATTACHED APPENDICES MADE A PART OF THIS PERMIT:

Appendix GC General Conditions

Michael G. Cooke, Director
Division of Air Resource
Management

"More Protection, Less Process"

Printed on recycled paper.

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION I. FACILITY INFORMATION

FACILITY DESCRIPTION

White Springs Agricultural Chemicals, Inc. (WSAC) operates a phosphate fertilizer manufacturing facility near White Springs, Hamilton County, Florida, producing sulfuric acid, wet-process phosphoric acid, ammoniated phosphate fertilizers and related products. WSAC is applying for a non-PSD permit to install two additional phosphoric acid aging tanks in the acid clarification section of the existing tank farm for the Swift Creek Complex. This permit addresses only the Acid Clarification Plant and does not supersede any provisions of any other permit affecting the Swift Creek Complex.

REGULATORY CLASSIFICATION

Phosphate rock processing plants are listed as a Major Facility Category in Table 62-212.400-1, F.A.C., "Major Facility Categories." Therefore, stack and fugitive emissions of over 100 TPY of a regulated pollutant are sufficient to classify the installation as a "Major Facility" per the definitions in Rule 62-210.200, F.A.C., subject to the Significant Emission Rates given in Table 62-212.400-2, F.A.C. and the requirements of Rule 62-212.400, F.A.C., Prevention of Significant Deterioration (PSD) and Best Available Control Technology (BACT) if applicable.

This facility is classified as a "Major or Title V Source" per Rule 62-210.200, F.A.C., because it has the potential to emit at least 100 tons per year of particulate matter. This facility in its entirety is also a major source of hazardous air pollutants (HAPs).

Rule 62-296.403(2), F.A.C. requires that existing phosphate processing plants or plant sections processing or handling phosphoric acid or products of phosphoric acid processing shall not exceed 0.4 pounds per ton of P₂O₅. This rule applies to the Acid Clarification Plant including the two phosphoric acid aging tanks to be installed under this permit.

PERMIT SCHEDULE:

- 04-06-04: Date of Receipt of Application
- 04-06-04: Application Complete
- 06-xx-04: Issued Intent to Issue Permit
- xx-xx-04: Notice of Intent published

RELEVANT DOCUMENTS:

The documents listed below are specifically related to this permitting action and form the basis of the permit. They are on file with the Department:

- Application received April 6, 2004

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION II. GENERAL REQUIREMENTS

Regulating Agencies: All documents related to applications for permits to operate, reports, tests, minor modifications and notifications shall be submitted to the Department's Northeast District Office, 7825 Baymeadows Way, Suite 200B, Jacksonville, Florida 32256-7590. All applications for permits to construct or modify an emissions unit(s) *subject to the Prevention of Significant Deterioration or Nonattainment (NA) review requirements* should be submitted to the Bureau of Air Regulation (BAR), Florida Department of Environmental Protection (FDEP), 2600 Blair Stone Road, MS 5505, Tallahassee, Florida 32399-2400 (phone number 850/488-0114).

General Conditions: The owner and operator is subject to and shall operate under the attached General Permit Conditions G.I through G.15 listed in Appendix GC of this permit. General Permit Conditions are binding and enforceable pursuant to Chapter 403 of the Florida Statutes. [Rule 62-4.160, F.A.C.]

Terminology: The terms used in this permit have specific meanings as defined in the corresponding chapters of the Florida Administrative Code.

Applicable Regulations, Forms and Application Procedures: Unless otherwise indicated in this permit, the construction and operation of the subject emissions unit shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of Chapter 403, F.S. and Florida Administrative Code Chapters 62-4, 62-110, 62-204, 62-212, 62-213, 62-296, 62-297 and the Code of Federal Regulations Title 40, Part 60, adopted by reference in the Florida Administrative Code (F.A.C.) regulations. The facility is subject to all applicable provisions of the Code of Federal Regulations Title 40, Part 63, Subpart BB. The permittee shall use the applicable forms listed in Rule 62-210.900, F.A.C. and follow the application procedures in Chapter 62-4, F.A.C. Issuance of this permit does not relieve the facility owner or operator from compliance with any applicable federal, state, or local permitting or regulations. [Rules 62-204.800, 62-210.300 and 62-210.900, F.A.C.]

Expiration: This air construction permit shall expire on **March 31, 2005** [Rule 62-210.300(1), F.A.C.]. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Bureau of Air Regulation prior to 60 days before the expiration of the permit. However, the permittee shall promptly notify the Department's Northeast District Office of any delays in completion of the project, which would affect the startup day by more than 90 days. [Rule 62-4.090, F.A.C.]

Application for Title V Permit: An application for a Title V operating permit, pursuant to Chapter 62-213, F.A.C., must be submitted to the Department's Northeast District Office at least ninety days before expiration of this construction permit, but no later than 180 days after commencing operation. [Chapter 62-213, F.A.C.]

Permit Approval: Approval to construct shall become invalid if construction is not commenced within 18 months after receipt of such approval, or if construction is discontinued for a period of 18 months or more, or if construction is not completed within a reasonable time. The Department may extend the 18-month period upon a satisfactory showing that an extension is justified. [40 CFR 52.21(r)(2)].

Annual Reports: Pursuant to Rule 62-210.370(2), F.A.C., Annual Operation Reports, the permittee is required to submit annual reports on the actual operating rates and emissions from this facility. Annual operating reports using DEP Form 62-210.900(4) shall be sent to the DEP's Northeast District office by March 1st of each year.

Stack Testing Facilities: Stack sampling facilities shall be installed in accordance with Rule 62-297.310(6), F.A.C.

Quarterly Reports: Quarterly excess emission reports, in accordance with 40 CFR 60.7 (a)(7) (c) (1997 version), shall be submitted to the DEP's Northeast District office.

New or Additional Conditions: For good cause shown and after notice and an administrative hearing, if requested, the Department may require the permittee to conform to new or additional conditions. The Department shall allow the permittee a reasonable time to conform to the new or additional conditions and on application of the permittee, the Department may grant additional time. [Rule 62-4.080, F.A.C.]

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION III. EMISSIONS UNIT(S) SPECIFIC REQUIREMENTS

SUBSECTION A. Acid Clarification Plant

The Specific Conditions listed in this section apply to the following emission units:

EMISSION UNIT NO.	EMISSION UNIT DESCRIPTION
071	Acid Clarification Plant

The Acid Clarification Plant is permitted to handle phosphoric acid containing up to 90.18 tons per hour of 100 percent P₂O₅ input on a monthly rolling average or 100 tons per hour of 100 percent P₂O₅ input on a daily rolling average. There are currently four aging tanks with a total capacity of about 400,000 gallons. This permit allows two additional aging tanks with a capacity of 40,000 gallons each for a total of six aging tanks in the modified Acid Clarification Plant having a total capacity of 480,000 gallons. Although there will be additional holding capacity, the permitted throughput capacity for the Acid Clarification Plant will not increase. The effect of the new tanks will be to improve product clarification by providing more settling and polishing capability. The four existing aging tanks are vented to a pond water scrubber for fluoride control. The two new tanks will be vented to the same fluoride scrubber.

CONSTRUCTION

1. Addition of Two Phosphoric Acid Aging Tanks:

The permittee is authorized to modify the Acid Clarification Plant by installing two new 40,000 gallon phosphoric acid clarification tanks. The tanks will be vented to the existing fluoride scrubber.

[Application dated April 6, 2004]

EMISSION AND PERFORMANCE REQUIREMENTS

2. Production:

The phosphoric acid throughput rate for the Acid Clarification Plant shall not exceed 90.18 tons of 100 percent P₂O₅ input per hour based on a monthly rolling average or 100 tons of 100 percent P₂O₅ input per hour based on a daily rolling average.

[Application dated April 6, 2004; Permit 0470002-034-AC, Rule 62-296.403(2), and 62-210.200(PTE), F.A.C.; Permit 0470002-033-AV]

3. Hours of Operation:

Operation of the modified Acid Clarification Plant shall be permitted for up to 8760 hours/year.

[Application dated April 6, 2004; Rules 62-4.160(2) and 62-210.200(PTE), F.A.C.; Permit 0470002-033-AV]

4. Emissions:

Total Fluoride emissions from the Acid Clarification Plant shall not exceed 4.51 lb/hr; 0.05 lb/ton P₂O₅ input; and 18.26 TPY.

[Application dated April 6, 2004; BACT from AC24-2722 issued 02-28-78; Rule 62-296.403(2), Permit 0470002-033-AV]

TEST METHODS AND PROCEDURES

5. The compliance test procedures for Total Fluorides shall be in accordance with EPA Methods 13A or 13B as published in 40 CFR 60, Appendix A.

[Rule 62-297.401(13), F.A.C.]

AIR CONSTRUCTION PERMIT 0470002-049-AC
SECTION III. EMISSIONS UNIT(S) SPECIFIC REQUIREMENTS

6. Before this construction permit expires, and annually, the subject emissions units shall be tested for compliance with the applicable emission limits. For the duration of all tests the emission units shall be operating at permitted capacity. Permitted capacity is defined as 90-100 percent of the maximum operating rate allowed by the permit. If it is impracticable to test at permitted capacity, then the emission unit may be tested at less than permitted capacity (i.e., 90% of the maximum operating rate allowed by the permit); in this case, subsequent emission unit operation is limited to 110 percent of the test load until a new test is conducted. Once the emission unit is so limited, then operation at higher capacities is allowed for no more than 15 consecutive days for the purposes of additional compliance testing to regain the permitted capacity in the permit.

[Rule 62-297.310, F.A.C.]

7. The Department's Northeast District office shall be notified in writing at least 15 days prior to compliance testing. Written reports of the test results shall be submitted to that office within 45 days of test completion.

[Rule 62-297.310, F.A.C.]

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

- G.1 The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.161, 403.727, or 403.859 through 403.861, Florida Statutes. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- G.2 This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings or exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- G.3 As provided in Subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey and vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.
- G.4 This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
- G.5 This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- G.6 The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- G.7 The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:
- a) Have access to and copy and records that must be kept under the conditions of the permit;
 - b) Inspect the facility, equipment, practices, or operations regulated or required under this permit, and,
 - c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.
- Reasonable time may depend on the nature of the concern being investigated.
- G.8 If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
- a) A description of and cause of non-compliance; and
 - b) The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.
- The permittee shall be responsible for any and all damages, which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.
- G.9 In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Sections 403.73 and 403.111, Florida

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4.160]

Statutes. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

- G.10 The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.
- G.11 This permit is transferable only upon Department approval in accordance with Florida Administrative Code Rules 62-4.120 and 62-730.300, F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
- G.12 This permit or a copy thereof shall be kept at the work site of the permitted activity.
- G.13 This permit also constitutes:
- a) Determination of Best Available Control Technology ()
 - b) Determination of Prevention of Significant Deterioration ()
 - c) Compliance with New Source Performance Standards ()
 - d) Compliance with National Emission Standards for Hazardous Air Pollutants ()
- G.14 The permittee shall comply with the following:
- a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application or this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - c) Records of monitoring information shall include:
 - 1. The date, exact place, and time of sampling or measurements;
 - 2. The person responsible for performing the sampling or measurements;
 - 3. The dates analyses were performed;
 - 4. The person responsible for performing the analyses;
 - 5. The analytical techniques or methods used; and
 - 6. The results of such analyses.
- G.15 When requested by the Department, the permittee shall within a reasonable time furnish any information required by law, which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

In the Matter of an
Application for Permit by:

Paul H. Barrett, General Manager
White Springs Agricultural Chemicals, Inc.
P.O. Box 300
White Springs, Florida 32096

DEP File No. 0470002-049-AC
Two Phosphoric Acid Aging Tanks
Hamilton County

INTENT TO ISSUE AIR CONSTRUCTION PERMIT

The Department of Environmental Protection (Department) gives notice of its intent to issue a permit (copy attached) for the proposed project, detailed in the application specified above.

The applicant, White Springs Agricultural Chemicals, Inc., applied on April 6, 2004, to the Department for a permit to install two phosphoric acid aging tanks in the Acid Clarification Plant at the Swift Creek Complex. A Best Available Control Technology (BACT) determination was not required since there will be no measurable increase in air emissions. The facility is located in Hamilton County, Florida.

The Department has permitting jurisdiction under the provisions of Chapter 403, Florida Statutes (F.S.), Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, and 62-212. The above actions are not exempt from permitting procedures. The Department has determined that an Air Construction permit is required.

The Department intends to issue this air construction permit based on the belief that reasonable assurances have been provided to indicate that operation of these emission units will not adversely impact air quality, and the emission units will comply with all appropriate provisions of Chapters 62-4, 62-204, 62-210, 62-212, 62-296, 62-297, F.A.C.

Pursuant to Section 403.815, F.S., and Rule 62-110.106(7)(a)1., F.A.C., you (the applicant) are required to publish at your own expense the enclosed Public Notice of Intent to Issue Air Construction Permit. The notice shall be published one time only in the legal advertisement section of a newspaper of general circulation in the area affected. Rule 62-110.106(7)(b), F.A.C., requires that the applicant cause the notice to be published as soon as possible after notification by the Department of its intended action. For the purpose of these rules, "publication in a newspaper of general circulation in the area affected" means publication in a newspaper meeting the requirements of Sections 50.011 and 50.031, F.S., in the county where the activity is to take place. If you are uncertain that a newspaper meets these requirements, please contact the Department at the address or telephone number listed below. The applicant shall provide proof of publication to the Department's Bureau of Air Regulation, at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, Florida 32399-2400 (Telephone: 850/488-0114; Fax 850/922-6979). You must provide proof of publication within seven days of publication, pursuant to Rule 62-110.106(5), F.A.C. No permitting action for which published notice is required shall be granted until proof of publication of notice is made by furnishing a uniform affidavit in substantially the form prescribed in section 50.051, F.S. to the office of the Department issuing the permit. Failure to publish the notice and provide proof of publication may result in the denial of the permit pursuant to Rules 62-110.106(9) & (11), F.A.C.

The Department will issue the final permit with the attached conditions unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments and requests for public meetings concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of the enclosed Public Notice. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a

significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above. Mediation is not available in this proceeding.


In addition to the above, a person subject to regulation has a right to apply for a variance from or waiver of the requirements of particular rules, on certain conditions, under Section 120.542 F.S. The relief provided by this state statute applies only to state rules, not statutes, and not to any federal regulatory requirements. Applying for a variance or waiver does not substitute or extend the time for filing a petition for an administrative hearing or exercising any other right that a person may have in relation to the action proposed in this notice of intent.

The application for a variance or waiver is made by filing a petition with the Office of General Counsel of the Department, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000. The petition must specify the following information: (a) The name, address, and telephone number of the petitioner; (b) The name, address, and telephone number of the attorney or qualified representative of the petitioner, if any; (c) Each rule or portion of a rule from which a variance or waiver is requested; (d) The citation to the statute underlying (implemented by) the rule identified in (c) above; (e) The type of action requested; (f) The specific facts that would justify a variance or waiver for the petitioner; (g) The reason why the variance or waiver would serve the purposes of the underlying statute (implemented by the rule); and (h) A statement whether the variance or waiver is permanent or temporary and, if temporary, a statement of the dates showing the duration of the variance or waiver requested.

The Department will grant a variance or waiver when the petition demonstrates both that the application of the rule would create a substantial hardship or violate principles of fairness, as each of those terms is defined in Section 120.542(2) F.S., and that the purpose of the underlying statute will be or has been achieved by other means by the petitioner.

Persons subject to regulation pursuant to any federally delegated or approved air program should be aware that Florida is specifically not authorized to issue variances or waivers from any requirements of any such federally delegated or approved program. The requirements of the program remain fully enforceable by the Administrator of the EPA and by any person under the Clean Air Act unless and until the Administrator separately approves any variance or waiver in accordance with the procedures of the federal program.

Executed in Tallahassee, Florida.


Trina L. Vielhauer, Chief
Bureau of Air Regulation


CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Intent to Issue Air Construction Permit (including the Public Notice and the DRAFT permit) was sent by certified mail (*) and copies were mailed by U.S. Mail before the close of business on 6/22/04 to the person(s) listed:

Paul H. Barrett, White Springs Agricultural Chemicals, Inc.*
John B. Koogler, P.E., Koogler & Associates, Inc.
Jerry Kissell, DEP-SWD

Clerk Stamp

FILING AND ACKNOWLEDGMENT
FILED, on this date, pursuant to §120.52, Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.


(Clerk) 6/22/04
(Date)

PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

DEP File No. 0470002-049-AC

White Springs Agricultural Chemicals, Inc.
Hamilton County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to White Springs Agricultural Chemicals, Inc. for installation of two phosphoric acid aging tanks in the Acid Clarification Plant at the Swift Creek Complex located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. The applicant's name and mailing address are: White Springs Agricultural Chemicals, Inc., P. O. Box 300, White Springs, Florida 32096.

This permit is a minor modification of the existing Acid Clarification Plant and does not involve a measurable increase in actual or potential emissions. Therefore, there is no requirement for review under the Department's Prevention of Significant Deterioration (PSD) rules and a Best Available Control Technology determination is not required. There will be no increase in production or product throughput as a result of this modification. The purpose of the two new aging tanks is to provide additional clarification and polishing capacity for the current production level.

The Department will issue the FINAL Permit, in accordance with the conditions of the DRAFT Permit, unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of this Public Notice of Intent to Issue Air Construction Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time

period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection
Bureau of Air Regulation
111 S. Magnolia Drive, Suite 4
Tallahassee, Florida 32301
Telephone: 850/488-0114
Fax: 850/921-9533

Department of Environmental Protection
Northeast District Office
7825 Baymeadows Way, Suite 200B
Jacksonville, Florida 32256-7590
Telephone: 904/807-3300
Fax: 904/448-4319

The complete project file includes the application, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Administrator, North Permitting Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.

TECHNICAL EVALUATION
AND
PRELIMINARY DETERMINATION

WHITE SPRINGS AGRICULTURAL CHEMICALS, INC.

Two Phosphoric Acid Aging Tanks
Swift Creek Complex
Hamilton County, Florida

DEP File Number
0470002-049-AC

Florida Department of Environmental Protection
Division of Air Resources Management
Bureau of Air Regulation

June 18, 2004

TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

I. APPLICATION INFORMATION

A. Applicant

White Springs Agricultural Chemicals, Inc.
P. O. Box 300
White Springs, Hamilton County, Florida 32096

Authorized Representative: Mr. Paul H. Barrett, General Manager

B. Facility Location

The applicant's facility is located E of SR 137, E of US 41, N of White Springs. UTM coordinates of the site are: Zone 17, 328.3 km East and 3368.8 km North.

Facility Identification Code (SIC): Major Group No. 28, Industry Group Nos. 2874.

C. Reviewing and Process Schedule

04-06-04: Date of Receipt of Application
04-06-04: Application complete
06-18-04: Intent Issued

II. PROJECT DESCRIPTION/EMISSIONS

This permit allows the installation of two phosphoric acid aging tanks in the Acid Clarification Plant at the Swift Creek Complex. The Acid Clarification Plant is permitted to handle phosphoric acid containing up to 90.18 tons per hour of 100 percent P₂O₅ input on a monthly rolling average or 100 tons per hour of 100 percent P₂O₅ input on a daily rolling average. There are currently four aging tanks with a total capacity of about 400,000 gallons. This permit allows two additional aging tanks with a capacity of 40,000 gallons each for a total of six aging tanks in the modified Acid Clarification Plant having a total capacity of 480,000 gallons. Although there will be additional holding capacity, the permitted throughput capacity for the Acid Clarification Plant will not increase. The effect of the new tanks will be to improve product clarification by providing more settling and polishing capability. The four existing aging tanks are vented to a pond water scrubber for fluoride control. The two new tanks will be vented to the same fluoride scrubber.

TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

There will be no detectable change in actual or potential emissions resulting from this project. The only exhaust from the tanks will be a small flow of air pulled by the scrubber which has the capability of removing over 99 percent of the incoming fluoride concentration. This will result in essentially no change in actual or potential emissions, as the slight increase due to the <1 percent that exits the scrubber would not be measurable by current test methods.

III. RULE APPLICABILITY

The proposed facility modification is subject to the applicable provisions of Chapter 403, Florida Statutes, Chapters 62-4, 62-212 and 62-296, Florida Administrative Code (F.A.C.). The facility is located in an area designated attainment or maintenance for all criteria pollutants in accordance with F.A.C. Rule 62-275.400.

Rule 62-296.403, F. A. C., Phosphate Processing, requires that existing plants meet a fluoride limit for the entire complex, including the Acid Clarification Plant, of 0.4 lb/ton P₂O₅. The plant meets this requirement.

IV. AIR QUALITY ANALYSIS

The proposed modification of the Acid Clarification Plant will not result in a measurable increase of any regulated pollutant. Therefore, an air quality analysis was not required.

V. CONCLUSION

Based on the information submitted by Cargill Fertilizer, Inc., the Department has determined that the proposed project will comply with all applicable state air pollution regulations.

P.E. Certification Statement

White Springs Agricultural Chemicals, Inc.
Swift Creek Complex
Acid Clarification Plant


DEP File No.: 0470002-049-AC
Facility ID No.: 0470002

Project: Air Construction Permit for modifying the existing Acid Clarification Plant by installing two additional phosphoric acid aging tanks at the applicant's facility located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. A determination of Best Available Control Technology pursuant to Rule 62-212.400, F.A.C. was not required. There will be no measurable increase in actual emissions or potential emissions resulting from this modification.

I HEREBY CERTIFY that the engineering features described in the above referenced application and related additional information submittals, if any, and subject to the proposed permit conditions, provide reasonable assurance of compliance with applicable provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 62-4 and 62-204 through 62-297. However, I have not evaluated and I do not certify aspects of the proposal outside of my area of expertise (including but not limited to the electrical, mechanical, structural, hydrological, and geological features).

I conducted this review.

(Seal)



Syed Arif, P.E.
Registration Number: 51861

6/22/04
Date

Permitting Authority:
Florida Department of Environmental Protection
Division of Air Resources Management
Bureau of Air Regulation
New Source Review Section
Mail Station #5505
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Telephone: 850/921-9528
Fax: 850/921-9533

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
Mr. Paul Barrett
General Manager
White Springs Agricultural
Chemicals, Inc.
Post Office Box 300
White Springs, Florida 32096

2. Article Number **7000 1670 0013 3110 3421**
 (Transfer from service label)

PS Form 3811, August 2001 Domestic Return Receipt

COMPLETE THIS SECTION ON DELIVERY

A. Signature *[Signature]* Agent Addressee

B. Received by (Printed Name) *JSD Reynolds* C. Date of Delivery *6/27/01*

D. Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

102595-0201 1540

U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

7000 1670 0013 3110 3421

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
Here

Sent To **Mr. Paul H. Barrett**
 Street, Apt. No., or P.O. Box No. **Post Office Box 300**
 City, State, ZIP+4 **White Springs, Florida 32096**

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Paul H. Barrett
 General Manager
 White Springs Agricultural Chem.
 P. O. Box 300
 White Springs, FL 32096

2. Article Number (Copy from service label)
 7000 0600 0026 4129 8894

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) *P. Barrett* B. Date of Delivery *7/7/04*

C. Signature *P. Barrett* Agent
 Addressee

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

**U.S. Postal Service
 CERTIFIED MAIL RECEIPT**

(Domestic Mail Only; No Insurance Coverage Provided)

7000 0600 0026 4129 8894

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
 Here

Recipient's Name (Please Print Clearly) (to be completed by mailer)

Mr. Paul H. Barrett, White Springs

Street, Apt. No., or PO Box No.

P. O. Box 300

Sgri. Chem.

City, State, ZIP+4

White Springs, FL 32096

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>1. Article Addressed to: Mr. Paul H. Barrett White Springs Agricultural Chemicals, Inc. Post Office Box 300 White Springs, Florida 32096</p>	<p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>2. Article Number 7000 1670 0013 3109 8628 (Transfer from service label)</p>	

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-M-1540

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

7000 1670 0013 3109 8628

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
Here

Sent To
 Mr. Paul H. Barrett
 White Springs Agricultural Chemicals,
 Post Office Box 300
 White Springs, Florida 32096

PS Form 3800, May 2000

See Reverse for Instructions

**PUBLIC NOTICE OF INTENT TO ISSUE
AIR CONSTRUCTION PERMIT**
STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL
PROTECTION
DEP File No. 0470002-049-AC

White Springs Agricultural Chemicals, Inc.
Hamilton County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to White Springs Agricultural Chemicals, Inc. for installation of two phosphoric acid aging tanks in the Acid Clarification Plant at the Swift Creek Complex located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. The applicant's name and mailing address are: White Springs Agricultural Chemicals, Inc., P.O. Box 300, White Springs, Florida 32096.

This permit is a minor modification of the existing Acid Clarification Plant and does not involve a measurable increase in actual or potential emissions. Therefore, there is no requirement for review under the Department's Prevention of Significant Deterioration (PSD) rules and a Best Available Control Technology determination is not required. There will be no increase in production or product throughout as a result of this modification. The purpose of the two new aging tanks is to provide additional clarification and polishing capacity for the current production level.

The Department will issue the FINAL Permit, in accordance with the conditions of the DRAFT Permit, unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of this Public Notice of Intent to Is-

ssue Air Construction Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3) however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection
Bureau of Air Regulation

111 S. Magnolia Drive, Suite 4
Tallahassee, Florida 32301
Telephone: 850/488-0114
Fax: 850/921-9533

Department of Environmental Protection
Northeast District Office
7825 Baymeadows Way, Suite 200B
Jacksonville, Florida 32256-7590
Telephone: 904/807-3300
Fax: 904/448-4319

The complete project file includes the application, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Administrator, North Permitting Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.
09/02

CHRISTINE M. WHITE
Notary Public, State of Florida
My comm. exp. Sept. 4, 2008
Comm. No. DD 350033

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <i>J. D. Reynolds</i> <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>J. D. Reynolds</i> C. Date of Delivery <i>6/24/01</i></p>
<p>1. Article Addressed to: Mr. Paul Barrett General Manager White Springs Agricultural Chemicals, Inc. Post Office Box 300 White Springs, Florida 32096</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>2. Article Number (Transfer from service label) 7000 1670 0013 3110 3421</p>	

PS Form 3811, August 2001 Domestic Return Receipt 102595-0201; 1540

U.S. Postal Service CERTIFIED MAIL RECEIPT <i>(Domestic Mail Only; No Insurance Coverage Provided)</i>											
OFFICIAL USE											
<table border="1"> <tr> <td>Postage</td> <td>\$</td> </tr> <tr> <td>Certified Fee</td> <td></td> </tr> <tr> <td>Return Receipt Fee (Endorsement Required)</td> <td></td> </tr> <tr> <td>Restricted Delivery Fee (Endorsement Required)</td> <td></td> </tr> <tr> <td>Total Postage & Fees</td> <td>\$</td> </tr> </table>	Postage	\$	Certified Fee		Return Receipt Fee (Endorsement Required)		Restricted Delivery Fee (Endorsement Required)		Total Postage & Fees	\$	Postmark Here
Postage	\$										
Certified Fee											
Return Receipt Fee (Endorsement Required)											
Restricted Delivery Fee (Endorsement Required)											
Total Postage & Fees	\$										
<p>Sent To Mr. Paul H. Barrett Street, Apt. No., or PO Box No. Post Office Box 300 City, State, ZIP+4 White Springs, Florida 32096</p>											
<p>PS Form 3800, May 2000 See Reverse for Instructions</p>											

7000 1670 0013 3110 3421

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
 Mr. Paul H. Barrett
 White Springs Agricultural
 Chemicals, Inc.
 Post Office Box 300
 White Springs, Florida 32096

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent Addressee
J. D. Reynolds

B. Received by (Printed Name) *J. D. Reynolds* C. Date of Delivery *10/15/01*

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number **7000 1670 0013 3109 8666**
 (Transfer from service label)

PS Form 3811, August 2001 Domestic Return Receipt 102595-02-M-1540

U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$	

Sent to: **Mr. Paul H. Barrett**
White Springs Agricultural Chemicals, Inc.
 Street, Apt. No., or PO Box No.
Post Office Box 300
White Springs, Florida 32096

PS Form 3800, May 2000 See Reverse for Instructions

7000 1670 0013 3109 8666

Jasper Legals

PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL
PROTECTION
DEP File No. 0470002-050-AC

White Springs Agricultural Chemicals, Inc.
Hamilton County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to White Springs Agricultural Chemicals, Inc. for modifying the existing Y Train Fertilizer Plant so that it can alternatively produce Monoammonium Phosphate (MAP) in a pipe reactor at the Suwannee River Complex located E of SR 137, E of US 41, N of White Springs, Hamilton County, Florida. The applicant's name and mailing address are: White Springs Agricultural Chemicals, Inc., P.O. Box 300, White Springs, Florida 32096.

This permit is a minor modification of the existing Y Train Fertilizer Plant and does not involve any increase in actual or potential emissions. Therefore, there is no requirement for review under the Department's Prevention of Significant Deterioration (PSD) rules and a Best Available Control Technology determination is not required. The only physical change to the existing plant is the addition of two pipe reactors for mixing phosphoric acid and ammonia and the re-routing of feed streams to the pipe reactors.

The Department will issue the FINAL Permit, in accordance with the conditions of the DRAFT Permit, unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of 14 (fourteen) days from the date of publication of this Public Notice of Intent to Issue Air Construction Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3) however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection
Bureau of Air Regulation
111 S. Magnolia Drive, Suite 4
Tallahassee, Florida 32301
Telephone: 850/488-0114
Fax: 850/921-9533

Department of Environmental Protection
Northeast District Office
7825 Baymeadows Way, Suite 200B
Jacksonville, Florida 32256-7590
Telephone: 904/807-3300
Fax: 904/448-4319

The complete project file includes the application, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Administrator, North Permitting Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.
09/02

CHRISTINE M. WHITE
Notary Public, State of Florida
My comm. exp. Sept. 4, 2008
Comm. No. DD 350033

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
 Mr. Paul H. Barrett
 General Manager
 White Springs Agricultural
 Chemicals, Inc.
 Post Office Box 300
 White Springs, Florida 32096

2. Article Number **7000 1670 0013 3110 3438**
 (Transfer from service label)

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 X *J. H. Reynolds* Agent Addressee

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

7000 1670 0013 3110 3438

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
Here

Mr. Paul Barrett
 Post Office Box 300
 White Springs, Florida 32096