



Florida Department of  
Environmental Protection

Memorandum

---

TO: Joseph Kahn  
THROUGH: Trina Vielhauer   
FROM: Al Linero   
DATE: September 8, 2008  
SUBJECT: Florida Crushed Stone d.b.a. CEMEX, Inc.  
DEP File No. 0530021-015-AC  
South Brooksville Cement Plant – Kiln 2  
Extension of Expiration Date, Tire Injection Mechanism System

The Final Permit Modification for this project is attached for your approval and signature. It authorizes installation of a tire injection mechanism system on Kiln 2 that is nearing completion of construction. This action also extends the expiration date of the Kiln 2 air construction permit. The proposed work will be conducted at CEMEX South Brooksville Cement Plant, which is located in Hernando County, Florida.

The attached Final Determination identifies issuance of the draft permit, summarizes the publication process, and provides the Department's response to the applicant's comments on the Draft Permit.

I recommend your approval of the attached Final Permit for this project.

Attachments

## FINAL DETERMINATION

Air Construction Permit Modification  
Florida Crushed Stone d.b.a. CEMEX, Inc.  
South Brooksville Cement Plant Kiln 2  
DEP File No. 0530021-015-AC (PSD-FL-351A)

### PERMITTEE

Florida Crushed Stone d.b.a. CEMEX, Inc.  
10311 Cement Plant Road  
Brooksville, Florida 32669

### PERMITTING AUTHORITY

Florida Department of Environmental Protection (Department)  
Division of Air Resource Management  
Bureau of Air Regulation, Special Projects Section  
2600 Blair Stone Road, MS #5505  
Tallahassee, Florida 32399-2400

### PROJECT

DEP File No. 0530021-015-AC  
Air Permit PSD-FL-351A  
South Brooksville Cement Plant Kiln 2  
Tire Injection Mechanism System (TIMS)  
Hernando County

This permit modification authorizes installation of TIMS on Kiln 2 and extension of the expiration date of the permit to construct Kiln 2. Tires were already permitted to be used as fuel for Kiln 2 (presently under construction) by introduction near the feed end (cold side) of the kiln. The TIMS project will provide for introduction of tires near the product end of the kiln (hot side) without changing the permitted emission, production or fuel use limits.

### NOTICE AND PUBLICATION

The Department distributed a Written Notice of Intent to Issue Air Permit on August 15, 2008. The Public Notice of Intent to Issue Air Permit was published on August 22, 2008 in the St. Petersburg Times.

### COMMENTS

The only comments received were submitted by the applicant via electronic mail received on August 15, 2008. The applicant's representative, George Townsend, advised:

*"In the draft permit it states that the total pyroprocessing heat input shall not exceed 58.5 MMBtu/hr and coal and/or petroleum coke shall not exceed 15.0 tons per hour. A previous Administrative Correction to the construction permit changed these values to 117 MMBtu/hr and 20 tons per hour; which should be reflected in the final permit modification."*

The Department agrees that such changes were made on August 2, 2005. The present permit modification affects only the expiration date and the language associated with tire use while including the original fuel input values. The final modification will include the requested TIMS, the new expiration date and the previously correct fuel use values.

### CONCLUSION

The final decision by the Department is to issue the permit modification with the changes noted.



# Florida Department of Environmental Protection

Bob Martinez Center  
2600 Blairstone Road  
Tallahassee, Florida 32399-2400

Charlie Crist  
Governor  
Jeff Kottkamp  
Lt. Governor  
Michael W. Sole  
Secretary

September 9, 2008

*Electronically Sent – Received Receipt Requested*

[jdaniel@cemexusa.com](mailto:jdaniel@cemexusa.com)

Mr. James S. Daniel, Plant Manager  
South Brooksville Cement Plant  
Florida Crushed Stone Company  
d.b.a. CEMEX, Inc.  
10311 Cement Plant Road  
Brooksville, Florida 32669

Re: DEP File 0530021-015-AC (PSD-FL-351A)  
Expiration Date Extension of Kiln 2 Construction Permit  
Installation of a Tire Injection Mechanism System (TIMS)

Dear Mr. Daniel:

On May 30 and July 29, 2008, CEMEX submitted permit modification applications requesting extension of the expiration date of the referenced Kiln 2 air construction permit and authorization to install a TIMS. Kiln 2 is presently nearing completion of construction. The Department evaluated the request in the Technical Evaluation and Preliminary Determination issued on August 27, 2008.

The expiration date of Permit 0530021-009-AC (PSD-FL-351) is hereby extended from July 6, 2008 to June 30, 2009 to allow sufficient time to install the TIMS, complete testing of the Kiln 2 units, and apply for the facility Title V operation permit revision to incorporate Kiln 2.

The additions to the existing language related to fuel use in Permit 0530021-009-AC are shown in double underlined format as follows:

### **Specific Condition A.1.2.a.**

Fuels: Fuels fired in the pyroprocessing system (kiln and calciner) shall not exceed a total maximum heat input of 390 million Btu per hour (MMBtu/hr) and shall consist only of natural gas, coal, distillate oil, petroleum coke, flyash, on-spec oil, and whole tires. Propane may be fired and shall not exceed a maximum hourly rate of 4150 gallons/hr.


- a. Whole tires may be fired directly in the pyroprocessing system at a rate not to exceed a maximum heat input of 30% of the total pyroprocessing heat input, not to exceed 117 MMBtu/hr at any time. The remaining 70% of the total pyroprocessing heat input shall be derived from firing coal, flyash, petroleum coke, natural gas, propane or distillate oil. Whole tires fired in this manner shall be fed into the kiln system near the product end (hot side) of the kiln or at the transition section between the base of the precalciner and the point where gases exit the kiln. The tire feeder mechanism at the feed end (cold side) of the kiln shall be designed with a double airlock.

- b. Coal and/or petroleum coke shall not exceed 20.0 tons per hour. Natural gas shall not exceed 432 MMCF/hr. Distillate oil shall not exceed 3080 gallons/hr.

A copy of this permit modification shall be filed with the Permit 0530021-009-AC (PSD-FL-351) and shall become part of that permit. This permitting decision is issued pursuant to Chapter 403, Florida Statutes (F.S.).

Any party to this permit modification (order) has the right to seek judicial review of it under section 120.68 of the Florida Statutes, by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel, Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.

Executed in Tallahassee, Florida.



Joseph Kahn, Director  
Division of Air Resource Management

TLV/aal/th

### CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Permit Modification and all copies were sent electronically with received receipt requested before the close of business on 9/10/08 to the persons listed below:

Mike Aller, CEMEX: [maller@cemexusa.com](mailto:maller@cemexusa.com)

Lillian DePrimo, CEMEX: [lillianf.deprimo@cemex.com](mailto:lillianf.deprimo@cemex.com)

George Townsend, CEMEX: [gtownsend@cemexusa.com](mailto:gtownsend@cemexusa.com)

Mara Nasca, DEP SWD: [mara.nasca@dep.state.fl.us](mailto:mara.nasca@dep.state.fl.us)

Fawn Bergen, P.E., Koogler and Associates: [fbergen@kooglerassociates.com](mailto:fbergen@kooglerassociates.com)

Administrator, Hernando County [gkuhl@hernandocounty.us](mailto:gkuhl@hernandocounty.us)

Kathy Forney, EPA Region 4: [forney.kathleen@epamail.epa.gov](mailto:forney.kathleen@epamail.epa.gov)

Clerk Stamp

**FILING AND ACKNOWLEDGMENT FILED,**  
on this date, pursuant to §120.52, Florida Statutes,  
with the designated Department Clerk, receipt of  
which is hereby acknowledged.

  
(Clerk)

9/10/08  
(Date)

## Livingston, Sylvania

---

**From:** Livingston, Sylvania  
**Sent:** Monday, September 29, 2008 5:21 PM  
**To:** 'jdaniel@cemexusa.com'  
**Subject:** CEMEX Brooksville Cement Plant; 0530021-015-AC/ PSD-FL-351A  
**Attachments:** 0530021-015-AC\_PermitMod.pdf; 0530021-015-AC\_FDET015.pdf

**Attached is the official Notice of Final Permit for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".** We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

**Click on the following link to access the permit project documents:**

[http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf\\_permit\\_zip\\_files/0530021.015.AC.F\\_pdf.zip](http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0530021.015.AC.F_pdf.zip)

**Owner/Company Name:** FLORIDA CRUSHED STONE CO., INC.  
**Facility Name:** BROOKSVILLE CEMENT AND POWER PLANTS  
**Project Number:** 0530021-015-AC  
**Permit Status:** FINAL  
**Permit Activity:** CONSTRUCTION/ MOD.- INSTALL T.I.M. AT UNIT 2  
**Facility County:** HERNANDO

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

Permit project documents addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Sylvia Livingston  
Bureau of Air Regulation  
Division of Air Resource Management (DARM)  
850/921-9506



0530021-015-AC\_P0530021-015-AC\_F  
ermitMod.pdf (... DET015.pdf (70...

## Livingston, Sylvania

---

**From:** Exchange Administrator  
**Sent:** Monday, September 29, 2008 5:21 PM  
**To:** Livingston, Sylvania  
**Subject:** Delivery Status Notification (Relay)

**Attachments:** ATT699620.txt; CEMEX Brooksville Cement Plant; 0530021-015-AC/ PSD-FL-351A



ATT699620.txt CEMEX Brooksville  
(287 B) Cement Plant...

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

[jdaniel@cemexusa.com](mailto:jdaniel@cemexusa.com)

**Livingston, Sylvia**

---

**From:** Townsend, George [gtownsend@cemexusa.com]  
**Sent:** Wednesday, September 10, 2008 5:06 PM  
**To:** Livingston, Sylvia  
**Subject:** RE: CEMEX Brooksville Cement Plant; 0530021-015-AC

Email received

---

**From:** Livingston, Sylvia [mailto:Sylvia.Livingston@dep.state.fl.us]  
**Sent:** Wednesday, September 10, 2008 4:58 PM  
**To:** Aller, Mike; Lillian F Deprimo; Townsend, George  
**Cc:** Nasca, Mara; fbergen@kooglerassociates.com; gkuhl@hernandocounty.us; forney.kathleen@epamail.epa.gov; Linero, Alvaro; Heron, Teresa; Walker, Elizabeth (AIR); Gibson, Victoria  
**Subject:** CEMEX Brooksville Cement Plant; 0530021-015-AC

**Attached is the official Notice of Final Permit for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send". We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document (s).**

**Click on the following link to access the permit project documents:**

[http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf\\_permit\\_zip\\_files/0530021.015.AC.F\\_pdf.zip](http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0530021.015.AC.F_pdf.zip)

**Owner/Company Name:** FLORIDA CRUSHED STONE CO., INC.

**Facility Name:** BROOKSVILLE CEMENT AND POWER PLANTS

**Project Number:** 0530021-015-AC

**Permit Status:** FINAL

**Permit Activity:** CONSTRUCTION/ MOD.- INSTALL T.I.M. AT UNIT 2

**Facility County:** HERNANDO

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Sylvia Livingston  
Bureau of Air Regulation  
Division of Air Resource Management (DARM)  
850/921-9506

<<0530021-015-AC\_PermitMod.pdf>> <<0530021-015-AC\_FDET015.pdf>>

9/10/2008

## Livingston, Sylvia

---

**From:** Lillian F Deprimo [lillianf.deprimo@cemex.com]  
**Sent:** Wednesday, October 22, 2008 11:00 AM  
**To:** Livingston, Sylvia  
**Subject:** FW: CEMEX Brooksville Cement Plant; 0530021-015-AC

### Return Receipt

Your document: FW: CEMEX Brooksville Cement Plant; 0530021-015-AC

was received  
by: lillianf.deprimo@cemex.com

at: 10/22/2008 11:00:28 EDT



**Livingston, Sylvania**

---

**From:** Townsend, George [gtownsend@cemexusa.com]  
**Sent:** Tuesday, October 28, 2008 12:26 PM  
**To:** Livingston, Sylvania  
**Subject:** RE: CEMEX Brooksville Cement Plant; 0530021-015-AC

In this case can you accept my confirmation as confirmation for all. I am the individual responsible for documenting and tracking all permit information for the Brooksville South Cement Plant.

---

**From:** Livingston, Sylvania [mailto:Sylvia.Livingston@dep.state.fl.us]  
**Sent:** Tuesday, October 28, 2008 12:21 PM  
**To:** Townsend, George  
**Subject:** RE: CEMEX Brooksville Cement Plant; 0530021-015-AC

Dear Mr. Townsend,

Thank you for responding to the delivery of this email. Unfortunately, I have not received confirmation that James Daniel, Mike Aller or Lillian DePrimo from your office were able to access the documents attached to this September 10<sup>th</sup> email. The Division of Air Resource Management is sending electronic versions of these documents rather than sending them Return Receipt Requested via the US Postal service. The "receipt confirmation" reply serves the same purpose as tracking the receipt of the signed "Return Receipt" card from the US Postal Service.

Sylvia Livingston  
Bureau of Air Regulation  
Division of Air Resource Management (DARM)  
850/921-0771  
sylvia.livingston@dep.state.fl.us

---

**From:** Townsend, George [mailto:gtownsend@cemexusa.com]  
**Sent:** Wednesday, September 10, 2008 5:06 PM  
**To:** Livingston, Sylvania  
**Subject:** RE: CEMEX Brooksville Cement Plant; 0530021-015-AC

Email received

---

**From:** Livingston, Sylvania [mailto:Sylvia.Livingston@dep.state.fl.us]  
**Sent:** Wednesday, September 10, 2008 4:58 PM  
**To:** Aller, Mike; Lillian F Deprimo; Townsend, George  
**Cc:** Nasca, Mara; fbergen@kooglerassociates.com; gkuhl@hernandocounty.us; forney.kathleen@epamail.epa.gov; Linero, Alvaro; Heron, Teresa; Walker, Elizabeth (AIR); Gibson, Victoria  
**Subject:** CEMEX Brooksville Cement Plant; 0530021-015-AC

**Attached is the official Notice of Final Permit for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send". We must receive**

10/29/2008

verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

**Click on the following link to access the permit project documents:**

[http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf\\_permit\\_zip\\_files/0530021.015.AC.F\\_pdf.zip](http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0530021.015.AC.F_pdf.zip)

**Owner/Company Name:** FLORIDA CRUSHED STONE CO., INC.

**Facility Name:** BROOKSVILLE CEMENT AND POWER PLANTS

**Project Number:** 0530021-015-AC

**Permit Status:** FINAL

**Permit Activity:** CONSTRUCTION/ MOD.- INSTALL T.I.M. AT UNIT 2

**Facility County:** HERNANDO

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at

<http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Sylvia Livingston  
Bureau of Air Regulation  
Division of Air Resource Management (DARM)  
850/921-9506

<<0530021-015-AC\_PermitMod.pdf>> <<0530021-015-AC\_FDET015.pdf>>

*The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.*

**CONFIDENTIALITY:** The information contained in this transmission may contain privileged and confidential information. It is intended only for the use of the person(s) named above. If you are not the intended recipient, you are hereby notified that any review, dissemination, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender and immediately destroy all copies of the original message.

**CONFIDENTIALITY:** The information contained in this transmission may contain privileged and confidential information. It is intended only for the use of the person(s) named above. If you are not the intended recipient, you are hereby notified that any review, dissemination, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender and immediately destroy all copies of the original message.

## Livingston, Sylvia

---

**From:** Aller, Mike [MAller@cemexusa.com]  
**To:** Livingston, Sylvia  
**Sent:** Tuesday, September 30, 2008 11:54 AM  
**Subject:** Read: FW: CEMEX Brooksville Cement Plant; 0530021-015-AC

Your message

To: MAller@cemexusa.com  
Subject:

was read on 9/30/2008 11:54 AM.

## Livingston, Sylvia

---

**From:** Nasca, Mara  
**Sent:** Wednesday, September 10, 2008 6:01 PM  
**To:** Livingston, Sylvia  
**Subject:** RE: CEMEX Brooksville Cement Plant; 0530021-015-AC

Thanks Sylvia

---

**From:** Livingston, Sylvia  
**Sent:** Wednesday, September 10, 2008 4:58 PM  
**To:** 'maller@cemexusa.com'; 'lillianf.deprimo@cemex.com'; 'gtownsend@cemexusa.com'  
**Cc:** Nasca, Mara; 'fbergen@kooglerassociates.com'; 'gkuhl@hernandocounty.us'; 'forney.kathleen@epamail.epa.gov'; Linero, Alvaro; Heron, Teresa; Walker, Elizabeth (AIR); Gibson, Victoria  
**Subject:** CEMEX Brooksville Cement Plant; 0530021-015-AC

**Attached is the official Notice of Final Permit for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".** We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

**Click on the following link to access the permit project documents:**

[http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf\\_permit\\_zip\\_files/0530021.015.AC.F\\_pdf.zip](http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0530021.015.AC.F_pdf.zip)

**Owner/Company Name:** FLORIDA CRUSHED STONE CO., INC.  
**Facility Name:** BROOKSVILLE CEMENT AND POWER PLANTS  
**Project Number:** 0530021-015-AC  
**Permit Status:** FINAL  
**Permit Activity:** CONSTRUCTION/ MOD.- INSTALL T.I.M. AT UNIT 2  
**Facility County:** HERNANDO

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at

<http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Sylvia Livingston  
Bureau of Air Regulation  
Division of Air Resource Management (DARM)  
850/921-9506

<< File: 0530021-015-AC\_PermitMod.pdf >> << File: 0530021-015-AC\_FDDET015.pdf >>

## Livingston, Sylvia

---

**Subject:** FW: Successful Mail Delivery Report

**Attachments:** Delivery report; Message Headers



Delivery report.txt  
(502 B)

Message  
Headers.txt (2 KB)

Received: from tlhexsprot2.floridadep.net  
(tlhexsprot2.floridadep.net [199.73.152.8])  
by mseive01.rtp.epa.gov (Postfix) with ESMTP id D95A1443C7  
for <forney.kathleen@epamail.epa.gov>; Wed, 10 Sep 2008 16:58:21 -0400 (EDT)  
Content-Transfer-Encoding: 7bit  
Importance: normal  
Priority: normal  
Received: from tlhexsmb4.floridadep.net ([172.20.30.47]) by tlhexsprot2.floridadep.net  
with Microsoft SMTPSVC(5.0.2195.6713); Wed, 10 Sep 2008 16:58:18 -0400  
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896  
Content-Class: urn:content-classes:message  
Return-Receipt-To: "Livingston, Sylvia" <Sylvia.Livingston@dep.state.fl.us>  
MIME-Version: 1.0  
Content-Type: multipart/mixed;  
boundary="----=\_NextPart\_001\_01C91387.F293206C"  
Disposition-Notification-To: "Livingston, Sylvia" <Sylvia.Livingston@dep.state.fl.us>  
Subject: CEMEX Brooksville Cement Plant; 0530021-015-AC  
Date: Wed, 10 Sep 2008 16:58:16 -0400  
Message-ID: <864D0E673032DD47ABE8B4EE542DF7CAC71D73@tlhexsmb4.floridadep.net>  
X-MS-Has-Attach: yes  
X-MS-TNEF-Correlator:  
Thread-Topic: CEMEX Brooksville Cement Plant; 0530021-015-AC  
thread-index: AckTh/KxrBPIxcDxTdeuwrk6011QxQ==  
From: "Livingston, Sylvia" <Sylvia.Livingston@dep.state.fl.us>  
To: <maller@cemexusa.com>,  
<lillianf.deprimo@cemex.com>,  
<gtownsend@cemexusa.com>  
Cc: "Nasca, Mara" <Mara.Nasca@dep.state.fl.us>,  
<fbergen@kooglerassociates.com>,  
<gkuhl@hernandocounty.us>,  
<forney.kathleen@epamail.epa.gov>,  
"Linero, Alvaro" <Alvaro.Linero@dep.state.fl.us>,  
"Heron, Teresa" <Teresa.Heron@dep.state.fl.us>,  
"Walker, Elizabeth \ (AIR) \" <Elizabeth.Walker@dep.state.fl.us>,  
"Gibson, Victoria" <Victoria.Gibson@dep.state.fl.us>  
X-OriginalArrivalTime: 10 Sep 2008 20:58:18.0915 (UTC) FILETIME=[F3D5AF30:01C91387]

-----Original Message-----

From: Mail Delivery System [mailto:MAILER-DAEMON@mseive01.rtp.epa.gov]  
Sent: Wednesday, September 10, 2008 4:58 PM  
To: Livingston, Sylvia  
Subject: Successful Mail Delivery Report

This is the mail system at host mseive01.rtp.epa.gov.

Your message was successfully delivered to the destination(s) listed below. If the message was delivered to mailbox you will receive no further notifications. Otherwise you may still receive notifications of mail delivery errors from other systems.

The mail system

<forney.kathleen@epamail.epa.gov>: delivery via 127.0.0.1[127.0.0.1]:10025: 250  
OK, sent 48C834F1\_6072\_14054\_3 8C345443D4