

TAMPA ELECTRIC

March 5, 2004

Ms. Teresa Heron
Florida Department of
Environmental Protection
Division of Air Resource Management
111 South Magnolia Drive, Suite 4
Tallahassee, Florida 32301

Re: Tampa Electric Company
J.H. Phillips Station
Title V Air Operation Permit Renewal Application
Permit No. 0550018-001-AV

Dear Ms. Heron:

This letter is a follow up to the conversation that occurred on March 5, 2004 addressing the J.H Phillips Station Title V Air Operation Permit Renewal. A discrepancy was found by the Florida Department of Environmental Protection (FDEP) during the review process of the permit renewal application submitted by Tampa Electric Company (TEC) on December 23, 2003. The discrepancy was that two conditions, which were part of the Federal Permit No. PSD-FL-071 issued on April 2, 1981, were not incorporated into any of the subsequent permits for J.H. Phillips Station. According to the Federal Permit No. PSD-FL-071, the two conditions omitted from all the operating permits in TEC's files, which were transferred from Sebring Utilities Commission, are the following:

- Condition 5.** Operation of each engine shall be limited to 8,400 hours per year.
- Condition 6.** Maximum fuel oil consumption shall be 9,199.5 pounds per hour for each engine.

Sebring Utilities Commission once owned and operated J.H. Phillips Station. The ownership and operations was then transferred to TEC in 1991. TEC does not have any records explaining the reasons for the omittance or removal of these two conditions from any subsequent permits. The facility has been operating in compliance with all the conditions of the Title V Air Operation permit issued on June 24, 1999. The following is a table with the past five years information supporting compliance with the Title V Air Operation permit:

Year	Unit 1		Unit 2	
	Hours of Operation (hrs)	Fuel Oil Consumption (lb/hr)	Hours of Operation (hrs)	Fuel Oil Consumption (lb/hr)
1999	1,483	4,511.2	1,266	4,876.7
2000	2,730	7,581.7	2,634	7,851.7
2001	3,093	7,882.7	3,076	8,182.3
2002	3,080	8,358.8	2,828	8,184.1
2003	3,362	8,749.1	3,306	8,188.9

TAMPA ELECTRIC COMPANY
P. O. BOX 111 TAMPA, FL 33601-0111

(813) 228-4111

AN EQUAL OPPORTUNITY COMPANY
HTTP://WWW.TAMPAELECTRIC.COM

CUSTOMER SERVICE:
HILLSBOROUGH COUNTY (813) 223-0800
OUTSIDE HILLSBOROUGH COUNTY 1 (888) 223-0800

RECEIVED
DIVISION OF AIR
RESOURCE MANAGEMENT

MAR 08 2004

RECEIVED

Via FedEx
Airbill No. 7905 7089 8580

RECEIVED

MAR 08 2004

BUREAU OF AIR REGULATION

Ms. Teresa Heron
March 5, 2004
Page 2 of 2

TEC therefore requests these conditions be removed from the PSD permit and not be reflected on the Title V Air Operation Permit Renewal for J.H. Phillips Station.

TEC appreciates the cooperation and consideration of the Department in the removal of these conditions from the Title V Air Operation Permit Renewal for the J.H. Phillips Station. If you have any questions or comments pertaining to this request, please direct them to Raiza Calderon at (813) 228-4369 or me.

Sincerely,

A handwritten signature in black ink, appearing to read "Raiza Calderon". The signature is fluid and cursive, with a small "Dr" written at the end.

Laura R. Crouch
Manager - Air Programs
Environmental, Health, and Safety

EA/bmr/RC173

c: Mara G. Nasca, FDEP South District



TAMPA ELECTRIC

D.E.P.

NOV 17 2000

Southwest District Tampa

*copy in each *
Title II file*

November 14, 2000

Mr. Bill Proses
Florida Department of
Environmental Protection
Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

Certified Mail No. Z 504 094 686
Return Receipt Requested

RE: Tampa Electric Company
Responsible Officials

Dear Mr. Proses:

Tampa Electric Company has made some personnel changes at our power plants since the Title V applications were submitted. Please find below the current names of Tampa Electric Company's Responsible Officials for each of our power plants. Each of the following persons has overall operational responsibility for the facility listed and has been assigned the authority to act as the Responsible Official.

Stanley J. Martin	General Manager	Big Bend Station
Karen A. Sheffield	General Manager	F.J. Gannon Station
Darryl Scott	General Manager	Hookers Point Station
Mark J. Hornick	General Manager	Polk Power Station
Mark J. Hornick	General Manager	J.H. Phillips Station

*

If you have any questions, please call Jamie Woodlee or me at 641-5060.

Sincerely,

William T. Whale
Vice President
Energy Supply-Operations
Tampa Electric Company

EP\gm\UTW909

c: William C. Thomas, FDEP - SW
Clair Fancy, FDEP
Buck Oven, FDEP
Scott Sheplak, FDEP
Jerry Campbell, EPCHC

TAMPA ELECTRIC COMPANY
P. O. BOX 111 TAMPA, FL 33601-0111

(813) 228-4111

AN EQUAL OPPORTUNITY COMPANY
HTTP://WWW.TECOENERGY.COM

CUSTOMER SERVICE:
HILLSBOROUGH COUNTY (813) 223-0800
OUTSIDE HILLSBOROUGH COUNTY 1 (888) 223-0800



TAMPA ELECTRIC

October 13, 2000

*file copy in each
Title V file or
facility file*

0550018

Mr. William A. Proses, P.E.
Florida Department of
Environmental Protection
Southwest District
3804 Coconut Palm Drive
Tampa, Florida 33619

Certified Mail No. Z 504 094 565
Return Receipt Requested

RE: Tampa Electric Company
Responsible Officials

Dear Mr. Proses:

Tampa Electric Company has made personnel changes at our power plants since the Title V applications were submitted. Please find below the current names of Tampa Electric Company's Responsible Officials for each of our power plants:

Stanley J. Martin	Big Bend Station
Karen A. Sheffield	F.J. Gannon Station
Darryl Scott	Hookers Point Station
Mark J. Hornick	Polk Power Station
Mark J. Hornick	J.H. Phillips Station

If you have any questions, please call Jamie Woodlee or me at 641-5060.

Sincerely,

Patrick L. Shell
Administrator - Air Programs
Environmental Affairs

EPgmJTW905

c: William C. Thomas, FDEP - SW
Clair Fancy, FDEP
Scott Sheplak, FDEP
Buck Oven, FDEP
Sterlin Woodard, EPCHC

TAMPA ELECTRIC COMPANY
P. O. BOX 111 TAMPA, FL 33601-0111

(813) 228-4111

AN EQUAL OPPORTUNITY COMPANY
HTTP://WWW.TECOENERGY.COM

CUSTOMER SERVICE:
HILLSBOROUGH COUNTY (813) 223-0800
OUTSIDE HILLSBOROUGH COUNTY 1 (888) 223-0800



RECEIVED

MAY 02 2005

BUREAU OF AIR REGULATION

April 27, 2005

Ms. Trina Vielhauer
Bureau Chief
Florida Department of
Environmental Protection
111 S. Magnolia Drive, Suite 23
Tallahassee, Florida 32301

Via FedEx
Airbill No. 7900 0285 5822

Re: Tampa Electric Company
Change in Alternate Responsible Official
at Big Bend Station, H.L. Culbreath Bayside Power Station,
Polk Power Station, J.H. Phillips Station

Dear Ms. Vielhauer:

Tampa Electric Company has made a change in an alternate responsible official our Big Bend Station, H.L. Culbreath Bayside Power Station, Polk Power Station and J.H. Phillips Station. TEC has removed Laura R. Crouch and added Byron T. Burrows as the alternate responsible official for these stations. The following change took effect on March 14, 2005.

If you have any questions please call Laurie Pence or me at (813) 228-4457.

Sincerely,

A handwritten signature in black ink, appearing to read "Byron T. Burrows".

Byron T. Burrows, P.E.
Manager - Air Programs
Environmental, Health & Safety

EAVIKLAB227


c/enc: Ron Blackburn, FDEP - South
Jerry Campbell, EPCHC
Alice Harmon, EPCHC
Jerry Kissell, FDEP - SW
Al Linero, FDEP
Buck Oven, FDEP
Scott Sheplak, FDEP

TAMPA ELECTRIC COMPANY
P.O. BOX 111 TAMPA, FL 33601-0111

(813) 228-4111

AN EQUAL OPPORTUNITY COMPANY
[HTTP://WWW.TAMPAELECTRIC.COM](http://www.tampaelectric.com)

CUSTOMER SERVICE:
HILLSBOROUGH COUNTY (813) 223-0800
OUTSIDE HILLSBOROUGH COUNTY 1 (888) 223-0800



Department of Environmental Protection

Division of Air Resource Management

RESPONSIBLE OFFICIAL NOTIFICATION FORM

Note: A responsible official is not necessarily a designated representative under the Acid Rain Program. To become a designated representative, submit a certificate of representation to the U.S. Environmental Protection Agency (EPA) in accordance with 40 CFR Part 72.24.

Identification of Facility

1. Facility Owner/Company Name: Tampa Electric Company	
2. Site Name: J.H. Phillips Station	3. County: Highlands
4. Title V Air Operation Permit/Project No. <i>(leave blank for initial Title V applications):</i> 0550018-003-AV	

Notification Type *(Check one or more)*

<input type="checkbox"/> INITIAL:	Notification of responsible officials for an initial Title V application.
<input type="checkbox"/> RENEWAL:	Notification of responsible officials for a renewal Title V application.
<input checked="" type="checkbox"/> CHANGE:	Notification of change in responsible official(s). Effective date of change in responsible official(s) <u>3/14/2005</u>

Primary Responsible Official

1. Name and Position Title of Responsible Official: Mark J. Hornick
2. Responsible Official Mailing Address: Tampa Electric Company Organization/Firm: J.H. Phillips Station Street Address: P.O. Box 111 City: Tampa State: Florida Zip Code: 33601-0111
3. Responsible Official Telephone Numbers: Telephone: (813) 228-4457 Fax: (813) 228-1308
4. Responsible Official Qualification <i>(Check one or more of the following options, as applicable):</i> <input checked="" type="checkbox"/> For a corporation, the president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C. <input type="checkbox"/> For a partnership or sole proprietorship, a general partner or the proprietor, respectively. <input type="checkbox"/> For a municipality, county, state, federal, or other public agency, either a principal executive officer or ranking elected official. <input type="checkbox"/> The designated representative at an Acid Rain source.
5. Responsible Official Statement: <i>I, the undersigned, am a responsible official, as defined in Rule 62-210.200, F.A.C., of the Title V source addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I certify that I have authority over the decisions of all other responsible officials, if any, for purposes of Title V permitting.</i> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%; text-align: center;"> _____ Signature </div> <div style="width: 45%; text-align: center;"> <u>4/15/05</u> _____ Date </div> </div>

Additional Responsible Official

1. Name and Position Title of Responsible Official: Gregory M. Nelson, Designated Acid Rain Representative
2. Responsible Official Mailing Address: Tampa Electric Company Organization/Firm: Environmental, Health & Safety Street Address: P.O. Box 111 City: Tampa State: Florida Zip Code: 33601-0111
3. Responsible Official Telephone Numbers: Telephone: (813) 228-4457 Fax: (813) 228-1308
4. Responsible Official Qualification (<i>Check one or more of the following options, as applicable</i>): <input type="checkbox"/> For a corporation, the president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C. <input type="checkbox"/> For a partnership or sole proprietorship, a general partner or the proprietor, respectively. <input type="checkbox"/> For a municipality, county, state, federal, or other public agency, either a principal executive officer or ranking elected official. <input checked="" type="checkbox"/> The designated representative at an Acid Rain source.

Additional Responsible Official

1. Name and Position Title of Responsible Official: Byron T. Burrows, Manager – Air Programs
2. Responsible Official Mailing Address: Tampa Electric Company Organization/Firm: Environmental, Health & Safety Street Address: P.O. Box 111 City: Tampa State: Florida Zip Code: 33601-0111
3. Responsible Official Telephone Numbers: Telephone: (813) 228-4457 Fax: (813) 228-1308
4. Responsible Official Qualification (<i>Check one or more of the following options, as applicable</i>): <input checked="" type="checkbox"/> For a corporation, the president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C. <input type="checkbox"/> For a partnership or sole proprietorship, a general partner or the proprietor, respectively. <input type="checkbox"/> For a municipality, county, state, federal, or other public agency, either a principal executive officer or ranking elected official. <input type="checkbox"/> The designated representative at an Acid Rain source.

From: BRANDY M RHIND (813)228-4483
TAMPA ELECTRIC COMPANY
702 NORTH FRANKLIN STREET
PLAZA 4
TAMPA, FL, 33602

REVENUE BARCODE



To: Ms. Teresa Heron (850)921-8985
Fla. Dept. of Env. Protection
111 S. Magnolia Dr.
Ste. 4
Tallahassee, FL, 32301

SHIP DATE: 05MAR04
WEIGHT: 1 LBS

Ref:



DELIVERY ADDRESS BARCODE(FEDEX-EDR)

TRK # 7905 7089 8580 6281


FedEx PRIORITY OVERNIGHT

MON
A2

Deliver by:
08MAR04

32301-FL-US

TLH
XH TLHA



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.