# Machinski, Susan

Maciniski, Jusan	
From: Sent: To: Cc: Subject:	Sara Greivell [sara@grovescientific.com] Friday, March 27, 2009 10:36 AM Machinski, Susan Bruno Ferraro Re: Fw: E-stone initial Title V application
Hi Susan,	
	on line 2 is complete however, before line two is placed in operation E-Stone needs to will require a permit modification or a construction permit.
Please let me know if you	have any other questions.
Thanks, Sara	
On Thu, Mar 26, 2009 at	1:50 PM, < <u>bruno@grovescientific.com</u> > wrote:
Sent via BlackBerry from	n T-Mobile
From: "Machinski, Susar Date: Thu, 26 Mar 2009 To: <a href="mailto:subject">bruno@grovescient</a> Subject: E-stone initial T	10:58:18 -0400 <u>iffic.com</u> >
Good Morning Bruno,	<b>+</b>
communicated to me that	were at E-Stone in December for their compliance demonstration testing, have a polymerizing line 2 construction is complete, but not in operation. Would you please rying to figure out how to handle that unit in the permits.
Thanks,	
Susan Machinski	
Engineering Specialist IV	
Air Resource Manageme	nt
Florida Department of Environmental Protection	

2295 Victoria Avenue, Ste 364

P.O. Box 2549

Fort Myers, FL 33902

(239) 332-6975 Ext 109

(239) 332-6969 FAX

susan.machinski@dep.state.fl.us

Cover Florida, developed by Governor Charlie Crist and the Florida Legislature, gives Floridians access to more affordable health insurance options. To learn more or to sign up for email updates, visit <a href="www.CoverFloridaHealthCare.com">www.CoverFloridaHealthCare.com</a>.

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on this link to the DEP Customer Survey. Thank you in advance for completing the survey.

--

Sara Greivell Environmental Scientist Grove Scientific & Engineering Phone: 407-298-2282 ext.108

Fax: 407-290-9038

sara@grovescientific.com

From: Exchange Administrator

Sent: Wednesday, April 01, 2009 1:42 PM

To: Wolfe, Janice

Subject: Delivery Status Notification (Relay)

Attachments: ATT179062.txt; E-Stone USA Corporation - File No. 0550049-004-AV - Request for Additional

Information

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

Bruno@grovescientific.com

From: Sent: Postmaster [postmaster@isp.att.net] Wednesday, April 01, 2009 1:42 PM

To:

Wednesday, April 01, 20 Wolfe, Janice

Subject:

Delivery Notification

Attachments:

ATT179071.txt; ATT179071.txt

Your message was successfully relayed via mx.bellsouth.yahoo.com for delivery to: j sshow@bellsouth.net

The Remote mail system does not support confirmation of actual delivery. Unless delivery fails, this will be the only delivery status notification sent.

From:

Sent:

bruno@grovescientific.com Wednesday, April 01, 2009 1:46 PM Wolfe, Janice

To:

Subject:

Delivered: E-Stone USA Corporation - File No. 0550049-004-AV - Request for Additional

Information

Attachments:

ATT179095.txt

Your message was delivered to the recipient.

From:

Bruno A. Ferraro [bruno@grovescientific.com]

Sent:

Wednesday, April 01, 2009 2:27 PM

To:

Wolfe, Janice

Subject:

RE: E-Stone USA Corporation - File No. 0550049-004-AV - Request for Additional Information

Thanks, we got it.

From the Desk of;

Bruno A. Ferraro, CEP, QEP
President
Grove Scientific & Engineering Company
6140 Edgewater Drive, Suite F
Orlando, Florida 32810
Phone 407-298-2282
Cell 407-257-3095
Fax 407-290-9038

From: Wolfe, Janice [mailto:Janice.Wolfe@dep.state.fl.us]

Sent: Wednesday, April 01, 2009 1:42 PM

**To:** j\_sshow@bellsouth.net; Bruno@grovescientific.com

Subject: E-Stone USA Corporation - File No. 0550049-004-AV - Request for Additional Information

#### Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following Internet site: <a href="http://www.adobe.com/products/acrobat/readstep.html">http://www.adobe.com/products/acrobat/readstep.html</a>.

The Air Program Office of South District is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

If you have any questions or need further assistance, please contact us at (239) 332-6975.

Thank you,
DEP, District Air Program
South District

Janice Wolfe Administrative Assistant FDEP - South District Office Air Resources Management 2295 Victoria Avenue, Suite 364W Fort Myers, FL 33901 Phone No. (239) 332-6975, ext. 115 FAX No. (239) 332-6969 Cover Florida, developed by Governor Charlie Crist and the Florida Legislature, gives Floridians access to more affordable health insurance options. To learn more or to sign up for email updates, visit www.CoverFloridaHealthCare.com.

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on this link to the DEP Customer Survey. Thank you in advance for completing the survey.