

Golder Associates Inc.

6241 NW 23rd Street, Suite 500
Gainesville, FL 32653-1500
Telephone (352) 336-5600
Fax (352) 336-6603

October 19, 1998

Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400
Attention: A.A. Linero, New Source Review Section

RE: Cargill Fertilizer, Inc.
Permit No. AC29-241660; PSD-FL-209
Riverview Nos. 8 & 9 Sulfuric Acid Plants

Dear Mr. Linero:


The purpose of this correspondence is to request an extension of the above referenced air construction permit for the Cargill Riverview plant. This permit expires on October 30, 1998. The purpose of the extension is to allow more time for Cargill to replace a critical piece of process equipment on the No. 8 Sulfuric Acid Plant (SAP).

Cargill had previously installed a new "blower drive" on the No. 8 SAP. This piece of equipment experienced problems and subsequently failed. In order to achieve a quick fix to this problem, a readily available blower drive replacement was installed. However, this replacement unit was of smaller capacity than the original drive. Cargill plans on replacing this smaller capacity unit with one equivalent to the original equipment capacity.

Due to the time needed for this replacement, the replacement cannot be performed until the next plant turnaround. As a result, Cargill requests an extension of the construction permit for one year, until October 30, 1999.

A permit amendment fee of \$50 is attached. If you require anything further, please do not hesitate to call. Thank you for consideration of this request.

Sincerely,



David A. Buff, P.E.
Principal Engineer
Florida P.E. #19011
S E A L

DB/arz

cc: David Jellerson, Cargill
Kathy Edgemon, Cargill
Bill Thomas, FDEP-SWD
File (2)

G:\DATA\DP\PROJECTS\98\9837534\02\#02-1tr.doc



9837534A/02

NOI REGULATION
BUREAU OF

OCT 20 1998

RECEIVED

|| **IMAGESAFE** logo in light gray tone is not present on back of document - Do not cash.

22073

GOLDER ASSOCIATES GAINESVILLE
3730 SHAMBLEE TUCKER ROAD
ATLANTA, GA 30341

Oct. 19 19 98 \$

63-276
003

PAY
TO THE
ORDER OF

Florida Dept. of Environmental Protection

\$ 50.00

Fifty dollars & no/100

DOLLARS

FIRST UNION

First Union National Bank
Gainesville, Florida
24 Hour Information Service
1-800-735-1012

FOR

⑈022073⑈ ⑆063000021⑆ 2090002286047⑈

GUARDIAN & SAFETY
ECLATRE AMERICAN BA