

**CARGILL  
FERTILIZER, INC.**

**RECEIVED**

MAR 13 2001

BUREAU OF AIR REGULATION

8813 Highway 41 South - Riverview, Florida 33569 - Telephone 813-677-9111 - TWX 810-876-0648 - Telex 52666 - FAX 813-671-6146

779 023 4513

March 12, 2001

Mr. Al Linero, P.E.  
Florida Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400


Dear Mr. Linero:

Re: Cargill Fertilizer Riverview Facility, AIRS ID No. 0570008  
PSD Construction Permit Application

Please find enclosed four copies of the revised PSD report for various emission units at Cargill Fertilizer's Riverview Facility. These copies, along with the \$7,500 application fee also enclosed (check # 301221429), will complete the submittal made in February 2001.

If you have any questions or require additional information please call me at (813) 671-6369 or email me at [kathy\\_edgemon@cargill.com](mailto:kathy_edgemon@cargill.com)

Sincerely,



Kathy Edgemon, P.E.  
Environmental Superintendent

cc: Jellerson  
Alice Harman, HCEPC (one copy of attachment, CERTIFIED MAIL: 7000 0520 0014 8871 3268)  
File



recycled paper