

file copy

FLORIDA CEMENT



**Lafarge
Corporation**

RECEIVED

MAR 16 1989

DER-BAQW.

March 14, 1989

Mr. Clair H. Fancy, P. E.
Deputy Chief
Florida Department of Environmental Regulation
2600 Blair Stone Road
Tallahassee, Florida 32301-8241

Re: Permit No. AC 29-122068

Dear Mr. Fancy:



We request an amendment be made to subject permit to show:

1. The average unloading rate of portland cement to be 340 tons per hour.
2. Hours of operations per year for the ship unloading system to be 2647 instead of 1733 (900,000 T/340T).
3. Emissions in tons per year for the unloading systems will be correspondingly higher.


The originally expected average unloading rate of 520 tons per hour was not achieved and likewise the expected hours of operation are not enough to unload the permitted 900,000 tons of portland cement.

The requested changes would cover specific conditions numbers:

2. Average unloading rate of the portland cement is 340 tons per hour.
8. Hours of operation and emission rates shall not exceed:



Mr. Clair H. Fancy, P.E.
Deputy Chief
Florida Department of Environmental Regulation
2600 Blair Stone Road
Tallahassee, FL 32301-8241



Cement Loading

Dust Collector Numbers -----	Hours of Operation -----	Emission Tons/Year -----
27	2647	2.04
28	2647	6.13
42	2647	2.72
43	2647	3.40
44	2647	1.80
45	2647	1.80
50	1500	0.77
-----	-----	-----
		18.66 Total

If you have any questions concerning this request, please do not hesitate to contact me.

Yours truly,



R. E. Pretat
Senior Plant Engineer

REP:ld

cc: Victor San Agustin, HCEPC
J. Harry Kerns, SW District DER
W. H. Winders
R. D. Auten

*Copied: St. Hanks
CHF/13T*