

DATE: 06/16/95  
PAGE 1

APPLICABILITY DETERMINATION INDEX

DOWNLOAD REPORT

Selection Criteria:  
SUBPART = X

Control Number: X001

Title: DETERMINATION SUBPART X

Recipient: STEPHENSON, EARL J., ENFORCEMENT DIVISION REGION VII

Author: REICH, EDWARD E., DSSE

Date: 08/11/77

Comments:

Keywords:

EMISSIONS, FLUORIDE  
GRANULAR TRIPLE SUPERPHOSPHATE  
PERFORMANCE TEST

Subparts:

X

References:

60.240  
60.8(b)(4)

1. Does Subpart X apply to granular triple superphosphate storage facilities which are not located at manufacturing plants?
2. If the granular triple superphosphate contained in a storage facility is more than 10 days old, can performance testing be waived under 60.8(b)(4)?
  1. Yes, the regulation does not specify a size cutoff nor does it state that these facilities must be located at the same site as the manufacturing facility.
  2. Most fluoride emissions from granular triple superphosphate occur in the first 10 days following manufacture, therefore the performance test is not required.

August 11 1977

MEMORANDUM

SUBJECT: NSPS Determination - Subpart X  
FROM: Director, DSSE  
TO: Earl J. Stephenson, Director  
Enforcement Division, Region VII

This is an addendum to an NSPS determination on Subpart X dated June 29, 1977.

Most fluoride emissions from granular triple superphosphate occur only in the first ten days following manufacture. For this reason, if the granular triple superphosphate contained in a storage facility is more than ten days old, then the performance test may be waived under 60.8(b)(4).

If you should have any further questions on this determination, please contact Craig Cobert (FTS 755-2546) of my staff.

Edward E. Reich

(signed)

cc: Larry Jones, OAQPS

DSSE:CCobert:PAH 8/9/77 rm3202 ext52564