Irlando

Published Daily

RECEIVED

State of Florida S.S.

MAY 24 2007

NUMBER OF A PROPERTY ATTOMS

washind	con
Before the undersigned authority personally appeared Rachael Washingt	S
that he/she is the Legal Advertising Representative of Orlando Sentinel, a dai	v
that he/she is the Legal Advertising Representative of Charles Services	ń
newspaper published at	a:
Lake PUBLIC NOTICE OF	Ĭ
	_
that the attached copy of advertisement, being a in the matter of	_
Cou	rt
in the Take	•,
in the <u>Lake</u> was published in said newspaper in the issue; of <u>05/09/07</u>	_
	_
a de la companya de l	at
Affiant further says that the said Orlando Sentinel is a newspaper published, in sa	id id
Tavares ", III sa	in
County Figure	ш.
	ın
and that the said newspaper has heretolded asset County, Florid	а,
said Lake each Week Day and has been entered as second-class mail matter at the po	St
	la,
for a period of one year next preceding the first publication of the attache	ed
for a period of one year next preceding the first publication of the copy of advertisement; and affiant further says that he/she has neither pactory of advertisement; and affiant further says that he/she has neither pactory of the copy of the cop	ıid
copy of advertisement, and affirm or corporation any discount, rebal	le,
copy of advertisement; and affiant furner says that the short of any discount, rebain nor promised any person, firm or corporation any discount, rebain nor promised any person, firm or corporation this advertisement to	or
commission of fetung for the purpose of solvering the	
publication in the said newspaper.	
M. C.	—
The foregoing instrument was acknowledged before me this <u>FT</u> day	of
The foregoing instrument was acknowledged the lash incton	
May 20 0/, by Bachael Mashing	- ·
who is personally known to me and who did take an oath.	
who is personally known to the and	l
/	
(SEAL)	
Secretarian Secret	

The complete project file includes the permit application, draft air construction permit, technical evaluation, and the information submitted by the responsible afficial, exitative confidential records under Section 493.111, F. S. Clusive of confidential records under Section 493.111, F. S. Clusive of Confidential records under Section 493.111, F. S. Clusive of Confidential Records Tailahassee, Pacifica 2299-2490. The engineering for this project Tom Cascio of MS. 5505. In Casc

tor public inspection 00 a.m. to 5:00 p.m., gal holldays, at:

Department of Environmental Prote Central District Office 319 Moguire Boulevard, Suite 2 Orlando, Florida 37803-3783 Telephane: 207/897-2966.

A petition that does not dispute the material tacts upon which the permitting authority's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106-30t, F.A.C.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition may be different from the position and the permitting authority's final action, may be different from the position taken by it in this notice. Persons whose substantial interests will be differed by any such final decision of the Deportment on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

PUBLIC NOTICE OF INTENT TO ISSUE - AN AIR CONSTRUCTION PERMIT

STATE OF FLORIDA

DEP File No. 0694801-008-AC

Lake Cogeneration Facility
Modification of Units 1 and 2
Loke County
Loke County
Loke County
The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to Lake Cogeneration L.P., to modify the two combustion turbines located at its facility in Loke County. A review under the rules for the Prevention of Significant Deterioration of Air Quality (PSD) and a determination of best available control technology (BACT), were, not required. The applicant's name and address are Lake Cogeneration L.P., 39001 Golden Gem Drive, Umatilla, Florida 3784.

This facility includes two 42.0 megawatt (MW) natural gas-fueled combustion turbine-electric generators (HRSGs) that provide steam to nearby industrial users or to an on-site 26.5 MW steam to nearby industrial users or to an on-site 26.5 MW steam turbine-electric generators (STG). The facility also includes a naminal 170,000 gallon storage tank for backup fuel oil.

The permit authorizes the addition of a "Spray Intercooling" (SPRINT) system whereby atomized water is injected through spray nazzles located between the high pressure and a low-pressure compressor of each CTC. The result is that each compressor is able to pump more dir. thus achieving greater power and improved efficiency.

Iffus achieving greater power and improved efficiency.

Nitrogen oxides (NOx) emissions are controlled by water injection. The additional SPRINT feature will have minimal effects on emissions. For example carbon monoxide (CO) and Nox emissions increases directly caused by the SPRINT project would each be on the order of 10 tons per year (TPY). A comparison of baseline actual emissions and projected actual emissions, after adjustment, for expected demand growth, indicates that any emissions increases will be less than the respective significant emission rates for each pollutant (for example less than 100 TPY of CO and 40 TPY of NOX). The project will not cause or contribute to a violation of the ambient air quality standards and increment.

The Department will issue the Final Air Construction Permit unless a response received in accordance with the following procedures results in a different decision or sig-nificant change of terms or conditions.

The Department will accept written comments and request for a public meeting concerning the proposed permit issuance action for a period of 14 days from the date of publication of this Public Natice of intent to Issue Air Construction Permit. Written comments should be provided to the Departments's Bureau of Air Regulation at 2600 Blair Stane Road, Mall Station #5505, Taltahassee, Florida 32399-2800. Any written comments filed shall be made a available for public inspection. If written comments received result in a significant change in the proposed permit and require, if applicable, another Public Notice.

The Department will issue to permit with the attached conditions unless a timety position for an administrative hearing is filed pursuant to sections 120.59 and 120.57 of the Florida Statutes (F.S.), before the deadline for filing a petition. The procedures for petitioning for hearing are set forth below. Mediation is not available in this proceeding.

a petition. The procedure's for petitioning for hearing are set forth below. Mediation is not available in this proceeding.

A ercson whose substantial interests are affected by the processed earniting decision may petition for an administrative dermitting decision may petition for an administrative decision and make the decision of the petition of the particular decision and petition and make the decision of the decision and petition of the applicant of the petition of the applicant and the address indicated obove at the time of liting. The failure of any person to file a petition within the appropriate violation of the applicant of

Beth Jenkins

From:

Thomas Grace [tgrace@caithnessenergy.com]

Sent:

Wednesday, May 23, 2007 1:09 PM

To:

Beth Jenkins

Subject: RE: Orlando Sentinel Ad and Affidavit

RECEIVED

MAY 24 2007

BUREAU OF AIR REGULATION

Hi Beth

Not really necessary, but if you still have it you could add a note that says, from Lake Cogen, per SPRINT upgrade Construction permit requirements.

Thanks again.

Tom

----Original Message-----

From: Beth Jenkins [mailto:bjenkins@caithnessenergy.com]

Sent: Wednesday, May 23, 2007 10:30 AM

To: Thomas Grace

Subject: RE: Orlando Sentinel Ad and Affidavit

Will do. Is there an account# or report that I should reference or include with this?

From: Thomas Grace [mailto:tgrace@caithnessenergy.com]

Sent: Wednesday, May 23, 2007 10:57 AM

To: Beth Jenkins

Subject: RE: Orlando Sentinel Ad and Affidavit

Beth,

Thanks for the quick submittal of the e-copy. I'll forward a copy of this to Tom Cascio at FLDEP Tallahassee via this e-mail. If you would, please overnight the original certification to Tom at the following address.

Tom Cascio, Florida Department of Environmental Protection, Bureau of Air Regulation, 2600 Blair Stone Road, Mail Station #5505, Tallahassee, Florida 32399-2400.

Many Thanks for your taking care of this for us.

Tom

----Original Message-----

From: Beth Jenkins [mailto:bjenkins@caithnessenergy.com]

Sent: Wednesday, May 23, 2007 9:19 AM

To: Thomas Grace Cc: James Miller

Subject: Orlando Sentinel Ad and Affidavit

<<...>>

Per your request, attached please find the ad and affidavit from Orlando Sentinel. Please let me

know where you need it sent.

Thanks,

Beth Jenkins Lake Cogen Admin (352) 669-3288 Ext. 21