

Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

December 28, 2001

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. William Reichel General Manager FPL Fort Myers Plant Post Office Box 430 Fort Myers, Florida 33905

Re: FPL Ft. Myers 340 MW Simple Cycle Project Extension of Expiration Date DEP File No. 0710002-009-AC (PSD-FL-298)

Dear Mr. Reichel:

The Department received a letter from Mr. Ken Simmons on November 28, 2001, requesting to change the construction completion date of Specific Condition II from August 1, 2002 to June 30, 2003, and to extend the permit expiration date from April 30, 2003 to December 30, 2003.

Per Rule 62-4.080, F.A.C., an extension for a construction permit shall be granted if the applicant can demonstrate reasonable assurances that upon completion, the extended permit will comply with the standards and conditions required by applicable regulations.

We understand that the project did not trigger PSD. It appears that it will still be completed within the applicable "contemporaneous period" that includes the shutdown of the two large residual fuel oil boilers. Therefore we do not plan to review the applicable control technology in conjunction with an extension.

To complete the reasonable assurance requirement allowing extension of the permit, please submit the following information:

- 1. List the remaining tasks to be performed to complete installation and fine-tuning of plant equipment and the approximate dates for completing those tasks.
- 2. Identify production and emission testing that needs to be conducted and provide estimated dates for completion of those tasks.
- 3. Provide a statement (and basis for believing) that the facility will comply with applicable regulation.

If you have any questions regarding this matter, please contact Teresa Heron at 850/921-9529 or teresa.heron@dep.state.fl.us . You can also contact me at 850/921-9523 or alvaro.linero@dep.state.fl.us .

Sincerely,

A. A. Linero, P.E. Administrator

New Source Review Section -

AAL/aal

Cc: Rich Piper, FPL

Ken Kosky, P.E., Golder Associates

Ken Simmons, FPL

Ron Blackburn, DEP SD

"More Protection, Less Process"

Printed on recycled paper.

 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse 	A. Received by (Please Print Clearly) B. Date of Delivery
so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. Article Addressed to:	C. Signature Agent Addressee D. Is delivery address different from item 1? Yes If YES, enter delivery address below:
Mr. William Reichel General Manager FPL Fort Myers Plant P. O. Box 430 Ft. Myers, FL 33905	3. Service Type Certified Mail
	☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes
Article Number (Copy from service label) 7000 2870 0000 7028 3093	
S Form 3811, July 1999 Domestic Re	eturn Receipt 102595-99-M-1789

93	100	7 =3 1 mm)= -	E &		;		;1	1 1	.~	
30			- [[-		- N 2 F	<u> </u>	£4.	il Ilaa	(_)		j
50			Postage	\$							
<u> </u>		Certi	fied Fee								
[~	,		-	<u> </u>				-			
	Retu (Endorse	irn Rec Iment F	eipt Fee Required)							mark ere	
	Restrict (Endorse	ed Deli	very Fee Required)					}			
_			& Fees	\$				1			
20				<u> </u>]			
г В	Sent To W	i11	iam I	Reic	hel	_					
	Street, A	pt. No.	; or PO	Box No			••				
>	City, Stat										
r~	F	t. I	Mvers	5. F	L 3.	390)5				
		2000	May 20						erse for		

.