

WARREN H. HILGER P.E.

CONSULTING ENGINEER

P.O. BOX 1145 • CRYSTAL RIVER, FLORIDA 32629

TELEPHONE: (904) 795-5383

*fee OK
Subcode IE
H. Kerns*

February 28, 1989

Mr. Ken Robinson
Industrial Equipment & Engineering
Department of Environmental Regulation
4520 Oak Fair Boulevard
Tampa, Florida 33610

D. E. R.

MAR - 6 1989

RE: FDER Permit Application
IE-43 Power-Pak Cremation Retort


SOUTHWEST DISTRICT
TAMPA

Dear Mr. Robinson:

I have enclosed, herein, four (4) copies of "Application To Construct/Operate Air Pollution Sources" for Mr. Orlando J. Fero, Jr. along with a check in the amount of \$200.00 to cover your fee.

If you have any questions or need additional information, please let me know and I will be happy to provide it for you.

Very truly yours,


Warren H. Hilger, P.E.

WHH/sah

PERMIT APPLICATION STATUS SHEET

COMPANY: Furo Funeral Home

PROCESSOR: G. Richardson

PERMIT NO. AC42-161703

DATE RECEIVED: 3/6/89

P.E. SEAL & SIGN: Y N

CHECK: Y N

Day 90 7/4/89

| | DATE TASK COMPLETED | INITIALS |
|----------------------------------------------------------------------------------|---------------------|------------------------------|
| DATE REC'D BY SECTION: | <u>3/8/89</u> | <u>YMQ</u> |
| LOGGING BY SEC'Y | <u>3/8/89</u> | <u>YMQ</u> |
| Permitting Eng'r submit finished permit package & recommendations to supervisor. | <u>5/12/89</u> | <u>Carroll</u> |
| Permit Package to Dist. Engr. | <u>4/17/89</u> ITI | <u>HK</u> |
| Permit Package to Dist. Mgr. | <u>5/12/89</u> | <u>HK</u> |
| Permit Package Mailed out: | <u>5/15/89</u> | <u>YMQ</u> YMQ |

DATA FOLLOW-UP


| | | |
|-----------------------------|--------------------|------------|
| Issue Date Updated on PATS: | <u>MAY 15 1989</u> | <u>YMQ</u> |
| Updated on WANG: | <u>MAY 15 1989</u> | <u>YMQ</u> |

MEMORANDUM

TO: File

THRU: W. C. Thomas, P.E.

THRU: J. Harry Kerns, P.E.

FROM: George W. Richardson 

DATE: April 14, 1989

SUBJECT: Marion County - AP
Intent to Issue
Fero Funeral home
AC42-161703

This intent to issue is for an Industrial Equipment & Engineering, Inc. Model IE-43 Power Pak Incinerator to be located at US Highway 41 North, Dunellon, Marion County.

The permitted incineration rate is 150 pounds per hour of Type I and IV waste. Emissions are controlled by an afterburner which is preheated to 1600°F prior to ignition in the primary chamber. This incinerator is fired with LP gas only at a maximum heat input of 1.5 MMBTU/hour.

I recommend this intent to issue be signed.

Richardson

Central Florida Testing Laboratories, Inc.

Testing Development and Research

1400 STARKEY ROAD

LARGO, FLORIDA 34641

PH. (813) 585-3006 / 581-7019

May 1, 1989

State of Florida
Department of Environmental Regulation
4520 Oak Fair Boulevard
Tampa, FL 33610

D.E.R.

MAY 3 1989

SOUTHWEST DISTRICT
TAMPA

Attn: Mr. George Richardson

Re: Fero Funeral Home
Application No. AC 42-161703

Dear Mr. Richardson,

Attached, please find the affidavit for the Public Notice published in the Ocala Star-Banner on April 26th, 1989, for Fero Funeral Home to construct a new IE-43 cremation retort at their facility on U.S. Highway 41 North in Dunnellon.

Should you receive any public comment regarding the construction of this facility, please inform us as to the nature of the complaint so we can resolve any problems which might arise as expediently as possible.

Thank you for your cooperation in this matter. Should you have any question or require any additional information to issue the permit for this source, do not hesitate to contact our office.

Respectfully,

CENTRAL FLORIDA TESTING LABORATORIES, INC.


Thomas E. Brumagin, P.E.
Director of Environmental Services

TEB/teb

attachment

cc: Mr. Lanny J. Fero, Jr. - Fero Funeral Home

PROOF OF PUBLICATION
THE OCALA STAR-BANNER
 Published—Daily
 OCALA, MARION COUNTY, FLORIDA

STATE OF FLORIDA,
 COUNTY OF MARION.

Before me the undersigned authority personally appeared Lynn Maxwell, who on oath says that he is Classified manager of the Ocala Star-Banner, a daily newspaper published at Ocala, in Marion County, Florida; that the attached copy of advertisement, being a notice in the matter of #2782-Notice of Agency Action _____ in the _____ Court, was published in said newspaper in the issues of April 26, 1989

Affiant further says that the said THE OCALA STAR-BANNER is a daily newspaper published at Ocala, in said Marion County, Florida, and that the said newspaper has heretofore been continuously published in said Marion County, Florida, daily, and has been entered as second class mail matter at the post office in Ocala, in said Marion County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or cooperation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.


Lynn Maxwell

Sworn to and subscribed before me this 26 day

of April, A.D., 19 89

Keely Vandermier
 Notary Public

Notary Public, State of Florida
 My Comm. Expires Sept. 1, 1990
 BONDED THRU Troy Fain - Insurance Inc.



D. E. R.

MAY 3 1989

SOUTHWEST DISTRICT
 TAMPA

State of Florida
 Department of Environmental Regulation
Notice of Proposed Agency Action on Permit Application
 The Department gives notice of its intent to issue a permit to Ferro Fernal Home to construct an Industrial Equipment Engineering, Inc. Model IE-43 Power Pak Incinerator at U.S. Highway 41 North, Dunnellon, Marion County. Permit number AC42-161703.
 A determination of Best Available Control Technology is not required. Persons whose substantial interests are affected by the Department's proposed permitting decision may petition for an administrative determination (hearing) in accordance with Section 120.57, Florida Statutes. The petition must conform to the requirements of Chapters 17-103 and 28-5, Florida Administrative Code and must be filed (received) in the Department's Office of General Counsel, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, within fourteen (14) days of publication of this notice. Failure to file a petition within the fourteen (14) days constitutes a waiver of any right such person has to an administrative determination (hearing) pursuant to Section 120.57, Florida Statutes. If a petition is filed, the administrative hearing process is designed to formulate agency action. Accordingly, the Department's final action may be different from the proposed agency action. Therefore, persons who may not wish to file a petition may wish to intervene in the proceeding. A petition for intervention must be filed pursuant to Rule 28-5.207, Florida Administrative Code, at least five (5) days before the final hearing and be filed with the hearing office if one has been assigned at the Division of Administrative Hearings, Department of Administration, 2009 Apalachee Parkway, Tallahassee, Florida 32301. If no hearing officer has been assigned, the petition is to be filed with the Department's Office of General Counsel, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400. Failure to petition to intervene within the allowed time frame constitutes a waiver of any right such person has to request a hearing under Section 120.57, Florida Statutes.
 The application is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at the Department of Environmental Regulation, 4520 Oak Fair Boulevard, Tampa, Florida 33619-7347.
 No. 2782 — April 26, 1989

MEMORANDUM

TO: File

THRU: W. C. Thomas, P.E.

THRU: J. Harry Kerns, P.E. *JK*

FROM: George W. Richardson *Gene*

DATE: May 10, 1989

SUBJECT: Marion County - AP
Construction Permit
Fero Funeral home
AC42-161703

This construction permit is for an Industrial Equipment & Engineering, Inc. Model IE-43 Power Pak Incinerator to be located at US Highway 41 North, Dunellon, Marion County.

The permitted incineration rate is 150 pounds per hour of Type I and IV waste. Emissions are controlled by an afterburner which is preheated to 1600°F prior to ignition in the primary chamber. This incinerator is fired with LP gas only at a maximum heat input of 1.5 MMBTU/hour.

The public notice was published on April 26, 1989. No comments were received.

I recommend this permit be issued as conditioned.

30TH DAY
COMPLETENESS REVIEW
COMMENT FORM

DATE: 3/21/89 PATS DAY: 15

COMPANY NAME: FERO FUNERAL HOME

APPLICATION NUMBER(S): AC 42-161703

AGENCY CONTACT(S): ORLANDO FERRO JR
TOM BRUNAGLIA

DESCRIPTION OF SOURCE(S): IE-43 INCUBATOR

- STATUS () Complete
() Exempt
() Withdrawn
() Incompleteness Letter Necessary With Following Items:

REVIEW ENGINEER: George W. Schader

DISTRICT AIR ENGINEER: LK

APPLICATION TRACKING SYSTEM

MAY 15 1989

03/08/89

APPL NO:161703

APPL RECVD:03/06/89 TYPE CODE:AC SUBCODE:1E

LAST UPDATE:03/08/89

DER OFFICE RECVD:TPA DER OFFICE TRANSFER TO:___

APPLICATION COMPLETE:00/00/00

DER PROCESSOR:THOMAS *Richardson Jr*

APPL STATUS:AC DATE:03/06/89 (ACTIVE/DENIED/WITHDRAWN/EXEMPT/ISSUED/GENERAL)

RELIEF:___ (SSAC/EXEMPTIONS/VARIANCE)

(Y/N) N MANUAL TRACKING

DISTRICT:40 COUNTY:42

(Y/N) DNR REVIEW REQD?

LAT/LONG:29.06.41/82.26.57

(Y/N) N PUBLIC NOTICE REQD?

BASIN-SEGMENT:___

(Y/N) N GOV BODY LOCAL APPROVAL REQD?

COE #:_____

(Y/N) Y LETTER OF INTENT REQD? (I/ISSUE D/DENY)

ALT#:_____

PROJECT SOURCE NAME:150 LB/HR CREMATOR MODEL

STREET:US 41 N.

CITY:DUNNELLON

STATE:FL ZIP:_____

PHONE:_____

APPLICATION NAME:FERO FUNERAL HOME

STREET:P.O. BOX 266

CITY:BEVERLY HILLS

STATE:FL ZIP:32665

PHONE:_____

AGENT NAME:CENTRAL FLORIDA TESTING LABS.

STREET:1400 STARKEY RD.

CITY:LARGO

STATE:FL ZIP:34641

PHONE:813-581-7019

FEE #1 DATE PAID:03/06/89

AMOUNT PAID:00200

RECEIPT NUMBER:00133021

| | | | | | | | |
|---|------------------------------------------------------|-----|-----|----|----|-----|-----|
| B | DATE APPLICANT INFORMED OF NEED FOR PUBLIC NOTICE | --- | --- | 1 | 1 | --- | --- |
| C | DATE DER SENT DNR APPLICATION/SENT DNR INTENT | --- | --- | 1 | 1 | --- | 1 |
| D | DATE DER REQ. COMMENTS FROM GOV. BODY FOR LOCAL APP. | --- | --- | 1 | 1 | --- | --- |
| E | DATE #1 ADDITIONAL INFO REQ--REC FROM APPLICANT | --- | --- | 1 | 1 | --- | 1 |
| E | DATE #2 ADDITIONAL INFO REQ--REC FROM APPLICANT | --- | --- | 1 | 1 | --- | 1 |
| E | DATE #3 ADDITIONAL INFO REQ--REC FROM APPLICANT | --- | --- | 1 | 1 | --- | 1 |
| E | DATE #4 ADDITIONAL INFO REQ--REC FROM APPLICANT | --- | --- | 1 | 1 | --- | 1 |
| E | DATE #5 ADDITIONAL INFO REQ--REC FROM APPLICANT | --- | --- | 1 | 1 | --- | 1 |
| E | DATE #6 ADDITIONAL INFO REQ--REC FROM APPLICANT | --- | --- | 1 | 1 | --- | 1 |
| F | DATE GOVERNING BODY REQUESTED SURVEY RESULTS/REPORTS | --- | --- | 1 | 1 | --- | --- |
| G | DATE FIELD REPORT WAS REQ--REC | --- | --- | 1 | 1 | --- | 1 |
| H | DATE DNR REVIEW WAS COMPLETED | --- | --- | 1 | 1 | --- | --- |
| I | DATE APPLICATION WAS COMPLETE | --- | --- | 00 | 00 | 00 | 00 |
| J | DATE GOVERNING BODY PROVIDED COMMENTS OR OBJECTIONS | --- | --- | 1 | 1 | --- | --- |
| K | DATE NOTICE OF INTENT WAS SENT--REC TO APPLICANT | --- | --- | 4 | 17 | 189 | --- |
| L | DATE PUBLIC NOTICE WAS SENT TO APPLICANT | --- | --- | 4 | 17 | 189 | --- |
| M | DATE PROOF OF PUBLICATION OF PUBLIC NOTICE RECEIVED | --- | --- | 1 | 1 | --- | --- |
| N | WAIVER DATE BEGIN--END (DAY 90) | --- | --- | 1 | 1 | --- | 1 |

COMMENTS:

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL REGULATION

№ 133021

RECEIPT FOR APPLICATION FEES AND MISCELLANEOUS REVENUE

Received from Werner Hilger Date 3/6/89

Address P.O. Box 1145 Crystal River Dollars \$ 200.00

Applicant Name & Address Jew Funeral Home

Source of Revenue Industrial Equipment + 150 W/hr Cremator

Revenue Code 1031 Application Number AC 42-161703

ck 6216

By Alvina King