

# Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax (813) 752-2475

March 19, 2007

Ms. Cindy Zhang-Torres, P.E.  
Air Permitting Supervisor  
FDEP, Southwest District  
13051 North Telecom Parkway  
Temple Terrace, Florida 33637-0926

Re: Applicable Requirements  
Hydro Spa  
Facility ID No.: 0830151


Dear Ms. Zhang-Torres:

Per your request relating to the above referenced matter, SES, on behalf of Hydro Spa, is pleased to provide the specific rule citations in 40 CFR 63, Subpart WWWW applicable to the facility in the fabrication of spas via the use of reinforced plastic composites and associated activities as follows.

63.5785 (a)  
63.5790 (a), (b) and (c)  
63.5796  
63.5797 (a), (b) and (c)  
63.5799 (a) and (c)  
63.5800  
63.5805 (b), (c), (d), (e) and (f)  
63.5810 (a)  
63.5835 (a)  
63.5840  
63.5860 (a)  
63.5895 (c)  
63.5900 (a) (2)  
63.5905  
63.5910 (all except those about CMS and CEMS)  
63.5915 (a) (1) and (2), (c) and (d)  
63.5920  
63.5925  
63.5930  
63.5935  
Tables 1 thru 9 and 13 thru 15.

Please feel free to contact me if you have any questions.

Very truly yours,



Rama Iyer, P.E.  
Permitting Manager

c: G. Harder/Hydro Spa

Dept. of Environmental  
Protection  
MAR 19 2007  
Southwest District