## Indiantown Cogeneration, L.P.

Indiantown Cogeneration, L.P. P.O. Box 1799 13303 SW Silver Fox Lane Indiantown, FL 34956

772.597.6500 Fax: 772.597.6210

RECEIVED

JUN 01 2007

BUREAU OF AIR REGULATION

Barbara Friday
Department of Environmental Protection
Bureau of Air Regulations
2600 Blair Stone Road, Mail Station # 5505
Tallahassee, FL 32399-2400

**VIA FEDERAL EXPRESS** 

INTENT TO ISSUE AIR CONSTRUCTION PERMIT

PERMIT # 0850102-009-A (INDIANTOWN COGENERATION PLANT)

Dear Barbara:

Re:

May 31, 2007

Pursuant to the requirement of Chapter 50, Florida Statutes, attached please find proof of publication, i.e., newspaper affidavit for "Public Notice of Intent to Issue Air Construction Permit" in the Stuart News on May  $29^{th}$ , 2007.

If you have any questions, please contact Nick Laryea at 772-597-6500, extension 19.

Sincerely,

Gary E. Willer General Manager

Enclosure

cc:

N Laryea

Day E. Wille

M. Halpin

T. Cascio

L. Billheimer

File



## SCRIPPS TREASURE COAST NEWSPAPERS

The Stuart News
The Port St. Lucie News

1939 S. Federal Highway, Stuart, FL 34994

AFFIDAVIT OF PUBLICATION

STATE OF FLORIDA

COUNTY OF MARTIN: COUNTY OF ST. LUCIE

Before the undersigned authority personally appeared. S. Darlene Broeg, who on oath says that she is Classified inside Sales Manager of the Stuart News and the Port St. Lucie News, a daily newspaper published at Stuart in Martin County, Florida: that he attached copy of advertisement was published in the Stuart/Port St. Lucie News in the following issues below. Affant further says that the said Stuart/Port St. Lucie News is a newspaper published in Stuart in said Martin County, Florida, with offices and published in Stuart in said Martin County, Florida, daily and distributed in Martin and St. Lucie County, Florida, and that said newspapers have herelofore been continuously next preceding the first publication of the attached copy of advertisement; and affant further says that she has neither paid or rormised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper. The Stuart News has been entered as Periodical Marter at the Post Offices in Stuart, Martin County, Florida and Ft Pierco, St. Lucie County, Florida and has been offered as Periodical Marter at the Post Offices the first publication of the attached copy of advertisement.

Customer

<u>Ad</u> Number

<u>Pub</u> Date

Copyline

PO#

INDIANTOWN COGENERATIC 1637983

5/29/2007

NOTICE OF INTENT

0850102-0

RECEIVED

JHM 0 1 2007

BUREAU OF AIR REGULATION

Subscribed and sworn to me before this date:

May 29, 2007

S. Darlen Brag

Notary Public

MARY T. BYRNE
Notary Public - State of Florida
My Commission Expires Aug 2, 2010
Commission # DD 544327
Bonded By National Notary Assn.

PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

DEP File No. 0850102-009-AC Indiantown Cognitiration Facility Modification of Lime Handling System Martin County.

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to Indiantown Cogenera tion, L.P., to modify the lime handling system to cated all its facility in Martin County. A review under the rules for the Prevention of Significant Deterioration of Air Quality (PSD) and a determination of best available control technology (BACT) were not required. The applicant's name and address are Indiantown Cogeneration, L.P., 13303 SW Silver Fox Lane, Indiantown, Fiorida 34596.

34939.

The facility includes one high-pressure pulverized coal (PC) main boiler with electrical power output of approximately 330 megawatis, and two identical auxiliary boilers used for supplying stem to the steam host during times when the PC boiler is offline, as well as during PC boiler is fatrup and shutdown periods. In addition, the facility has a variety of ancillary equipment needed to support operations as a scoel-fired cogeneration plant.

The facility uses lime (calcium oxide) as a reactant in the PC boiler flue gas desulfurization (FGD) system.

system.

Lime in powdered form is currently delivered to the facility by truck. The lime is then off-loaded into an existing 900-forn storage silo. Total throughout of lime into the system is approximately 100 tons per day, or 36,500 tons per, year based on 365 days per year operation. This per mit adds the capability for the facility to receive lime by railcar.

The new railcar time unloading system will have a minimal effect on particulate matter (PM) emis sions, and no effect on the enissions of any other air pollutants. Specifically, PM emission increases directly caused by the project would be only on the order of 1 ton per year (TPY). Further, the project will not cause or contribute to a violation of the ambient air quality standards and increment.

The Department will issue the Final Air Construction Permit unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments and requests for a public meeting concerning the proposed permit issuance section for a period of 14 days from the date of publication of this Public Notice of Intent to Issue Air Construction Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5506, Tallahassee, florida 3239-2400. Any written comments field shall be made evailable for public inspection. If written comments received result in a significent change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice: '
The Department will issue the permit with the at tached conditions unless a timely petition for an

The Department will issue the permit with the at tached conditions unless a timely petition for an administrative hearing is filled pursuant to sections 120.569 and 120.57 of the Florda Statutes (F.S.) before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this procedure.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57; F.S. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Common wealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000. Petitions filed by the permit pepticant or any of the parties listed below must be filed within 14 days of receipt of this notice of intent.

Petitions filed by any persons other than those entitions filed to written notice under section 120.60(3), F.S., must be filed within-14 days of publication of the public notice or within-14 days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), F.S., however, any person who saked the Department for (Public Notice to be Published in the Newspaper) notice of agency action may file a petition within 14 days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The staiture of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) uniter sections 120.509 and 120.57 F.S. or to in tervene in this proceeding and participate as a party to it. Any subsequent intervention in a proceeding instated by another party will be only at



## SCRIPPS TREASURE COAST **NEWSPAPERS**

The Stuart News The Port St. Lucie News

1939 S. Federal Highway, Stuart, FL 34994

**AFFIDAVIT OF PUBLICATION** 

STATE OF FLORIDA

COUNTY OF MARTIN COUNTY OF ST. LUCIE

Before the undersigned authority personally appeared, S. Oartene Broug, who on cath says that sire is Classified Inside Sales Manager of the Stuart News and the Port St. Lucie Nows, a daily newspaper published at Stuart in Martin County, Florid, that the attached copy of advertisement was published in the Stuart/Port St. Lucie Nows in the follower issues below. Atheir further assume that the property of th pools yet on section motivity, monta, compared to instanded in metal preceding the first publication of the attached copy of advertisement, and affaint further says that she has entired paid or promised any person, firm or copporation any discount, rebale, commission or refund for the purpose of securing this edvertisement for publication in the said newspaper. The Stuart News has been entired as Periodical Matter at the Post Offices in Stuart, Matrin County, Florida and FT Pirrice, St. Lucie County, Florida and text breat for a periodical Matter at the Post Offices. the test publication of the attacked copy of advertisement

Pub Customer Number Date Copyline INDIANTOWN COGENERATIC 1637983 5/29/2007 NOTICE OF INTENT

> RECEIVED JHB U 1 2007

BUREAU OF AIR REGULATION

Subscribed and sworn to me before this date: May 29, 2007

ALMARY T. BYRNE Notary Public - State of Florida My Commission Expires Aug 2, 2010 Commission # DD 544327 Bonded By National Notary Assa.

PUBLIC NOTICE OF INTENT
TO ISSUE AIR CONSTRUCTION FERMIT
TO ISSUE AIR CONSTRUCTION FERMIT
TO FILE OF FLORIDA
DEPARTMENT OF ENVIRONMENT AL
PROTECTION
DEP File No 0850102 009 AC
Indiantown Cogeneration Facility
Modification of Limb Handling System
Martin County

The Department of Environmental Protection 10 cpartment gives notice of its intent to issue an air construction permit to indientown Cogenera toon, L.P., to middly the lime hendling system to cated at six already in Martin County, A review or der the rules for the Prevention of Significant Deterioration of Air Quality (PSD) and a determination of Air Charles (PSD) and a determination of the County of the nation of bast available control lectuology (BACT) were not required. The applicant's name and address are indiantown Cogeneration, L.P. 13303 SW Silver Fox Lana, Indiantown, Florida

24506. The facility includes one high-pressure pulverized coal IPCI main builder with electrical power output of approximately 330 magawarts, and two intentical annitary boilers used for supplying steam to effect of the steam fost during time when the PC boiler is offline, as well as during PC boiler startup annotation, and solution, the facility has a supplying steam to the propertion as a coal-fired cogeneration plant. For the facility used time facility may be supply the propertion of the properties of the p

in the PC boder Nue gas, descripturation (FGD)

Lime in powdered form is currently delivered to
the facility by truck. The time is then off-loaded
into an existing 90th to have selected
into your selected of the selected into an existing
mastly 100 lone per day, of 35,500 tons per year
based on 365 days per year operation. This per
mit adds the capability for the facility to receive
lime by railor.

The new railor (into an existing eyatem will have a
minimal affect on particulate matter (PMI smits
sions, and no effuct on the amissions of any other
air pollutants Specifically, PM emission increases
directly casted by the project would be only on
the order of 1 ton per year (1PY). Further, the
project will not cause or contribute to a wicklon
of the ambient air quality standards and incre
ment.

The Department will issue the Final Air Construc the Department will result the right at Constitution Permit unless a response received in accordance with the following procedures results in a different decision or significant change of terms

or conditions. The Department will accept written comments and or conditions.

The Department will accept written comments and requests for a pupilic meeting conforming the proceed permitted by the process of the proces

forth below. Mediation is not evaluable in this pro-ceeding. A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding theorem, petition sections 120.569 and 120.57 r.S. The petition must contain the information set forth below and must be filled frequency in the Office of General Coursel of the Denamment at 3900 Common worth goluward, Mail Station 285, Tellahassee, Florida 32399 3000 Petitions filed by the permit explicant or sny of the parties sixed below the time of the permit of the station of the permit be filled within 14 days of receipt of this notice of intest.

be nice within 14 days of receipt of this notice of inteal.

Petitions filled by any necessor offer than those on this of the second of the petition of the public of the petition of the public notice or within 14 days of publication of the public notice or within 14 days of publication of the public notice or within 14 days of precipi of the notice of intent, whichever occurs first. Undersection 12 0000, F.S. of Public Notices to be Published in the Newspaper's notice of agency action may file a petition within 14 days of scenys of that notice, regardless of the date of publication A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of thing. The faulter of any person to file a petition within the appropriate time period state to the time of thing. The faulter of any person to file a petition within the appropriate time period state of the days of the same of the

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and ad dress of each agency affected and each agency's file or identification number oif known: (b) The name, address, and telephone number of the pe titioner, the name, address, and telephone num ber of the petitioner's representative, if any which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial in terests will be affected by the agency determine nation; (c) A statement of how and when petition er received notice of the agency decision; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate: (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner con tends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's sproposed action, fincluding an explanation of how the alleged facts relate to the specific rules or statutes; and (g) A statement of the relief sought by the petitioner, stating precisely the action peti tioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by rule 28-106.301,

Because the administrative hearing process is de signed to formulate final agency action, the filling of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial in terests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public in spection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection
Bureau of Air Regulation
Suite 4, 111 S. Magnolia Drive
Tallahassee, Florida 32301
Telephone: 850/488-0114
Fax: 850/921-9533
Department of Environmental Protection
Southeast District Office
400 North Congress Avenue