

In the folder labeled as follows there are documents, listed below, which were not reproduced in this electronic file. That folder can be found in one of the file drawers labeled Supplementary Documents Drawer. Folders in that drawer are arranged alphabetically, then by permit number.

Folder Name: Container Corporation

Permit(s) Numbered:

AC	45	-	190382
AC	45	-	190383

Period during
which document
was received:

Detailed Description

Period during which document was received:		Detailed Description
APPLICATION 7 JAN 1985	1.	24"×36" BLUEPRINT: C-LINE SCRUBBER (TRS) P.&ID EQUIPMENT AREA (DRAWING NUMBER: 06PID, REV. 2)

PS Form 3811, December 1991 *U.S. GPO: 1993-352-714

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:
 Mr. Warren S. Flenniken
 General Manager, Fernandina Mill
 Container Corporation of America
 Post Office Box 2000
 Fernandina Beach, Florida 32034

4a. Article Number
 Z 392 979 027

4b. Service Type
 Registered Insured
 Certified COD
 Express Mail Return Receipt for Merchandise

7. Date of Delivery
 8-28-95

5. Signature (Addressee)
Warren S. Flenniken

6. Signature (Agent)


8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1991 *U.S. GPO: 1993-352-714 **DOMESTIC RETURN RECEIPT**

Is your RETURN ADDRESS completed on the reverse side?

Thank you for using Return Receipt Service.

Z 392 979 027

 **Receipt for Certified Mail**
 No Insurance Coverage Provided
 Do not use for International Mail
 (See Reverse)

PS Form 3800, March 1993

Sent to <i>Mr. Warren S. Flenniken</i>	
Street and No. <i>P.O. Box 2000</i>	
P.O., State, and ZIP Code <i>Fernandina Bch, FL 32034</i>	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, and Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date <i>AC 45-190383 extension (AC 45-271873 for fee) August 24, 1995</i>	



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

August 24, 1995

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Warren S. Flenniken
General Manager, Fernandina Mill
Container Corporation of America
Post Office Box 2000
Fernandina Beach, Florida 32034

Dear Mr. Flenniken:

Re: Extension of Permit No. AC 45-190383 C-Line Brown Stock Washer

The Department received the May 31 letter from Oertel, Hoffman, Fernandez, & Cole requesting an extension of the expiration date of the above permit. The expiration date is changed from June 2, 1995 to **January 15, 1996**.

A person whose substantial interests are affected by the Department's proposed permitting decision may petition for an administrative proceeding (hearing) in accordance with Section 120.57, Florida Statutes (F.S.). The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 2600 Blair Stone Road, Tallahassee, Florida 32399-2400. Petitions filed by the applicant of the amendment request/application and the parties listed below must be filed within 14 days of receipt of this amendment. Petitions filed by other persons must be filed within 14 days of the amendment issuance or within 14 days of their receipt of this amendment, whichever occurs first. Petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. Failure to file a petition within this time period shall constitute a waiver of any right such person may have to request an administrative determination (hearing) under Section 120.57, F.S.

The Petition shall contain the following information:

- (a) The name, address and telephone number of each petitioner, the applicant's name and address, the Department Permit File Number and the county in which the project is proposed;
- (b) A statement of how and when each petitioner received notice of the Department's action or proposed action;
- (c) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action;
- (d) A statement of the material facts disputed by Petitioner, if any;
- (e) A statement of facts which petitioner contends warrant reversal or modification of the Department's action or proposed action;
- (f) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action; and,

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.

Mr. Warren S. Flenniken
August 24, 1995
Page 2


(g) A statement of the relief sought by petitioner, stating precisely the action the petitioner wants the Department to take with respect to the Department's action or proposed action.

If a petition is filed, the administrative hearing process is designed to formulate agency action. Accordingly, the Department's final action may be different from the position taken by it in this amendment. Persons whose substantial interests will be affected by any decision of the Department with regard to the amendment request/application have the right to petition to become a party to the proceeding. The petition must conform to the requirements specified above and be filed (received) within 14 days of receipt of this amendment in the Office of General Counsel at the above address of the Department. Failure to petition within the allowed time frame constitutes a waiver of any right such person has to request a hearing under Section 120.57, F.S., and to participate as a party to this proceeding. Any subsequent intervention will only be at the approval of the presiding officer upon motion filed pursuant to Rule 28-5.207, Florida Administrative Code.

This letter shall become an attachment to this permit.

If you have any questions regarding this matter, please call A. A. Linero, Administrator, New Source Review Section, at (904)488-1344.

Sincerely,




Howard L. Rhodes, Director
Division of Air Resources
Management

HLR/aal/w

CERTIFICATE OF SERVICE

The undersigned duly designated deputy clerk hereby certifies that this AMENDMENT and all copies were mailed by certified mail before the close of business on 8-24-95 to the listed persons.

FILING AND ACKNOWLEDGMENT FILED,
on this date, pursuant to §120.52(11), Florida Statutes, with
the designated Department Clerk, receipt of which is hereby
acknowledged.


Clerk


8-24-95
Date

Copies Furnished to: S. Fernandez, Esq., OHFC
C. Gay, CCA
C. Kirts, NED

Memorandum

Florida Department of
Environmental Protection

CLAIR

TO: Howard L. Rhodes
FROM: Clair Fancy 
DATE: August 22, 1995
SUBJECT: Amendment of construction permit No. AC 45-190383 Container Corporation of America.

Attached for your approval and signature is a letter extending the expiration date for the above referenced construction permit.

This extension will allow the company to continue shakedown and start-up tests aimed at bringing the C-Line Brown Stock Washer to its authorized capacity which it has been unable to reach.

The Bureau recommends approval of this amendment.

CF/aal

Attachment



CONTAINER CORPORATION OF AMERICA

AN AFFILIATE OF JEFFERSON SMURFIT CORPORATION

Mill Division
NORTH 8TH STREET
FERNANDINA BEACH, FL 32034
TELEPHONE: 904/261-5551

June 28, 1995

AI
Mr. Bruce Mitchell
Air Program
Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

RECEIVED

JUL 1 1995

Bureau of
Air Regulation

Subject: C-Line Brown Stock Washer System
ID# 31JAX45000324
Construction Permit AC45-190383

Dear Mr. Mitchell:

I have enclosed the scrubber system C-Line Scrubber P&ID drawing which was inadvertently not mailed with letter dated June 23, 1995 concerning the above referenced project.

If I may provide any additional information concerning this matter please contact me at (904) 261-5551 ext 5202.

Sincerely,

Richard N. Bowman
Environmental Engineer

RNB/
cc: with enclosure
Chris Kirts, FDEP/NED





CONTAINER CORPORATION OF AMERICA

AN AFFILIATE OF JEFFERSON SMURFIT CORPORATION

Mill Division
NORTH 8TH STREET
FERNANDINA BEACH, FL 32034
TELEPHONE: 904/261-5551

June 23, 1995

RECEIVED

JUN 28 1995

Mr. Bruce Mitchell
Air Program
Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Bureau of
Air Regulation

Subject: C-Line Brown Stock Washer System
Permit #AC45-190303
I.D.# 31JAX45000324

Dear Mr. Mitchell,

The C-line brown stock washer TRS scrubber system changes have been implemented and the system is in shakedown mode. Although the C-line production problems persist, we plan to evaluate the TRS scrubber system performance on June 29 and June 30, 1995. The evaluation will be followed by a compliance test.

Currently, the C-line washer is unable to operate at the maximum production rate of 612 tons per day (TPD). We will test at the maximum rate possible but expect that rate to be less than 90% of the maximum or 550 TPD. Washer changes are expected to be implemented in the next 3 - 5 months which will increase the maximum production rate. We will conduct another TRS compliance test prior to any production rate increase which exceeds 110% of the production rate during the compliance test.

The scrubber system changes include the addition of an oxidation tank to oxidize the caustic scrubber medium with air. The oxidized liquor is augmented with activated carbon for additional TRS control. The oxidation tank will vent to the scrubber. Based on the pilot studies, we are confident the system will adequately control TRS emissions. For your information, the scrubber system P&ID drawing is enclosed. A complete flow diagram will be submitted when completed.

To monitor the scrubber operation, the scrubber supply flow and pH will be recorded continuously. The operating range for these parameters will be determined during the compliance testing. These parameters are consistent with TRS surrogate continuous monitoring parameters on other Fernandina mill TRS sources such as the dissolving tank and the tall oil plant scrubbers.





JSC/CCA

JEFFERSON SMURFIT CORPORATION & CONT



NORTH 8TH STREET, P.O. BOX 2000, FERNANDINA BEACH, FL 32035

right of the return address

CERTIFIED

P 029 980 650

MAIL



Mr. Bruce Mitchell
Air Program
Fla. Dept. of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400




AC 271873
the extension of 5/1/95
are they handling
Question for District
Aug 30
Lawrence - FW
AI - FYE

Page 2

The TRS stack testing report will be submitted with the application for an operating permit. The schedule should allow for the issuance of an operating permit prior to the Title V permit application submittal in November. Based on our contacts with Ms. Pat Comer, Office of General Counsel, we are operating under an automatic extension of the construction permit until the Department takes final action on our request for extension submitted May 31, 1995.

If you have questions or need additional information on the C-line project, please contact Carla Gay (904) 277-5807 or Richard Bowman (904) 261-5551, ext. 5202.

Sincerely,

Handwritten signature of Carla L. Gay in cursive script.

Carla L. Gay
Environmental Supervisor

CC: Chris Kirts, FDEP Northeast District
Pat Comer, FDEP OGC
Segundo Fernandez, Oertel, Hoffman, Fernandez, & Cole
Richard Bowman, JSC/CCA

OERTEL, HOFFMAN, FERNANDEZ & COLE, P.A.



Post Office Box 6507
Tallahassee, Florida 32314-6507

TELEPHONE (904) 877-0099

FACSIMILE (904) 877-0981

FACSIMILE COVER SHEET

DATE: June 1, 1995 CLIENT NO. _____
TO: John Brown FAX NO. 922-1979
FROM: Segundo Fernandez

10 PAGES, INCLUDING COVER SHEET
ARE BEING TRANSMITTED FOR THE
FOLLOWING REASON(S).

HARD COPY WILL BE SENT:

- AS WE DISCUSSED
- AS REQUESTED
- FOR YOUR INFORMATION
- FOR YOUR COMMENTS
- FOR YOUR APPROVAL

- VIA REGULAR MAIL
- VIA OVERNIGHT MAIL
- VIA FACSIMILE ONLY

COMMENTS: _____

This facsimile message may contain privileged and confidential information intended only for the individual named above. If the reader of this message is not the intended recipient, or the agent responsible to deliver it to the intended recipient, you are hereby notified that any review, dissemination, distribution, or copying of this communication is prohibited. If this communication was received in error, please immediately notify us by telephone and return the original message to us at the address above.

If you do not receive all of the pages or if they are not legible, please call (904) 877-0099 and ask to speak with Sharon.

LAW OFFICES

OERTEL, HOFFMAN, FERNANDEZ & COLE, P. A.

TIMOTHY P. ATKINSON
M. CHRISTOPHER BRYANT
R. L. CALEEN, JR.
C. ANTHONY CLEVELAND
TERRY COLE
SEGUNDO J. FERNANDEZ
KENNETH F. HOFFMAN
KENNETH G. OERTEL
PATRICIA A. RENOVITCH
SCOTT SHIRLEY
THOMAS G. TOMASELLO
W. DAVID WATKINS

2700 BLAIR STONE ROAD, SUITE C
POST OFFICE BOX 6807 (ZIP 32314-6807)
TALLAHASSEE, FLORIDA 32301

(904) 877-0099
FAX (904) 877-0981

JOHN H. MILLICAN
HAROLD QUACKENBUSH
C. DOUG DUTTON
ENVIRONMENTAL CONSULTANTS
(NOT MEMBERS OF THE FLORIDA BAR)

SPECIAL COUNSEL

FEARINGTON & McCORD
TALLAHASSEE, FLORIDA

May 31, 1995

Via Facsimile and U.S. Mail

Ernest E. Frey, P.E.
Director of District Management
Florida Department of Environmental Protection
Northeast District
7825 Baymeadows Way, Suite B200
Jacksonville, FL 32256-7577

Re: Nassau County - AP
Container Corporation of America
Emission Unit / Permit No. / ID No.
C-Line BSWS / AC45-190383/ 31JAX45000324

Dear Mr. Frey:

The expiration of above-referenced construction permit was previously extended to June 2, 1995 to coordinate this emissions unit with the submittal of the Title V source (facility) permit application which was to be submitted by April 2, 1995 per F.A.C. Rule 17-213.420(1)(a)1.a. A copy of the letter granting this extension is attached as Exhibit "1."

With the Title V permit deadline recently extended to November 15, 1995, we hereby request that the expiration date of June 2, 1995 be extended in tandem to January 15, 1996. This was the basis of our earlier letter to you dated March 21, 1995, copy attached as Exhibit "2."

We have discussed this matter with Pat Comer of the Office of General Counsel, who indicated that this was the proper procedure to follow, and that by faxing this letter to you, the subject permit will be extended automatically until you take final action on our request. Ms. Comer also indicated that there is no legal impediment to extending the permit as requested.

Ernest E. Frey, P.E.
May 31, 1995
Page 2

Thank you very much for your cooperation in this matter.

Sincerely,




Segundo J. Fernandez

SJF:nhg

Attachments

cc: John Brown (w/attachments)
Pat Comer (w/attachments)
Carla Gay (w/attachments)

sjf\misc\frey.ltr



Florida Department of Environmental Protection

Lawton Chiles
Governor

Northeast District
7825 Baymeadows Way, Suite B200
Jacksonville, Florida 32256-7577

Virginia B. Wetherell
Secretary

CERTIFIED - RETURN RECEIPT

May 3, 1994

Mr. Warren S. Flenniken
General Manager
Fernandina Mill
Container Corporation of America
Post Office Box 2000
Fernandina Beach, Florida 32034

Dear Mr. Flenniken:

Nassau County - AP
Container Corporation of America
Emission Unit / Permit No. / ID No.
C-Line BSWS / AC45-190363 / 31JAX45000324

This permit is extended to 06-02-95 to coordinate this emissions unit with the submittal of the Title V source (facility) permit application which shall be submitted by 04-02-95 per FAC Rule 17-213.420(1)(a), s.a.

Since this extension is in lieu of processing an operation permit application for a short-term operation permit, the testing required by this permit shall be performed initially and annually thereafter.

Any party to this Order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, Florida Statutes, by filing a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the office of General Counsel, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date this Notice is filed with the Clerk of the Department.

If there are any questions, please contact Johnny Cole at (904) 448-4310, Ext. 236.

Sincerely,

Ernest E. Frey, P.E.
Director of District Management

KEP:RJL:JLC

Exhibit 1

*Best certified
P 724207166*



CONTAINER CORPORATION OF AMERICA

AN AFFILIATE OF JEFFERSON SMURFIT CORPORATION

Mill Division
NORTH 6TH STREET
FERNANDINA BEACH, FL 32064
TELEPHONE: 904/261-8501

March 21, 1995

Mr. Christopher L. Kirts
Administrator, Air Program
Northeast District Office
Florida Department of Environmental Protection
Suite B200
7825 Baymeadows Way
Jacksonville, Florida 32256-7577

Subject: Backup Package Boiler
C-Line BSW Permit

Dear Mr. Kirts,

The purpose of this letter is to clarify the current status of both the temporary package boiler and the C-Line Brown Stock Washer (BSW) permits. The Department did notify the Fernandina mill that the permits would be extended to correspond with the Title V permit application. We assumed that these emission units are included but request written confirmation from the Department.

The package boiler will continued to be utilized as a backup unit, operated only during partial and total mill maintenance outages, for emergency boiler outages, or whenever a recovery or power boiler is operated at a reduced rate.

The C-line project is expected to be completed in April with compliance testing after shakedown. This project has be slightly delayed by the structural engineering and installation to accommodate the scrubber modifications and the scrubber liquid oxidation tank. We plan to submit a Certificate of Completion and TRS stack test well in advance of the Title V permit application.

If you have any questions regarding this request, please contact me at (904) 277-5807.

Sincerely,

Carla L. Gay

Carla L. Gay
Environmental Supervisor

LAW OFFICES

OERTEL, HOFFMAN, FERNANDEZ & COLE, P.A.

TIMOTHY P. ATKINSON
M. CHRISTOPHER BRYANT
R. L. CALEEN, JR.
C. ANTHONY CLEVELAND
TERRY COLE
SEGUNDO J. FERNANDEZ
KENNETH F. HOFFMAN
KENNETH G. OERTEL
PATRICIA A. RENOVITCH
SCOTT SHIRLEY
THOMAS G. TOMASELLO
W. DAVID WATKINS

2700 BLAIR STONE ROAD, SUITE C
POST OFFICE BOX 6507 (ZIP 32314-6507)
TALLAHASSEE, FLORIDA 32301

(904) 877-0099
FAX (904) 877-0981

JOHN H. MILLIGAN
HAROLD QUACKENBUSH
G. DOUG DUTTON
ENVIRONMENTAL CONSULTANTS
(NOT MEMBERS OF THE FLORIDA BAR)

SPECIAL COUNSEL
FEARINGTON & McCORD
TALLAHASSEE, FLORIDA

May 31, 1995

BY FACSIMILE

Ernest E. Frey, Director
District Management
Florida Department of Environmental
Protection - Northeast District
Suite 200B
7825 Baymeadows Way
Jacksonville, Florida 32256-7577

RE: Container Corporation of America
Notification of Temporary Exemption
Backup Package Boiler

Dear Mr. Frey:

This letter will provide notification of Container Corporation of America (CCA) exercising the temporary exemption provided by F.A.C. Rule 62-210.350(4). The minor emissions unit covered by this notification was the subject of a previous "exemption" letter dated December 22, 1993, attached as Exhibit 1.

The backup package boiler was the subject of the previous "letter approval" by the Department dated December 22, 1993. I discussed this matter with Pat Comer at OGC who suggested that the letter should have been characterized as an "exemption," and that I handle this matter as provided in the instant letter. The same package boiler was also the subject of our request for confirmation of extension of time dated March 21, 1995, copy attached as Exhibit 2.

It is CCA's intention to include the attached emissions unit as part of a timely and complete permit application for a Title V permit under F.A.C. Chapter 62-213.

The unit listed on Attachment 1 is not subject to any applicable regulation or permitting requirement under Rules 62-212.400, 62-212.500, 62-296.800, 62-296.810, 62-296.820 or 62-296.330, F.A.C. or RACT provisions under Rules 62-296.500 through 62-296.712, F.A.C.

Ernest E. Frey, Director
May 31, 1995
Page 2

Neither does this unit cause or contribute to a significant net emissions increase under Rule 62-212.400 or 62-212.500, F.A.C., which would trigger preconstruction review.

Accordingly, this will provide notification to the Department of CCA's exercising the exemption referenced above. We recognize the authority of the Department to inspect this emissions unit at the Department's discretion.

Please let us know if you need any additional information. We believe under the rule that the exemption is exercised on a temporary basis until final action is taken on the Title V permit. We will continue to keep you abreast of any new information that develops regarding this or other units at the plant. If you have any questions or need for other information, please let us know.

Please acknowledge this notification and your concurrence with our qualification for the exemption for the listed units.

Sincerely,



Segundo J. Fernandez


Attachment

c: John Brown
Pat Comer
Carla Gay

Container Corporation of America
Page Two
December 22, 1993

If you have any questions concerning this matter, please contact
Jehny Cole at (904) 448-4310, extension 378.

Sincerely,



For Ernest E. Frey, P.E.
Director of District Management


EEF:JC:bl

12/27 cc WF, JS
orig C. Bay



Florida Department of Environmental Protection

Lawton Chiles
Governor

Northeast District
7825 Baymeadows Way, Suite B200
Jacksonville, Florida 32256-7577

Virginia B. Wetherell
Secretary

December 22, 1993

CERTIFIED - RETURN RECEIPT

Mr. Warren Flenniken, General Manager
Container Corporation of America
Post Office Box 2000
Fernandina Beach, Florida 32034

Dear Mr. Flenniken:

Nassau County - AP
Container Corporation of America
Package Boiler

This is in response to the 11-12-93 request to operate a 190 MMBTU/hr package boiler during maintenance or emergency outages of either a power boiler or a recovery boiler.


The request is approved with the conditions below:

1. The package boiler shall be operated only when a power boiler or a recovery boiler is not in operation, or when a power boiler or a recovery boiler fuel is fired at a reduced rate resulting in a net sulfur dioxide emission reduction. The FDEP shall be notified prior to operating the package boiler when a power boiler or recovery boiler is operating at a reduced load.
2. The hours of operation shall be recorded, and the downtime hours that one of the other boilers is not operated shall be recorded including its ID number. This information shall be reported quarterly to this office.
3. The fuel fired shall be No. 2 distillate oil and shall not exceed 1,300 gals/hr.
4. A visible emissions test (EPA Method 9) shall be performed within 30 days after startup.
5. This approval expires 12-31-94.



Exhibit 1

*Best Certified
P 724207166*



CONTAINER CORPORATION OF AMERICA

AN AFFILIATE OF JEFFERSON SMURFIT CORPORATION

Mill Division
NORTH 8TH STREET
FERNANDINA BEACH, FL 32064
TELEPHONE: 904/281-6661

March 21, 1995

Mr. Christopher L. Kirts
Administrator, Air Program
Northeast District Office
Florida Department of Environmental Protection
Suite B200
7825 Baymeadows Way
Jacksonville, Florida 32256-7577

Subject: Backup Package Boiler
C-Line BSW Permit

Dear Mr. Kirts,

The purpose of this letter is to clarify the current status of both the temporary package boiler and the C-Line Brown Stock Washer (BSW) permits. The Department did notify the Fernandina mill that the permits would be extended to correspond with the Title V permit application. We assumed that these emission units are included but request written confirmation from the Department.

The package boiler will continued to be utilized as a backup unit, operated only during partial and total mill maintenance outages, for emergency boiler outages, or whenever a recovery or power boiler is operated at a reduced rate.

The C-line project is expected to be completed in April with compliance testing after shakedown. This project has be slightly delayed by the structural engineering and installation to accommodate the scrubber modifications and the scrubber liquid oxidation tank. We plan to submit a Certificate of Completion and TRS stack test well in advance of the Title V permit application.

If you have any questions regarding this request, please contact me at (904) 277-5807.

Sincerely,

Carla L. Gay

Carla L. Gay
Environmental Supervisor

Exhibit 2